

---

**DESIGN ANALYSIS**

---

Title:       **Probabilistic Criticality Consequence Evaluation**  
              (SCPB: N/A)

Document Identifier:       **BBA000000-01717-0200-00021 REV 00**

Originators:       **J.W.Davis/P.Gottlieb/J.R. Massari**

Checkers:       **D.A.Thomas/J.R.Massari/Z.Ceylan**

Lead Design Engineer:       **P. Gottlieb**

Department Manager:       **Hugh A. Benton**

**Attachments Volume I**

### **Derivation of Power-Temperature Relationship for External Criticality**

The following formulas are valid in any consistent set of units. However SI (or MKS) is recommended, for which the units of distance is meters, temperature is Kelvin or Centigrade, and thermal conductivity is W/m·C.

The heat conduction equation in spherical coordinates, assuming spherical symmetry so that the derivatives with respect to angle are zero, and the system is in a steady state, is given in Reference 5.14, p. 6, Eq. 1-3(c):

$$\frac{1}{r} \frac{d^2}{dr^2}(rT) = -\frac{\dot{q}}{k},$$

where  $\dot{q}$  is the power (heat generation rate) per unit volume and  $k$  is the thermal conductivity. Three forms of the solution are of interest:

#### **Outside a sphere**

There are no heat sources outside the sphere, so the right side of the heat conduction equation is zero. The solution is of the form:

$$T = c_1 + c_2/r.$$

This assumes a fixed temperature at large distances from the sphere,  $c_1 = T_\infty$ .

At the surface of the sphere, the temperature gradient is determined by the heat outflow per unit area. If the power generated inside the sphere is  $P$ , the boundary condition at the surface of the sphere ( $r=R$ ) becomes:

$$\left. \frac{dT}{dr} \right|_{r=R} = -\frac{P}{4\pi k R^2},$$

which is satisfied if  $c_2 = P/(4\pi k)$ , so that the solution outside the sphere becomes:

$$T = T_\infty + P/(4k\pi r),$$

so that the temperature at the surface is determined by the temperature at infinity and the total power generated within the sphere as:

$$T_s = T_\infty + P/(4k\pi R).$$

### **Inside a sphere which is homogeneously heated**

If the total power generated is  $P$ , homogeneously distributed in a sphere of radius  $R$ , the power per unit volume is  $3P/(4\pi R^3)$ . Integrating the heat conduction equation gives the solution:

$$T = T_s + P(1-r^2/R^2)/(8k\pi R),$$

where the two integration constants have been determined by the conditions that the temperature be finite at the center of the sphere ( $r=0$ ) and that the temperature at the surface ( $r=R$ ) be  $T_s$ .

The average temperature is computed by multiplying by  $4\pi r^2$  and integrating from  $r=0$  to  $r=R$ , and dividing the result by the volume of the sphere,  $4\pi R^3/3$ , to get:

$$T_{av} = T_s + P/(20k\pi R).$$

### **Inside a sphere with parabolic power density**

The parabolic power density normalized to integrate to the total power  $P$  through the volume of a sphere of radius  $R$  is:

$$15P(1-r^2/R^2)/(8\pi R^3).$$

Using this power density on the right side of the heat conduction equation leads to the solution:

$$T = T_s + 7P/(32k\pi R) - 15P[r^2/(6R^2) - r^4/(20R^4)]/(8k\pi R),$$

where the two integration constants have been determined in the same manner as for the homogeneously heated case described above. Averaging this form over the sphere gives:

$$T_{av} = T_s + P/(14k\pi R).$$

SAS2H Number Density Worksheet: Consequence Analysis - Internal Criticality					BURNUP:	PWR 20 GWd/MT	Time Effects Curve		PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM		
					ENRICHMENT:	3.00%	DECAY TIME:		15,000 YEARS		
Number Density = (mass/assembly) / (volume) * (Na) / (Aw) * correction to 96% density for fresh fu					DECAY TIME:	15,000 YEARS	Volume	51575.24	pwr 3.0% 20 G	Number	
<b>Avogadro's Number [Na] 0.602252</b>											
Atomic Weight [Aw]		Volume= Pi X .468122 X .468122 X 360.172 X 208 = 51575.24			ISOTOPE	GRAMS/	fraction	Aw	MCNP ID	Number	
			SAS2H UO2 density=10.206	O 16	62377.29	0.120501	1	15.99492	8016.50C	4.6947E-02	
Isotope List:		U mass=.464kg	Correction to 96% density	mo 95	224	0.000433	1	94.90584	42095.50C	2.8413E-05	
		UO2 mass= 526.38 kg	1.0309278 (REF. 5.43)	tc 99	219	0.000423	1	98.90628	43099.50C	2.6655E-05	
				ru101	218	0.000421	1	100.9056	44101.50C	2.6008E-05	
				rh103	144	0.000278	1	102.9055	45103.50C	1.6846E-05	
Element	Symbol	Isotope	MCNP ID	Atomic We	ORIGINS ID						
8 Oxygen	O	O-16	8016.50C	15.99492	ag109	21.9	0.000042	1	108.9048	47109.50C	2.4208E-06
42 Molybdenum	Mo	nat.	42000.50C	95.94	nd143	269	0.00052	1	142.9098	60143.50C	2.2660E-05
	Mo	Mo-95	42095.50C	94.90584 mo 95	nd145	203	0.000392	1	144.9125	60145.50C	1.6864E-05
43 Technetium	Tc	Tc-99*	43099.50C	98.90628 tc 99	sm147	89.7	0.000173	1	146.9149	62147.50C	7.3501E-06
44 Ruthenium	Ru	Ru-101	44101.50C	100.9056 ru101	sm149	1.42	2.7E-06	1	148.9172	62149.50C	1.1479E-07
45 Rhodium	Rh	Rh-103	45103.50C	102.9055 rh103	sm150	80.4	0.000155	1	149.9173	62150.50C	6.4561E-06
47 Silver	Ag	Ag-109	47109.50C	108.9048 ag109	sm151	0	0	1	150.9199	62151.50C	0.0000E+00
48 Cadmium	Cd	nat.	48000.50C	112.4	eu151	6.22	0.000012	1	150.9198	63151.55C	4.9615E-07
55 Cesium	Cs	Cs-133	55133.50C	132.9054 cs133	sm152	37.4	0.000072	1	151.9198	62152.50C	2.9636E-06
	Cs	Cs-135	55135.50C	134.9058 cs135	eu153	27	0.000052	1	152.9212	63153.55C	2.1255E-06
60 Neodymium	Nd	Nd-143	60143.50C	142.9098 nd143	gd155	3.18	6.1E-06	1	154.9227	64155.50C	2.4710E-07
	Nd	Nd-145	60145.50C	144.9125 nd145	u233	2.43	4.7E-06	1	233.0395	92233.50C	1.2553E-07
62 Samarium	Sm	Sm-147	62147.50C	146.9149 sm147	u234	107	0.000207	1	234.0409	92234.50C	5.5037E-06
	Sm	Sm-149	62149.50C	148.9172 sm149	u235	7210	0.013928	1	235.0439	92235.50C	3.6928E-04
	Sm	Sm-150	62150.50C	149.9173 sm150	u236	1940	0.003748	1	236.0456	92236.50C	9.8940E-05
	Sm	Sm-151	62151.50C	150.9199 sm151	u238	442000	0.853857	1	238.0508	92238.50C	2.2352E-02
	Sm	Sm-152	62152.50C	151.9198 sm152	np237	541	0.001045	1	237.0481	93237.55C	2.7474E-05
				pu238	0	0	1	238.0495	94238.50C	0.0000E+00	
63 Europium	Eu	Eu-151	63151.55C	150.9198 eu151	pu239	1720	0.003323	1	239.0521	94239.55C	8.6617E-05
	Eu	Eu-153	63153.55C	152.9212 eu153	pu240	138	0.000267	1	240.0539	94240.50C	6.9205E-06
	Eu	Eu-154	63154.50C	153.9231 eu154	pu241	2.24E-05	4.3E-11	1	241.0567	94241.50C	1.1186E-12
64 Gadolinium	Gd	nat.	64000.35C	157.25	pu242	68.9	0.000133	1	242.0587	94242.50C	3.4266E-06
	Gd	Gd-155	64155.50C	154.9227 gd155	am241	7.04E-04	1.4E-09	1	241.0567	95241.50C	3.5158E-11
	Gd	Gd-157	64157.50C	156.924 gd157	am242m	0	0	1	242.0595	95242.50C	0.0000E+00
72 Hafnium	Hf	nat.	72000.50C	178.49	am243	2.46	4.8E-06	1	243.0614	95243.50C	1.2184E-07
92 Uranium	U	U-233	92233.50C	233.0395 u233	total	517651.3	1		Total	7.0057E-02	
	U	U-234	92234.50C	234.0409 u234							
	U	U-235	92235.50C	235.0439 u235							
	U	U-236	92236.50C	236.0456 u236							
	U	U-238	92238.50C	238.0508 u238							
93 Neptunium	Np	Np-237	93237.55C	237.0481 np237							
94 Plutonium	Pu	Pu-238	94238.50C	238.0495 pu238							
	Pu	Pu-239	94239.55C	239.0521 pu239							
	Pu	Pu-240	94240.50C	240.0539 pu240							
	Pu	Pu-241	94241.50C	241.0567 pu241							
	Pu	Pu-242	94242.50C	242.0587 pu242							
	Pu	Pu-243	94243.35C	243.0622 pu243							
95 Americium	Am	Am-241	95241.50C	241.0567 am241							
	Am	Am-242m	95242.50C	242.0595 am242m							
	Am	Am-243	95243.50C	243.0614 am243							
96 Curium	Cm	Cm-243	96243.35C	243.0614 cm243							
	Cm	Cm-245	96245.35C	245.0654 cm245							
	Cm	Cm-248	96248.35C	248.0722 cm248							
Xenon	Xe	Xe-131 *	54131.50c	130.9051 * AW from Chart of the Nuclides							
	Xe	Xe-135 *	54135.50c	134.9063							
Number Density = grams/assembly / Assembly Volume * Avagadro's Number / Atomic Weight											
* (Density Correction to 96% TD) * (Isotopic Correction Factor)											
					BURNUP:	PWR 20 GWd/MT	Time Effects Curve		PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM		
					ENRICHMENT:	3.00%	DECAY TIME:		15000 YEARS		
					DECAY TIME:	15000 YEARS	Volume	51575.24	pwr 3.0%	20 GWd/MT	
					CRITICALITY  DURATION	0 Years	0 yr crit			Number Density	
					ISOTOPE	GRAMS/	%	Aw	MCNP ID		
					O 16	62377.29	0.120385	1	15.99492	8016.50C	
					mo 95	224	0.000432	1	94.90584	42095.50C	
					tc 99	219	0.000423	1	98.90628	43099.50C	
					ru101	218	0.000421	1	100.9056	44101.50C	
					rh103	144	0.000278	1	102.9055	45103.50C	
					ag109	21.9	0.000042	1	108.9048	47109.50C	
					nd143	8.97E+01	0.017%	1	146.9149	62147.50C	
					sm147	1.42E+00	0.000%	1	148.9172	62149.50C	
					sm150	8.04E+01	0.016%	1	149.9173	62150.50C	

For Time Effects Cases, the Isotopic Correction Factor is set to 1.0.

Number Density Calculation for 26 volume% Fe2O3 in Water

density of Fe2O3 is 5.24 g/cc from Handbook of Chemistry and Physics (Ref. 5.17)

Note: O is O-16  
66 Edition, page B-104

AW of Fe= 55.847 AW of O= 15.99492 from Nuclear Chemical Engineering (Ref. 5.43)

Molecular Density =  $5.24 \times .602252 / (2 \times 55.847 + 3 \times 15.9949)$

= 0.019763

ND for 26%

ND of Fe=2x.019762= 0.039527 0.010277

ND of O=3x.019762= 0.05929 0.0154155

Water Number Density

ND of H= 0.066878 from Material Compositions and Number Densities...

ND of O= 0.033439 BBA000000-01717-0200-00002 Rev 00

ND for 74%  
H 0.0494897  
O 0.0247449

Total ND for O = .024745+.015414= 0.040160

B-10 Number Density (Assume no volume offset)

mass of B= 30.474 kg from Second WP Probabilistic Criticality Analysis...

void space 5.714E6 cc BBA000000-01717-2200-00005 REV 00 (Ref. 5.54)

AW of B-10 10.0129 from page I-10 of Material Compositions and Number Densities...

WT Fractio .288/1.6= 0.18 BBA000000-01717-0200-00002 Rev 00 (Ref. 5.5)

ND of B-10=30.474E3\*.18/5.714E6\*.602252/10.0129= 5.7740E-05

ND for 5%

2.8870E-06

TOTAL ND =sum of O, Fe, H, B-10 0.09993

mass density=1.00x.74 + 5.24x.26= 2.1024

sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
gd157	3.11E-02	0.000%	1	156.924	64157.50C	2.3858E-09
cd(113)	1.77E+01	0.003%	1	112.4	48000.50C	1.8989E-06
xe131	1.38E+02	0.027%	1	130.9051	54131.50C	1.2691E-05
cs133	3.41E+02	0.066%	1	132.9054	55133.50C	3.0887E-05
u233	2.43E+00	0.000%	1	233.0395	92233.50C	1.2553E-07
u234	1.07E+02	0.021%	1	234.0409	92234.50C	5.5037E-06
u235	7.21E+03	1.391%	1	235.0439	92235.50C	3.6928E-04
u236	1.94E+03	0.374%	1	236.0456	92236.50C	9.8940E-05
u238	4.42E+05	85.304%	1	238.0508	92238.50C	2.2352E-02
np237	5.41E+02	0.104%	1	237.0481	93237.55C	2.7474E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	1.72E+03	0.332%	1	239.0521	94239.55C	8.6617E-05
pu240	1.38E+02	0.027%	1	240.0539	94240.50C	6.9205E-06
pu241	2.24E-05	0.000%	1	241.0567	94241.50C	1.1186E-12
pu242	6.89E+01	0.013%	1	242.0587	94242.50C	3.4266E-06
am241	7.04E-04	0.000%	1	241.0567	95241.50C	3.5158E-11
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	2.46E+00	0.000%	1	243.0614	95243.50C	1.2184E-07
total	518148.1	100.00%			Total	7.010280E-02

oxygen mass/assembly = 464000 g UO<sub>2</sub> / (1-11.8503E-2) \* 11.8503E-2 fraction of O in UO<sub>2</sub>

62377.29

Effective density = 10.04645

Time Effects Curve						
BURNUP:	PWR 20 GWd/MT	PWR B&W 15x15, 3.00%, Burnup 20 GWd/MTHM				
ENRICHMENT:	3.00%	DECAY TIME:	15000 YEARS			
DECAY TIME:	15000 YEARS	Volume	51575.24	pwr 3.0%	20 GWd/MT	
ISOTOPE	GRAMS/	%		1000 yr crit	Number	Density
	GRAMS/	%		Aw	MCNP ID	
O 16	62377.29	0.120385	1	150.99492	8016.50C	4.6947E-02
mo 95	225	0.000434	1	94.90584	42095.50C	2.8540E-05
tc 99	220	0.000425	1	98.90628	43099.50C	2.6777E-05
ru101	219	0.000423	1	100.9056	44101.50C	2.6127E-05
rh103	144	0.000278	1	102.9055	45103.50C	1.6846E-05
ag109	21.9	0.000042	1	108.9048	47109.50C	2.4208E-06
nd143	270	0.000521	1	142.9098	60143.50C	2.2744E-05
nd145	2.04E+02	0.039%	1	144.9125	60145.50C	1.6947E-05
sm147	9.01E+01	0.017%	1	146.9149	62147.50C	7.3829E-06
sm149	1.18E+00	0.000%	1	148.9172	62149.50C	9.5390E-08
sm150	8.08E+01	0.016%	1	149.9173	62150.50C	6.4882E-06
sm151	3.01E-02	0.000%	1	150.9199	62151.50C	2.4010E-09
eu151	6.12E+00	0.001%	1	150.9198	63151.55C	4.8817E-07
sm152	3.75E+01	0.007%	1	151.9198	62152.50C	2.9715E-06
eu153	2.71E+01	0.005%	1	152.9212	63153.55C	2.1334E-06
gd155	2.73E+00	0.001%	1	154.9227	64155.50C	2.1214E-07
gd157	2.36E-02	0.000%	1	156.924	64157.50C	1.8105E-09
cd(113)	1.78E+01	0.003%	1	112.4	48000.50C	1.9107E-06
xe131	1.38E+02	0.027%	1	130.9051	54131.50C	1.2691E-05
cs133	3.42E+02	0.066%	1	132.9054	55133.50C	3.0978E-05
u233	2.58E+00	0.000%	1	233.0395	92233.50C	1.3328E-07
u234	1.08E+02	0.021%	1	234.0409	92234.50C	5.5552E-06
u235	7.23E+03	1.395%	1	235.0439	92235.50C	3.7030E-04
u236	1.96E+03	0.378%	1	236.0456	92236.50C	9.9960E-05

1mcnp version 4a ld=10/01/93

08/20/96 17:19:50

probid = 08/20/96 17:19:50

inp=a26xb5c outp=a26xb5c0

1- AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5c)  
2- C Advanced Uncanistered Fuel Waste Package, collapsed basket 10k 26%/5%  
3- C 15000 year decay 0 yr criticality  
4- C CELL SPECIFICATIONS  
5- C Assembly sub-lattices - 1/2 Model  
6- 1 0 1 3 -13 -20 FILL=1 (0 -74 0) IMP:N=1  
7- C 1 0 1 3 -4 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
8- C 2 0 3 4 -5 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
9- C 3 0 3 5 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
10- C Assembly sub-lattices - 1/4 Model  
11- C 1 0 1 2 3 -4 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
12- C 2 0 2 3 4 -5 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
13- C 3 0 2 3 5 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
14- C ASSEMBLY LATTICE DESCRIPTION  
15- 5 1 -2.1024 -61 60 -63 62 IMP:N=1 LAT=1 U=1  
16- FILL=0:3 0:7 0:0 1 1 1 1 56 56 1 1 56 56 56 1  
17- 56 56 56 1 56 56 56 1 56 56 1 1  
18- 1 1 1 1 1 1 1 \$ 1/2 model  
19- C 5 1 -2.1024 60 -61 62 -63 IMP:N=1 LAT=1 U=1  
20- C FILL=0:3 0:3 0:0 58 58 64 70 58 58 62 70  
21- C 60 62 70 1 70 70 1 1 \$ 1/4 model  
22- C BARRIER CELLS  
23- C Basket Material-Lid Gap  
24- 76 3 -1.0000 1 -20 13 -14 IMP:N=1 \$ 1/2 model  
25- C 76 1 -2.1024 1 2 -20 13 -14 IMP:N=1 \$ 1/4 model  
26- C Inner Barrier  
27- 77 5 -8.1400 1 3 20 -21 -14 IMP:N=1 \$ 1/2 model  
28- C 77 5 -8.1400 1 2 3 20 -21 -14 IMP:N=1 \$ 1/4 model  
29- C Inner Lid  
30- 78 5 -8.1400 1 14 -15 -21 IMP:N=1 \$ 1/2 model  
31- C 78 5 -8.1400 1 2 14 -15 -21 IMP:N=1 \$ 1/4 model  
32- C Gap between Inner and Outer Barrier Lids  
33- 79 3 -1.0000 1 15 -16 -21 IMP:N=1 \$ 1/2 model  
34- C 79 1 -2.1024 1 2 15 -16 -21 IMP:N=1 \$ 1/4 model  
35- C Gap between Inner and Outer Barriers  
36- 80 3 -1.0000 21 -22 1 3 -16 IMP:N=1 \$ 1/2 model  
37- C 80 1 -2.1024 21 -22 1 2 3 -16 IMP:N=1 \$ 1/4 model  
38- C Outer Barrier  
39- 81 7 -7.8320 22 -24 1 3 -16 IMP:N=1 \$ 1/2 model  
40- C 81 7 -7.8320 22 -24 1 2 3 -16 IMP:N=1 \$ 1/4 model  
41- C Outer Barrier Lid  
42- 82 7 -7.8320 1 -24 16 -17 IMP:N=1 \$ 1/2 model  
43- C 82 7 -7.8320 1 2 -24 16 -17 IMP:N=1 \$ 1/4 model  
44- C 12" of Water around Container  
45- 83 3 -1.0000 24 -25 1 3 -17 IMP:N=1 \$ 1/2 model  
46- C 83 1 -2.1024 24 -25 1 2 3 -17 IMP:N=1 \$ 1/4 model  
47- C 12" of Water above Container  
48- 84 3 -1.0000 17 -19 1 -25 IMP:N=1 \$ 1/2 model  
49- C 84 1 -2.1024 17 -58 1 2 -59 IMP:N=1 \$ 1/4 model  
50- C OUTSIDE WORLD  
51- 85 0 -1:-3:19:25 IMP:N=0 \$ 1/2 model  
52- C 85 0 -1:-2:-3:19:25 IMP:N=0 \$ 1/4 model  
53- C WET PIN LATTICE DESCRIPTION  
54- 86 1 -2.1024 -26 27 -28 29 IMP:N=1 LAT=1 U=56  
55- FILL -8:8 -8:8 0:0 56 16R 56 2 14R 56 56 2 14R 56  
56- 56 2 4R 4 2 2R 4 2 4R 56

u238	4.42E+05	85.304%	1	238.0508	92238.50C	2.2352E-02
np237	5.41E+02	0.104%	1	237.0481	93237.55C	2.7474E-05
pu238	1.69E-01	0.000%	1	238.0495	94238.50C	8.5464E-09
pu239	1.68E+03	0.324%	1	239.0521	94239.55C	8.4602E-05
pu240	1.30E+02	0.025%	1	240.0539	94240.50C	6.5193E-06
pu241	3.14E-02	0.000%	1	241.0567	94241.50C	1.5681E-09
pu242	6.86E+01	0.013%	1	242.0587	94242.50C	3.4117E-06
am241	7.54E-01	0.000%	1	241.0567	95241.50C	3.7655E-08
am242m	1.90E-04	0.000%	1	242.0595	95242.50C	9.4492E-12
am243	2.40E+00	0.000%	1	243.0614	95243.50C	1.1887E-07
total	518148.1	100.00%			Total	7.010317E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) \* 11.8503E-2 fraction of O in UO2  
62377.29

Effective density = 10.04645

Time Effects Curve

BURNUP: PWR 20 GWd/MT		PWR B&W 15x15, 3.00%, Burnup 20 GWd/MTHM		DECAY TIME: 15000 YEARS		
ENRICHMENT: 3.00%		Volume 51575.24		pwr 3.0%	20 GWd/MT	
DECAY TIME: 15000 YEARS		5000 yr crit		Number		
CRITICALITY  DURATION 5000 Years						
ISOTOPE	GRAMS/	%	Aw	MCNP ID	Density	
O 16	62377.29	0.120385	1	15.99492	8016.50C	
mo 95	229	0.000442	1	94.90584	42095.50C	
tc 99	220	0.000425	1	98.90628	43099.50C	
ru101	223	0.00043	1	100.9056	44101.50C	
rh103	145	0.00028	1	102.9055	45103.50C	
ag109	22.2	0.00043	1	108.9048	47109.50C	
nd143	273	0.000527	1	142.9098	60143.50C	
nd145	2.07E+02	0.040%	1	144.9125	60145.50C	
sm147	9.16E+01	0.018%	1	146.9149	62147.50C	
sm149	7.88E-01	0.000%	1	148.9172	62149.50C	
sm150	8.21E+01	0.016%	1	149.9173	62150.50C	
sm151	3.04E-02	0.000%	1	150.9199	62151.50C	
eu151	5.87E+00	0.001%	1	150.9198	63151.55C	
sm152	3.77E+01	0.007%	1	151.9198	62152.50C	
eu153	2.77E+01	0.005%	1	152.9212	63153.55C	
gd155	1.51E+00	0.000%	1	154.9227	64155.50C	
gd157	1.63E-02	0.000%	1	156.924	64157.50C	
cd(113)	1.83E+01	0.004%	1	112.4	48000.50C	
xe131	1.40E+02	0.027%	1	130.9051	54131.50C	
cs133	3.47E+02	0.067%	1	132.9054	55133.50C	
u233	3.18E+00	0.001%	1	233.0395	92233.50C	
u234	1.12E+02	0.022%	1	234.0409	92234.50C	
u235	7.29E+03	1.407%	1	235.0439	92235.50C	
u236	2.02E+03	0.390%	1	236.0456	92236.50C	
u238	4.42E+05	85.304%	1	238.0508	92238.50C	
np237	5.46E+02	0.105%	1	237.0481	93237.55C	
pu238	1.74E-01	0.000%	1	238.0495	94238.50C	
pu239	1.54E+03	0.297%	1	239.0521	94239.55C	
pu240	1.03E+02	0.020%	1	240.0539	94240.50C	
pu241	2.54E-02	0.000%	1	241.0567	94241.50C	
pu242	6.74E+01	0.013%	1	242.0587	94242.50C	
am241	7.77E-01	0.000%	1	241.0567	95241.50C	
am242m	2.27E-04	0.000%	1	242.0595	95242.50C	
am243	2.21E+00	0.000%	1	243.0614	95243.50C	
total	518133.9	100.00%			Total	7.010379E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) \* 11.8503E-2 fraction of O in UO2  
62377.29

Effective density = 10.04617

## Time Effects Curve

BURNUP: PWR 20 GWd/MT			PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM			
ENRICHMENT: 3.00%			DECAY TIME: 15000 YEARS			
DECAY TIME: 15000 YEARS			Volume	51575.24	pwr 3.0%	
CRITICALITY  DURATION 10,000 Years				10,000 yr crit	20 GWd/MT	
ISOTOPE	GRAMS/	%			Number	
O 16	62377.29	0.120385	1	15.99492	8016.50C	4.6947E-02
mo 95	233	0.00045	1	94.90584	42095.50C	2.9555E-05
tc 99	221	0.000427	1	98.90628	43099.50C	2.6899E-05
ru101	227	0.000438	1	100.9056	44101.50C	2.7082E-05
rh103	147	0.000284	1	102.9055	45103.50C	1.7197E-05
ag109	22.5	0.000043	1	108.9048	47109.50C	2.4871E-06
nd143	277	0.000535	1	142.9098	60143.50C	2.3334E-05
nd145	2.11E+02	0.041%	1	144.9125	60145.50C	1.7528E-05
sm147	9.34E+01	0.018%	1	146.9149	62147.50C	7.6533E-06
sm149	6.96E-01	0.000%	1	148.9172	62149.50C	5.6264E-08
sm150	8.32E+01	0.016%	1	149.9173	62150.50C	6.6809E-06
sm151	3.06E-02	0.000%	1	150.9199	62151.50C	2.4408E-09
eu151	5.60E+00	0.001%	1	150.9198	63151.55C	4.4669E-07
sm152	3.79E+01	0.007%	1	151.9198	62152.50C	3.0032E-06
eu153	2.84E+01	0.005%	1	152.9212	63153.55C	2.2357E-06
gd155	7.60E-01	0.000%	1	154.9227	64155.50C	5.9056E-08
gd157	1.55E-02	0.000%	1	156.924	64157.50C	1.1891E-09
cd(113)	1.89E+01	0.004%	1	112.4	48000.50C	2.0221E-06
xe131	1.42E+02	0.027%	1	130.9051	54131.50C	1.3059E-05
cs133	3.53E+02	0.068%	1	132.9054	55133.50C	3.1974E-05
u233	3.88E+00	0.001%	1	233.0395	92233.50C	2.0043E-07
u234	1.16E+02	0.022%	1	234.0409	92234.50C	5.9667E-06
u235	7.35E+03	1.419%	1	235.0439	92235.50C	3.7645E-04
u236	2.09E+03	0.403%	1	236.0456	92236.50C	1.0659E-04
u238	4.42E+05	85.304%	1	238.0508	92238.50C	2.2352E-02
np237	5.50E+02	0.106%	1	237.0481	93237.55C	2.7931E-05
pu238	1.80E-01	0.000%	1	238.0495	94238.50C	9.1027E-09
pu239	1.40E+03	0.270%	1	239.0521	94239.55C	7.0502E-05
pu240	8.09E+01	0.016%	1	240.0539	94240.50C	4.0570E-06
pu241	2.05E-02	0.000%	1	241.0567	94241.50C	1.0238E-09
pu242	6.59E+01	0.013%	1	242.0587	94242.50C	3.2774E-06
am241	6.23E-01	0.000%	1	241.0567	95241.50C	3.1112E-08
am242m	1.86E-04	0.000%	1	242.0595	95242.50C	9.2503E-12
am243	2.05E+00	0.000%	1	243.0614	95243.50C	1.0153E-07
total	518139.2	100.00%			Total	7.010568E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) \* 11.8503E-2 fraction of O in UO2

62377.29

Effective density = 10.04628

```

57-                                56 2 2R 4 2 6R 4 2 2R 56 56 2 14R 56
58-                                56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56
59-                                56 2 14R 56
60-                                56 2 6R 6 2 6R 56
61-                                56 2 14R 56
62-                                56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56
63-                                56 2 14R 56 56 2 2R 4 2 6R 4 2 2R 56
64-                                56 2 4R 4 2 2R 4 2 4R 56
65-                                56 2 14R 56 56 2 14R 56 56 16R
66- C MIXED PIN LATTICE DESCRIPTION
67- C 87 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=72
68- C FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57
69- C 57 3 4R 5 3 2R 5 3 4R 57
70- C 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57
71- C 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57
72- C 57 3 14R 57
73- C 57 3 6R 7 3 6R 57
74- C 57 2 14R 57
75- C 57 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 57
76- C 57 2 14R 57 57 2 2R 4 2 6R 4 2 2R 57
77- C 57 2 4R 4 2 2R 4 2 4R 57
78- C 57 2 14R 57 57 2 14R 57 57 16R
79- C DRY PIN LATTICE DESCRIPTION
80- 88 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=57
81- FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57
82- 57 3 4R 5 3 2R 5 3 4R 57
83- 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57
84- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57
85- 57 3 14R 57
86- 57 3 6R 7 3 6R 57
87- 57 3 14R 57
88- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57
89- 57 3 14R 57 57 3 2R 5 3 6R 5 3 2R 57
90- 57 3 4R 5 3 2R 5 3 4R 57
91- 57 3 14R 57 57 3 14R 57 57 16R
92- C WET FUEL ROD
93- 89 2 7.0103E-02 -30 -10 IMP:N=1 U=2
94- 90 4 -6.5600 -30 10 -11 IMP:N=1 U=2
95- 91 1 -2.1024 -30 11 IMP:N=1 U=2
96- 92 1 -2.1024 30 -31 -11 IMP:N=1 U=2
97- 93 1 -2.1024 30 -31 11 IMP:N=1 U=2
98- 94 4 -6.5600 31 -32 -11 IMP:N=1 U=2
99- 95 1 -2.1024 31 -32 11 IMP:N=1 U=2
100- 96 1 -2.1024 32 IMP:N=1 U=2
101- C DRY FUEL ROD
102- 97 2 7.0103E-02 -30 -10 IMP:N=1 U=3
103- 98 4 -6.5600 -30 10 -11 IMP:N=1 U=3
104- 99 3 -0.001225 -30 11 IMP:N=1 U=3
105- 100 3 -0.001225 30 -31 -11 IMP:N=1 U=3
106- 101 3 -0.001225 30 -31 11 IMP:N=1 U=3
107- 102 4 -6.5600 31 -32 -11 IMP:N=1 U=3
108- 103 3 -0.001225 31 -32 11 IMP:N=1 U=3
109- 104 3 -0.001225 32 IMP:N=1 U=3
110- C WET CONTROL ROD/GUIDE TUBE
111- 105 1 -2.1024 -33 IMP:N=1 U=4 $ No DCRA Rod
112- C 105 9 -7.8300 -33 IMP:N=1 U=4 $ DCRA Rod
113- 106 1 -2.1024 33 -34 IMP:N=1 U=4
114- 107 1 -2.1024 34 -35 IMP:N=1 U=4 $ No DCRA Cladding
115- C 107 4 -6.5600 34 -35 IMP:N=1 U=4 $ DCRA Cladding
116- 108 1 -2.1024 35 -36 IMP:N=1 U=4

```

117- 109 4 -6.5600 36 -37 IMP:N=1 U=4  
118- 110 1 -2.1024 37 IMP:N=1 U=4  
119- C DRY CONTROL ROD/GUIDE TUBE  
120- 111 3 -0.001225 -33 IMP:N=1 U=5 \$ No DCRA Rod  
121- C 111 9 -7.8300 -33 IMP:N=1 U=5 \$ DCRA Rod  
122- 112 3 -0.001225 33 -34 IMP:N=1 U=5  
123- 113 3 -0.001225 34 -35 IMP:N=1 U=5 \$ No DCRA Cladding  
124- C 113 4 -6.5600 34 -35 IMP:N=1 U=5 \$ DCRA Cladding  
125- 114 3 -0.001225 35 -36 IMP:N=1 U=5  
126- 115 4 -6.5600 36 -37 IMP:N=1 U=5  
127- 116 3 -0.001225 37 IMP:N=1 U=5  
128- C WET INSTRUMENTATION TUBE  
129- 117 1 -2.1024 -38 IMP:N=1 U=6  
130- 118 4 -6.5600 38 -39 IMP:N=1 U=6  
131- 119 1 -2.1024 39 IMP:N=1 U=6  
132- C DRY INSTRUMENTATION TUBE  
133- 120 3 -0.001225 -38 IMP:N=1 U=7  
134- 121 4 -6.5600 38 -39 IMP:N=1 U=7  
135- 122 3 -0.001225 39 IMP:N=1 U=7  
136- C FUEL CELL BASKET STRUCTURE  
137- C Code: boron in [B=] all panels [all], left [l], bottom [b], right [r], to  
138- C FUEL CELL BASKET STRUCTURE - WET - Borated panels  
139- C WATER GAP - ASSEMBLY LEFT  
140- 123 1 -2.1024 52 IMP:N=1 U=8  
141- C 123 1 -2.1024 48 IMP:N=1 U=8  
142- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
143- C 124 6 -7.8320 -48 52 IMP:N=1 U=8  
144- C CS TUBE - ASSEMBLY LEFT  
145- C 125 7 -7.8320 -52 56 IMP:N=1 U=8  
146- C SS PANEL - ASSEMBLY LEFT  
147- 126 8 -7.7700 -52 IMP:N=1 U=8  
148- C WATER GAP - ASSEMBLY BOTTOM  
149- 127 1 -2.1024 53 IMP:N=1 U=9  
150- C 127 1 -2.1024 49 IMP:N=1 U=9  
151- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
152- C 128 6 -7.8320 -49 53 IMP:N=1 U=9  
153- C CS TUBE - ASSEMBLY BOTTOM  
154- C 129 7 -7.8320 -53 57 IMP:N=1 U=9  
155- C SS PANEL - ASSEMBLY BOTTOM  
156- 130 8 -7.7700 -53 IMP:N=1 U=9  
157- C WATER GAP - ASSEMBLY RIGHT  
158- 131 1 -2.1024 -54 IMP:N=1 U=10  
159- C 131 1 -2.1024 -50 IMP:N=1 U=10  
160- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
161- C 132 6 -7.8320 50 -54 IMP:N=1 U=10  
162- C CS TUBE - ASSEMBLY RIGHT  
163- C 133 7 -7.8320 54 -58 IMP:N=1 U=10  
164- C SS PANEL - ASSEMBLY RIGHT  
165- 134 8 -7.7700 54 IMP:N=1 U=10  
166- C WATER GAP - ASSEMBLY TOP  
167- 135 1 -2.1024 -55 IMP:N=1 U=11  
168- C 135 1 -2.1024 -51 IMP:N=1 U=11  
169- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
170- C 136 6 -7.8320 51 -55 IMP:N=1 U=11  
171- C CS TUBE - ASSEMBLY TOP  
172- C 137 7 -7.8320 55 -59 IMP:N=1 U=11  
173- C SS PANEL - ASSEMBLY TOP  
174- 138 8 -7.7700 55 IMP:N=1 U=11  
175- C FUEL CELL BASKET STRUCTURE - DRY - Borated panels  
176- C GAP - ASSEMBLY LEFT

177- 139 3 -0.001225 52 IMP:N=1 U=12  
178- C 139 3 -0.001225 48 IMP:N=1 U=12  
179- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
180- C 140 6 -7.8320 -48 52 IMP:N=1 U=12  
181- C CS TUBE - ASSEMBLY LEFT  
182- C 141 7 -7.8320 -52 56 IMP:N=1 U=12  
183- C SS PANEL - ASSEMBLY LEFT  
184- C 142 8 -7.7700 -52 IMP:N=1 U=12  
185- C GAP - ASSEMBLY BOTTOM  
186- C 143 3 -0.001225 53 IMP:N=1 U=13  
187- C 143 3 -0.001225 49 IMP:N=1 U=13  
188- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
189- C 144 6 -7.8320 -49 53 IMP:N=1 U=13  
190- C CS TUBE - ASSEMBLY BOTTOM  
191- C 145 7 -7.8320 -53 57 IMP:N=1 U=13  
192- C SS PANEL - ASSEMBLY BOTTOM  
193- C 146 8 -7.7700 -53 IMP:N=1 U=13  
194- C GAP - ASSEMBLY RIGHT  
195- C 147 3 -0.001225 -54 IMP:N=1 U=14  
196- C 147 3 -0.001225 -50 IMP:N=1 U=14  
197- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
198- C 148 6 -7.8320 50 -54 IMP:N=1 U=14  
199- C CS TUBE - ASSEMBLY RIGHT  
200- C 149 7 -7.8320 54 -58 IMP:N=1 U=14  
201- C SS PANEL - ASSEMBLY RIGHT  
202- C 150 8 -7.7700 54 IMP:N=1 U=14  
203- C GAP - ASSEMBLY TOP  
204- C 151 3 -0.001225 -55 IMP:N=1 U=15  
205- C 151 3 -0.001225 -51 IMP:N=1 U=15  
206- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
207- C 152 6 -7.8320 51 -55 IMP:N=1 U=15  
208- C CS TUBE - ASSEMBLY TOP  
209- C 153 7 -7.8320 55 -59 IMP:N=1 U=15  
210- C SS PANEL - ASSEMBLY TOP  
211- C 154 8 -7.7700 55 IMP:N=1 U=15  
212- C FUEL CELL BASKET STRUCTURE - WET - Unborated panels  
213- C WATER GAP - ASSEMBLY LEFT  
214- C 155 1 -2.1024 52 IMP:N=1 U=16  
215- C 155 1 -2.1024 48 IMP:N=1 U=16  
216- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
217- C 156 6 -7.8320 -48 52 IMP:N=1 U=16  
218- C CS TUBE - ASSEMBLY LEFT  
219- C 157 7 -7.8320 -52 56 IMP:N=1 U=16  
220- C PANEL - ASSEMBLY LEFT  
221- C 158 1 -2.1024 -52 IMP:N=1 U=16  
222- C WATER GAP - ASSEMBLY BOTTOM  
223- C 159 1 -2.1024 53 IMP:N=1 U=17  
224- C 159 1 -2.1024 49 IMP:N=1 U=17  
225- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
226- C 160 6 -7.8320 -49 53 IMP:N=1 U=17  
227- C CS TUBE - ASSEMBLY BOTTOM  
228- C 161 7 -7.8320 -53 57 IMP:N=1 U=17  
229- C PANEL - ASSEMBLY BOTTOM  
230- C 162 1 -2.1024 -53 IMP:N=1 U=17  
231- C WATER GAP - ASSEMBLY RIGHT  
232- C 163 1 -2.1024 -54 IMP:N=1 U=18  
233- C 163 1 -2.1024 -50 IMP:N=1 U=18  
234- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
235- C 164 6 -7.8320 50 -54 IMP:N=1 U=18  
236- C CS TUBE - ASSEMBLY RIGHT

237- C 165 7 -7.8320 54 -58 IMP:N=1 U=18  
238- C PANEL - ASSEMBLY RIGHT  
239- C 166 1 -2.1024 54 IMP:N=1 U=18  
240- C WATER GAP - ASSEMBLY TOP  
241- C 167 1 -2.1024 -55 IMP:N=1 U=19  
242- C 167 1 -2.1024 -51 IMP:N=1 U=19  
243- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
244- C 168 6 -7.8320 51 -55 IMP:N=1 U=19  
245- C CS TUBE - ASSEMBLY TOP  
246- C 169 7 -7.8320 55 -59 IMP:N=1 U=19  
247- C PANEL - ASSEMBLY TOP  
248- C 170 1 -2.1024 55 IMP:N=1 U=19  
249- C FUEL CELL BASKET STRUCTURE - DRY - Unborated panels  
250- C GAP - ASSEMBLY LEFT  
251- C 171 3 -0.001225 52 IMP:N=1 U=20  
252- C 171 3 -0.001225 48 IMP:N=1 U=20  
253- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
254- C 172 6 -7.8320 -48 52 IMP:N=1 U=20  
255- C CS TUBE - ASSEMBLY LEFT  
256- C 173 7 -7.8320 -52 56 IMP:N=1 U=20  
257- C PANEL - ASSEMBLY LEFT  
258- C 174 3 -0.001225 -52 IMP:N=1 U=20  
259- C GAP - ASSEMBLY BOTTOM  
260- C 175 3 -0.001225 53 IMP:N=1 U=21  
261- C 175 3 -0.001225 49 IMP:N=1 U=21  
262- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
263- C 176 6 -7.8320 -49 53 IMP:N=1 U=21  
264- C CS TUBE - ASSEMBLY BOTTOM  
265- C 177 7 -7.8320 -53 57 IMP:N=1 U=21  
266- C PANEL - ASSEMBLY BOTTOM  
267- C 178 3 -0.001225 -53 IMP:N=1 U=21  
268- C GAP - ASSEMBLY RIGHT  
269- C 179 3 -0.001225 -54 IMP:N=1 U=22  
270- C 179 3 -0.001225 -50 IMP:N=1 U=22  
271- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
272- C 180 6 -7.8320 50 -54 IMP:N=1 U=22  
273- C CS TUBE - ASSEMBLY RIGHT  
274- C 181 7 -7.8320 54 -58 IMP:N=1 U=22  
275- C PANEL - ASSEMBLY RIGHT  
276- C 182 3 -0.001225 54 IMP:N=1 U=22  
277- C GAP - ASSEMBLY TOP  
278- C 183 3 -0.001225 -55 IMP:N=1 U=23  
279- C 183 3 -0.001225 -51 IMP:N=1 U=23  
280- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
281- C 184 6 -7.8320 51 -55 IMP:N=1 U=23  
282- C CS TUBE - ASSEMBLY TOP  
283- C 185 7 -7.8320 55 -59 IMP:N=1 U=23  
284- C PANEL - ASSEMBLY TOP  
285- C 186 3 -0.001225 55 IMP:N=1 U=23  
286- C SURFACE SPECIFICATIONS  
288- C 1\* PX 0.0  
289- C 2\* PY 0.00 \$ For 1/4 Model  
290- C 3\* PZ 0.00  
291- C 4 PX 12.30 \$ For Collapsed Model  
292- C 5 PX 36.90 \$ For Collapsed Model  
293- C 6 PY 12.30 \$ Water Level Surface  
294- C 7 PY 36.90 \$ Water Level Surface  
295- C 8 PY -12.30 \$ Water Level Surface  
296- C 9 PY -36.90 \$ Water Level Surface

297- 10 PZ 180.0860 \$ TOP ACTIVE FUEL  
298- 11 PZ 201.2360 \$ TOP FUEL HARDWARE  
299- C 12 PZ 226.75 \$ TOP TUBE - (Shielding Model)  
300- 13 PZ 228.75 \$ TOP OF BASKET MATERIAL  
301- 14 PZ 229.25 \$ TOP RING/WATER GAP  
302- 15 PZ 231.75 \$ TOP INNER LID  
303- 16 PZ 234.75 \$ TOP LID GAP  
304- 17 PZ 245.75 \$ TOP OUTER LID  
305- C 18 PZ 268.25 \$ TOP SKIRT - (Shielding Model)  
306- 19 PZ 298.75 \$ TOP REFLECTOR REGION  
307- 20 CZ 71.095 \$ ID OF INNER BARRIER  
308- 21 CZ 73.095 \$ OD OF INNER BARRIER  
309- 22 CZ 73.10 \$ ID OF OUTER BARRIER  
310- C 23 CZ 76.45 \$ ID OF SKIRT LIP - (Shielding Model)  
311- 24 CZ 83.10 \$ OD OF OUTER BARRIER  
312- 25 CZ 113.60 \$ OD OF REFLECTOR REGION  
313- C PIN LATTICE BOUNDS  
314- 26 PX 0.72136  
315- 27 PX -0.72136  
316- 28 PY 0.72136  
317- 29 PY -0.72136  
318- C FUEL ROD  
319- 30 CZ 0.468122  
320- 31 CZ 0.478790  
321- 32 CZ 0.546100  
322- C CONTROL ROD/GUIDE TUBE  
323- 33 CZ 0.45340 \$ 0.49022  
324- 34 CZ 0.46990 \$ 0.50292  
325- 35 CZ 0.54610 \$ 0.56007  
326- 36 CZ 0.62230 \$ 0.63246  
327- 37 CZ 0.67310  
328- C INSTRUMENTATION TUBE  
329- 38 CZ 0.56007  
330- 39 CZ 0.62611  
331- C ASSEMBLY LATTICE BOUNDS Actual  
332- 44 PX -10.65 \$ ACTUAL 10.82025  
333- 45 PY -10.65  
334- 46 PX 10.65  
335- 47 PY 10.65  
336- C 48 PX -11.0 \$ Corrosion Expansion Cards  
337- C 49 PY -11.0  
338- C 50 PX 11.0  
339- C 51 PY 11.0  
340- 52 PX -10.650001 \$ UCF Intact Inside Tube ID  
341- 53 PY -10.650001  
342- 54 PX 10.650001  
343- 55 PY 10.650001  
344- 56 PX -11.95 \$ UCF Intact Outside Tube ID  
345- 57 PY -11.95  
346- 58 PX 11.95  
347- 59 PY 11.95  
348- C FUEL CELL LATTICE BOUNDS  
349- 60 PX -10.65 \$ ACTUAL 12.30  
350- 61 PX 10.65  
351- 62 PY -10.65  
352- 63 PY 10.65  
353- C 45 degree planes  
354- 64 P 1. -1. 0. 0.  
355- 65 P 1. 1. 0. 0.  
356- C EXTRA CARDS

357-  
 358- MODE N  
 359- C VOL 88J  
 360- KCODE 4000 1. 7 97  
 361- C KSRC -4.3 -5.7 1. -2.8 -5.7 5. -1.4 -5.7 10. 0. -5.7 5.  
 362- C 1.44 -5.7 3. 2.88 -5.7 8. 4.32 -5.7 9.  
 363- C -5.7 -4.3 2. -4.3 -4.3 1. -2.8 -4.3 5. -1.4 -4.3 10.  
 364- C 0. -4.3 5. 1.44 -4.3 3. 2.88 -4.3 8. 4.32 -4.3 9.  
 365- C -5.7 -2.9 2. -4.3 -2.9 1. 2.88 -2.9 8. 4.32 -2.9 10.  
 366- C 0. -2.9 5. 2.88 -2.9 8. 4.32 -2.9 9.  
 367- C -5.7 -1.4 2. -4.3 -1.4 1. -2.8 -1.4 5. -1.4 -1.4 10.  
 368- C 0. -1.4 5. 1.44 -1.4 3. 2.88 -1.4 8. 4.32 -1.4 9.  
 369- C -5.7 0.0 2. -4.3 0.0 1. -2.8 0.0 5. -1.4 0.0 10.  
 370- C 1.44 0.0 3. 2.88 0.0 8. 4.32 0.0 9.  
 371- C -5.7 1.4 2. -2.8 1.4 5. -1.4 1.4 10.  
 372- C 0. 1.4 5. 1.44 1.4 3. 2.88 1.4 8. 4.32 1.4 9.  
 373- C -5.7 2.9 2. -4.3 2.9 1. -2.8 2.9 5. -1.4 2.9 10.  
 374- C 0. 2.9 5. 1.44 2.9 3. 2.88 2.9 8. 4.32 2.9 9.  
 375- C -5.7 4.3 2. -4.3 4.3 1. -2.8 4.3 5. -1.4 4.3 10.  
 376- C 0. 4.3 5. 1.44 4.3 3. 2.88 4.3 8. 4.32 4.3 9.  
 377- C MATERIAL SPECIFICATIONS  
 378- C WATER AT 300 K d=1.0000 g/cc w/ 26% Fe2O3 w/ 5% B10  
 379- M1 1001.50C 4.9490-2 8016.50C 4.0160-2 26000.55C 1.0277-2  
 380- 5010.50C 2.8870-6  
 381- MT1 LWTR.01T  
 382- C 3.00%/20 GWD 15000 yr decay 0 yr crit  
 383- M2 8016.50C 4.6947E-02  
 384- 42095.50C 2.8413E-05  
 385- 43099.50C 2.6655E-05  
 386- 44101.50C 2.6008E-05  
 387- 45103.50C 1.6846E-05  
 388- 47109.50C 2.4208E-06  
 389- 60143.50C 2.2660E-05  
 390- 60145.50C 1.6864E-05  
 391- 62147.50C 7.3501E-06  
 392- 62149.50C 1.1479E-07  
 393- 62150.50C 6.4561E-06  
 394- 63151.55C 4.9615E-07  
 395- 62152.50C 2.9636E-06  
 396- 63153.55C 2.1255E-06  
 397- 64155.50C 2.4710E-07  
 398- 64157.50C 2.3858E-09  
 399- 48000.50C 1.8989E-06  
 400- 54131.50C 1.2691E-05  
 401- 55133.50C 3.0887E-05  
 402- 92233.50C 1.2553E-07  
 403- 92234.50C 5.5037E-06  
 404- 92235.50C 3.6928E-04  
 405- 92236.50C 9.8940E-05  
 406- 92238.50C 2.2352E-02  
 407- 93237.55C 2.7474E-05  
 408- 94239.55C 8.6617E-05  
 409- 94240.50C 6.9205E-06  
 410- 94241.50C 1.1186E-12  
 411- 94242.50C 3.4266E-06  
 412- 95241.50C 3.5158E-11  
 413- 95243.50C 1.2184E-07  
 414- C WATER AT 300 K d=1.0000 g/cc  
 415- M3 1001.50C 6.6878-2 8016.50C 3.3439-2  
 416- MT3 LWTR.01T

```

417-      C      Air d=0.001225 g/cc
418-      C      M3    7014.50C -0.80   8016.50C -0.20
419-      C      ZIRCALOY-4 d=6.56 g/cc
420-      M4    8016.50C -0.0012  24000.50C -0.0010  26000.55C -0.0020
421-      40000.50C -0.9818  50000.35C -0.0140
422-      C      ALLOY 825 d=8.14 g/cc
423-      M5    6000.50C -0.0005  13027.50C -0.0020  14000.50C -0.0050
424-      16032.50C -0.0003  22000.50C -0.0090  24000.50C -0.2150
425-      25055.50C -0.0100  26000.55C -0.2857  28000.50C -0.4200
426-      29000.50C -0.0225  42000.50C -0.0300
427-      C      Oxidized A516 CARBON STEEL and Water Mixture d=7.832 g/cc
428-      C      M6    6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
429-      16032.50C -0.00035 25055.50C -0.0090
430-      C    26000.55C -0.98535
431-      C      A516 CARBON STEEL d=7.832 g/cc
432-      M7    6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
433-      16032.50C -0.00035 25055.50C -0.0090
434-      26000.55C -0.98535
435-      C      SS316B6A 1.6% d=7.77 g/cc
436-      M8    5010.50C -0.00288 5011.50C -0.013120
437-      6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.0075
438-      15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
439-      25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
440-      42000.50C -0.02500
441-      C      SS316B3A 0.87wt% B d=7.83 g/cc
442-      C      M9    5010.50C -0.001566 5011.50C -0.007134
443-      6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.00750
444-      15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
445-      25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
446-      42000.50C -0.02500
447-      C      Al 6063 d=2.69 g/cc
448-      C      M10   12000.50C -0.00675 13027.50C -0.98125 14000.50C -0.00400
449-      22000.50C -0.00150 24000.50C -0.00100 25055.50C -0.00100
450-      26000.55C -0.00350 29000.50C -0.00100
451-      C      TALLIES
452-      PRINT
453-

```

1 initial source from file srctp

#### 1problem summary

run terminated when 97 kcode cycles were done.

+ 0	AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5c)				probid = 08/20/96 19:10:37			
neutron creation	tracks	weight (per source particle)	energy	neutron loss	tracks	weight (per source particle)	energy	
source	387087	1.0024E+00	2.0572E+00	escape	5	7.0869E-06	1.8240E-05	
weight window	0	0.	0.	energy cutoff	0	0.	0.	
cell importance	0	0.	0.	time cutoff	0	0.	0.	
weight cutoff	0	4.9996E-02	6.1536E-06	weight window	0	0.	0.	
energy importance	0	0.	0.	cell importance	0	0.	0.	
dxtran	0	0.	0.	weight cutoff	387745	4.9806E-02	8.3240E-06	
forced collisions	0	0.	0.	energy importance	0	0.	0.	
exp. transform	0	0.	0.	dxtran	0	0.	0.	
				forced collisions	0	0.	0.	
				exp. transform	0	0.	0.	

upsattering	0	0.	7.3602E-08	downscattering	0	0.	1.9223E+00
(n,Xn)	1324	2.7042E-03	2.1498E-03	capture	0	6.5791E-01	3.5810E-02
fission	0	0.	0.	loss to (n,Xn)	661	1.3507E-03	1.1386E-02
total	388411	1.0551E+00	2.0594E+00	loss to fission	0	3.4598E-01	8.9877E-02
				total	388411	1.0551E+00	2.0594E+00
number of neutrons banked		663	average lifetime, shakes			cutoffs	
neutron tracks per source particle		1.0034E+00	escape	1.9585E+04	tco	1.0000E+34	
neutron collisions per source particle		4.6254E+01	capture	2.3100E+03	eco	.0000E+00	
total neutron collisions		17904367	capture or escape	2.3101E+03	wc1	-5.0000E-01	
net multiplication		1.0014E+00 .0001	any termination	2.4720E+03	wc2	-2.5000E-01	
computer time so far in this run		110.41 minutes	maximum number ever in bank	2			
computer time in mcrun		110.31 minutes	bank overflows to backup file	0			
source particles per minute		3.5090E+03	field length	0			
random numbers generated		251075470	most random numbers used was	8243	in history	186679	

range of sampled source weights = 9.5648E-01 to 1.1034E+00  
 1keff results for: AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5c) probid = 08/20/96 17:19:50

the initial fission neutron source distribution was read from the srctp file named srctp .  
 the criticality problem was scheduled to skip 7 cycles and run a total of 97 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 7 inactive cycles with 27818 neutron histories and 90 active cycles with 359269 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 387087 fission neutron source histories.

xx..

the following cells with fissionable material had no neutron tracks entering:  
 97

the following cells with fissionable material had no neutron collisions:  
 97

the following cells with fissionable material had no fission source points:  
 97

Warning. 1 fissionable cells had no tracks entering, 1 cells had no collisions, and 1 cells had no fission source points.  
 the keff results could be too small because these cells with fissionable material were not sampled.

xx..

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

---

the final estimated combined collision/absorption/track-length keff = .89668 with an estimated standard deviation of .00102  
 the estimated 68, 95, & 99 percent keff confidence intervals are .89565 to .89770, .89464 to .89871, and .89398 to .89938  
 the estimated collision/absorption neutron removal lifetime = 2.31E-05 seconds with an estimated standard deviation of 4.98E-08

---

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.89604	.00130	.89474 to .89734	.89346 to .89862	.89262 to .89946	
absorption	.89705	.00120	.89584 to .89825	.89464 to .89945	.89386 to .90023	
track length	.89634	.00139	.89495 to .89773	.89357 to .89910	.89267 to .90000	
col/absorp	.89661	.00107	.89554 to .89768	.89448 to .89874	.89378 to .89943	.4478
abs/trk len	.89676	.00102	.89573 to .89778	.89472 to .89879	.89406 to .89945	.2475
col/trk len	.89615	.00124	.89492 to .89739	.89369 to .89862	.89289 to .89942	.6950
col/abs/trk len	.89668	.00102	.89565 to .89770	.89464 to .89871	.89398 to .89938	

57- 56 2 2R 4 2 6R 4 2 2R 56 56 2 14R 56  
 58- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 59- 56 2 14R 56  
 60- 56 2 6R 6 2 6R 56  
 61- 56 2 14R 56  
 62- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 63- 56 2 14R 56 56 2 2R 4 2 6R 4 2 2R 56  
 64- 56 2 4R 4 2 2R 4 2 4R 56  
 65- 56 2 14R 56 56 2 14R 56 56 16R  
 66- C MIXED PIN LATTICE DESCRIPTION  
 67- C 87 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=72  
 68- C FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 69- C 57 3 4R 5 3 2R 5 3 4R 57  
 70- C 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 71- C 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 72- C 57 3 14R 57  
 73- C 57 3 6R 7 3 6R 57  
 74- C 57 2 14R 57  
 75- C 57 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 57  
 76- C 57 2 14R 57 57 2 2R 4 2 6R 4 2 2R 57  
 77- C 57 2 4R 4 2 2R 4 2 4R 57  
 78- C 57 2 14R 57 57 2 14R 57 57 16R  
 79- C DRY PIN LATTICE DESCRIPTION  
 80- 88 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=57  
 81- FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 82- 57 3 4R 5 3 2R 5 3 4R 57  
 83- 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 84- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 85- 57 3 14R 57  
 86- 57 3 6R 7 3 6R 57  
 87- 57 3 14R 57  
 88- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 89- 57 3 14R 57 57 3 2R 5 3 6R 5 3 2R 57  
 90- 57 3 4R 5 3 2R 5 3 4R 57  
 91- 57 3 14R 57 57 3 14R 57 57 16R  
 92- C WET FUEL ROD  
 93- 89 2 7.0103E-02 -30 -10 IMP:N=1 U=2  
 94- 90 4 -6.5600 -30 10 -11 IMP:N=1 U=2  
 95- 91 1 -2.1024 -30 11 IMP:N=1 U=2  
 96- 92 1 -2.1024 30 -31 -11 IMP:N=1 U=2  
 97- 93 1 -2.1024 30 -31 11 IMP:N=1 U=2  
 98- 94 4 -6.5600 31 -32 -11 IMP:N=1 U=2  
 99- 95 1 -2.1024 31 -32 11 IMP:N=1 U=2  
 100- 96 1 -2.1024 32 IMP:N=1 U=2  
 101- C DRY FUEL ROD  
 102- 97 2 7.0103E-02 -30 -10 IMP:N=1 U=3  
 103- 98 4 -6.5600 -30 10 -11 IMP:N=1 U=3  
 104- 99 3 -0.001225 -30 11 IMP:N=1 U=3  
 105- 100 3 -0.001225 30 -31 -11 IMP:N=1 U=3  
 106- 101 3 -0.001225 30 -31 11 IMP:N=1 U=3  
 107- 102 4 -6.5600 31 -32 -11 IMP:N=1 U=3  
 108- 103 3 -0.001225 31 -32 11 IMP:N=1 U=3  
 109- 104 3 -0.001225 32 IMP:N=1 U=3  
 110- C WET CONTROL ROD/GUIDE TUBE  
 111- 105 1 -2.1024 -33 IMP:N=1 U=4 \$ No DCRA Rod  
 112- C 105 9 -7.8300 -33 IMP:N=1 U=4 \$ DCRA Rod  
 113- 106 1 -2.1024 33 -34 IMP:N=1 U=4  
 114- 107 1 -2.1024 34 -35 IMP:N=1 U=4 \$ No DCRA Cladding  
 115- C 107 4 -6.5600 34 -35 IMP:N=1 U=4 \$ DCRA Cladding  
 116- 108 1 -2.1024 35 -36 IMP:N=1 U=4

117- 109 4 -6.5600 36 -37 IMP:N=1 U=4  
118- 110 1 -2.1024 37 IMP:N=1 U=4  
119- C DRY CONTROL ROD/GUIDE TUBE  
120- 111 3 -0.001225 -33 IMP:N=1 U=5 \$ No DCRA Rod  
121- C 111 9 -7.8300 -33 IMP:N=1 U=5 \$ DCRA Rod  
122- 112 3 -0.001225 33 -34 IMP:N=1 U=5  
123- 113 3 -0.001225 34 -35 IMP:N=1 U=5 \$ No DCRA Cladding  
124- C 113 4 -6.5600 34 -35 IMP:N=1 U=5 \$ DCRA Cladding  
125- 114 3 -0.001225 35 -36 IMP:N=1 U=5  
126- 115 4 -6.5600 36 -37 IMP:N=1 U=5  
127- 116 3 -0.001225 37 IMP:N=1 U=5  
128- C WET INSTRUMENTATION TUBE  
129- 117 1 -2.1024 -38 IMP:N=1 U=6  
130- 118 4 -6.5600 38 -39 IMP:N=1 U=6  
131- 119 1 -2.1024 39 IMP:N=1 U=6  
132- C DRY INSTRUMENTATION TUBE  
133- 120 3 -0.001225 -38 IMP:N=1 U=7  
134- 121 4 -6.5600 38 -39 IMP:N=1 U=7  
135- 122 3 -0.001225 39 IMP:N=1 U=7  
136- C FUEL CELL BASKET STRUCTURE  
137- C Code: boron in [B=] all panels [all], left [l], bottom [b], right [r], to  
138- C FUEL CELL BASKET STRUCTURE - WET - Borated panels  
139- C WATER GAP - ASSEMBLY LEFT  
140- 123 1 -2.1024 52 IMP:N=1 U=8  
141- C 123 1 -2.1024 48 IMP:N=1 U=8  
142- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
143- C 124 6 -7.8320 -48 52 IMP:N=1 U=8  
144- C CS TUBE - ASSEMBLY LEFT  
145- C 125 7 -7.8320 -52 56 IMP:N=1 U=8  
146- C SS PANEL - ASSEMBLY LEFT  
147- 126 8 -7.7700 -52 IMP:N=1 U=8  
148- C WATER GAP - ASSEMBLY BOTTOM  
149- 127 1 -2.1024 53 IMP:N=1 U=9  
150- C 127 1 -2.1024 49 IMP:N=1 U=9  
151- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
152- C 128 6 -7.8320 -49 53 IMP:N=1 U=9  
153- C CS TUBE - ASSEMBLY BOTTOM  
154- C 129 7 -7.8320 -53 57 IMP:N=1 U=9  
155- C SS PANEL - ASSEMBLY BOTTOM  
156- 130 8 -7.7700 -53 IMP:N=1 U=9  
157- C WATER GAP - ASSEMBLY RIGHT  
158- 131 1 -2.1024 -54 IMP:N=1 U=10  
159- C 131 1 -2.1024 -50 IMP:N=1 U=10  
160- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
161- C 132 6 -7.8320 50 -54 IMP:N=1 U=10  
162- C CS TUBE - ASSEMBLY RIGHT  
163- C 133 7 -7.8320 54 -58 IMP:N=1 U=10  
164- C SS PANEL - ASSEMBLY RIGHT  
165- 134 8 -7.7700 54 IMP:N=1 U=10  
166- C WATER GAP - ASSEMBLY TOP  
167- 135 1 -2.1024 -55 IMP:N=1 U=11  
168- C 135 1 -2.1024 -51 IMP:N=1 U=11  
169- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
170- C 136 6 -7.8320 51 -55 IMP:N=1 U=11  
171- C CS TUBE - ASSEMBLY TOP  
172- C 137 7 -7.8320 55 -59 IMP:N=1 U=11  
173- C SS PANEL - ASSEMBLY TOP  
174- 138 8 -7.7700 55 IMP:N=1 U=11  
175- C FUEL CELL BASKET STRUCTURE - DRY - Borated panels  
176- C GAP - ASSEMBLY LEFT

177- 139 3 -0.001225 52 IMP:N=1 U=12  
178- C 139 3 -0.001225 48 IMP:N=1 U=12  
179- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
180- C 140 6 -7.8320 -48 52 IMP:N=1 U=12  
181- C CS TUBE - ASSEMBLY LEFT  
182- C 141 7 -7.8320 -52 56 IMP:N=1 U=12  
183- C SS PANEL - ASSEMBLY LEFT  
184- 142 8 -7.7700 -52 IMP:N=1 U=12  
185- C GAP - ASSEMBLY BOTTOM  
186- 143 3 -0.001225 53 IMP:N=1 U=13  
187- C 143 3 -0.001225 49 IMP:N=1 U=13  
188- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
189- C 144 6 -7.8320 -49 53 IMP:N=1 U=13  
190- C CS TUBE - ASSEMBLY BOTTOM  
191- C 145 7 -7.8320 -53 57 IMP:N=1 U=13  
192- C SS PANEL - ASSEMBLY BOTTOM  
193- 146 8 -7.7700 -53 IMP:N=1 U=13  
194- C GAP - ASSEMBLY RIGHT  
195- 147 3 -0.001225 -54 IMP:N=1 U=14  
196- C 147 3 -0.001225 -50 IMP:N=1 U=14  
197- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
198- C 148 6 -7.8320 50 -54 IMP:N=1 U=14  
199- C CS TUBE - ASSEMBLY RIGHT  
200- C 149 7 -7.8320 54 -58 IMP:N=1 U=14  
201- C SS PANEL - ASSEMBLY RIGHT  
202- 150 8 -7.7700 54 IMP:N=1 U=14  
203- C GAP - ASSEMBLY TOP  
204- 151 3 -0.001225 -55 IMP:N=1 U=15  
205- C 151 3 -0.001225 -51 IMP:N=1 U=15  
206- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
207- C 152 6 -7.8320 51 -55 IMP:N=1 U=15  
208- C CS TUBE - ASSEMBLY TOP  
209- C 153 7 -7.8320 55 -59 IMP:N=1 U=15  
210- C SS PANEL - ASSEMBLY TOP  
211- 154 8 -7.7700 55 IMP:N=1 U=15  
212- C FUEL CELL BASKET STRUCTURE - WET - Unborated panels  
213- C WATER GAP - ASSEMBLY LEFT  
214- 155 1 -2.1024 52 IMP:N=1 U=16  
215- C 155 1 -2.1024 48 IMP:N=1 U=16  
216- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
217- C 156 6 -7.8320 -48 52 IMP:N=1 U=16  
218- C CS TUBE - ASSEMBLY LEFT  
219- C 157 7 -7.8320 -52 56 IMP:N=1 U=16  
220- C PANEL - ASSEMBLY LEFT  
221- 158 1 -2.1024 -52 IMP:N=1 U=16  
222- C WATER GAP - ASSEMBLY BOTTOM  
223- 159 1 -2.1024 53 IMP:N=1 U=17  
224- C 159 1 -2.1024 49 IMP:N=1 U=17  
225- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
226- C 160 6 -7.8320 -49 53 IMP:N=1 U=17  
227- C CS TUBE - ASSEMBLY BOTTOM  
228- C 161 7 -7.8320 -53 57 IMP:N=1 U=17  
229- C PANEL - ASSEMBLY BOTTOM  
230- 162 1 -2.1024 -53 IMP:N=1 U=17  
231- C WATER GAP - ASSEMBLY RIGHT  
232- 163 1 -2.1024 -54 IMP:N=1 U=18  
233- C 163 1 -2.1024 -50 IMP:N=1 U=18  
234- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
235- C 164 6 -7.8320 50 -54 IMP:N=1 U=18  
236- C CS TUBE - ASSEMBLY RIGHT

237- C 165 7 -7.8320 54 -58 IMP:N=1 U=18  
238- C PANEL - ASSEMBLY RIGHT  
239- C 166 1 -2.1024 54 IMP:N=1 U=18  
240- C WATER GAP - ASSEMBLY TOP  
241- C 167 1 -2.1024 -55 IMP:N=1 U=19  
242- C 167 1 -2.1024 -51 IMP:N=1 U=19  
243- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
244- C 168 6 -7.8320 51 -55 IMP:N=1 U=19  
245- C CS TUBE - ASSEMBLY TOP  
246- C 169 7 -7.8320 55 -59 IMP:N=1 U=19  
247- C PANEL - ASSEMBLY TOP  
248- C 170 1 -2.1024 55 IMP:N=1 U=19  
249- C FUEL CELL BASKET STRUCTURE - DRY - Unborated panels  
250- C GAP - ASSEMBLY LEFT  
251- C 171 3 -0.001225 52 IMP:N=1 U=20  
252- C 171 3 -0.001225 48 IMP:N=1 U=20  
253- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
254- C 172 6 -7.8320 -48 52 IMP:N=1 U=20  
255- C CS TUBE - ASSEMBLY LEFT  
256- C 173 7 -7.8320 -52 56 IMP:N=1 U=20  
257- C PANEL - ASSEMBLY LEFT  
258- C 174 3 -0.001225 -52 IMP:N=1 U=20  
259- C GAP - ASSEMBLY BOTTOM  
260- C 175 3 -0.001225 53 IMP:N=1 U=21  
261- C 175 3 -0.001225 49 IMP:N=1 U=21  
262- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
263- C 176 6 -7.8320 -49 53 IMP:N=1 U=21  
264- C CS TUBE - ASSEMBLY BOTTOM  
265- C 177 7 -7.8320 -53 57 IMP:N=1 U=21  
266- C PANEL - ASSEMBLY BOTTOM  
267- C 178 3 -0.001225 -53 IMP:N=1 U=21  
268- C GAP - ASSEMBLY RIGHT  
269- C 179 3 -0.001225 -54 IMP:N=1 U=22  
270- C 179 3 -0.001225 -50 IMP:N=1 U=22  
271- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
272- C 180 6 -7.8320 50 -54 IMP:N=1 U=22  
273- C CS TUBE - ASSEMBLY RIGHT  
274- C 181 7 -7.8320 54 -58 IMP:N=1 U=22  
275- C PANEL - ASSEMBLY RIGHT  
276- C 182 3 -0.001225 54 IMP:N=1 U=22  
277- C GAP - ASSEMBLY TOP  
278- C 183 3 -0.001225 -55 IMP:N=1 U=23  
279- C 183 3 -0.001225 -51 IMP:N=1 U=23  
280- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
281- C 184 6 -7.8320 51 -55 IMP:N=1 U=23  
282- C CS TUBE - ASSEMBLY TOP  
283- C 185 7 -7.8320 55 -59 IMP:N=1 U=23  
284- C PANEL - ASSEMBLY TOP  
285- C 186 3 -0.001225 55 IMP:N=1 U=23  
286- C SURFACE SPECIFICATIONS  
288- C 1\* PX 0.0  
289- C 2\* PY 0.00 \$ For 1/4 Model  
290- C 3\* PZ 0.00  
291- C 4 PX 12.30 \$ For Collapsed Model  
292- C 5 PY 36.90 \$ For Collapsed Model  
293- C 6 PY 12.30 \$ Water Level Surface  
294- C 7 PY 36.90 \$ Water Level Surface  
295- C 8 PY -12.30 \$ Water Level Surface  
296- C 9 PY -36.90 \$ Water Level Surface

297- 10 PZ 180.0860 \$ TOP ACTIVE FUEL  
298- 11 PZ 201.2360 \$ TOP FUEL HARDWARE  
299- C 12 PZ 226.75 \$ TOP TUBE - (Shielding Model)  
300- 13 PZ 228.75 \$ TOP OF BASKET MATERIAL  
301- 14 PZ 229.25 \$ TOP RING/WATER GAP  
302- 15 PZ 231.75 \$ TOP INNER LID  
303- 16 PZ 234.75 \$ TOP LID GAP  
304- 17 PZ 245.75 \$ TOP OUTER LID  
305- C 18 PZ 268.25 \$ TOP SKIRT - (Shielding Model)  
306- 19 PZ 298.75 \$ TOP REFLECTOR REGION  
307- 20 CZ 71.095 \$ ID OF INNER BARRIER  
308- 21 CZ 73.095 \$ OD OF INNER BARRIER  
309- 22 CZ 73.10 \$ ID OF OUTER BARRIER  
310- C 23 CZ 76.45 \$ ID OF SKIRT LIP - (Shielding Model)  
311- 24 CZ 83.10 \$ OD OF OUTER BARRIER  
312- 25 CZ 113.60 \$ OD OF REFLECTOR REGION  
313- C PIN LATTICE BOUNDS  
314- 26 PX 0.72136  
315- 27 PX -0.72136  
316- 28 PY 0.72136  
317- 29 PY -0.72136  
318- C FUEL ROD  
319- 30 CZ 0.468122  
320- 31 CZ 0.478790  
321- 32 CZ 0.546100  
322- C CONTROL ROD/GUIDE TUBE  
323- 33 CZ 0.453340 \$ 0.49022  
324- 34 CZ 0.46990 \$ 0.50292  
325- 35 CZ 0.54610 \$ 0.56007  
326- 36 CZ 0.62230 \$ 0.63246  
327- 37 CZ 0.67310  
328- C INSTRUMENTATION TUBE  
329- 38 CZ 0.56007  
330- 39 CZ 0.62611  
331- C ASSEMBLY LATTICE BOUNDS Actual  
332- 44 PX -10.65 \$ ACTUAL 10.82025  
333- 45 PY -10.65  
334- 46 PX 10.65  
335- 47 PY 10.65  
336- C 48 PX -11.0 \$ Corrosion Expansion Cards  
337- C 49 PY -11.0  
338- C 50 PX 11.0  
339- C 51 PY 11.0  
340- 52 PX -10.650001 \$ UCF Intact Inside Tube ID  
341- 53 PY -10.650001  
342- 54 PX 10.650001  
343- 55 PY 10.650001  
344- 56 PX -11.95 \$ UCF Intact Outside Tube ID  
345- 57 PY -11.95  
346- 58 PX 11.95  
347- 59 PY 11.95  
348- C FUEL CELL LATTICE BOUNDS  
349- 60 PX -10.65 \$ ACTUAL 12.30  
350- 61 PX 10.65  
351- 62 PY -10.65  
352- 63 PY 10.65  
353- C 45 degree planes  
354- 64 P 1. -1. 0. 0.  
355- 65 P 1. 1. 0. 0.  
356- C EXTRA CARDS

357-  
 358- MODE N  
 359- C VOL 88J  
 360- KCODE 4000 1. 7 97  
 361- C KSRC -4.3 -5.7 1. -2.8 -5.7 5. -1.4 -5.7 10. 0. -5.7 5.  
 362- C 1.44 -5.7 3. 2.88 -5.7 8. 4.32 -5.7 9.  
 363- C -5.7 -4.3 2. -4.3 -4.3 1. -2.8 -4.3 5. -1.4 -4.3 10.  
 364- C 0. -4.3 5. 1.44 -4.3 3. 2.88 -4.3 8. 4.32 -4.3 9.  
 365- C -5.7 -2.9 2. -4.3 -2.9 1. 2.88 -2.9 8. 4.32 -2.0 9.  
 366- C 0. -2.9 5. 2.88 -2.9 8. 4.32 -2.0 9.  
 367- C -5.7 -1.4 2. -4.3 -1.4 1. -2.8 -1.4 5. -1.4 -1.4 10.  
 368- C 0. -1.4 5. 1.44 -1.4 3. 2.88 -1.4 8. 4.32 -1.4 9.  
 369- C -5.7 0.0 2. -4.3 0.0 1. -2.8 0.0 5. -1.4 0.0 10.  
 370- C 1.44 0.0 3. 2.88 0.0 8. 4.32 0.0 9.  
 371- C -5.7 1.4 2. -2.8 1.4 5. -1.4 1.4 10.  
 372- C 0. 1.4 5. 1.44 1.4 3. 2.88 1.4 8. 4.32 1.4 9.  
 373- C -5.7 2.9 2. -4.3 2.9 1. -2.8 2.9 5. -1.4 2.9 10.  
 374- C 0. 2.9 5. 1.44 2.9 3. 2.88 2.9 8. 4.32 2.9 9.  
 375- C -5.7 4.3 2. -4.3 4.3 1. -2.8 4.3 5. -1.4 4.3 10.  
 376- C 0. 4.3 5. 1.44 4.3 3. 2.88 4.3 8. 4.32 4.3 9.  
 377- C MATERIAL SPECIFICATIONS  
 378- C WATER AT 300 K d=1.0000 g/cc w/ 26% Fe2O3 w/ 5% B10  
 379- M1 1001.50C 4.9490-2 8016.50C 4.0160-2 26000.55C 1.0277-2  
 380- 5010.50C 2.8870-6  
 381- MT1 LWTR.01T  
 382- C 3.00%/20 GWD 15000 yr decay 1000 yr crit  
 383- M2 8016.50C 4.6947E-02  
 384- 42095.50C 2.8540E-05  
 385- 43099.50C 2.6777E-05  
 386- 44101.50C 2.6127E-05  
 387- 45103.50C 1.6846E-05  
 388- 47109.50C 2.4208E-06  
 389- 60143.50C 2.2744E-05  
 390- 60145.50C 1.6947E-05  
 391- 62147.50C 7.3829E-06  
 392- 62149.50C 9.5390E-08  
 393- 62150.50C 6.4882E-06  
 394- 62151.50C 2.4010E-09  
 395- 63151.55C 4.8817E-07  
 396- 62152.50C 2.9715E-06  
 397- 63153.55C 2.1334E-06  
 398- 64155.50C 2.1214E-07  
 399- 64157.50C 1.8105E-09  
 400- 48000.50C 1.9107E-06  
 401- 54131.50C 1.2691E-05  
 402- 55133.50C 3.0978E-05  
 403- 92233.50C 1.3328E-07  
 404- 92234.50C 5.5552E-06  
 405- 92235.50C 3.7030E-04  
 406- 92236.50C 9.9960E-05  
 407- 92238.50C 2.2352E-02  
 408- 93237.55C 2.7474E-05  
 409- 94238.50C 8.5464E-09  
 410- 94239.55C 8.4602E-05  
 411- 94240.50C 6.5193E-06  
 412- 94241.50C 1.5681E-09  
 413- 94242.50C 3.4117E-06  
 414- 95241.50C 3.7655E-08  
 415- 95242.50C 9.4492E-12  
 416- 95243.50C 1.1887E-07

417- C WATER AT 300 K d=1.0000 g/cc  
 418- M3 1001.50C 6.6878-2 8016.50C 3.3439-2  
 419- MT3 LWTR.01T  
 420- C Air d=0.001225 g/cc  
 421- C M3 7014.50C -0.80 8016.50C -0.20  
 422- C ZIRCALOY-4 d=6.56 g/cc  
 423- M4 8016.50C -0.0012 24000.50C -0.0010 26000.55C -0.0020  
 424- 40000.50C -0.9818 50000.35C -0.0140  
 425- C ALLOY 825 d=8.14 g/cc  
 426- M5 6000.50C -0.0005 13027.50C -0.0020 14000.50C -0.0050  
 427- 16032.50C -0.0003 22000.50C -0.0090 24000.50C -0.2150  
 428- 25055.50C -0.0100 26000.55C -0.2857 28000.50C -0.4200  
 429- 29000.50C -0.0225 42000.50C -0.0300  
 430- C Oxidized A516 CARBON STEEL and Water Mixture d=7.832 g/cc  
 431- C M6 6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035  
 432- C 16032.50C -0.00035 25055.50C -0.0090  
 433- C 26000.55C -0.98535  
 434- C A516 CARBON STEEL d=7.832 g/cc  
 435- M7 6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035  
 436- 16032.50C -0.00035 25055.50C -0.0090  
 437- 26000.55C -0.98535  
 438- C SS316B6A 1.6% d=7.77 g/cc  
 439- M8 5010.50C -0.00288 5011.50C -0.013120  
 440- 6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.0075  
 441- 15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000  
 442- 25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500  
 443- 42000.50C -0.02500  
 444- C SS316B3A 0.87wt% B d=7.83 g/cc  
 445- C M9 5010.50C -0.001566 5011.50C -0.007134  
 446- C 6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.00750  
 447- C 15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000  
 448- C 25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500  
 449- C 42000.50C -0.02500  
 450- C Al 6063 d=2.69 g/cc  
 451- C M10 12000.50C -0.00675 13027.50C -0.98125 14000.50C -0.00400  
 452- C 22000.50C -0.00150 24000.50C -0.00100 25055.50C -0.00100  
 453- C 26000.55C -0.00350 29000.50C -0.00100  
 454- C TALLIES  
 455- PRINT  
 456-

1 initial source from file srctp  
1 problem summary

run terminated when 97 kcode cycles were done.

+ AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5d) probid = 08/22/96 21:47:49  
 0 probid = 08/22/96 17:36:25

neutron creation	tracks	weight (per source particle)	energy (per source particle)	neutron loss	tracks	weight (per source particle)	energy (per source particle)
source	387082	1.0024E+00	2.0569E+00	escape	3	4.2712E-06	2.1235E-05
weight window	0	0.	0.	energy cutoff	0	0.	0.
cell importance	0	0.	0.	time cutoff	0	0.	0.
weight cutoff	0	5.0178E-02	2.3040E-06	Weight Window	0	0.	0.
energy importance	0	0.	0.	cell importance	0	0.	0.
dxtran	0	0.	0.	weight cutoff	387754	5.0286E-02	6.6705E-06
forced collisions	0	0.	0.	energy importance	0	0.	0.
exp. transform	0	0.	0.	dxtran	0	0.	0.
				forced collisions	0	0.	0.
				exp. transform	0	0.	0.

upsattering	0	0.	7.4166E-08	downscattering	0	0.	1.9217E+00
(n,xn)	1349	2.7469E-03	2.0453E-03	capture	0	6.5703E-01	3.6044E-02
fission	0	0.	0.	loss to (n,xn)	674	1.3724E-03	1.1617E-02
total	388431	1.0553E+00	2.0589E+00	loss to fission	0	3.4660E-01	8.9473E-02
				total	388431	1.0553E+00	2.0589E+00
number of neutrons banked		675	average lifetime, shakes			cutoffs	
neutron tracks per source particle		1.0035E+00	escape	9.9733E+03	tco	1.0000E+34	
neutron collisions per source particle		4.6435E+01	capture	2.3235E+03	eco	.0000E+00	
total neutron collisions		17974161	capture or escape	2.3235E+03	wc1	-5.0000E-01	
net multiplication		1.0014E+00 .0001	any termination	2.4866E+03	wc2	-2.5000E-01	
computer time so far in this run	115.30	minutes	maximum number ever in bank	2			
computer time in mcrun	115.19	minutes	bank overflows to backup file	0			
source particles per minute	3.3603E+03		field length	0			
random numbers generated	251752202		most random numbers used was	11029	in history	177534	

range of sampled source weights = 9.4496E-01 to 1.1287E+00

1keff results for: AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5d) probid = 08/22/96 17:36:25

the initial fission neutron source distribution was read from the srctp file named srctp .  
 the criticality problem was scheduled to skip 7 cycles and run a total of 97 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 7 inactive cycles with 27659 neutron histories and 90 active cycles with 359423 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 387082 fission neutron source histories.

xx

the following cells with fissionable material had no neutron tracks entering:  
 97

the following cells with fissionable material had no neutron collisions:  
 97

the following cells with fissionable material had no fission source points:  
 97

warning. 1 fissionable cells had no tracks entering, 1 cells had no collisions, and 1 cells had no fission source points.  
 the keff results could be too small because these cells with fissionable material were not sampled.

xx

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k( collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

---

the final estimated combined collision/absorption/track-length keff = .89888 with an estimated standard deviation of .00096  
 the estimated 68, 95, & 99 percent keff confidence intervals are .89792 to .89984, .89696 to .90080, and .89634 to .90142  
 the estimated collision/absorption neutron removal lifetime = 2.33E-05 seconds with an estimated standard deviation of 5.63E-08

---

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.89997	.00113	.89884 to .90110	.89772 to .90222	.89698 to .90296	
absorption	.89758	.00111	.89647 to .89870	.89537 to .89980	.89464 to .90052	
track length	.90063	.00134	.89928 to .90197	.89795 to .90330	.89708 to .90418	
col/absorp	.89874	.00097	.89778 to .89971	.89682 to .90067	.89619 to .90130	.4106
abs/trk len	.89872	.00099	.89773 to .89971	.89675 to .90069	.89611 to .90134	.2656
col/trk len	.90011	.00112	.89899 to .90123	.89788 to .90235	.89715 to .90307	.7102
col/abs/trk len	.89888	.00096	.89792 to .89984	.89696 to .90080	.89634 to .90142	

1mcnp version 4a ld=10/01/93 08/20/96 21:00:04  
 \*\*\*\*\*  
 inpa26xb5e outpa26xb5e probid = 08/20/96 21:00:04

1- AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5e)  
 2- C Advanced Uncanistered Fuel Waste Package, collapsed basket 10k 26%/5%  
 3- C 15000 year decay 1000 yr criticality  
 4- C CELL SPECIFICATIONS  
 5- C Assembly Sub-lattices - 1/2 Model  
 6- 1 0 1 3 -13 -20 FILL=1 (0 -74 0) IMP:N=1  
 7- C 1 0 1 3 -4 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
 8- C 2 0 3 4 -5 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
 9- C 3 0 3 5 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
 10- C Assembly Sub-lattices - 1/4 Model  
 11- C 1 0 1 2 3 -4 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
 12- C 2 0 2 3 4 -5 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
 13- C 3 0 2 3 5 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
 14- C ASSEMBLY LATTICE DESCRIPTION  
 15- 5 1 -2.1024 -61 60 -63 62 IMP:N=1 LAT=1 U=1  
 16- FILL=0:3 0:7 0:0 1 1 1 1 56 56 1 1 56 56 56 1  
 17- 56 56 56 1 56 56 56 1 56 56 1 1  
 18- 1 1 1 1 1 1 1 \$ 1/2 model  
 19- C 5 1 -2.1024 60 -61 62 -63 IMP:N=1 LAT=1 U=1  
 20- C FILL=0:3 0:3 0:0 58 58 64 70 58 58 62 70  
 21- C 60 62 70 1 70 70 1 1 \$ 1/4 model  
 22- C BARRIER CELLS  
 23- C Basket Material-Lid Gap  
 24- 76 3 -1.0000 1 -20 13 -14 IMP:N=1 \$ 1/2 model  
 25- C 76 1 -2.1024 1 2 -20 13 -14 IMP:N=1 \$ 1/4 model  
 26- C Inner Barrier  
 27- 77 5 -8.1400 1 3 20 -21 -14 IMP:N=1 \$ 1/2 model  
 28- C 77 5 -8.1400 1 2 3 20 -21 -14 IMP:N=1 \$ 1/4 model  
 29- C Inner Lid  
 30- 78 5 -8.1400 1 14 -15 -21 IMP:N=1 \$ 1/2 model  
 31- C 78 5 -8.1400 1 2 14 -15 -21 IMP:N=1 \$ 1/4 model  
 32- C Gap between Inner and Outer Barrier Lids  
 33- 79 3 -1.0000 1 15 -16 -21 IMP:N=1 \$ 1/2 model  
 34- C 79 1 -2.1024 1 2 15 -16 -21 IMP:N=1 \$ 1/4 model  
 35- C Gap between Inner and Outer Barriers  
 36- 80 3 -1.0000 21 -22 1 3 -16 IMP:N=1 \$ 1/2 model  
 37- C 80 1 -2.1024 21 -22 1 2 3 -16 IMP:N=1 \$ 1/4 model  
 38- C Outer Barrier  
 39- 81 7 -7.8320 22 -24 1 3 -16 IMP:N=1 \$ 1/2 model  
 40- C 81 7 -7.8320 22 -24 1 2 3 -16 IMP:N=1 \$ 1/4 model  
 41- C Outer Barrier Lid  
 42- 82 7 -7.8320 1 -24 16 -17 IMP:N=1 \$ 1/2 model  
 43- C 82 7 -7.8320 1 2 -24 16 -17 IMP:N=1 \$ 1/4 model  
 44- C 12" of Water around Container  
 45- 83 3 -1.0000 24 -25 1 3 -17 IMP:N=1 \$ 1/2 model  
 46- C 83 1 -2.1024 24 -25 1 2 3 -17 IMP:N=1 \$ 1/4 model  
 47- C 12" of Water above Container  
 48- 84 3 -1.0000 17 -19 1 -25 IMP:N=1 \$ 1/2 model  
 49- C 84 1 -2.1024 17 -58 1 2 -59 IMP:N=1 \$ 1/4 model  
 50- C OUTSIDE WORLD  
 51- 85 0 -1:-3:19:25 IMP:N=0 \$ 1/2 model  
 52- C 85 0 -1:-2:-3:19:25 IMP:N=0 \$ 1/4 model  
 53- C WET PIN LATTICE DESCRIPTION  
 54- 86 1 -2.1024 -26 27 -28 29 IMP:N=1 LAT=1 U=56  
 55- FILL -8:8 -8:8 0:0 56 16R 56 2 14R 56 56 2 14R 56  
 56- 56 2 4R 4 2 2R 4 2 4R 56

57- 56 2 2R 4 2 6R 4 2 2R 56 56 2 14R 56  
 58- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 59- 56 2 14R 56  
 60- 56 2 6R 6 2 6R 56  
 61- 56 2 14R 56  
 62- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 63- 56 2 14R 56 56 2 2R 4 2 6R 4 2 2R 56  
 64- 56 2 4R 4 2 2R 4 2 4R 56  
 65- 56 2 14R 56 56 2 14R 56 56 16R  
 66- C MIXED PIN LATTICE DESCRIPTION  
 67- C 87 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=72  
 68- C FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 69- C 57 3 4R 5 3 2R 5 3 4R 57  
 70- C 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 71- C 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 72- C 57 3 14R 57  
 73- C 57 3 6R 7 3 6R 57  
 74- C 57 2 14R 57  
 75- C 57 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 57  
 76- C 57 2 14R 57 57 2 2R 4 2 6R 4 2 2R 57  
 77- C 57 2 4R 4 2 2R 4 2 4R 57  
 78- C 57 2 14R 57 57 2 14R 57 57 16R  
 79- C DRY PIN LATTICE DESCRIPTION  
 80- 88 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=57  
 81- FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 82- 57 3 4R 5 3 2R 5 3 4R 57  
 83- 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 84- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 85- 57 3 14R 57  
 86- 57 3 6R 7 3 6R 57  
 87- 57 3 14R 57  
 88- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 89- 57 3 14R 57 57 3 2R 5 3 6R 5 3 2R 57  
 90- 57 3 4R 5 3 2R 5 3 4R 57  
 91- 57 3 14R 57 57 3 14R 57 57 16R  
 92- C WET FUEL ROD  
 93- 89 2 7.0104E-02 -30 -10 IMP:N=1 U=2  
 94- 90 4 -6.5600 -30 10 -11 IMP:N=1 U=2  
 95- 91 1 -2.1024 -30 11 IMP:N=1 U=2  
 96- 92 1 -2.1024 30 -31 -11 IMP:N=1 U=2  
 97- 93 1 -2.1024 30 -31 11 IMP:N=1 U=2  
 98- 94 4 -6.5600 31 -32 -11 IMP:N=1 U=2  
 99- 95 1 -2.1024 31 -32 11 IMP:N=1 U=2  
 100- 96 1 -2.1024 32 IMP:N=1 U=2  
 101- C DRY FUEL ROD  
 102- 97 2 7.0104E-02 -30 -10 IMP:N=1 U=3  
 103- 98 4 -6.5600 -30 10 -11 IMP:N=1 U=3  
 104- 99 3 -0.001225 -30 11 IMP:N=1 U=3  
 105- 100 3 -0.001225 30 -31 -11 IMP:N=1 U=3  
 106- 101 3 -0.001225 30 -31 11 IMP:N=1 U=3  
 107- 102 4 -6.5600 31 -32 -11 IMP:N=1 U=3  
 108- 103 3 -0.001225 31 -32 11 IMP:N=1 U=3  
 109- 104 3 -0.001225 32 IMP:N=1 U=3  
 110- C WET CONTROL ROD/GUIDE TUBE  
 111- 105 1 -2.1024 -33 IMP:N=1 U=4 \$ No DCRA Rod  
 112- C 105 9 -7.8300 +33 IMP:N=1 U=4 \$ DCRA Rod  
 113- 106 1 -2.1024 33 -34 IMP:N=1 U=4  
 114- 107 1 -2.1024 34 -35 IMP:N=1 U=4 \$ No DCRA Cladding  
 115- C 107 4 -6.5600 34 -35 IMP:N=1 U=4 \$ DCRA Cladding  
 116- 108 1 -2.1024 35 -36 IMP:N=1 U=4

117- 109 4 -6.5600 36 -37 IMP:N=1 U=4  
118- 110 1 -2.1024 37 IMP:N=1 U=4  
119- C DRY CONTROL ROD/GUIDE TUBE  
120- 111 3 -0.001225 -33 IMP:N=1 U=5 \$ No DCRA Rod  
121- C 111 9 -7.8300 -33 IMP:N=1 U=5 \$ DCRA Rod  
122- 112 3 -0.001225 33 -34 IMP:N=1 U=5  
123- 113 3 -0.001225 34 -35 IMP:N=1 U=5 \$ No DCRA Cladding  
124- C 113 4 -6.5600 34 -35 IMP:N=1 U=5 \$ DCRA Cladding  
125- 114 3 -0.001225 35 -36 IMP:N=1 U=5  
126- 115 4 -6.5600 36 -37 IMP:N=1 U=5  
127- 116 3 -0.001225 37 IMP:N=1 U=5  
128- C WET INSTRUMENTATION TUBE  
129- 117 1 -2.1024 -38 IMP:N=1 U=6  
130- 118 4 -6.5600 38 -39 IMP:N=1 U=6  
131- 119 1 -2.1024 39 IMP:N=1 U=6  
132- C DRY INSTRUMENTATION TUBE  
133- 120 3 -0.001225 -38 IMP:N=1 U=7  
134- 121 4 -6.5600 38 -39 IMP:N=1 U=7  
135- 122 3 -0.001225 39 IMP:N=1 U=7  
136- C FUEL CELL BASKET STRUCTURE  
137- C Code: boron in [B=] all panels [all], left [l], bottom, [b], right [r], to  
138- C FUEL CELL BASKET STRUCTURE - WET - Borated panels  
139- C WATER GAP - ASSEMBLY LEFT  
140- 123 1 -2.1024 52 IMP:N=1 U=8  
141- C 123 1 -2.1024 48 IMP:N=1 U=8  
142- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
143- C 124 6 -7.8320 -48 52 IMP:N=1 U=8  
144- C CS TUBE - ASSEMBLY LEFT  
145- C 125 7 -7.8320 -52 56 IMP:N=1 U=8  
146- C SS PANEL - ASSEMBLY LEFT  
147- 126 8 -7.7700 -52 IMP:N=1 U=8  
148- C WATER GAP - ASSEMBLY BOTTOM  
149- 127 1 -2.1024 53 IMP:N=1 U=9  
150- C 127 1 -2.1024 49 IMP:N=1 U=9  
151- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
152- C 128 6 -7.8320 -49 53 IMP:N=1 U=9  
153- C CS TUBE - ASSEMBLY BOTTOM  
154- C 129 7 -7.8320 -53 57 IMP:N=1 U=9  
155- C SS PANEL - ASSEMBLY BOTTOM  
156- 130 8 -7.7700 -53 IMP:N=1 U=9  
157- C WATER GAP - ASSEMBLY RIGHT  
158- 131 1 -2.1024 -54 IMP:N=1 U=10  
159- C 131 1 -2.1024 -50 IMP:N=1 U=10  
160- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
161- C 132 6 -7.8320 50 -54 IMP:N=1 U=10  
162- C CS TUBE - ASSEMBLY RIGHT  
163- C 133 7 -7.8320 54 -58 IMP:N=1 U=10  
164- C SS PANEL - ASSEMBLY RIGHT  
165- 134 8 -7.7700 54 IMP:N=1 U=10  
166- C WATER GAP - ASSEMBLY TOP  
167- 135 1 -2.1024 -55 IMP:N=1 U=11  
168- C 135 1 -2.1024 -51 IMP:N=1 U=11  
169- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
170- C 136 6 -7.8320 51 -55 IMP:N=1 U=11  
171- C CS TUBE - ASSEMBLY TOP  
172- C 137 7 -7.8320 55 -59 IMP:N=1 U=11  
173- C SS PANEL - ASSEMBLY TOP  
174- 138 8 -7.7700 55 IMP:N=1 U=11  
175- C FUEL CELL BASKET STRUCTURE - DRY - Borated panels  
176- C GAP - ASSEMBLY LEFT

177- 139 3 -0.001225 52 IMP:N=1 U=12  
178- C 139 3 -0.001225 48 IMP:N=1 U=12  
179- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
180- C 140 6 -7.8320 -48 52 IMP:N=1 U=12  
181- C CS TUBE - ASSEMBLY LEFT  
182- C 141 7 -7.8320 -52 56 IMP:N=1 U=12  
183- C SS PANEL - ASSEMBLY LEFT  
184- 142 8 -7.7700 -52 IMP:N=1 U=12  
185- C GAP - ASSEMBLY BOTTOM  
186- 143 3 -0.001225 53 IMP:N=1 U=13  
187- C 143 3 -0.001225 49 IMP:N=1 U=13  
188- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
189- C 144 6 -7.8320 -49 53 IMP:N=1 U=13  
190- C CS TUBE - ASSEMBLY BOTTOM  
191- C 145 7 -7.8320 -53 57 IMP:N=1 U=13  
192- C SS PANEL - ASSEMBLY BOTTOM  
193- 146 8 -7.7700 -53 IMP:N=1 U=13  
194- C GAP - ASSEMBLY RIGHT  
195- 147 3 -0.001225 -54 IMP:N=1 U=14  
196- C 147 3 -0.001225 -50 IMP:N=1 U=14  
197- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
198- C 148 6 -7.8320 50 -54 IMP:N=1 U=14  
199- C CS TUBE - ASSEMBLY RIGHT  
200- C 149 7 -7.8320 54 -58 IMP:N=1 U=14  
201- C SS PANEL - ASSEMBLY RIGHT  
202- 150 8 -7.7700 54 IMP:N=1 U=14  
203- C GAP - ASSEMBLY TOP  
204- 151 3 -0.001225 -55 IMP:N=1 U=15  
205- C 151 3 -0.001225 -51 IMP:N=1 U=15  
206- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
207- C 152 6 -7.8320 51 -55 IMP:N=1 U=15  
208- C CS TUBE - ASSEMBLY TOP  
209- C 153 7 -7.8320 55 -59 IMP:N=1 U=15  
210- C SS PANEL - ASSEMBLY TOP  
211- 154 8 -7.7700 55 IMP:N=1 U=15  
212- C FUEL CELL BASKET STRUCTURE - WET - Unborated panels  
213- C WATER GAP - ASSEMBLY LEFT  
214- 155 1 -2.1024 52 IMP:N=1 U=16  
215- C 155 1 -2.1024 48 IMP:N=1 U=16  
216- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
217- C 156 6 -7.8320 -48 52 IMP:N=1 U=16  
218- C CS TUBE - ASSEMBLY LEFT  
219- C 157 7 -7.8320 -52 56 IMP:N=1 U=16  
220- C PANEL - ASSEMBLY LEFT  
221- 158 1 -2.1024 -52 IMP:N=1 U=16  
222- C WATER GAP - ASSEMBLY BOTTOM  
223- 159 1 -2.1024 53 IMP:N=1 U=17  
224- C 159 1 -2.1024 49 IMP:N=1 U=17  
225- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
226- C 160 6 -7.8320 -49 53 IMP:N=1 U=17  
227- C CS TUBE - ASSEMBLY BOTTOM  
228- C 161 7 -7.8320 -53 57 IMP:N=1 U=17  
229- C PANEL - ASSEMBLY BOTTOM  
230- 162 1 -2.1024 -53 IMP:N=1 U=17  
231- C WATER GAP - ASSEMBLY RIGHT  
232- 163 1 -2.1024 -54 IMP:N=1 U=18  
233- C 163 1 -2.1024 -50 IMP:N=1 U=18  
234- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
235- C 164 6 -7.8320 50 -54 IMP:N=1 U=18  
236- C CS TUBE - ASSEMBLY RIGHT

237- C 165 7 -7.8320 54 -58 IMP:N=1 U=18  
238- C PANEL - ASSEMBLY RIGHT  
239- C 166 1 -2.1024 54 IMP:N=1 U=18  
240- C WATER GAP - ASSEMBLY TOP  
241- C 167 1 -2.1024 -55 IMP:N=1 U=19  
242- C 167 1 -2.1024 -51 IMP:N=1 U=19  
243- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
244- C 168 6 -7.8320 51 -55 IMP:N=1 U=19  
245- C CS TUBE - ASSEMBLY TOP  
246- C 169 7 -7.8320 55 -59 IMP:N=1 U=19  
247- C PANEL - ASSEMBLY TOP  
248- C 170 1 -2.1024 55 IMP:N=1 U=19  
249- C FUEL CELL BASKET STRUCTURE - DRY - Unborated panels  
250- C GAP - ASSEMBLY LEFT  
251- C 171 3 -0.001225 52 IMP:N=1 U=20  
252- C 171 3 -0.001225 48 IMP:N=1 U=20  
253- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
254- C 172 6 -7.8320 -48 52 IMP:N=1 U=20  
255- C CS TUBE - ASSEMBLY LEFT  
256- C 173 7 -7.8320 -52 56 IMP:N=1 U=20  
257- C PANEL - ASSEMBLY LEFT  
258- C 174 3 -0.001225 -52 IMP:N=1 U=20  
259- C GAP - ASSEMBLY BOTTOM  
260- C 175 3 -0.001225 53 IMP:N=1 U=21  
261- C 175 3 -0.001225 49 IMP:N=1 U=21  
262- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
263- C 176 6 -7.8320 -49 53 IMP:N=1 U=21  
264- C CS TUBE - ASSEMBLY BOTTOM  
265- C 177 7 -7.8320 -53 57 IMP:N=1 U=21  
266- C PANEL - ASSEMBLY BOTTOM  
267- C 178 3 -0.001225 -53 IMP:N=1 U=21  
268- C GAP - ASSEMBLY RIGHT  
269- C 179 3 -0.001225 -54 IMP:N=1 U=22  
270- C 179 3 -0.001225 -50 IMP:N=1 U=22  
271- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
272- C 180 6 -7.8320 50 -54 IMP:N=1 U=22  
273- C CS TUBE - ASSEMBLY RIGHT  
274- C 181 7 -7.8320 54 -58 IMP:N=1 U=22  
275- C PANEL - ASSEMBLY RIGHT  
276- C 182 3 -0.001225 54 IMP:N=1 U=22  
277- C GAP - ASSEMBLY TOP  
278- C 183 3 -0.001225 -55 IMP:N=1 U=23  
279- C 183 3 -0.001225 -51 IMP:N=1 U=23  
280- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
281- C 184 6 -7.8320 51 -55 IMP:N=1 U=23  
282- C CS TUBE - ASSEMBLY TOP  
283- C 185 7 -7.8320 55 -59 IMP:N=1 U=23  
284- C PANEL - ASSEMBLY TOP  
285- C 186 3 -0.001225 55 IMP:N=1 U=23  
286- C SURFACE SPECIFICATIONS  
288- 1\* PX 0.0  
289- C 2\* PY 0.00 \$ For 1/4 Model  
290- 3\* PZ 0.00  
291- C 4 PX 12.30 \$ For Collapsed Model  
292- C 5 PX 36.90 \$ For Collapsed Model  
293- C 6 PY 12.30 \$ Water Level Surface  
294- C 7 PY 36.90 \$ Water Level Surface  
295- C 8 PY -12.30 \$ Water Level Surface  
296- C 9 PY -36.90 \$ Water Level Surface

297- 10 PZ 180.0860 \$ TOP ACTIVE FUEL  
298- 11 PZ 201.2360 \$ TOP FUEL HARDWARE  
299- C 12 PZ 226.75 \$ TOP TUBE - (Shielding Model)  
300- 13 PZ 228.75 \$ TOP OF BASKET MATERIAL  
301- 14 PZ 229.25 \$ TOP RING/WATER GAP  
302- 15 PZ 231.75 \$ TOP INNER LID  
303- 16 PZ 234.75 \$ TOP LID GAP  
304- 17 PZ 245.75 \$ TOP OUTER LID  
305- C 18 PZ 268.25 \$ TOP SKIRT - (Shielding Model)  
306- 19 PZ 298.75 \$ TOP REFLECTOR REGION  
307- 20 CZ 71.095 \$ ID OF INNER BARRIER  
308- 21 CZ 73.095 \$ OD OF INNER BARRIER  
309- 22 CZ 73.10 \$ ID OF OUTER BARRIER  
310- C 23 CZ 76.45 \$ ID OF SKIRT LIP - (Shielding Model)  
311- 24 CZ 83.10 \$ OD OF OUTER BARRIER  
312- 25 CZ 113.60 \$ OD OF REFLECTOR REGION  
313- C PIN LATTICE BOUNDS  
314- 26 PX 0.72136  
315- 27 PX -0.72136  
316- 28 PY 0.72136  
317- 29 PY -0.72136  
318- C FUEL ROD  
319- 30 CZ 0.468122  
320- 31 CZ 0.478790  
321- 32 CZ 0.546100  
322- C CONTROL ROD/GUIDE TUBE  
323- 33 CZ 0.45340 \$ 0.49022  
324- 34 CZ 0.46990 \$ 0.50292  
325- 35 CZ 0.54610 \$ 0.56007  
326- 36 CZ 0.62230 \$ 0.63246  
327- 37 CZ 0.67310  
328- C INSTRUMENTATION TUBE  
329- 38 CZ 0.56007  
330- 39 CZ 0.62611  
331- C ASSEMBLY LATTICE BOUNDS Actual  
332- 44 PX -10.65 \$ ACTUAL 10.82025  
333- 45 PY -10.65  
334- 46 PX 10.65  
335- 47 PY 10.65  
336- C 48 PX -11.0 \$ Corrosion Expansion Cards  
337- C 49 PY -11.0  
338- C 50 PX 11.0  
339- C 51 PY 11.0  
340- 52 PX -10.650001 \$ UCF Intact Inside Tube ID  
341- 53 PY -10.650001  
342- 54 PX 10.650001  
343- 55 PY 10.650001  
344- 56 PX -11.95 \$ UCF Intact Outside Tube ID  
345- 57 PY -11.95  
346- 58 PX 11.95  
347- 59 PY 11.95  
348- C FUEL CELL LATTICE BOUNDS  
349- 60 PX -10.65 \$ ACTUAL 12.30  
350- 61 PX 10.65  
351- 62 PY -10.65  
352- 63 PY 10.65  
353- C 45 degree planes  
354- 64 P 1. -1. 0. 0.  
355- 65 P 1. 1. 0. 0.  
356- C EXTRA CARDS

357-  
 358- MODE N  
 359- C VOL 88J  
 360- KCODE 4000 1. 7 97  
 361- C KSRC -4.3 -5.7 1. -2.8 -5.7 5. -1.4 -5.7 10. 0. -5.7 5.  
 362- C 1.44 -5.7 3. 2.88 -5.7 8. 4.32 -5.7 9.  
 363- C -5.7 -4.3 2. -4.3 -4.3 1. -2.8 -4.3 5. -1.4 -4.3 10.  
 364- C 0. -4.3 5. 1.44 -4.3 3. 2.88 -4.3 8. 4.32 -4.3 9.  
 365- C -5.7 -2.9 2. -4.3 -2.9 1. 2.88 -2.9 8. 4.32 -2.9 10.  
 366- C 0. -2.9 5. 2.88 -2.9 8. 4.32 -2.9 9.  
 367- C -5.7 -1.4 2. -4.3 -1.4 1. -2.8 -1.4 5. -1.4 -1.4 10.  
 368- C 0. -1.4 5. 1.44 -1.4 3. 2.88 -1.4 8. 4.32 -1.4 9.  
 369- C -5.7 0.0 2. -4.3 0.0 1. -2.8 0.0 5. -1.4 0.0 10.  
 370- C 1.44 0.0 3. 2.88 0.0 8. 4.32 0.0 9.  
 371- C -5.7 1.4 2. -2.8 1.4 5. -1.4 1.4 10.  
 372- C 0. 1.4 5. 1.44 1.4 3. 2.88 1.4 8. 4.32 1.4 9.  
 373- C -5.7 2.9 2. -4.3 2.9 1. -2.8 2.9 5. -1.4 2.9 10.  
 374- C 0. 2.9 5. 1.44 2.9 3. 2.88 2.9 8. 4.32 2.9 9.  
 375- C -5.7 4.3 2. -4.3 4.3 1. -2.8 4.3 5. -1.4 4.3 10.  
 376- C 0. 4.3 5. 1.44 4.3 3. 2.88 4.3 8. 4.32 4.3 9.  
 377- C MATERIAL SPECIFICATIONS  
 378- C WATER AT 300 K d=1.0000 g/cc w/ 26% Fe2O3 w/ 5% B10  
 379- M1 1001.50C 4.9490-2 8016.50C 4.0160-2 26000.55C 1.0277-2  
 380- 5010.50C 2.8870-6  
 381- MT1 LWTR.01T  
 382- C 3.00%/20 GWD 15000 yr decay 5000 yr crit  
 383- M2 8016.50C 4.6947E-02  
 384- 42095.50C 2.9047E-05  
 385- 43099.50C 2.6777E-05  
 386- 44101.50C 2.6604E-05  
 387- 45103.50C 1.6963E-05  
 388- 47109.50C 2.4540E-06  
 389- 60143.50C 2.2997E-05  
 390- 60145.50C 1.7196E-05  
 391- 62147.50C 7.5058E-06  
 392- 62149.50C 6.3701E-08  
 393- 62150.50C 6.5926E-06  
 394- 62151.50C 2.4249E-09  
 395- 63151.55C 4.6823E-07  
 396- 62152.50C 2.9874E-06  
 397- 63153.55C 2.1806E-06  
 398- 64155.50C 1.1733E-07  
 399- 64157.50C 1.2504E-09  
 400- 48000.50C 1.9600E-06  
 401- 54131.50C 1.2875E-05  
 402- 55133.50C 3.1431E-05  
 403- 92233.50C 1.6324E-07  
 404- 92234.50C 5.7609E-06  
 405- 92235.50C 3.7337E-04  
 406- 92236.50C 1.0302E-04  
 407- 92238.50C 2.2352E-02  
 408- 93237.55C 2.7728E-05  
 409- 94238.50C 8.7993E-09  
 410- 94239.55C 7.7552E-05  
 411- 94240.50C 5.1653E-06  
 412- 94241.50C 1.2685E-09  
 413- 94242.50C 3.3520E-06  
 414- 95241.50C 3.8803E-08  
 415- 95242.50C 1.1289E-11  
 416- 95243.50C 1.0946E-07

```

417-      C      WATER AT 300 K d=1.0000 g/cc
418-      M3     1001.50C 6.6878E-2   8016.50C 3.3439E-2
419-      MT3    LWTR.01T
420-      C      Air d=0.001225 g/cc
421-      C      M3     7014.50C -0.80  8016.50C -0.20
422-      C      ZIRCALOY-4 d=6.56 g/cc
423-      M4     8016.50C -0.0012 24000.50C -0.0010 26000.55C -0.0020
424-      C     40000.50C -0.9818 50000.35C -0.0140
425-      C      ALLOY 825 d=8.14 g/cc
426-      M5     6000.50C -0.0005 13027.50C -0.0020 14000.50C -0.0050
427-      C     16032.50C -0.0003 22000.50C -0.0090 24000.50C -0.2150
428-      C     25055.50C -0.0100 26000.55C -0.2857 28000.50C -0.4200
429-      C     29000.50C -0.0225 42000.50C -0.0300
430-      C      Oxidized A516 CARBON STEEL and Water Mixture d=7.832 g/cc
431-      C      M6     6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
432-      C     16032.50C -0.00035 25055.50C -0.0090
433-      C     26000.55C -0.98535
434-      C      A516 CARBON STEEL d=7.832 g/cc
435-      M7     6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
436-      C     16032.50C -0.00035 25055.50C -0.0090
437-      C     26000.55C -0.98535
438-      C      SS316B6A 1.6% d=7.77 g/cc
439-      M8     5010.50C -0.00288 5011.50C -0.013120
440-      C     6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.0075
441-      C     15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
442-      C     25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
443-      C     42000.50C -0.02500
444-      C      SS316B3A 0.87wt% B d=7.83 g/cc
445-      C      M9     5010.50C -0.001566 5011.50C -0.007134
446-      C     6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.00750
447-      C     15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
448-      C     25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
449-      C     42000.50C -0.02500
450-      C      Al 6063 d=2.69 g/cc
451-      C      M10    12000.50C -0.00675 13027.50C -0.98125 14000.50C -0.00400
452-      C     22000.50C -0.00150 24000.50C -0.00100 25055.50C -0.00100
453-      C     26000.55C -0.00350 29000.50C -0.00100
454-      C      TALLIES
455-      PRINT
456-

```

1 initial source from file srctp

#### 1problem summary

run terminated when 97 kcode cycles were done.

+ AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5e) probid = 08/20/96 22:55:23  
0 probid = 08/20/96 21:00:04

neutron creation	tracks	weight (per source particle)	energy	neutron loss	tracks	weight (per source particle)	energy
source	388004	9.9999E-01	2.0600E+00	escape	10	1.7170E-05	3.6994E-05
weight window	0	0.	0.	energy cutoff	0	0.	0.
cell importance	0	0.	0.	time cutoff	0	0.	0.
weight cutoff	0	5.1088E-02	7.4122E-06	weight window	0	0.	0.
energy importance	0	0.	0.	cell importance	0	0.	0.
dxtran	0	0.	0.	weight cutoff	388630	5.1257E-02	5.9796E-06
				energy importance	0	0.	0.
				dxtran	0	0.	0.

forced collisions	0	0.	0.	forced collisions	0	0.	0.
exp. transform	0	0.	0.	exp. transform	0	0.	0.
upsattering	0	0.	7.5977E-08	downscattering	0	0.	1.9258E+00
(n,xn)	1269	2.5713E-03	2.0152E-03	capture	0	6.5312E-01	3.5701E-02
fission	0	0.	0.	loss to (n,xn)	633	1.2827E-03	1.0840E-02
total	389273	1.0536E+00	2.0620E+00	loss to fission	0	3.4797E-01	8.9545E-02
				total	389273	1.0536E+00	2.0620E+00

number of neutrons banked	636	average lifetime, shakes	cutoffs
neutron tracks per source particle	1.0033E+00	escape	tco 1.0000E+34
neutron collisions per source particle	4.6989E+01	capture	eco .0000E+00
total neutron collisions	18231800	capture or escape	wc1 -5.0000E-01
net multiplication	1.0013E+00 .0001	any termination	wc2 -2.5000E-01

computer time so far in this run	115.20 minutes	maximum number ever in bank	2
computer time in mcrun	115.10 minutes	bank overflows to backup file	0
source particles per minute	3.3711E+03	field length	0
random numbers generated	254604968	most random numbers used was	10424 in history 346341

1keff results for: AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5e) probid = 08/20/96 21:00:04

the initial fission neutron source distribution was read from the srctp file named srctp.  
 the criticality problem was scheduled to skip 7 cycles and run a total of 97 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 7 inactive cycles with 27651 neutron histories and 90 active cycles with 360353 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 388004 fission neutron source histories.

xx..

the following cells with fissionable material had no neutron tracks entering:  
 97

the following cells with fissionable material had no neutron collisions:  
 97

the following cells with fissionable material had no fission source points:  
 97

warning. 1 fissionable cells had no tracks entering, 1 cells had no collisions, and 1 cells had no fission source points.  
 the keff results could be too small because these cells with fissionable material were not sampled.

xx..

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

---

the final estimated combined collision/absorption/track-length keff = .90061 with an estimated standard deviation of .00107  
 the estimated 68, 95, & 99 percent keff confidence intervals are .89955 to .90168, .89849 to .90274, and .89780 to .90343  
 the estimated collision/absorption neutron removal lifetime = 2.38E-05 seconds with an estimated standard deviation of 5.97E-08

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.90078	.00131	.89946 to .90209	.89816 to .90340	.89731 to .90425	
absorption	.90042	.00118	.89924 to .90159	.89808 to .90276	.89731 to .90352	
track length	.90126	.00162	.89964 to .90288	.89803 to .90449	.89698 to .90554	
col/absorp	.90056	.00106	.89950 to .90163	.89844 to .90268	.89775 to .90337	.4650
abs/trk len	.90066	.00108	.89958 to .90174	.89851 to .90280	.89781 to .90351	.2902
col/trk len	.90079	.00132	.89947 to .90212	.89816 to .90343	.89730 to .90429	.7969
col/abs/trk len	.90061	.00107	.89955 to .90168	.89849 to .90274	.89780 to .90343	

1mcnp version 4a ld=10/01/93 08/20/96 21:00:04  
 \*\*\*\*\*  
 inp=a26xb5e outp=a26xb5e0 probid = 08/20/96 21:00:04

```

1-      AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5e)
2-      C Advanced Uncanistered Fuel Waste Package, collapsed basket 10k 26%/5%8
3-      C 15000 year decay 1000 yr criticality
4-      C CELL SPECIFICATIONS
5-      C   Assembly Sub-lattices - 1/2 Model
6-      1    0     1   3   -13  -20  FILL=1 (0  -74  0) IMP:N=1
7-      C    1     0     1   3   -4   -13  -20  FILL=1 (0  -73.8  0) IMP:N=1
8-      C    2     0     3   4   -5   -13  -20  FILL=1 (0  -73.8  0) IMP:N=1
9-      C    3     0     3   5   -13  -20  FILL=1 (0  -73.8  0) IMP:N=1
10-     C   Assembly Sub-lattices - 1/4 Model
11-    C    1     0     1   2   3   -4   -13  -20  FILL=1 (0  -12.3  0) IMP:N=1
12-    C    2     0     2   3   4   -5   -13  -20  FILL=1 (0  -12.3  0) IMP:N=1
13-    C    3     0     2   3   5   -13  -20  FILL=1 (0  -12.3  0) IMP:N=1
14-     C ASSEMBLY LATTICE DESCRIPTION
15-    5    1  -2.1024  -61  60  -63  62  IMP:N=1 LAT=1 U=1
16-    FILL=0:3 0:7 0:0 1 1 1 1 56 56 1 1 56 56 56 1
17-    56 56 56 1 56 56 56 1 56 56 1 1
18-    1 1 1 1 1 1 1 1 $ 1/2 model
19-    C    5    1  -2.1024  60  -61  62  -63  IMP:N=1 LAT=1 U=1
20-    C    FILL=0:3 0:3 0:0 58 58 64 70  58 58 62 70
21-    C    60 62 70 1 70 70 1 1 $ 1/4 model
22-    C BARRIER CELLS
23-    C Basket Material-Lid Gap
24-    76  3  -1.0000  1  -20  13  -14  IMP:N=1 $ 1/2 model
25-    C 76  1  -2.1024  1  2  -20  13  -14  IMP:N=1 $ 1/4 model
26-    C Inner Barrier
27-    77  5  -8.1400  1   3  20  -21  -14  IMP:N=1 $ 1/2 model
28-    C 77  5  -8.1400  1   2   3  20  -21  -14  IMP:N=1 $ 1/4 model
29-    C Inner Lid
30-    78  5  -8.1400  1   14  -15  -21  IMP:N=1 $ 1/2 model
31-    C 78  5  -8.1400  1   2   14  -15  -21  IMP:N=1 $ 1/4 model
32-    C Gap between Inner and Outer Barrier Lids
33-    79  3  -1.0000  1   15  -16  -21  IMP:N=1 $ 1/2 model
34-    C 79  1  -2.1024  1   2   15  -16  -21  IMP:N=1 $ 1/4 model
35-    C Gap between Inner and Outer Barriers
36-    80  3  -1.0000  21  -22  1   3  -16  IMP:N=1 $ 1/2 model
37-    C 80  1  -2.1024  21  -22  1   2   3  -16  IMP:N=1 $ 1/4 model
38-    C Outer Barrier
39-    81  7  -7.8320  22  -24  1   3  -16  IMP:N=1 $ 1/2 model
40-    C 81  7  -7.8320  22  -24  1   2   3  -16  IMP:N=1 $ 1/4 model
41-    C Outer Barrier Lid
42-    82  7  -7.8320  1  -24  16  -17  IMP:N=1 $ 1/2 model
43-    C 82  7  -7.8320  1   2  -24  16  -17  IMP:N=1 $ 1/4 model
44-    C 12" of Water around Container
45-    83  3  -1.0000  24  -25  1   3  -17  IMP:N=1 $ 1/2 model
46-    C 83  1  -2.1024  24  -25  1   2   3  -17  IMP:N=1 $ 1/4 model
47-    C 12" of Water above Container
48-    84  3  -1.0000  17  -19  1  -25  IMP:N=1 $ 1/2 model
49-    C 84  1  -2.1024  17  -58  1   2  -59  IMP:N=1 $ 1/4 model
50-    C OUTSIDE WORLD
51-    85  0  -1:-3:19:25 IMP:N=0 $ 1/2 model
52-    C 85  0  -1:-2:-3:19:25 IMP:N=0 $ 1/4 model
53-    C WET PIN LATTICE DESCRIPTION
54-    86  1  -2.1024  -26  27  -28  29  IMP:N=1 LAT=1 U=56
55-    FILL -8:8 -8:8 0:0 56 16R 56 2 14R 56 56 2 14R 56
56-    56 2 4R 4 2 2R 4 2 4R 56

```

57- 56 2 2R 4 2 6R 4 2 2R 56 56 2 14R 56  
 58- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 59- 56 2 14R 56  
 60- 56 2 6R 6 2 6R 56  
 61- 56 2 14R 56  
 62- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 63- 56 2 14R 56 56 2 2R 4 2 6R 4 2 2R 56  
 64- 56 2 4R 4 2 2R 4 2 4R 56  
 65- 56 2 14R 56 56 2 14R 56 56 16R  
 66- C MIXED PIN LATTICE DESCRIPTION  
 67- C 87 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=72  
 68- C FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 69- C 57 3 4R 5 3 2R 5 3 4R 57  
 70- C 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 71- C 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 72- C 57 3 14R 57  
 73- C 57 3 6R 7 3 6R 57  
 74- C 57 2 14R 57  
 75- C 57 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 57  
 76- C 57 2 14R 57 57 2 2R 4 2 6R 4 2 2R 57  
 77- C 57 2 4R 4 2 2R 4 2 4R 57  
 78- C 57 2 14R 57 57 2 14R 57 57 16R  
 79- C DRY PIN LATTICE DESCRIPTION  
 80- 88 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=57  
 81- FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 82- 57 3 4R 5 3 2R 5 3 4R 57  
 83- 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 84- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 85- 57 3 14R 57  
 86- 57 3 6R 7 3 6R 57  
 87- 57 3 14R 57  
 88- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 89- 57 3 14R 57 57 3 2R 5 3 6R 5 3 2R 57  
 90- 57 3 4R 5 3 2R 5 3 4R 57  
 91- 57 3 14R 57 57 3 14R 57 57 16R  
 92- C WET FUEL ROD  
 93- 89 2 7.0104E-02 -30 -10 IMP:N=1 U=2  
 94- 90 4 -6.5600 -30 10 -11 IMP:N=1 U=2  
 95- 91 1 -2.1024 -30 11 IMP:N=1 U=2  
 96- 92 1 -2.1024 30 -31 -11 IMP:N=1 U=2  
 97- 93 1 -2.1024 30 -31 11 IMP:N=1 U=2  
 98- 94 4 -6.5600 31 -32 -11 IMP:N=1 U=2  
 99- 95 1 -2.1024 31 -32 11 IMP:N=1 U=2  
 100- 96 1 -2.1024 32 IMP:N=1 U=2  
 101- C DRY FUEL ROD  
 102- 97 2 7.0104E-02 -30 -10 IMP:N=1 U=3  
 103- 98 4 -6.5600 -30 10 -11 IMP:N=1 U=3  
 104- 99 3 -0.001225 -30 11 IMP:N=1 U=3  
 105- 100 3 -0.001225 30 -31 -11 IMP:N=1 U=3  
 106- 101 3 -0.001225 30 -31 11 IMP:N=1 U=3  
 107- 102 4 -6.5600 31 -32 -11 IMP:N=1 U=3  
 108- 103 3 -0.001225 31 -32 11 IMP:N=1 U=3  
 109- 104 3 -0.001225 32 IMP:N=1 U=3  
 110- C WET CONTROL ROD/GUIDE TUBE  
 111- 105 1 -2.1024 -33 IMP:N=1 U=4 \$ No DCRA Rod  
 112- C 105 9 -7.8300 +33 IMP:N=1 U=4 \$ DCRA Rod  
 113- 106 1 -2.1024 33 -34 IMP:N=1 U=4  
 114- 107 1 -2.1024 34 -35 IMP:N=1 U=4 \$ No DCRA Cladding  
 115- C 107 4 -6.5600 34 -35 IMP:N=1 U=4 \$ DCRA Cladding  
 116- 108 1 -2.1024 35 -36 IMP:N=1 U=4

177- 139 3 -0.001225 52 IMP:N=1 U=12  
178- C 139 3 -0.001225 48 IMP:N=1 U=12  
179- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
180- C 140 6 -7.8320 -48 52 IMP:N=1 U=12  
181- C CS TUBE - ASSEMBLY LEFT  
182- C 141 7 -7.8320 -52 56 IMP:N=1 U=12  
183- C SS PANEL - ASSEMBLY LEFT  
184- 142 8 -7.7700 -52 IMP:N=1 U=12  
185- C GAP - ASSEMBLY BOTTOM  
186- 143 3 -0.001225 53 IMP:N=1 U=13  
187- C 143 3 -0.001225 49 IMP:N=1 U=13  
188- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
189- C 144 6 -7.8320 -49 53 IMP:N=1 U=13  
190- C CS TUBE - ASSEMBLY BOTTOM  
191- C 145 7 -7.8320 -53 57 IMP:N=1 U=13  
192- C SS PANEL - ASSEMBLY BOTTOM  
193- 146 8 -7.7700 -53 IMP:N=1 U=13  
194- C GAP - ASSEMBLY RIGHT  
195- 147 3 -0.001225 -54 IMP:N=1 U=14  
196- C 147 3 -0.001225 -50 IMP:N=1 U=14  
197- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
198- C 148 6 -7.8320 50 -54 IMP:N=1 U=14  
199- C CS TUBE - ASSEMBLY RIGHT  
200- C 149 7 -7.8320 54 -58 IMP:N=1 U=14  
201- C SS PANEL - ASSEMBLY RIGHT  
202- 150 8 -7.7700 54 IMP:N=1 U=14  
203- C GAP - ASSEMBLY TOP  
204- 151 3 -0.001225 -55 IMP:N=1 U=15  
205- C 151 3 -0.001225 -51 IMP:N=1 U=15  
206- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
207- C 152 6 -7.8320 51 -55 IMP:N=1 U=15  
208- C CS TUBE - ASSEMBLY TOP  
209- C 153 7 -7.8320 55 -59 IMP:N=1 U=15  
210- C SS PANEL - ASSEMBLY TOP  
211- 154 8 -7.7700 55 IMP:N=1 U=15  
212- C FUEL CELL BASKET STRUCTURE - WET - Unborated panels  
213- C WATER GAP - ASSEMBLY LEFT  
214- 155 1 -2.1024 52 IMP:N=1 U=16  
215- C 155 1 -2.1024 48 IMP:N=1 U=16  
216- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
217- C 156 6 -7.8320 -48 52 IMP:N=1 U=16  
218- C CS TUBE - ASSEMBLY LEFT  
219- C 157 7 -7.8320 -52 56 IMP:N=1 U=16  
220- C PANEL - ASSEMBLY LEFT  
221- 158 1 -2.1024 -52 IMP:N=1 U=16  
222- C WATER GAP - ASSEMBLY BOTTOM  
223- 159 1 -2.1024 53 IMP:N=1 U=17  
224- C 159 1 -2.1024 49 IMP:N=1 U=17  
225- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
226- C 160 6 -7.8320 -49 53 IMP:N=1 U=17  
227- C CS TUBE - ASSEMBLY BOTTOM  
228- C 161 7 -7.8320 -53 57 IMP:N=1 U=17  
229- C PANEL - ASSEMBLY BOTTOM  
230- 162 1 -2.1024 -53 IMP:N=1 U=17  
231- C WATER GAP - ASSEMBLY RIGHT  
232- 163 1 -2.1024 -54 IMP:N=1 U=18  
233- C 163 1 -2.1024 -50 IMP:N=1 U=18  
234- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
235- C 164 6 -7.8320 50 -54 IMP:N=1 U=18  
236- C CS TUBE - ASSEMBLY RIGHT

297- 10 PZ 180.0860 \$ TOP ACTIVE FUEL  
298- 11 PZ 201.2360 \$ TOP FUEL HARDWARE  
299- C 12 PZ 226.75 \$ TOP TUBE - (Shielding Model)  
300- 13 PZ 228.75 \$ TOP OF BASKET MATERIAL  
301- 14 PZ 229.25 \$ TOP RING/WATER GAP  
302- 15 PZ 231.75 \$ TOP INNER LID  
303- 16 PZ 234.75 \$ TOP LID GAP  
304- 17 PZ 245.75 \$ TOP OUTER LID  
305- C 18 PZ 268.25 \$ TOP SKIRT - (Shielding Model)  
306- 19 PZ 298.75 \$ TOP REFLECTOR REGION  
307- 20 CZ 71.095 \$ ID OF INNER BARRIER  
308- 21 CZ 73.095 \$ OD OF INNER BARRIER  
309- 22 CZ 73.10 \$ ID OF OUTER BARRIER  
310- C 23 CZ 76.45 \$ ID OF SKIRT LIP - (Shielding Model)  
311- 24 CZ 83.10 \$ OD OF OUTER BARRIER  
312- 25 CZ 113.60 \$ OD OF REFLECTOR REGION  
313- C PIN LATTICE BOUNDS  
314- 26 PX 0.72136  
315- 27 PX -0.72136  
316- 28 PY 0.72136  
317- 29 PY -0.72136  
318- C FUEL ROD  
319- 30 CZ 0.468122  
320- 31 CZ 0.478790  
321- 32 CZ 0.546100  
322- C CONTROL ROD/GUIDE TUBE  
323- 33 CZ 0.45340 \$ 0.49022  
324- 34 CZ 0.46990 \$ 0.50292  
325- 35 CZ 0.54610 \$ 0.56007  
326- 36 CZ 0.62230 \$ 0.63246  
327- 37 CZ 0.67310  
328- C INSTRUMENTATION TUBE  
329- 38 CZ 0.56007  
330- 39 CZ 0.62611  
331- C ASSEMBLY LATTICE BOUNDS Actual  
332- 44 PX -10.65 \$ ACTUAL 10.82025  
333- 45 PY -10.65  
334- 46 PX 10.65  
335- 47 PY 10.65  
336- C 48 PX -11.0 \$ Corrosion Expansion Cards  
337- 49 PY -11.0  
338- C 50 PX 11.0  
339- C 51 PY 11.0  
340- 52 PX -10.650001 \$ UCF Intact Inside Tube ID  
341- 53 PY -10.650001  
342- 54 PX 10.650001  
343- 55 PY 10.650001  
344- 56 PX -11.95 \$ UCF Intact Outside Tube ID  
345- 57 PY -11.95  
346- 58 PX 11.95  
347- 59 PY 11.95  
348- C FUEL CELL LATTICE BOUNDS  
349- 60 PX -10.65 \$ ACTUAL 12.30  
350- 61 PX 10.65  
351- 62 PY -10.65  
352- 63 PY 10.65  
353- C 45 degree planes  
354- 64 P 1. -1. 0. 0.  
355- 65 P 1. 1. 0. 0.  
356- C EXTRA CARDS

```

417-      C      WATER AT 300 K d=1.0000 g/cc
418-      M3     1001.50C 6.6878E-2   8016.50C 3.3439E-2
419-      MT3    LWTR.01T
420-      C      Air d=0.001225 g/cc
421-      C      M3     7014.50C -0.80   8016.50C -0.20
422-      C      ZIRCALOY-4 d=6.56 g/cc
423-      M4     8016.50C -0.0012 24000.50C -0.0010 26000.55C -0.0020
424-      40000.50C -0.9818 50000.35C -0.0140
425-      C      ALLOY 825 d=8.14 g/cc
426-      M5     6000.50C -0.0005 13027.50C -0.0020 14000.50C -0.0050
427-      16032.50C -0.0003 22000.50C -0.0090 24000.50C -0.2150*
428-      25055.50C -0.0100 26000.55C -0.2857 28000.50C -0.4200
429-      29000.50C 0.0225 42000.50C -0.0300
430-      C      Oxidized A516 CARBON STEEL and Water Mixture d=7.832 g/cc
431-      C      M6     6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
432-      16032.50C -0.00035 25055.50C -0.0090
433-      26000.55C -0.98535
434-      C      A516 CARBON STEEL d=7.832 g/cc
435-      M7     6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
436-      16032.50C -0.00035 25055.50C -0.0090
437-      26000.55C -0.98535
438-      C      SS316B6A 1.6% d=7.77 g/cc
439-      M8     5010.50C -0.00288 5011.50C -0.013120
440-      6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.0075
441-      15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
442-      25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
443-      42000.50C -0.02500
444-      C      SS316B3A 0.87wt% B d=7.83 g/cc
445-      C      M9     5010.50C -0.001566 5011.50C -0.007134
446-      6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.00750
447-      15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
448-      25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
449-      42000.50C -0.02500
450-      C      Al 6063 d=2.69 g/cc
451-      C      M10    12000.50C -0.00675 13027.50C -0.98125 14000.50C -0.00400
452-      22000.50C -0.00150 24000.50C -0.00100 25055.50C -0.00100
453-      26000.55C -0.00350 29000.50C -0.00100
454-      C      TALLIES
455-      PRINT
456-

```

1 initial source from file srctp

#### 1problem summary

run terminated when 97 kcode cycles were done.

+ AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5e) probid = 08/20/96 21:00:04

neutron creation	tracks	weight (per source particle)	energy	neutron loss	tracks	weight (per source particle)	energy
source	388004	9.9999E-01	2.0600E+00	escape	10	1.7170E-05	3.6994E-05
weight window	0	0.	0.	energy cutoff	0	0.	0.
cell importance	0	0.	0.	time cutoff	0	0.	0.
weight cutoff	0	5.1088E-02	7.4122E-06	weight window	0	0.	0.
energy importance	0	0.	0.	cell importance	0	0.	0.
dxtran	0	0.	0.	weight cutoff	388630	5.1257E-02	5.9796E-06
				energy importance	0	0.	0.
				dxtran	0	0.	0.

forced collisions	0	0.	0.	forced collisions	0	0.	0.
exp. transform	0	0.	0.	exp. transform	0	0.	0.
upsattering	0	0.	7.5977E-08	downscattering	0	0.	1.9258E+00
(n,xn)	1269	2.5713E-03	2.0152E-03	capture	0	6.5312E-01	3.5701E-02
fission	0	0.	0.	loss to (n,xn)	633	1.2827E-03	1.0840E-02
total	389273	1.0536E+00	2.0620E+00	loss to fission	0	3.4797E-01	8.9545E-02
				total	389273	1.0536E+00	2.0620E+00

number of neutrons banked	636	average lifetime, shakes	cutoffs
neutron tracks per source particle	1.0033E+00	escape	tco 1.0000E+34
neutron collisions per source particle	4.6989E+01	capture	eco .0000E+00
total neutron collisions	18231800	capture or escape	wc1 -5.0000E-01
net multiplication	1.0013E+00 .0001	any termination	wc2 -2.5000E-01

computer time so far in this run	115.20 minutes	maximum number ever in bank	2
computer time in mcrun	115.10 minutes	bank overflows to backup file	0
source particles per minute	3.3711E+03	field length	0
random numbers generated	254604968	most random numbers used was	10424 in history 346341

1keff results for: AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5e) probid = 08/20/96 21:00:04

the initial fission neutron source distribution was read from the srctp file named srctp.  
 the criticality problem was scheduled to skip 7 cycles and run a total of 97 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 7 inactive cycles with 27651 neutron histories and 90 active cycles with 360353 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 388004 fission neutron source histories.

xx..

the following cells with fissionable material had no neutron tracks entering:  
 97

the following cells with fissionable material had no neutron collisions:  
 97

the following cells with fissionable material had no fission source points:  
 97

warning. 1 fissionable cells had no tracks entering, 1 cells had no collisions, and 1 cells had no fission source points.  
 the keff results could be too small because these cells with fissionable material were not sampled.

xx..

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

---

the final estimated combined collision/absorption/track-length keff = .90061 with an estimated standard deviation of .00107  
 the estimated 68, 95, & 99 percent keff confidence intervals are .89955 to .90168, .89849 to .90274, and .89780 to .90343  
 the estimated collision/absorption neutron removal lifetime = 2.38E-05 seconds with an estimated standard deviation of 5.97E-08

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.90078	.00131	.89946 to .90209	.89816 to .90340	.89731 to .90425	
absorption	.90042	.00118	.89924 to .90159	.89808 to .90276	.89731 to .90352	
track length	.90126	.00162	.89964 to .90288	.89803 to .90449	.89698 to .90554	
col/absorp	.90056	.00106	.89950 to .90163	.89844 to .90268	.89775 to .90337	.4650
abs/trk len	.90066	.00108	.89958 to .90174	.89851 to .90280	.89781 to .90351	.2902
col/trk len	.90079	.00132	.89947 to .90212	.89816 to .90343	.89730 to .90429	.7969
col/abs/trk len	.90061	.00107	.89955 to .90168	.89849 to .90274	.89780 to .90343	

imcnp version 4a ld=10/01/93 08/20/96 22:55:24  
\*\*\*\*\*  
inp=a26xb5f outp=a26xb5f0 probid = 08/20/96 22:55:24

1- AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-8 Corroded & collapsed - (a26xb5f)  
2- C Advanced Uncanistered Fuel Waste Package, collapsed basket 10k 26%/5%  
3- C 15000 year decay 10000 yr criticality  
4- C CELL SPECIFICATIONS  
5- C Assembly Sub-lattices - 1/2 Model  
6- 1 0 1 3 -13 -20 FILL=1 (0 -74 0) IMP:N=1  
7- C 1 0 1 3 -4 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
8- C 2 0 3 4 -5 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
9- C 3 0 3 5 -13 -20 FILL=1 (0 -73.8 0) IMP:N=1  
10- C Assembly Sub-lattices - 1/4 Model  
11- C 1 0 1 2 3 -4 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
12- C 2 0 2 3 4 -5 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
13- C 3 0 2 3 5 -13 -20 FILL=1 (0 -12.3 0) IMP:N=1  
14- C ASSEMBLY LATTICE DESCRIPTION  
15- 5 1 -2.1024 -61 60 -63 62 IMP:N=1 LAT=1 U=1  
16- FILL=0:3 0:7 0:0 1 1 1 1 56 56 1 1 56 56 56 1  
17- 56 56 56 1 56 56 56 1 56 56 1 1  
18- 1 1 1 1 1 1 1 \$ 1/2 model  
19- C 5 1 -2.1024 60 -61 62 -63 IMP:N=1 LAT=1 U=1  
20- C FILL=0:3 0:3 0:0 58 58 64 70 58 58 62 70  
21- C 60 62 70 1 70 70 1 1 \$ 1/4 model  
22- C BARRIER CELLS  
23- C Basket Material-Lid Gap  
24- 76 3 -1.0000 1 -20 13 -14 IMP:N=1 \$ 1/2 model  
25- C 76 1 -2.1024 1 2 -20 13 -14 IMP:N=1 \$ 1/4 model  
26- C Inner Barrier  
27- 77 5 -8.1400 1 3 20 -21 -14 IMP:N=1 \$ 1/2 model  
28- C 77 5 -8.1400 1 2 3 20 -21 -14 IMP:N=1 \$ 1/4 model  
29- C Inner Lid  
30- 78 5 -8.1400 1 14 -15 -21 IMP:N=1 \$ 1/2 model  
31- C 78 5 -8.1400 1 2 14 -15 -21 IMP:N=1 \$ 1/4 model  
32- C Gap between Inner and Outer Barrier Lids  
33- 79 3 -1.0000 1 15 -16 -21 IMP:N=1 \$ 1/2 model  
34- C 79 1 -2.1024 1 2 15 -16 -21 IMP:N=1 \$ 1/4 model  
35- C Gap between Inner and Outer Barriers  
36- 80 3 -1.0000 21 -22 1 3 -16 IMP:N=1 \$ 1/2 model  
37- C 80 1 -2.1024 21 -22 1 2 3 -16 IMP:N=1 \$ 1/4 model  
38- C Outer Barrier  
39- 81 7 -7.8320 22 -24 1 3 -16 IMP:N=1 \$ 1/2 model  
40- C 81 7 -7.8320 22 -24 1 2 3 -16 IMP:N=1 \$ 1/4 model  
41- C Outer Barrier Lid  
42- 82 7 -7.8320 1 -24 16 -17 IMP:N=1 \$ 1/2 model  
43- C 82 7 -7.8320 1 2 -24 16 -17 IMP:N=1 \$ 1/4 model  
44- C 12" of Water around Container  
45- 83 3 -1.0000 24 -25 1 3 -17 IMP:N=1 \$ 1/2 model  
46- C 83 1 -2.1024 24 -25 1 2 3 -17 IMP:N=1 \$ 1/4 model  
47- C 12" of Water above Container  
48- 84 3 -1.0000 17 -19 1 -25 IMP:N=1 \$ 1/2 model  
49- C 84 1 -2.1024 17 -58 1 2 -59 IMP:N=1 \$ 1/4 model  
50- C OUTSIDE WORLD  
51- 85 0 -1:-3:19:25 IMP:N=0 \$ 1/2 model  
52- C 85 0 -1:-2:-3:19:25 IMP:N=0 \$ 1/4 model  
53- C WET PIN LATTICE DESCRIPTION  
54- 86 1 -2.1024 -26 27 -28 29 IMP:N=1 LAT=1 U=56  
55- FILL -8:8 -8:8 0:0 56 16R 56 2 14R 56 56 2 14R 56  
56- 56 2 4R 4 2 2R 4 2 4R 56

57- 56 2 2R 4 2 6R 4 2 2R 56 56 2 14R 56  
 58- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 59- 56 2 14R 56  
 60- 56 2 6R 6 2 6R 56  
 61- 56 2 14R 56  
 62- 56 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 56  
 63- 56 2 14R 56 56 2 2R 4 2 6R 4 2 2R 56  
 64- 56 2 4R 4 2 2R 4 2 4R 56  
 65- 56 2 14R 56 56 2 14R 56 56 16R  
 66- C MIXED PIN LATTICE DESCRIPTION  
 67- C 87 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=72  
 68- C FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 69- C 57 3 4R 5 3 2R 5 3 4R 57  
 70- C 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 71- C 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 72- C 57 3 14R 57  
 73- C 57 3 6R 7 3 6R 57  
 74- C 57 2 14R 57  
 75- C 57 2 2 4 2 2 4 2 2R 4 2 2 4 2 2 57  
 76- C 57 2 14R 57 57 2 2R 4 2 6R 4 2 2R 57  
 77- C 57 2 4R 4 2 2R 4 2 4R 57  
 78- C 57 2 14R 57 57 2 14R 57 57 16R  
 79- C DRY PIN LATTICE DESCRIPTION  
 80- 88 3 -0.001225 -26 27 -28 29 IMP:N=1 LAT=1 U=57  
 81- FILL -8:8 -8:8 0:0 57 16R 57 3 14R 57 57 3 14R 57  
 82- 57 3 4R 5 3 2R 5 3 4R 57  
 83- 57 3 2R 5 3 6R 5 3 2R 57 57 3 14R 57  
 84- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 85- 57 3 14R 57  
 86- 57 3 6R 7 3 6R 57  
 87- 57 3 14R 57  
 88- 57 3 3 5 3 3 5 3 2R 5 3 3 5 3 3 57  
 89- 57 3 14R 57 57 3 2R 5 3 6R 5 3 2R 57  
 90- 57 3 4R 5 3 2R 5 3 4R 57  
 91- 57 3 14R 57 57 3 14R 57 57 16R  
 92- C WET FUEL ROD  
 93- 89 2 7.0106E-02 -30 -10 IMP:N=1 U=2  
 94- 90 4 -6.5600 -30 10 -11 IMP:N=1 U=2  
 95- 91 1 -2.1024 -30 11 IMP:N=1 U=2  
 96- 92 1 -2.1024 30 -31 -11 IMP:N=1 U=2  
 97- 93 1 -2.1024 30 -31 11 IMP:N=1 U=2  
 98- 94 4 -6.5600 31 -32 -11 IMP:N=1 U=2  
 99- 95 1 -2.1024 31 -32 11 IMP:N=1 U=2  
 100- 96 1 -2.1024 32 IMP:N=1 U=2  
 101- C DRY FUEL ROD  
 102- 97 2 7.0106E-02 -30 -10 IMP:N=1 U=3  
 103- 98 4 -6.5600 -30 10 -11 IMP:N=1 U=3  
 104- 99 3 -0.001225 -30 11 IMP:N=1 U=3  
 105- 100 3 -0.001225 30 -31 -11 IMP:N=1 U=3  
 106- 101 3 -0.001225 30 -31 11 IMP:N=1 U=3  
 107- 102 4 -6.5600 31 -32 -11 IMP:N=1 U=3  
 108- 103 3 -0.001225 31 -32 11 IMP:N=1 U=3  
 109- 104 3 -0.001225 32 IMP:N=1 U=3  
 110- C WET CONTROL ROD/GUIDE TUBE  
 111- 105 1 -2.1024 -33 IMP:N=1 U=4 \$ No DCRA Rod  
 112- C 105 9 -7.8300 -33 IMP:N=1 U=4 \$ DCRA Rod  
 113- 106 1 -2.1024 33 -34 IMP:N=1 U=4  
 114- 107 1 -2.1024 34 -35 IMP:N=1 U=4 \$ No DCRA Cladding  
 115- C 107 4 -6.5600 34 -35 IMP:N=1 U=4 \$ DCRA Cladding  
 116- 108 1 -2.1024 35 -36 IMP:N=1 U=4

117- 109 4 -6.5600 36 -37 IMP:N=1 U=4  
118- 110 1 -2.1024 37 IMP:N=1 U=4  
119- C DRY CONTROL ROD/GUIDE TUBE  
120- 111 3 -0.001225 -33 IMP:N=1 U=5 \$ No DCRA Rod  
121- C 111 9 -7.8300 -33 IMP:N=1 U=5 \$ DCRA Rod  
122- 112 3 -0.001225 33 -34 IMP:N=1 U=5  
123- 113 3 -0.001225 34 -35 IMP:N=1 U=5 \$ No DCRA Cladding  
124- C 113 4 -6.5600 34 -35 IMP:N=1 U=5 \$ DCRA Cladding  
125- 114 3 -0.001225 35 -36 IMP:N=1 U=5  
126- 115 4 -6.5600 36 -37 IMP:N=1 U=5  
127- 116 3 -0.001225 37 IMP:N=1 U=5  
128- C WET INSTRUMENTATION TUBE  
129- 117 1 -2.1024 -38 IMP:N=1 U=6  
130- 118 4 -6.5600 38 -39 IMP:N=1 U=6  
131- 119 1 -2.1024 39 IMP:N=1 U=6  
132- C DRY INSTRUMENTATION TUBE  
133- 120 3 -0.001225 -38 IMP:N=1 U=7  
134- 121 4 -6.5600 38 -39 IMP:N=1 U=7  
135- 122 3 -0.001225 39 IMP:N=1 U=7  
136- C FUEL CELL BASKET STRUCTURE  
137- C Code: boron in [B=] all panels [all], left [l], bottom [b], right [r], to  
138- C FUEL CELL BASKET STRUCTURE - WET - Borated panels  
139- C WATER GAP - ASSEMBLY LEFT  
140- 123 1 -2.1024 52 IMP:N=1 U=8  
141- C 123 1 -2.1024 48 IMP:N=1 U=8  
142- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
143- C 124 6 -7.8320 -48 52 IMP:N=1 U=8  
144- C CS TUBE - ASSEMBLY LEFT  
145- C 125 7 -7.8320 -52 56 IMP:N=1 U=8  
146- C SS PANEL - ASSEMBLY LEFT  
147- 126 8 -7.7700 -52 IMP:N=1 U=8  
148- C WATER GAP - ASSEMBLY BOTTOM  
149- 127 1 -2.1024 53 IMP:N=1 U=9  
150- C 127 1 -2.1024 49 IMP:N=1 U=9  
151- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
152- C 128 6 -7.8320 -49 53 IMP:N=1 U=9  
153- C CS TUBE - ASSEMBLY BOTTOM  
154- C 129 7 -7.8320 -53 57 IMP:N=1 U=9  
155- C SS PANEL - ASSEMBLY BOTTOM  
156- 130 8 -7.7700 -53 IMP:N=1 U=9  
157- C WATER GAP - ASSEMBLY RIGHT  
158- 131 1 -2.1024 -54 IMP:N=1 U=10  
159- C 131 1 -2.1024 -50 IMP:N=1 U=10  
160- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
161- C 132 6 -7.8320 50 -54 IMP:N=1 U=10  
162- C CS TUBE - ASSEMBLY RIGHT  
163- C 133 7 -7.8320 54 -58 IMP:N=1 U=10  
164- C SS PANEL - ASSEMBLY RIGHT  
165- 134 8 -7.7700 54 IMP:N=1 U=10  
166- C WATER GAP - ASSEMBLY TOP  
167- 135 1 -2.1024 -55 IMP:N=1 U=11  
168- C 135 1 -2.1024 -51 IMP:N=1 U=11  
169- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
170- C 136 6 -7.8320 51 -55 IMP:N=1 U=11  
171- C CS TUBE - ASSEMBLY TOP  
172- C 137 7 -7.8320 55 -59 IMP:N=1 U=11  
173- C SS PANEL - ASSEMBLY TOP  
174- 138 8 -7.7700 55 IMP:N=1 U=11  
175- C FUEL CELL BASKET STRUCTURE - DRY - Borated panels  
176- C GAP - ASSEMBLY LEFT

177- 139 3 -0.001225 52 IMP:N=1 U=12  
178- C 139 3 -0.001225 48 IMP:N=1 U=12  
179- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
180- C 140 6 -7.8320 -48 52 IMP:N=1 U=12  
181- C CS TUBE - ASSEMBLY LEFT  
182- C 141 7 -7.8320 -52 56 IMP:N=1 U=12  
183- C SS PANEL - ASSEMBLY LEFT  
184- 142 8 -7.7700 -52 IMP:N=1 U=12  
185- C GAP - ASSEMBLY BOTTOM  
186- 143 3 -0.001225 53 IMP:N=1 U=13  
187- C 143 3 -0.001225 49 IMP:N=1 U=13  
188- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
189- C 144 6 -7.8320 -49 53 IMP:N=1 U=13  
190- C CS TUBE - ASSEMBLY BOTTOM  
191- C 145 7 -7.8320 -53 57 IMP:N=1 U=13  
192- C SS PANEL - ASSEMBLY BOTTOM  
193- 146 8 -7.7700 -53 IMP:N=1 U=13  
194- C GAP - ASSEMBLY RIGHT  
195- 147 3 -0.001225 -54 IMP:N=1 U=14  
196- C 147 3 -0.001225 -50 IMP:N=1 U=14  
197- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
198- C 148 6 -7.8320 50 -54 IMP:N=1 U=14  
199- C CS TUBE - ASSEMBLY RIGHT  
200- C 149 7 -7.8320 54 -58 IMP:N=1 U=14  
201- C SS PANEL - ASSEMBLY RIGHT  
202- 150 8 -7.7700 54 IMP:N=1 U=14  
203- C GAP - ASSEMBLY TOP  
204- 151 3 -0.001225 -55 IMP:N=1 U=15  
205- C 151 3 -0.001225 -51 IMP:N=1 U=15  
206- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
207- C 152 6 -7.8320 51 -55 IMP:N=1 U=15  
208- C CS TUBE - ASSEMBLY TOP  
209- C 153 7 -7.8320 55 -59 IMP:N=1 U=15  
210- C SS PANEL - ASSEMBLY TOP  
211- 154 8 -7.7700 55 IMP:N=1 U=15  
212- C FUEL CELL BASKET STRUCTURE - WET - Unborated panels  
213- C WATER GAP - ASSEMBLY LEFT  
214- 155 1 -2.1024 52 IMP:N=1 U=16  
215- C 155 1 -2.1024 48 IMP:N=1 U=16  
216- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
217- C 156 6 -7.8320 -48 52 IMP:N=1 U=16  
218- C CS TUBE - ASSEMBLY LEFT  
219- C 157 7 -7.8320 -52 56 IMP:N=1 U=16  
220- C PANEL - ASSEMBLY LEFT  
221- 158 1 -2.1024 -52 IMP:N=1 U=16  
222- C WATER GAP - ASSEMBLY BOTTOM  
223- 159 1 -2.1024 53 IMP:N=1 U=17  
224- C 159 1 -2.1024 49 IMP:N=1 U=17  
225- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
226- C 160 6 -7.8320 -49 53 IMP:N=1 U=17  
227- C CS TUBE - ASSEMBLY BOTTOM  
228- C 161 7 -7.8320 -53 57 IMP:N=1 U=17  
229- C PANEL - ASSEMBLY BOTTOM  
230- 162 1 -2.1024 -53 IMP:N=1 U=17  
231- C WATER GAP - ASSEMBLY RIGHT  
232- 163 1 -2.1024 -54 IMP:N=1 U=18  
233- C 163 1 -2.1024 -50 IMP:N=1 U=18  
234- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
235- C 164 6 -7.8320 50 -54 IMP:N=1 U=18  
236- C CS TUBE - ASSEMBLY RIGHT

237- C 165 7 -7.8320 54 -58 IMP:N=1 U=18  
238- C PANEL - ASSEMBLY RIGHT  
239- C 166 1 -2.1024 54 IMP:N=1 U=18  
240- C WATER GAP - ASSEMBLY TOP  
241- C 167 1 -2.1024 -55 IMP:N=1 U=19  
242- C 167 1 -2.1024 -51 IMP:N=1 U=19  
243- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
244- C 168 6 -7.8320 51 -55 IMP:N=1 U=19  
245- C CS TUBE - ASSEMBLY TOP  
246- C 169 7 -7.8320 55 -59 IMP:N=1 U=19  
247- C PANEL - ASSEMBLY TOP  
248- C 170 1 -2.1024 55 IMP:N=1 U=19  
249- C FUEL CELL BASKET STRUCTURE - DRY - Unborated panels  
250- C GAP - ASSEMBLY LEFT  
251- C 171 3 -0.001225 52 IMP:N=1 U=20  
252- C 171 3 -0.001225 48 IMP:N=1 U=20  
253- C OXIDATION LAYER CS TUBE - ASSEMBLY LEFT  
254- C 172 6 -7.8320 -48 52 IMP:N=1 U=20  
255- C CS TUBE - ASSEMBLY LEFT  
256- C 173 7 -7.8320 -52 56 IMP:N=1 U=20  
257- C PANEL - ASSEMBLY LEFT  
258- C 174 3 -0.001225 -52 IMP:N=1 U=20  
259- C GAP - ASSEMBLY BOTTOM  
260- C 175 3 -0.001225 53 IMP:N=1 U=21  
261- C 175 3 -0.001225 49 IMP:N=1 U=21  
262- C OXIDATION LAYER CS TUBE - ASSEMBLY BOTTOM  
263- C 176 6 -7.8320 -49 53 IMP:N=1 U=21  
264- C CS TUBE - ASSEMBLY BOTTOM  
265- C 177 7 -7.8320 -53 57 IMP:N=1 U=21  
266- C PANEL - ASSEMBLY BOTTOM  
267- C 178 3 -0.001225 -53 IMP:N=1 U=21  
268- C GAP - ASSEMBLY RIGHT  
269- C 179 3 -0.001225 -54 IMP:N=1 U=22  
270- C 179 3 -0.001225 -50 IMP:N=1 U=22  
271- C OXIDATION LAYER CS TUBE - ASSEMBLY RIGHT  
272- C 180 6 -7.8320 50 -54 IMP:N=1 U=22  
273- C CS TUBE - ASSEMBLY RIGHT  
274- C 181 7 -7.8320 54 -58 IMP:N=1 U=22  
275- C PANEL - ASSEMBLY RIGHT  
276- C 182 3 -0.001225 54 IMP:N=1 U=22  
277- C GAP - ASSEMBLY TOP  
278- C 183 3 -0.001225 -55 IMP:N=1 U=23  
279- C 183 3 -0.001225 -51 IMP:N=1 U=23  
280- C OXIDATION LAYER CS TUBE - ASSEMBLY TOP  
281- C 184 6 -7.8320 51 -55 IMP:N=1 U=23  
282- C CS TUBE - ASSEMBLY TOP  
283- C 185 7 -7.8320 55 -59 IMP:N=1 U=23  
284- C PANEL - ASSEMBLY TOP  
285- C 186 3 -0.001225 55 IMP:N=1 U=23  
286- C SURFACE SPECIFICATIONS  
288- C 1\* PX 0.0  
289- C 2\* PY 0.00 \$ For 1/4 Model  
290- C 3\* PZ 0.00  
291- C 4 PX 12.30 \$ For Collapsed Model  
292- C 5 PX 36.90 \$ For Collapsed Model  
293- C 6 PY 12.30 \$ Water Level Surface  
294- C 7 PY 36.90 \$ Water Level Surface  
295- C 8 PY -12.30 \$ Water Level Surface  
296- C 9 PY -36.90 \$ Water Level Surface

297- 10 PZ 180.0860 \$ TOP ACTIVE FUEL  
298- 11 PZ 201.2360 \$ TOP FUEL HARDWARE  
299- C 12 PZ 226.75 \$ TOP TUBE - (Shielding Model)  
300- 13 PZ 228.75 \$ TOP OF BASKET MATERIAL  
301- 14 PZ 229.25 \$ TOP RING/WATER GAP  
302- 15 PZ 231.75 \$ TOP INNER LID  
303- 16 PZ 234.75 \$ TOP LID GAP  
304- 17 PZ 245.75 \$ TOP OUTER LID  
305- C 18 PZ 268.25 \$ TOP SKIRT - (Shielding Model)  
306- 19 PZ 298.75 \$ TOP REFLECTOR REGION  
307- 20 CZ 71.095 \$ ID OF INNER BARRIER  
308- 21 CZ 73.095 \$ OD OF INNER BARRIER  
309- 22 CZ 73.10 \$ ID OF OUTER BARRIER  
310- C 23 CZ 76.45 \$ ID OF SKIRT LIP - (Shielding Model)  
311- 24 CZ 83.10 \$ OD OF OUTER BARRIER  
312- 25 CZ 113.60 \$ OD OF REFLECTOR REGION  
313- C PIN LATTICE BOUNDS  
314- 26 PX 0.72136  
315- 27 PX -0.72136  
316- 28 PY 0.72136  
317- 29 PY -0.72136  
318- C FUEL ROD  
319- 30 CZ 0.468122  
320- 31 CZ 0.478790  
321- 32 CZ 0.546100  
322- C CONTROL ROD/GUIDE TUBE  
323- 33 CZ 0.45340 \$ 0.49022  
324- 34 CZ 0.46990 \$ 0.50292  
325- 35 CZ 0.54610 \$ 0.56007  
326- 36 CZ 0.62230 \$ 0.63246  
327- 37 CZ 0.67310  
328- C INSTRUMENTATION TUBE  
329- 38 CZ 0.56007  
330- 39 CZ 0.62611  
331- C ASSEMBLY LATTICE BOUNDS Actual  
332- 44 PX -10.65 \$ ACTUAL 10.82025  
333- 45 PY -10.65  
334- 46 PX 10.65  
335- 47 PY 10.65  
336- C 48 PX -11.0 \$ Corrosion Expansion Cards  
337- C 49 PY -11.0  
338- C 50 PX 11.0  
339- C 51 PY 11.0  
340- 52 PX -10.650001 \$ UCF Intact Inside Tube ID  
341- 53 PY -10.650001  
342- 54 PX 10.650001  
343- 55 PY 10.650001  
344- 56 PX -11.95 \$ UCF Intact Outside Tube ID  
345- 57 PY -11.95  
346- 58 PX 11.95  
347- 59 PY 11.95  
348- C FUEL CELL LATTICE BOUNDS  
349- 60 PX -10.65 \$ ACTUAL 12.30  
350- 61 PX 10.65  
351- 62 PY -10.65  
352- 63 PY 10.65  
353- C 45 degree planes  
354- 64 P 1. -1. 0. 0.  
355- 65 P 1. 1. 0. 0.  
356- C EXTRA CARDS

357-  
 358- MODE N  
 359- C VOL 88J  
 360- KCODE 4000 1. 7 97  
 361- C KSRC -4.3 -5.7 1. -2.8 -5.7 5. -1.4 -5.7 10. 0. -5.7 5.  
 362- C 1.44 -5.7 3. 2.88 -5.7 8. 4.32 -5.7 9.  
 363- C -5.7 -4.3 2. -4.3 -4.3 1. -2.8 -4.3 5. -1.4 -4.3 10.  
 364- C 0. -4.3 5. 1.44 -4.3 3. 2.88 -4.3 8. 4.32 -4.3 9.  
 365- C -5.7 -2.9 2. -4.3 -2.9 1. 2.88 -2.9 8. 4.32 -2.9 10.  
 366- C 0. -2.9 5. 2.88 -2.9 8. 4.32 -2.9 9.  
 367- C -5.7 -1.4 2. -4.3 -1.4 1. -2.8 -1.4 5. -1.4 -1.4 10.  
 368- C 0. -1.4 5. 1.44 -1.4 3. 2.88 -1.4 8. 4.32 -1.4 9.  
 369- C -5.7 0.0 2. -4.3 0.0 1. -2.8 0.0 5. -1.4 0.0 10.  
 370- C 1.44 0.0 3. 2.88 0.0 8. 4.32 0.0 9.  
 371- C -5.7 1.4 2. -2.8 1.4 5. -1.4 1.4 10.  
 372- C 0. 1.4 5. 1.44 1.4 3. 2.88 1.4 8. 4.32 1.4 9.  
 373- C -5.7 2.9 2. -4.3 2.9 1. -2.8 2.9 5. -1.4 2.9 10.  
 374- C 0. 2.9 5. 1.44 2.9 3. 2.88 2.9 8. 4.32 2.9 9.  
 375- C -5.7 4.3 2. -4.3 4.3 1. -2.8 4.3 5. -1.4 4.3 10.  
 376- C 0. 4.3 5. 1.44 4.3 3. 2.88 4.3 8. 4.32 4.3 9.  
 377- C MATERIAL SPECIFICATIONS  
 378- C WATER AT 300 K d=1.0000 g/cc w/ 26% Fe2O3 w/ 5% B10  
 379- M1 1001.50C 4.9490-2 8016.50C 4.0160-2 26000.55C 1.0277-2  
 380- 5010.50C 2.8870-6  
 381- MT1 LWTR.01T  
 382- C 3.00%/20 GWD 15000 yr decay 10000 yr crit  
 383- M2 8016.50C 4.6947E-02  
 384- 42095.50C 2.9555E-05  
 385- 43099.50C 2.6899E-05  
 386- 44101.50C 2.7082E-05  
 387- 45103.50C 1.7197E-05  
 388- 47109.50C 2.4871E-06  
 389- 60143.50C 2.3334E-05  
 390- 60145.50C 1.7528E-05  
 391- 62147.50C 7.6533E-06  
 392- 62149.50C 5.6264E-08  
 393- 62150.50C 6.6809E-06  
 394- 62151.50C 2.4408E-09  
 395- 63151.55C 4.4669E-07  
 396- 62152.50C 3.0032E-06  
 397- 63153.55C 2.2357E-06  
 398- 64155.50C 5.9056E-08  
 399- 64157.50C 1.1891E-09  
 400- 48000.50C 2.0221E-06  
 401- 54131.50C 1.3059E-05  
 402- 55133.50C 3.1974E-05  
 403- 92233.50C 2.0043E-07  
 404- 92234.50C 5.9667E-06  
 405- 92235.50C 3.7645E-04  
 406- 92236.50C 1.0659E-04  
 407- 92238.50C 2.2352E-02  
 408- 93237.55C 2.7931E-05  
 409- 94238.50C 9.1027E-09  
 410- 94239.55C 7.0502E-05  
 411- 94240.50C 4.0570E-06  
 412- 94241.50C 1.0238E-09  
 413- 94242.50C 3.2774E-06  
 414- 95241.50C 3.1112E-08  
 415- 95242.50C 9.2503E-12  
 416- 95243.50C 1.0153E-07

```

417-      C      WATER AT 300 K d=1.0000 g/cc
418-      M3     1001.50C 6.6878-2   8016.50C 3.3439-2
419-      MT3    LWTR.01T
420-      C      Air d=0.001225 g/cc
421-      C      M3     7014.50C -0.80  8016.50C -0.20
422-      C      ZIRCALOY-4 d=6.56 g/cc
423-      M4     8016.50C -0.0012 24000.50C -0.0010 26000.55C -0.0020
424-      40000.50C -0.9818 50000.35C -0.0140
425-      C      ALLOY 825 d=8.14 g/cc
426-      M5     6000.50C -0.0005 13027.50C -0.0020 14000.50C -0.0050
427-      16032.50C -0.0003 22000.50C -0.0090 24000.50C -0.2150
428-      25055.50C -0.0100 26000.55C -0.2857 28000.50C -0.4200
429-      29000.50C -0.0225 42000.50C -0.0300
430-      C      Oxidized A516 CARBON STEEL and Water Mixture d=7.832 g/cc
431-      C      M6     6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
432-      C     16032.50C -0.00035 25055.50C -0.0090
433-      C     26000.55C -0.98535
434-      C      A516 CARBON STEEL d=7.832 g/cc
435-      M7     6000.50C -0.00220 14000.50C -0.002750 15031.50C -0.00035
436-      16032.50C -0.00035 25055.50C -0.0090
437-      26000.55C -0.98535
438-      C      SS316B6A 1.6% d=7.77 g/cc
439-      M8     5010.50C -0.00288 5011.50C -0.013120
440-      6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.0075
441-      15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
442-      25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
443-      42000.50C -0.02500
444-      C      SS316B3A 0.87wt% B d=7.83 g/cc
445-      C      M9     5010.50C -0.001566 5011.50C -0.007134
446-      C     6000.50C -0.00030 7014.50C -0.00100 14000.50C -0.00750
447-      C     15031.50C -0.00045 16032.50C -0.00030 24000.50C -0.19000
448-      C     25055.50C -0.02000 26000.55C -0.60445 28000.50C -0.13500
449-      C     42000.50C -0.02500
450-      C      AL 6063 d=2.69 g/cc
451-      C      M10    12000.50C -0.00675 13027.50C -0.98125 14000.50C -0.00400
452-      C     22000.50C -0.00150 24000.50C -0.00100 25055.50C -0.00100
453-      C     26000.55C -0.00350 29000.50C -0.00100
454-      C      TALLIES
455-      PRINT
456-

```

1 initial source from file srctp  
4problem summary

run terminated when 97 kcode cycles were done.

+ AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5f) probid = 08/21/96 00:50:24  
0 08/20/96 22:55:24

neutron creation	tracks	weight (per source particle)	energy	neutron loss	tracks	weight (per source particle)	energy
source	388354	9.9909E-01	2.0536E+00	escape	7	9.1811E-06	2.6297E-05
weight window	0	0.	0.	energy cutoff	0	0.	0.
cell importance	0	0.	0.	time cutoff	0	0.	0.
weight cutoff	0	5.1206E-02	5.3136E-06	weight window	0	0.	0.
energy importance	0	0.	0.	cell importance	0	0.	0.
dxtran	0	0.	0.	Weight cutoff	389025	5.1889E-02	1.0547E-05
forced collisions	0	0.	0.	energy importance	0	0.	0.
exp. transform	0	0.	0.	dxtran	0	0.	0.
				forced collisions	0	0.	0.
				exp. transform	0	0.	0.

upsattering	0	0.	7.6094E-08	downscattering	0	0.	1.9191E+00
(n,xn)	1352	2.7427E-03	2.2046E-03	capture	0	6.5097E-01	3.5891E-02
fission	0	0.	0.	loss to (n,xn)	674	1.3673E-03	1.1601E-02
total	389706	1.0530E+00	2.0559E+00	loss to fission	0	3.4880E-01	8.9234E-02
				total	389706	1.0530E+00	2.0559E+00
number of neutrons banked	678			average lifetime, shakes			cutoffs
neutron tracks per source particle	1.0035E+00			escape	2.1281E+04	tco	1.0000E+34
neutron collisions per source particle	4.7025E+01			capture	2.3934E+03	eco	.0000E+00
total neutron collisions	18262445			capture or escape	2.3936E+03	wc1	-5.0000E-01
net multiplication	1.0014E+00	.0001		any termination	2.5626E+03	wc2	-2.5000E-01
computer time so far in this run	114.87 minutes			maximum number ever in bank	2		
computer time in mcrun	114.77 minutes			bank overflows to backup file	0		
source particles per minute	3.3838E+03			field length	0		
random numbers generated	255297822			most random numbers used was	9706 in history	186745	

range of sampled source weights = 9.5034E-01 to 1.1019E+00  
 1keff results for: AUCF - B&W 15x15 FUEL,21 ASSEMBLY DBF CS/SS-B Corroded & collapsed - (a26xb5f) probid = 08/20/96 22:55:24

the initial fission neutron source distribution was read from the srctp file named srctp .  
 the criticality problem was scheduled to skip 7 cycles and run a total of 97 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 7 inactive cycles with 27794 neutron histories and 90 active cycles with 360560 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 388354 fission neutron source histories.

xx..

the following cells with fissionable material had no neutron tracks entering:  
 97

the following cells with fissionable material had no neutron collisions:  
 97

the following cells with fissionable material had no fission source points:  
 97

warning. 1 fissionable cells had no tracks entering, 1 cells had no collisions, and 1 cells had no fission source points.  
 the keff results could be too small because these cells with fissionable material were not sampled.

xx..

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

-----  
 the final estimated combined collision/absorption/track-length keff = .90019 with an estimated standard deviation of .00108  
 the estimated 68, 95, & 99 percent keff confidence intervals are .89910 to .90127, .89803 to .90235, and .89732 to .90305  
 the estimated collision/absorption neutron removal lifetime = 2.39E-05 seconds with an estimated standard deviation of 5.71E-08  
 -----

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.90068	.00127	.89941 to .90196	.89815 to .90322	.89732 to .90405	
absorption	.90008	.00132	.89876 to .90140	.89746 to .90270	.89660 to .90356	
track length	.89966	.00142	.89824 to .90108	.89683 to .90249	.89591 to .90342	
col/absorp	.90040	.00109	.89931 to .90149	.89822 to .90258	.89751 to .90329	.4081
abs/trk len	.89989	.00111	.89879 to .90100	.89769 to .90210	.89697 to .90282	.2980
col/trk len	.90039	.00126	.89913 to .90165	.89789 to .90290	.89707 to .90371	
col/abs/trk len	.90019	.00108	.89910 to .90127	.89803 to .90235	.89732 to .90305	.7472

C	A	B	C	D	F	E	G	H	I	J	K	L	M	N	O	
2	Number Density Worksheet:			Isotope List						***** Base	Case at 300 K	*****	case sp40a			
3										Far Field Criticality - 8%	UO2 in beginning - 40% Porosity Tuff w/ water					
4										Tuff Porosit	40%	Years Critical				
5										Volume	11494000.00	UO2 added				
6	Element	Symbol	Isotope	MCNP ID	Atomic Weight					UO2%	8%					
1	Hydrogen	H	H-1	1001.50C	1.007825					ISOTOPE	Gm/Critic	Aw	Wt%			
		D	H-2	1002.55C	2.014102					SM149	0	148.91718		62149.50c	0.0000E+00	
		T	H-3	1003.50C	3.01605					SM151	0	150.919919		62151.50c	0.0000E+00	
2	Helium	He	nat.	2000.01C	4.0026					ND143	0	142.909779		60143.50c	0.0000E+00	
		He	He-4	2004.50C	4.002631					RH103	0	102.905511		45103.50c	0.0000E+00	
3	Lithium	Li	Li-6	3006.50C	6.015125					EU151	0	150.919838		63151.55c	0.0000E+00	
		Li	Li-7	3007.55C	7.016004					GD157	0	156.924025		64157.50c	0.0000E+00	
4	Beryllium	Be	Be-9	4009.50C	9.012186					GD155	0	154.922664		64155.50c	0.0000E+00	
5	Boron	B	B-10	5010.50C	10.01294					CD(113)	0	112.4		48000.50c	0.0000E+00	
		B	B-11	5011.55C	11.00931					XE131	0	130.905069		54131.50c	0.0000E+00	
6	Carbon	C	nat.	6000.50C	12.01115					CS133	0	132.905355		55133.50c	0.0000E+00	
		C	C-12	6012.50C	12					TC99	0	98.90628		43099.50c	0.0000E+00	
7	Nitrogen	N	N-14	7014.50C	14.00307					SM147	0	146.914867		62147.50c	0.0000E+00	
8	Oxygen	O	O-16	8016.50C	15.99492					XE135	0	134.9063		54135.50c	0.0000E+00	
9	Fluorine	F	F-19	9019.50C	18.9984					ND145	0	144.912538		60145.50c	0.0000E+00	
11	Sodium	Na	Na-23	11023.50C	22.98977					MO95	0	94.905839		42095.50c	0.0000E+00	
12	Magnesium	Mg	nat.	12000.50C	24.312					U233	0	233.039522		92233.50c	0.0000E+00	
13	Aluminum	Al	Al-27	13027.50C	26.98154					U234	0	234.040904		92234.50c	4.6944E-07	
14	Silicon	Si	nat.	14000.50C	28.086					U235	0	235.043915		92235.50c	3.8253E-05	
15	Phosphorus	P	P-31	15031.50C	30.97376					U236	0	236.045637		92236.50c	9.1532E-06	
16	Sulfur	S	S-32	16032.50C	31.97207					U238	0	238.05077		92238.50c	1.9055E-03	
17	Chlorine	Cl	nat.	17000.50C	35.452					NP237	0	237.048056		92237.55c	2.1829E-06	
19	Potassium	K	nat.	19000.50C	39.102					PU238	0	238.049511		94238.50c	0.0000E+00	
20	Calcium	Ca	nat.	20000.50C	40.08					PU239	0	239.052146		94239.55c	0.0000E+00	
22	Titanium	Ti	nat.	22000.50C	47.9					PU240	0	240.053882		94240.50c	0.0000E+00	
23	Vanadium	V	nat.	23000.50C	50.942					O	0	15.994915		8016.50c	4.2818E-02	
24	Chromium	Cr	nat.	24000.50C	51.996				water	H		1.00782519		1001.50c	2.1396E-02	
25	Manganese	Mn	Mn-55	25055.50C	54.93805					O		15.994915				
26	Iron	Fe	nat.	26000.55C	55.847					Tuff	O	15.994915				
27	Cobalt	Co	Co-59	27059.50C	58.93319						Na	22.9897707		11023.50c	3.9366E-04	
28	Nickel	Ni	nat.	28000.50C	58.71						Mg	24.312		12000.50c	2.3128E-04	
29	Copper	Cu	nat.	29000.50C	63.54						Al	26.9815389		13027.50c	2.6070E-03	
30	Zinc	Zn	nat.		65.37						Si	28.086		14000.50c	1.1406E-02	
33	Arsenic	As	As-75	33075.35C	74.9216						K	39.102		19000.50c	5.5591E-04	
38	Strontium	Sr	nat.		87.62						Ca	40.08		20000.50c	5.6949E-04	
40	Zirconium	Zr	nat.	40000.50C	91.22						Fe	55.847		26000.55c	1.4037E-04	
41	Niobium	Nb	Nb-93	41093.50C	92.90638						TOTAL	0			8.20735E-02	
42	Molybdenum	Mo	nat.	42000.50C	95.94											
44	Mo	Mo	Mo-95	42095.50C	94.90584						***** Base	Case at 50 C (323 K)	Case sp40a2			
45	Technetium	Tc	Tc-99*	43099.50C	98.90628											
44	Ruthenium	Ru	Ru-101	44101.50C	100.9056						Far Field Criticality - 8%	UO2 in beginning - 40% Porosity Tuff w/ water				
45	Rhodium	Rh	Rh-103	45103.50C	102.9055						Tuff Porosit	40%	Years Critical			
47	Silver	Ag	Ag-109	47109.50C	108.9048						Volume	11494000.00	UO2 added			
48	Cadmium	Cd	nat.	48000.50C	112.4						UO2%	8%	T=50 C de	0.99		
49	Indium	In	nat.		114.82						ISOTOPE	Gm/Critic	Aw	Wt%		
50	Tin	Sn	nat.	50000.35C	118.69						SM149	0	148.91718		62149.50c	0.0000E+00
52	Xenon	Xe	Xe-131 *	54131.50C	130.9051	* AW from Chart of the Nuclides					SM151	0	150.919919		62151.50c	0.0000E+00
53		Xe	Xe-135 *	54135.50c	134.9063					ND143	0	142.909779		60143.50c	0.0000E+00	
54	Cesium	Cs	Cs-133	55133.50C	132.9054					RH103	0	102.905511		45103.50c	0.0000E+00	
55		Cs	Cs-135	55135.50C	134.9058					EU151	0	150.919838		63151.55c	0.0000E+00	

C	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
56	56	Barium	Ba	nat.		137.34			GD157	0	156.924025		64157.50c	0.0000E+00	
57	57	Lanthanum	La	nat.		138.91			GD155	0	154.922664		64155.50c	0.0000E+00	
58	58	Cerium	Ce	nat.		140.12			CD(113)	0	112.4		48000.50c	0.0000E+00	
59	60	Neodymium	Nd	Nd-143	60143.50c	142.9098			XE131	0	130.905069		54131.50c	0.0000E+00	
60			Nd	Nd-145	60145.50c	144.9125			CS133	0	132.905355		55133.50c	0.0000E+00	
61									TC99	0	98.90628		43099.50c	0.0000E+00	
62									SM147	0	146.914867		62147.50c	0.0000E+00	
63									XE135	0	134.9063		54135.50c	0.0000E+00	
64									ND145	0	144.912538		60145.50c	0.0000E+00	
65	<b>Number Density Worksheet:</b> Isotope List (Continued)								MO95	0	94.905839		42095.50c	0.0000E+00	
66									U233	0	233.039522		92233.50c	0.0000E+00	
67									U234	0	234.040904		92234.50c	4.6844E-07	
68		Element	Symbol	Isotope	MCNP ID	Atomic Weight			U235	0	235.043915		92235.53c	3.8253E-05	
69	62	Samarium	Sm	Sm-147		146.9149			U236	0	236.045637		92236.50c	9.1532E-06	
70			Sm	Sm-149	62149.50C	148.9172			U238	0	238.05077		92238.53c	1.9055E-03	
71			Sm	Sm-150		149.9173			NP237	0	237.048056		93237.50c	2.1829E-06	
72			Sm	Sm-151		150.9199			PU238	0	238.049511		94238.50c	0.0000E+00	
73			Sm	Sm-152		151.9198			PU239	0	239.052146		94239.55c	0.0000E+00	
74	63	Europium	Eu	Eu-151	63151.55C	150.9198			PU240	0	240.053882		94240.50c	0.0000E+00	
75			Eu	Eu-153	63153.55C	152.9212			O	0	15.994915		8016.53c	4.2711E-02	
76			Eu	Eu-154	63154.50C	153.9231			H		1.00782519		1001.53c	2.1182E-02	
77	64	Gadolinium	Gd	nat.	64000.35C	157.25			O		15.994915				
78			Gd	Gd-155	64155.50C	154.9227			O		15.994915				
79			Gd	Gd-157	64157.50C	156.924			Na		22.9897707		11023.50c	3.9366E-04	
80	72	Hafnium	Hf	nat.	72000.50C	178.49			Mg		24.312		12000.50c	2.3128E-04	
81	73	Tantalum	Ta	Ta-181	73181.50C	180.948			Al		26.9815389		13027.50c	2.6070E-03	
82	74	Tungsten	W	nat.	74000.55C	183.85			Si		28.086		14000.50c	1.1406E-02	
83	82	Lead	Pb	nat.	82000.50C	207.19			K		39.102		19000.50c	5.5591E-04	
84	92	Uranium	U	U-233	92233.50C	233.0395			Ca		40.08		20000.50c	5.6949E-04	
85			U	U-234	92234.50C	234.0409			Fe		55.847		26000.55c	1.4037E-04	
86			U	U-235	92235.50C	235.0439			TOTAL	0				8.17526E-02	
87			U	U-236	92236.50C	236.0456			*****	100,000 year hydrologic cycle cases - years critical indicated below is full power equivalent c					
88			U	U-238	92238.50C	238.0508			Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water w/ UO2 addition						
89	93	Neptunium	Np	Np-237	93237.55C	237.0481			Tuff Porosity	40%			Years Critical	50000	
90	94	Plutonium	Pu	Pu-238	94238.50C	238.0495			Volume	11494000.00			UO2 added	0.052391664	
91			Pu	Pu-239	94239.55C	239.0521			UO2%	8% T=50 C de			0.99	Number	
92			Pu	Pu-240	94240.50C	240.0539			ISOTOPE	Gm/Critic Aw/Wt%			MCNP ID	Density	
93			Pu	Pu-241	94241.50C	241.0567			SM149	8.79E+00	148.91718		62149.50c	3.0928E-09	
94			Pu	Pu-242	94242.50C	242.0587			SM150	1.85E+02	149.917276		62150.50c	6.4659E-08	
95			Pu	Pu-243	94243.35C	243.062			ND143	9.53E+02	142.909779		60143.50c	3.4941E-07	
96	95	Americium	Am	Am-241	95241.50C	241.0567			RH103	3.99E+02	102.905511		45103.50c	2.0316E-07	
97			Am	Am-242m	95242.50C	242.0595			EU151	3.76E+01	150.919838		63151.55c	1.3054E-08	
98			Am	Am-243	95243.50C	243.0614			KR83	5.03E+01	82.914137		36083.50c	3.1787E-08	
99	96	Curium	Cm	Cm-243	96243.35C	243.0614			GD155	6.66E-01	154.922664		64155.50c	2.2525E-10	
100			Cm	Cm-245	96245.35C	245.0654			CS135	1.05E+03	134.90577		55135.50c	4.0782E-07	
101			Cm	Cm-248	96248.35C	248.0722			XE131	4.50E+02	130.905069		54131.50c	1.8012E-07	
102	36	Krypton	Kr	Kr-83	36083.50C	82.91414			CS133	1.06E+03	132.905355		55133.50c	4.1790E-07	
103									TC99	6.21E+02	98.90628		43099.50c	3.2898E-07	
104	<b>Number Density Worksheet:</b>								SM147	3.89E+02	146.914867		62147.50c	1.3874E-07	
105									SM152	7.57E+01	151.919756		62152.50c	2.6109E-08	
106									ND145	6.66E+02	144.912538		60145.50c	2.4081E-07	
107									MO95	7.23E+02	94.905839		42095.50c	3.9916E-07	
108									U233	1.87E+02	233.039522		92233.50c	4.2045E-08	
109									U234	2.38E+03	234.040904		92234.50c	8.4027E-07	
110									U235	1.54E+05	235.043915		92235.50c	5.9382E-05	





C	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD
1			*** Base case at	Power T=265 C	case sp40a1										
2			Fair Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water												
3			Tuff Porosity=	40%		Years Critical	0								
4			Volume	11494000.00		UO2 added	0								
5			UO2%	8%	T=265 C den=	Number									
6			ISOTOPE	Gm/Critical %	Aw/Wt%	MCNP ID									
7			SM149	0	148.91718	62149.50c	0.0000E+00								
8			SM151	0	150.919919	62151.50c	0.0000E+00								
9			ND143	0	142.909779	60143.50c	0.0000E+00								
10			RH103	0	102.905511	45103.50c	0.0000E+00								
11			EU151	0	150.919838	63151.55c	0.0000E+00								
12			GD157	0	156.924025	64157.50c	0.0000E+00								
13			GD155	0	154.922664	64155.50c	0.0000E+00								
14			CD(113)	0	112.4	48000.50c	0.0000E+00								
15			XE131	0	130.905069	54131.50c	0.0000E+00								
16			CS133	0	132.905355	55133.50c	0.0000E+00								
17			TC99	0	98.90628	43099.50c	0.0000E+00								
18			SM147	0	146.914867	62147.50c	0.0000E+00								
19			XE135	0	134.9063	54135.50c	0.0000E+00								
20			ND145	0	144.912538	60145.50c	0.0000E+00								
21			MO95	0	94.905839	42095.50c	0.0000E+00								
22			U233	0	233.039522	92233.50c	0.0000E+00								
23			U234	0	234.040904	92234.50c	4.6944E-07								
24			U235	0	235.043915	92235.53c	3.8253E-05								
25			U236	0	236.045637	92236.50c	9.1532E-06								
26			U238	0	238.05077	92238.53c	1.9055E-03								
27			NP237	0	237.048056	93237.50c	2.1829E-06								
28			PU238	0	238.049511	94238.50c	0.0000E+00								
29			PU239	0	239.052146	94239.55c	0.0000E+00								
30			PU240	0	240.053882	94240.50c	0.0000E+00								
31	O	0		15.994915		8016.53c	4.0422E-02	O		0	15.994915		8016.53c	4.0422E-02	
32	water	H		1.00782519		1001.53c	1.6603E-02	H		1.00782519			1001.53c	1.6603E-02	
33	O			15.994915				O		15.994915					
34	Tuff	O		15.994915				O		15.994915					
35	Na			22.9897707		11023.50c	3.9366E-04	Na		22.9897707			11023.50c	3.9366E-04	
36	Mg			24.312		12000.50c	2.3128E-04	Mg		24.312			12000.50c	2.3128E-04	
37	Al			26.9815389		13027.50c	2.6070E-03	Al		26.9815389			13027.50c	2.6070E-03	
38	Si			28.086		14000.50c	1.1406E-02	Si		28.086			14000.50c	1.1406E-02	
39	K			39.102		19000.50c	5.5591E-04	K		39.102			19000.50c	5.5591E-04	
40	Ca			40.08		20000.50c	5.6949E-04	Ca		40.08			20000.50c	5.6949E-04	
41	Fe			55.847		26000.55c	1.4037E-04	Fe		55.847			26000.55c	1.4037E-04	
42	TOTAL	0					7.48846E-02	TOTAL		8882745.38				7.48848E-02	
43															
44				***** Cases w/ UO2 addition at 132 g/year *****											
45				case names sp40(alpha)1											
46				Fair Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water											
47				Tuff Porosity=	40%	Years Critical	1								
48				Volume	11494000.00	UO2 added	1.04783E-06								
49				UO2%	8%	T=265 C den=	Number								
50				ISOTOPE	Gm/Critical %	Aw/Wt%	MCNP ID								
51				SM149	1.05E-02	148.91718	62149.50c	3.6945E-12							
52				SM151	4.62E-03	150.919919	62150.50c	1.6040E-12							
53				ND143	5.84E-02	142.909779	60143.50c	2.1412E-11							
54				RH103	1.79E-02	102.905511	45103.50c	9.1143E-12							
55				SM152	2.75E-03	151.919756	62152.50c	9.4847E-13							
56				GD157	7.73E-05	156.924025	64157.50c	2.5811E-14							
57				GD155	3.58E-04	154.922664	64155.50c	1.2118E-13							
58				CD(113)	6.62E-04	112.4	48000.50c	3.0860E-13							
59				XE131	2.44E-02	130.905069	54131.50c	9.7665E-12							
60				CS133	6.18E-02	132.905355	55133.50c	2.4364E-11							
61				TC99	3.98E-02	98.90628	43099.50c	2.1085E-11							
62				SM147	2.08E-02	146.914867	62147.50c	7.4290E-12							
63				XE135	8.7E-05	134.9063	54135.50c	3.3790E-14							

Backcheck of initial composition from SAS2H which was based on MCNP wt. fractions  
 \*\*\* These # densities were not

Attachment VII Page 5

C	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	
64		ND145	3.79E-02	144.912538		60145.50c	1.3704E-11		ND145	3.79E-02	144.912538		60145.50c	1.3704E-11		
65		KR83	2.92E-03	82.914137		36083.50c	1.8453E-12		KR83	2.92E-03	82.914137		36083.50c	1.8453E-12		
66		U233	2.84E-03	233.039522		92233.50c	6.3855E-13		U233	2.84E-03	233.039522		92233.50c	6.3855E-13		
67		U234	2.12E+03	234.040904		92234.50c	4.7463E-07		U234	2.12E+03	234.040904		92234.50c	4.7463E-07		
68		U235	1.72E+05	235.043915		92235.50c	3.8344E-05		U235	1.72E+05	235.043915		92235.50c	3.8343E-05		
69		U236	4.12E+04	236.045637		92236.50c	9.1456E-06		U236	4.12E+04	236.045637		92236.50c	9.1455E-06		
70		U238	8.66E+06	238.05077		92238.50c	1.9062E-03		U238	8.66E+06	238.05077		92238.50c	1.9061E-03		
71		NP237	9.99E+03	237.048056		93237.50c	2.2082E-06		NP237	9.99E+03	237.048056		93237.50c	2.2082E-06		
72		PU238	4.39E-02	238.049511		94238.50c	9.6628E-12		PU238	4.39E-02	238.049511		94238.50c	9.6628E-12		
73		PU239	1.18E+00	239.052146		94239.55c	2.5864E-10		PU239	1.18E+00	239.052146		94239.55c	2.5864E-10		
74		PU240	5.81E-06	240.053882		94240.50c	1.2682E-15		PU240	5.81E-06	240.053882		94240.50c	1.2682E-15		
75	O	0	15.994915		SUM	8016.53c	4.0422E-02		O	0	15.994915		8016.53c	4.0422E-02		
76	H		1.00782519			1001.53c	1.6603E-02		H		1.00782519			1001.53c	1.6603E-02	
77	O		15.994915						O		15.994915					
78	O		15.994915						O		15.994915					
79	Na		22.9897707			11023.50c	3.9366E-04		Na		22.9897707			11023.50c	3.9366E-04	
80	Mg		24.312			12000.50c	2.3128E-04		Mg		24.312			12000.50c	2.3128E-04	
81	Al		26.9815389			13027.50c	2.6070E-03		Al		26.9815389			13027.50c	2.6070E-03	
82	Si		28.086			14000.50c	1.1406E-02		Si		28.086			14000.50c	1.1406E-02	
83	K		39.102			19000.50c	5.5591E-04		K		39.102			19000.50c	5.5591E-04	
84	Ca		40.08			20000.50c	5.6949E-04		Ca		40.08			20000.50c	5.6949E-04	
85	Fe		55.847			26000.55c	1.4037E-04		Fe		55.847			26000.55c	1.4037E-04	
86	TOTAL		8885311.5098				7.48853E-02		TOTAL		8885311.51				7.48854E-02	
87	se sp40l															
88	Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water								Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water							
89	Tuff Porosity=		40%						Tuff Porosity=		40%					
90	Volume		11494000.00			Years Critical	10		Volume		11494000.00		Years Critical	10		
91	UO2%		8%	T=265 C	den=	UO2 added	0.0000104783	Number	UO2%		8%	T=265 C d		0.776	Number	
92	ISOTOPE	Gm/Critical		Aw/Wt%		MCNP ID	Density		ISOTOPE	Gm/Critical		Aw/Wt%		MCNP ID	Density	
93	SM149	1.05E-01	148.91718			62149.50c	3.6945E-11		SM149	1.05E-01	148.91718			62149.50c	3.6945E-11	
94	SM151	4.10E-02	150.919919			62151.50c	1.4235E-11		SM151	4.10E-02	150.919919			62151.50c	1.4235E-11	
95	ND143	5.51E-01	142.909779			60143.50c	2.0202E-10		ND143	5.51E-01	142.909779			60143.50c	2.0202E-10	
96	RH103	2.09E-01	102.905511			45103.50c	1.0642E-10		RH103	2.09E-01	102.905511			45103.50c	1.0642E-10	
97	SM152	2.75E-02	151.919756			62152.50c	9.4847E-12		SM152	2.75E-02	151.919756			62152.50c	9.4847E-12	
98	GD157	7.32E-04	156.924025			64157.50c	2.4442E-13		GD157	7.32E-04	156.924025			64157.50c	2.4442E-13	
99	GD155	3.58E-03	154.922664			64155.50c	1.2108E-12		GD155	3.58E-03	154.922664			64155.50c	1.2108E-12	
100	CD(113)	6.65E-03	112.4			48000.50c	3.1000E-12		CD(113)	6.65E-03	112.4			48000.50c	3.1000E-12	
101	XE131	2.48E-01	130.905069			54131.50c	9.9266E-11		XE131	2.48E-01	130.905069			54131.50c	9.9266E-11	
102	CS133	5.83E-01	132.905355			55133.50c	2.2984E-10		CS133	5.83E-01	132.905355			55133.50c	2.2984E-10	
103	TC99	3.96E-01	98.90628			43099.50c	2.0979E-10		TC99	3.96E-01	98.90628			43099.50c	2.0979E-10	
104	SM147	2.19E-01	146.914867			62147.50c	7.7928E-11		SM147	2.19E-01	146.914867			62147.50c	7.7928E-11	
105	XE135	8.7E-05	134.9063			54135.50c	3.3790E-14		XE135	8.7E-05	134.9063			54135.50c	3.3790E-14	
106	ND145	3.72E-01	144.912538			60145.50c	1.3451E-10		ND145	3.72E-01	144.912538			60145.50c	1.3451E-10	
107	MO95	3.86E-01	94.905839			42095.50c	2.1311E-10		MO95	3.86E-01	94.905839			42095.50c	2.1311E-10	
108	U233	3.15E-02	233.039522			92233.50c	7.0825E-12		U233	3.15E-02	233.039522			92233.50c	7.0825E-12	
109	U234	2.12E+03	234.040904			92234.50c	4.7469E-07		U234	2.12E+03	234.040904			92234.50c	4.7463E-07	
110	U235	1.72E+05	235.043915			92235.50c	3.8348E-05		U235	1.72E+05	235.043915			92235.50c	3.8343E-05	
111	U236	4.12E+04	236.045637			92236.50c	9.1467E-06		U236	4.12E+04	236.045637			92236.50c	9.1455E-06	
112	U238	8.66E+06	238.05077			92238.50c	1.9064E-03		U238	8.66E+06	238.05077			92238.50c	1.9061E-03	
113	NP237	9.99E+03	237.048056			93237.50c	2.0285E-06		NP237	9.99E+03	237.048056			93237.50c	2.2082E-06	
114	PU238	4.27E-01	238.049511			94238.50c	9.3987E-11		PU238	4.27E-01	238.049511			94238.50c	9.3987E-11	
115	PU239	1.21E+01	239.052146			94239.55c	2.6522E-09		PU239	1.21E+01	239.052146			94239.55c	2.6522E-09	
116	PU240	6.00E-04	240.053882			94240.50c	1.3096E-13		PU240	6.00E-04	240.053882			94240.50c	1.3096E-13	
117	O	0	15.994915		SUM	8016.53c	4.0422E-02		O	0	15.994915			8016.53c	4.0422E-02	
118	H		1.00782519			1001.53c	1.6602E-02		H		1.00782519			1001.53c	1.6603E-02	
119	O		15.994915						O		15.994915					
120	O		15.994915						O		15.994915					
121	Na		22.9897707			11023.50c	3.9366E-04		Na		22.9897707			11023.50c	3.9366E-04	
122	Mg		24.312			12000.50c	2.3128E-04		Mg		24.312			12000.50c	2.3128E-04	
123	Al		26.9815389			13027.50c	2.6070E-03		Al		26.9815389			13027.50c	2.6070E-03	
124	Si		28.086			14000.50c	1.1406E-02		Si		28.086			14000.50c	1.1406E-02	
125	K		39.102			19000.50c	5.5591E-04		K		39.102			19000.50c	5.5591E-04	
126	Ca		40.08			20000.50c	5.6949E-04		Ca		40.08			20000.50c	5.6949E-04	

C	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD
	Fe			55.847		26000.55c	1.4037E-04		Fe		55.847		26000.55c	1.4037E-04	
127	TOTAL			8885325.7071			7.48853E-02		TOTAL		8885325.71			7.48854E-02	
128															
129															
130	Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water														
131	Tuff Porosity=	40%			Years Critical	100									
132	Volume	11494000.00			UO2 added	0.0001047833									
133	UO2%	8%	T=265 C den=		0.776		Number								
134	ISOTOPE	Gm/Critical		Aw Wt%		MCNP ID	Density		ISOTOPE	Gm/Critical		Aw Wt%		MCNP ID	Density
135	SM149	9.89E-01	148.91718		62149.50c	3.4798E-10			SM149	9.89E-01	148.91718			62149.50c	3.4798E-10
136	SM151	2.95E-01	150.919919		62151.50c	1.0242E-10			SM151	2.95E-01	150.919919			62151.50c	1.0242E-10
137	ND143	5.52E+00	142.909779		60143.50c	2.0239E-09			ND143	5.52E+00	142.909779			60143.50c	2.0239E-09
138	RH103	2.12E+00	102.905511		45103.50c	1.0795E-09			RH103	2.12E+00	102.905511			45103.50c	1.0795E-09
139	EU151	1.28E-01	150.919838		63151.55c	4.4440E-11			EU151	1.28E-01	150.919838			63151.55c	4.4440E-11
140	GD157	6.71E-03	156.924025		64157.50c	2.2405E-12			GD157	6.71E-03	156.924025			64157.50c	2.2405E-12
141	GD155	3.26E-02	154.922664		64155.50c	1.026E-11			GD155	3.26E-02	154.922664			64155.50c	1.026E-11
142	CD(113)	6.65E-02	112.4		48000.50c	3.1000E-11			CD(113)	6.65E-02	112.4			48000.50c	3.1000E-11
143	XE131	2.49E+00	130.905069		54131.50c	9.9667E-10			XE131	2.49E+00	130.905069			54131.50c	9.9667E-10
144	CS133	5.84E+00	132.905355		55133.50c	2.3024E-09			CS133	5.84E+00	132.905355			55133.50c	2.3024E-09
145	TC99	3.96E+00	98.90628		43099.50c	2.0979E-09			TC99	3.96E+00	98.90628			43099.50c	2.0979E-09
146	SM147	2.10E+00	146.914867		62147.50c	7.4896E-10			SM147	2.10E+00	146.914867			62147.50c	7.4896E-10
147	XE135	8.7E-05	134.9063		54135.50c	3.3790E-14			XE135	8.7E-05	134.9063			54135.50c	3.3790E-14
148	ND145	3.72E+00	144.912538		60145.50c	1.3451E-09			ND145	3.72E+00	144.912538			60145.50c	1.3451E-09
149	MO95	4.00E+00	94.905839		42095.50c	2.2084E-09			MO95	4.00E+00	94.905839			42095.50c	2.2084E-09
150	U233	3.18E-01	233.039522		92233.50c	7.1500E-11			U233	3.18E-01	233.039522			92233.50c	7.1500E-11
151	U234	2.12E+03	234.040904		92234.50c	4.7524E-07			U234	2.12E+03	234.040904			92234.50c	4.7463E-07
152	U235	1.71E+05	235.043915		92235.53c	3.8170E-05			U235	1.71E+05	235.043915			92235.53c	3.8120E-05
153	U236	4.12E+04	236.045637		92236.50c	9.1575E-06			U236	4.12E+04	236.045637			92236.50c	9.1455E-06
154	U238	8.66E+06	238.05077		92238.53c	1.9086E-03			U238	8.66E+06	238.05077			92238.53c	1.9061E-03
155	NP237	9.99E+03	237.048056		93237.50c	2.2110E-06			NP237	9.99E+03	237.048056			93237.50c	2.2082E-06
156	PU238	3.07E+00	238.049511		94238.50c	6.7574E-10			PU238	3.07E+00	238.049511			94238.50c	6.7574E-10
157	PU239	1.19E+02	239.052146		94239.55c	2.6083E-08			PU239	1.19E+02	239.052146			94239.55c	2.6083E-08
158	PU240	5.87E-02	240.053882		94240.50c	1.2813E-11			PU240	5.87E-02	240.053882			94240.50c	1.2813E-11
159	O	0	15.994915		SUM	8016.53c	4.0424E-02		O	0	15.994915			8016.53c	4.0422E-02
160	H		1.00782519			1001.53c	1.6598E-02		H		1.00782519			1001.53c	1.6603E-02
161	O		15.994915						O		15.994915				
162	O		15.994915						O		15.994915				
163	Na		22.9897707			11023.50c	3.9366E-04		Na		22.9897707			11023.50c	3.9366E-04
164	Mg		24.312			12000.50c	2.3128E-04		Mg		24.312			12000.50c	2.3128E-04
165	Al		26.9815389			13027.50c	2.6070E-03		Al		26.9815389			13027.50c	2.6070E-03
166	Si		28.086			14000.50c	1.1406E-02		Si		28.086			14000.50c	1.1406E-02
167	K		39.102			19000.50c	5.5591E-04		K		39.102			19000.50c	5.5591E-04
168	Ca		40.08			20000.50c	5.6949E-04		Ca		40.08			20000.50c	5.6949E-04
169	Fe		55.847			26000.55c	1.4037E-04		Fe		55.847			26000.55c	1.4037E-04
170	TOTAL		8884463.7146				7.48847E-02		TOTAL		8884463.71				7.48852E-02
171															
172	Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water														
173	Tuff Porosity=	40%			Years Critical	1000									
174	Volume	11494000.00			UO2 added	0.001047833									
175	UO2%	8%	T=265 C den=		0.776		Number								
176	ISOTOPE	Gm/Critical		Aw Wt%		MCNP ID	Density		ISOTOPE	Gm/Critical		Aw Wt%		MCNP ID	Density
177	SM149	5.77E+00	148.91718		62149.50c	2.0302E-09			SM149	5.77E+00	148.91718			62149.50c	2.0302E-09
178	SM151	5.49E-01	150.919919		62151.50c	1.9060E-10			SM151	5.49E-01	150.919919			62151.50c	1.9060E-10
179	ND143	5.50E+01	142.909779		60143.50c	2.0165E-08			ND143	5.50E+01	142.909779			60143.50c	2.0165E-08
180	RH103	2.13E+01	102.905511		45103.50c	1.0845E-08			RH103	2.13E+01	102.905511			45103.50c	1.0845E-08
181	EU151	3.50E+00	150.919838		63151.55c	1.2151E-09			EU151	3.50E+00	150.919838			63151.55c	1.2151E-09
182	GD157	3.34E-02	156.924025		64157.50c	1.1152E-11			GD157	3.34E-02	156.924025			64157.50c	1.1152E-11
183	GD155	2.79E-01	154.922664		64155.50c	9.4362E-11			GD155	2.79E-01	154.922664			64155.50c	9.4362E-11
184	CD(113)	6.89E-01	112.4		48000.50c	3.2119E-10			CD(113)	6.89E-01	112.4			48000.50c	3.2119E-10
185	XE131	2.49E+01	130.905069		54131.50c	9.9667E-09			XE131	2.49E+01	130.905069			54131.50c	9.9667E-09
186	CS133	5.84E+01	132.905355		55133.50c	2.3024E-08			CS133	5.84E+01	132.905355			55133.50c	2.3024E-08
187	TC99	3.95E+01	98.90628		43099.50c	2.0926E-08			TC99	3.95E+01	98.90628			43099.50c	2.0926E-08
188	SM147	2.17E+01	146.914867		62147.50c	7.7393E-09			SM147	2.17E+01	146.914867			62147.50c	7.7393E-09
189	SM152	2.92E+00	151.919756		62152.50c	1.0071E-09			SM152	2.9E+00	151.919756			62152.50c	1.0071E-09

C	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD
190		ND145	3.71E+01	144.912538		60145.50c	1.3415E-08	SUM FP	ND145	3.71E+01	144.912538		60145.50c	1.3415E-08	
191		MO95	4.01E+01	94.905839		42095.50c	2.2139E-08	1.331E-07	MO95	4.01E+01	94.905839		42095.50c	2.2139E-08	
192		U233	3.16E+00	233.039522		92233.50c	7.1050E-10		U233	3.16E+00	233.039522		92233.50c	7.1050E-10	
193		U234	2.15E+03	234.040904		92234.50c	4.8749E-07		U234	2.15E+03	234.040904		92234.50c	4.8134E-07	
194		U235	1.70E+05	235.043915		92235.53c	3.8398E-05		U235	1.70E+05	235.043915		92235.53c	3.7897E-05	
195		U236	4.14E+04	236.045637		92236.50c	9.3098E-06		U236	4.14E+04	236.045637		92236.50c	9.1899E-06	
196		U238	8.65E+06	238.05077		92238.53c	1.9289E-03		U238	8.65E+06	238.05077		92238.53c	1.9039E-03	
197		NP237	9.97E+03	237.048056		93237.50c	2.2324E-06		NP237	9.97E+03	237.048056		93237.50c	2.2038E-06	
198		PU238	5.57E+00	238.049511		94238.50c	1.2260E-09		PU238	5.57E+00	238.049511		94238.50c	1.2260E-09	
199		PU239	1.15E+03	239.052146		94239.55c	2.5206E-07		PU239	1.15E+03	239.052146		94239.55c	2.5206E-07	
200		PU240	5.49E+00	240.053882		94240.50c	1.1983E-09		PU240	5.49E+00	240.053882		94240.50c	1.1983E-09	
201	O		0	15.994915		SUM	8016.53c	4.0446E-02	O	0	15.994915		8016.53c	4.0422E-02	
202	H			1.00782519			1001.53c	1.6549E-02	H		1.00782519		1001.53c	1.6603E-02	
203	O			15.994915					O		15.994915				
204	O			15.994915					O		15.994915				
205	Na		22.9897707			11023.50c	3.9366E-04		Na	22.9897707			11023.50c	3.9366E-04	
206	Mg		24.312			12000.50c	2.3128E-04		Mg	24.312			12000.50c	2.3128E-04	
207	Al		26.9815389			13027.50c	2.6070E-03		Al	26.9815389			13027.50c	2.6070E-03	
208	Si		28.086			14000.50c	1.1406E-02		Si	28.086			14000.50c	1.1406E-02	
209	K		39.102			19000.50c	5.5591E-04		K	39.102			19000.50c	5.5591E-04	
210	Ca		40.08			20000.50c	5.6949E-04		Ca	40.08			20000.50c	5.6949E-04	
211	Fe		55.847			26000.55c	1.4037E-04		Fe	55.847			26000.55c	1.4037E-04	
212	TOTAL		8874995.9604				7.48784E-02		TOTAL	8874995.96				7.48831E-02	
213															
214	Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water								Far Field Criticality - 8% UO2 in beginning - 40% Porosity Tuff w/ water						
215	Tuff Porosity=		40%			Years Critical	5000		Tuff Porosity=	40%			Years Critical	5000	
216	Volume		11494000.00			UO2 added	0.0052391664		Volume	11494000.00			UO2 added	0	
217	UO2%		8%	T=265 C d=		0.776	Number		UO2%	8%	T=265 C d	0.776	Number		
218	ISOTOPE	Gm/Critical		Aw Wt%		MCNP ID	Density		ISOTOPE	Gm/Critical	Aw Wt%		MCNP ID	Density	
219	SM149	7.89E+00	148.917178			62149.50c	2.7761E-09		SM149	7.89E+00	148.917178		62149.50c	2.7761E-09	
220	SM150	4.54E+01	149.917276			62150.50c	1.5868E-08		SM150	4.54E+01	149.917276		62150.50c	1.5868E-08	
221	ND143	2.70E+02	142.909779			60143.50c	9.8994E-08		ND143	2.70E+02	142.909779		60143.50c	9.8994E-08	
222	RH103	1.09E+02	102.905511			45103.50c	5.5500E-08		RH103	1.09E+02	102.905511		45103.50c	5.5500E-08	
223	EU151	1.65E+01	150.919838			63151.55c	5.7285E-09		EU151	1.65E+01	150.919838		63151.55c	5.7285E-09	
224	GD157	5.42E-02	156.924025			64157.50c	1.8097E-11		GD157	5.42E-02	156.924025		64157.50c	1.8097E-11	
225	GD155	6.99E-01	154.922664			64155.50c	2.3641E-10		GD155	6.99E-01	154.922664		64155.50c	2.3641E-10	
226	CD(113)	3.96E+00	112.4			48000.50c	1.8479E-09		CD(113)	3.96E+00	112.4		48000.50c	1.8479E-09	
227	XE131	1.24E+02	130.905069			54131.50c	4.9633E-08		XE131	1.24E+02	130.905069		54131.50c	4.9633E-08	
228	CS133	2.91E+02	132.905355			55133.50c	1.1472E-07		CS133	2.91E+02	132.905355		55133.50c	1.1472E-07	
229	TC99	1.96E+02	98.906268			43099.50c	1.0383E-07		TC99	1.96E+02	98.906268		43099.50c	1.0383E-07	
230	SM147	1.08E+02	146.914867			62147.50c	3.8518E-08		SM147	1.08E+02	146.914867		62147.50c	3.8518E-08	
231	SM152	1.69E+01	151.919756			62152.50c	5.8288E-09		SM152	1.69E+01	151.919756		62152.50c	5.8288E-09	
232	ND145	1.84E+02	144.912538			60145.50c	6.6530E-08		ND145	1.84E+02	144.912538		60145.50c	6.6530E-08	
233	MO95	1.99E+02	94.905839			42095.50c	1.0987E-07		MO95	1.99E+02	94.905839		42095.50c	1.0987E-07	
234	U233	1.53E+01	233.039522			92233.50c	3.4401E-09		U233	1.53E+01	233.039522		92233.50c	3.4401E-09	
235	U234	2.28E+03	234.040904			92234.50c	5.4119E-07		U234	2.28E+03	234.040904		92234.50c	5.1045E-07	
236	U235	1.63E+05	235.043915			92235.53c	3.8842E-05		U235	1.63E+05	235.043915		92235.53c	3.6337E-05	
237	U236	4.25E+04	236.045637			92236.50c	1.0034E-05		U236	4.25E+04	236.045637		92236.50c	9.4341E-06	
238	U238	8.65E+06	238.05077			92238.53c	2.0287E-03		U238	8.65E+06	238.05077		92238.53c	1.9039E-03	
239	NP237	9.90E+03	237.048056			93237.50c	2.3313E-06		NP237	9.90E+03	237.048056		93237.50c	2.1883E-06	
240	PU238	5.49E+00	238.049511			94238.50c	1.2084E-09		PU238	5.49E+00	238.049511		94238.50c	1.2084E-09	
241	PU239	5.18E+03	239.052146			94239.55c	1.1354E-06		PU239	5.18E+03	239.052146		94239.55c	1.1354E-06	
242	PU240	1.08E+02	240.053882			94240.50c	2.3573E-08		PU240	1.08E+02	240.053882		94240.50c	2.3573E-08	
243	O		0	15.994915		SUM	8016.53c	4.0542E-02	O	0	15.994915		8016.53c	4.0422E-02	
244	H			1.00782519			1001.53c	1.6331E-02	H		1.00782519		1001.53c	1.6603E-02	
245	O			15.994915					O		15.994915				
246	O			15.994915					O		15.994915				
247	Na		22.9897707			11023.50c	3.9366E-04		Na	22.9897707			11023.50c	3.9366E-04	
248	Mg		24.312			12000.50c	2.3128E-04		Mg	24.312			12000.50c	2.3128E-04	
249	Al		26.9815389			13027.50c	2.6070E-03		Al	26.9815389			13027.50c	2.6070E-03	
250	Si		28.086			14000.50c	1.1406E-02		Si	28.086			14000.50c	1.1406E-02	
251	K		39.102			19000.50c	5.5591E-04		K	39.102			19000.50c	5.5591E-04	
252	Ca		40.08			20000.50c	5.6949E-04		Ca	40.08			20000.50c	5.6949E-04	



C	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD
316		SM150	9.83E+01	149.917276		62150.50c	3.4356E-08								
317		KR83	2.78E+01	82.914137		36083.50c	1.7568E-08								
318		CS135	5.81E+02	134.90577		55135.50c	2.2566E-07								
319		GD157	7.02E-02	156.924025		64157.50c	2.3440E-11								
320		RU101	3.40E+02	100.905576		44101.50c	1.7655E-07								
321		EU153	1.90E+01	152.921242		63153.55c	6.5102E-09								
322		PR141	5.30E+02	140.907648 *		59141.50c	1.9708E-07								
323		SM151	6.13E-01	150.919919		62151.50c	2.1282E-10								
324		AG109	1.05E+01	108.904756		47109.50c	5.0518E-09								
325		PD105	9.04E+01	104.90508 *		46105.50c	4.5152E-08								
326		ZR93	2.49E+02	92.905676 *		40093.50c	1.4043E-07								
327		GD152	7.10E+00	151.919788		64152.50c	2.4488E-09								
328		PD108	1.45E+01	107.903894 *		46108.50c	7.0411E-09								
329		U233	2.95E+01	233.039522		92233.50c	6.6328E-09								
330		U234	2.43E+03	234.040904		92234.50c	6.0552E-07								
331		U235	1.56E+05	235.043915		92235.53c	3.9787E-05								
332		U236	4.37E+04	236.045637		92236.50c	1.0899E-05								
333		U238	8.64E+06	238.05077		92238.53c	2.1513E-03								
334		NP237	9.83E+03	237.048056		93237.50c	2.4587E-06								
335		PU238	5.43E+00	238.049511		94238.50c	1.1952E-09								
336		PU239	9.03E+03	239.052146		94239.55c	1.9793E-06								
337		PU240	3.21E+02	240.053882		94240.50c	7.0065E-08								
338	O	O	0	15.994915		SUM	8016.53c	4.0662E-02							
339	H			1.00782519			1001.53c	1.6059E-02							
340	O			15.994915											
341	O			15.994915											
342	Na			22.9897707			11023.50c	3.9366E-04							
343	Mg			24.312			12000.50c	2.3128E-04							
344	Al			26.9815389			13027.50c	2.6070E-03							
345	Si			28.086			14000.50c	1.1406E-02							
346	K			39.102			19000.50c	5.5591E-04							
347	Ca			40.08			20000.50c	5.6949E-04							
348	Fe			55.847			26000.55c	1.4037E-04							
349	TOTAL			8866338.8062				7.48351E-02							

decay only												
	65000 yr				Ref. 5.53	Ref. 5.53	Ref. 5.53	Ref. 5.54	Ref. 5.54	Ref. 5.54	Ref. 5.54	
10k crit	1k crit	5k crit	10k crit		30 yr	400 yr	15000 yr	16000 yr	20000 yr	25000 yr	45000 yr	65000 yr
1.5E-02	1.3E-02	1.4E-02	1.6E-02		1.1E-05	1.2E-04	4.0E-03	4.3E-03	5.2E-03	6.3E-03	1.0E-02	1.3E-02
1.7E-04	3.9E-05	3.6E-05	3.4E-05		1.1E+03	7.9E+02	2.4E-03	2.2E-03	1.6E-03	1.1E-03	2.0E-04	3.9E-05
0.0E+00	0.0E+00	0.0E+00	0.0E+00		3.9E+00	6.3E-01	4.6E-32	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
6.3E-02	4.8E-03	6.4E-03	9.5E-03		2.0E+00	1.9E+00	4.9E-01	4.5E-01	3.1E-01	1.9E-01	2.9E-02	4.5E-03
2.1E-07	1.3E-08	1.5E-08	1.9E-08		3.3E-05	3.2E-05	5.4E-06	4.8E-06	3.0E-06	1.6E-06	1.4E-07	1.3E-08
0.0E+00	0.0E+00	0.0E+00	0.0E+00		3.9E+01	2.7E-05	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
1.7E-04	3.9E-05	3.6E-05	3.4E-05		7.9E-03	7.6E-03	2.3E-03	2.1E-03	1.5E-03	1.0E-03	2.0E-04	3.9E-05
2.8E-06	7.3E-08	1.0E-07	1.5E-07		9.2E-04	8.7E-04	1.0E-04	8.8E-05	4.9E-05	2.4E-05	1.3E-06	6.7E-08
2.2E-01	2.0E-01	2.1E-01	2.2E-01		2.0E-01	2.0E-01						
9.2E-03	8.8E-03	9.0E-03	9.2E-03		8.8E-03	8.8E-03						
3.6E-01	3.4E-01	3.5E-01	3.5E-01		2.6E-01	3.5E-01	3.5E-01	3.5E-01	3.5E-01	3.4E-01	3.4E-01	3.4E-01
3.7E-05	3.6E-06	8.9E-06	1.9E-05		2.3E-05	2.3E-05	1.4E-05	1.4E-05	1.2E-05	1.0E-05	5.0E-06	2.5E-06
3.9E-01	3.8E-01	3.8E-01	3.8E-01		9.7E-02	2.2E-01	3.8E-01	3.8E-01	3.8E-01	3.8E-01	3.8E-01	3.8E-01
1.5E-02	1.3E-02	1.4E-02	1.6E-02		2.2E-05	1.3E-04	4.0E-03	4.3E-03	5.2E-03	6.3E-03	1.0E-02	1.3E-02
2.2E-01	2.8E-01	2.9E-01	3.1E-01		2.9E-07	1.6E-04	7.5E-02	8.0E-02	1.0E-01	1.3E-01	2.1E-01	2.8E-01
2.7E-02	2.6E-02	2.7E-02	2.7E-02		2.6E-02	2.6E-02						
0.0E+00	0.0E+00	0.0E+00	0.0E+00		4.1E+02	2.3E+01	4.6E-32	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
4.9E+01	2.6E+01	2.6E+01	2.8E+01		1.6E+02	1.6E+02	1.1E+02	1.0E+02	9.2E+01	8.0E+01	4.5E+01	2.5E+01
2.2E+00	1.7E-01	2.0E-01	2.7E-01		1.5E+02	1.5E+02	3.1E+01	2.8E+01	1.9E+01	1.1E+01	1.3E+00	1.6E-01
1.7E-04	3.9E-05	3.6E-05	3.4E-05		9.8E+03	7.8E-03	2.3E-03	2.1E-03	1.5E-03	1.0E-03	2.0E-04	3.9E-05
2.5E-01	2.5E-01	2.5E-01	2.4E-01		2.8E-01	2.8E-01	2.7E-01	2.7E-01	2.7E-01	2.7E-01	2.6E-01	2.5E-01
2.2E-01	2.8E-01	2.9E-01	3.1E-01		1.1E-06	1.8E-04	7.5E-02	8.0E-02	1.0E-01	1.3E-01	2.1E-01	2.8E-01
2.8E-07	4.1E-07	4.2E-07	4.2E-07		1.1E-10	1.8E-09	8.4E-08	9.0E-08	1.1E-07	1.5E-07	2.8E-07	4.1E-07
7.9E-02	4.9E-02	5.1E-02	5.2E-02		1.9E-01	1.9E-01	1.4E-01	1.4E-01	1.3E-01	1.1E-01	7.5E-02	4.9E-02
0.0E+00	0.0E+00	0.0E+00	0.0E+00		1.3E+02	7.5E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
1.1E-01	8.9E-02	9.1E-02	9.3E-02		1.4E-01	1.4E-01	1.3E-01	1.2E-01	1.2E-01	1.2E-01	1.0E-01	8.8E-02
3.5E+00	3.2E+00	3.3E+00	3.3E+00		3.9E+00	3.9E+00	3.8E+00	3.7E+00	3.7E+00	3.6E+00	3.4E+00	3.2E+00
5.1E-02	7.8E-02	7.8E-02	7.8E-02		4.8E-08	4.5E-06	1.0E-02	1.2E-02	1.6E-02	2.3E-02	5.1E-02	7.8E-02
2.3E-01	2.9E-01	3.0E-01	3.1E-01		1.6E-04	2.3E-03	8.7E-02	9.2E-02	1.1E-01	1.4E-01	2.2E-01	2.9E-01
2.8E-07	4.1E-07	4.2E-07	4.2E-07		1.5E-10	1.8E-09	8.4E-08	9.0E-08	1.1E-07	1.5E-07	2.8E-07	4.1E-07
6.7E-02	9.3E-02	9.3E-02	9.3E-02		2.2E-05	2.9E-04	2.3E-02	2.5E-02	3.1E-02	3.9E-02	6.7E-02	9.3E-02
6.9E-01	6.1E-01	6.3E-01	6.6E-01		5.4E-01	6.8E-01	6.7E-01	6.7E-01	6.6E-01	6.5E-01	6.3E-01	6.0E-01
1.7E-02	1.8E-02	1.8E-02	1.8E-02		1.4E-02	1.4E-02	1.6E-02	1.6E-02	1.6E-02	1.6E-02	1.8E-02	1.8E-02
1.4E-01	1.4E-01	1.4E-01	1.4E-01		9.2E-02	9.3E-02	1.3E-01	1.3E-01	1.3E-01	1.3E-01	1.3E-01	1.3E-01
1.5E-01	1.5E-01	1.5E-01	1.5E-01		1.5E-01	1.5E-01						
3.6E-01	3.4E-01	3.5E-01	3.5E-01		3.5E-01	3.5E-01	3.5E-01	3.5E-01	3.5E-01	3.4E-01	3.4E-01	3.4E-01
5.8E+01	3.3E+01	3.3E+01	3.5E+01		1.2E+04	1.1E+03	1.4E+02	1.4E+02	1.2E+02	9.8E+01	5.3E+01	3.2E+01

Internal Criticality Radionuclide Inventory Comparisons										
		30	400	15000	16000	20000	25000	45000	65000	
PWR Thermal/Shielding DBF, Decay Only					1.73E+02					
PWR Criticality DBF, Decay Only	1.18E+04	1.14E+03	1.45E+02	1.40E+02	1.20E+02	9.80E+01	5.30E+01	3.20E+01		
PWR Criticality DBF, 1000 yr Criticality				1.50E+02			5.40E+01	3.30E+01		
PWR Criticality DBF, 5000 yr Criticality					1.40E+02		5.50E+01	3.30E+01		
PWR Criticality DBF, 10000 yr Criticality						1.20E+02	5.80E+01	3.50E+01		
Total Ci of 36 Isotopes per assembly										
Incremental										
PWR Thermal/Shielding DBF, Decay Only	Burnup (GWd)	30	400	15000	16000	20000	25000	45000	65000	
PWR Criticality DBF, Decay Only	9.280	1274.58	122.40	15.60	15.09	12.93	10.56	5.71	3.45	
PWR Criticality DBF, 1000 yr Criticality	0.038				263.16			26.32	26.32	
PWR Criticality DBF, 5000 yr Criticality	0.190					105.40		10.54	5.27	
PWR Criticality DBF, 10000 yr Criticality	0.380						57.97	13.17	7.90	
Total Ci of 36 TSPA 95 Isotopes Per Unit Burnup										

			Imported								
			Data from CDB-R								
			Therm/Shld								
			decay only			PWR Crit. DBF					
PWR DBF	20000 yrs	(Ci/MTHM*.464)								From Ref. 5.53	
ISOTOPE	CURIES/MTIHM	CURIES/ASSY				16000 yr	20000 yr	25000 yr	45000 yr		
=====	=====	=====			Isotopes	1k crit	5k crit	10k crit	1k crit	5k crit	
AC227	6.77E-03	3.14E-03			ac227	4.9E-03	8.8E-03	1.4E-02	1.0E-02	1.2E-02	
AM241	1.45E-01	6.74E-02			am241	2.6E+00	2.7E+00	2.1E+00	2.0E-04	1.9E-04	
AM242M	7.23E-39	3.35E-39			am242m	2.0E-03	2.4E-03	1.9E-03	0.0E+00	0.0E+00	
AM243	5.67E+00	2.63E+00			am243	4.8E-01	4.4E-01	4.1E-01	3.1E-02	4.2E-02	
C 14	1.45E-01	6.71E-02			c 14	4.9E-06	3.5E-06	2.4E-06	1.5E-07	1.7E-07	
CM244	1.19E-10	5.51E-11			cm244	1.7E-02	1.6E-02	1.5E-02	0.0E+00	0.0E+00	
CM245	1.45E-01	6.73E-02			cm245	2.1E-03	1.4E-03	8.8E-04	2.0E-04	1.9E-04	
CM246	1.04E-02	4.80E-03			cm246	9.6E-05	7.4E-05	5.2E-05	1.4E-06	1.9E-06	
CS135	6.90E-01	3.20E-01			cs135	2.0E-01	2.1E-01	2.2E-01	2.0E-01	2.1E-01	
I129	4.50E-02	2.09E-02			i129	8.8E-03	9.0E-03	9.2E-03	8.8E-03	9.0E-03	
NB 93M	2.83E+00	1.31E+00			nb 93m	3.5E-01	3.5E-01	3.6E-01	3.4E-01	3.5E-01	
NB 94	7.40E-01	3.43E-01			nb 94	1.9E-05	4.1E-05	7.4E-05	7.1E-06	1.8E-05	
NP237	1.75E+00	8.10E-01			np237	3.8E-01	3.8E-01	3.9E-01	3.8E-01	3.8E-01	
PA231	6.77E-03	3.14E-03			pa231	4.9E-03	8.8E-03	1.4E-02	1.0E-02	1.2E-02	
PB210	5.10E-01	2.37E-01			pb210	8.0E-02	1.0E-01	1.3E-01	2.1E-01	2.2E-01	
PD107	1.66E-01	7.68E-02			pd107	2.6E-02	2.7E-02	2.7E-02	2.6E-02	2.7E-02	
PU238	1.42E-38	6.59E-39			pu238	2.9E+00	3.0E+00	3.1E+00	0.0E+00	0.0E+00	
PU239	2.44E+02	1.13E+02			pu239	1.0E+02	9.6E+01	8.7E+01	4.5E+01	4.7E+01	
PU240	8.62E+01	4.00E+01			pu240	2.9E+01	2.3E+01	1.8E+01	1.4E+00	1.7E+00	
PU241	1.45E-01	6.74E-02			pu241	3.2E+00	2.6E+00	2.1E+00	2.0E-04	1.9E-04	
PU242	2.45E+00	1.14E+00			pu242	2.7E-01	2.7E-01	2.6E-01	2.6E-01	2.5E-01	
RA226	5.10E-01	2.37E-01			ra226	8.0E-02	1.0E-01	1.3E-01	2.1E-01	2.2E-01	
RA228	4.65E-07	2.16E-07			ra228	9.0E-08	1.1E-07	1.5E-07	2.8E-07	2.8E-07	
SE 79	4.77E-01	2.21E-01			se 79	1.4E-01	1.3E-01	1.2E-01	7.5E-02	7.7E-02	
SM151	0.00E+00	0.00E+00			sm151	7.9E-01	8.0E-01	8.1E-01	0.0E+00	0.0E+00	
SN126	9.83E-01	4.56E-01			sn126	1.3E-01	1.2E-01	1.2E-01	1.0E-01	1.0E-01	
TC 99	1.70E+01	7.90E+00			tc 99	3.8E+00	3.8E+00	3.8E+00	3.4E+00	3.5E+00	
TH229	7.91E-02	3.67E-02			th229	1.1E-02	1.6E-02	2.3E-02	5.1E-02	5.1E-02	
TH230	5.71E-01	2.65E-01			th230	9.2E-02	1.1E-01	1.4E-01	2.2E-01	2.3E-01	
TH232	4.64E-07	2.15E-07			th232	9.0E-08	1.1E-07	1.5E-07	2.8E-07	2.8E-07	
U233	1.44E-01	6.66E-02			u233	2.5E-02	3.1E-02	3.7E-02	6.7E-02	6.7E-02	
U234	3.39E+00	1.57E+00			u234	6.7E-01	6.9E-01	7.2E-01	6.3E-01	6.6E-01	
U235	2.23E-02	1.03E-02			u235	1.6E-02	1.6E-02	1.6E-02	1.8E-02	1.8E-02	
U236	5.30E-01	2.46E-01			u236	1.3E-01	1.3E-01	1.4E-01	1.3E-01	1.4E-01	
U238	3.11E-01	1.44E-01			u238	1.5E-01	1.5E-01	1.5E-01	1.5E-01	1.5E-01	
ZR 93	2.97E+00	1.38E+00			zr 93	3.5E-01	3.5E-01	3.6E-01	3.4E-01	3.5E-01	
36 TSPA Total		3.73E+02					1.5E+02	1.4E+02	1.2E+02	5.4E+01	5.5E+01

```

1mcnp version 4a ld=10/01/93          07/26/96 08:40:39
*****probid = 07/26/96 08:40:39
inp=sp40a outp=sp40a.o

1-      Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a) 0 Years 300K
2-      C  Calico Hills Tuff 1.5095 g/cc .40 porosity - sphere surrounded by tuff
3-      C  Water and UO2 offset each other in porous space
4-      C  CELL SPECIFICATIONS
5-      C  INNER WATER REGION
6-      1  8.20735-2  -1  IMP:N=1
7-      2  8.42302-2  1 -2  IMP:N=1
8-      C  OUTSIDE WORLD
9-      3  0  2  IMP:N=0
10-
11-      C  SURFACE SPECIFICATIONS
12-      1  SO  140      $ INNER FUEL ZONE
13-      2  SO  200      $ TUFF REFLECTOR
14-
15-      MODE N
16-      KCODE 4000 1. 30 130
17-      C  KSRC  0 0 1 0 0 10 0 0 -20 0 0 29 0 20 5 0 0 -5 -10 0 -10
18-      C  0 -5 -20 -10 0 -13 0 -10 14 0 0 -15 -10 -5 -16 5 5 0 10 10 17
19-      C  MATERIAL SPECIFICATIONS
20-      c  32 vol% water in calico Hills tuff - 8 vol% UO2
21-      c  3.0% Original Enrichment/ 20 GWD/MT decayed to Uranium isotopes
22-      m1  1001.50c 2.1396-2  8016.50c 4.2818-2  11023.50c 3.9366-4
23-      12000.50c 2.3128-4  13027.50c 2.6070-3  14000.50c 1.1406-2
24-      19000.50c 5.5591-4  20000.50c 5.6949-4  26000.55c 1.4037-4
25-      92234.50c 4.6944-7  92235.50c 3.8253-5  92236.50c 9.1532-6
26-      92238.50c 1.9055-3  93237.50c 2.1829-6
27-      mt1  lwtr.01t
28-      c  40 vol% water in calico Hills tuff
29-      m2  1001.50c 2.6744-2  8016.50c 4.1582-2  11023.50c 3.9366-4
30-      12000.50c 2.3128-4  13027.50c 2.6070-3  14000.50c 1.1406-2
31-      19000.50c 5.5591-4  20000.50c 5.6949-4  26000.55c 1.4037-4
32-      mt2  lwtr.01t
33-      PRINT
1 initial source from file srctp

original number of points          4015
points not in any cell             0
points in cells of zero importance 0
points in void cells               0
points in ambiguous cells          0
total points rejected              0
points remaining                   4015
points after expansion or contraction 4001
nominal source size                4000

initial guess for k(eff.)          1.000000
cycles to skip before tallying    30
number of keff cycles that can be stored 260

total fission nubar data are being used.
1material composition
print table 40

material
  number   component nuclide, atom fraction

```

1	1001, .26069	8016, .52170	11023, .00480	12000, .00282
	13027, .03176	14000, .13897	19000, .00677	20000, .00694
	26000, .00171	92234, .00001	92235, .00047	92236, .00011
	92238, .02322	93237, .00003		
associated thermal s(a,b) data sets: lwtr.01t				
2	1001, .31751	8016, .49367	11023, .00467	12000, .00275
	13027, .03095	14000, .13542	19000, .00660	20000, .00676
	26000, .00167			
associated thermal s(a,b) data sets: lwtr.01t				

material number component nuclide, mass fraction

1	1001, .01323	8016, .42028	11023, .00555	12000, .00345
	13027, .04317	14000, .19658	19000, .01334	20000, .01401
	26000, .00481	92234, .00007	92235, .00552	92236, .00133
	92238, .27836	93237, .00032		
2	1001, .02344	8016, .57845	11023, .00787	12000, .00489
	13027, .06118	14000, .27861	19000, .01890	20000, .01985
	26000, .00682			

1 cell volumes and masses

print table 50

cell	atom density	gram density	input volume	calculated volume	mass	pieces	reason volume not calculated
1	1 8.20735E-02	2.70602E+00	.00000E+00	1.14940E+07	3.11031E+07	1	
2	2 8.42302E-02	1.90934E+00	.00000E+00	2.20163E+07	4.20366E+07	1	
3	3 .00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	0	infinite

1 problem summary

run terminated when 130 kcode cycles were done.

+ Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a) 0 Years 300K probid = 07/26/96 11:15:45  
0 07/26/96 08:40:39

neutron creation	tracks	weight (per source particle)	energy (per source particle)	neutron loss	tracks	weight (per source particle)	energy (per source particle)
source	519712	1.00006E+00	2.0304E+00	escape	71	7.8193E-05	4.8272E-05
				energy cutoff	0	0.	0.
				time cutoff	0	0.	0.
weight window	0	0.	0.	weight window	0	0.	0.
cell importance	0	0.	0.	cell importance	0	0.	0.
weight cutoff	0	5.8391E-02	2.5613E-05	weight cutoff	519894	5.8323E-02	2.4633E-05
energy importance	0	0.	0.	energy importance	0	0.	0.
dxtran	0	0.	0.	dxtran	0	0.	0.
forced collisions	0	0.	0.	forced collisions	0	0.	0.
exp. transform	0	0.	0.	exp. transform	0	0.	0.
upscattering	0	0.	1.9735E-07	downscattering	0	0.	1.9368E+00
(n,xn)	505	7.4376E-04	5.4034E-04	capture	0	6.0074E-01	5.8408E-02
fission	0	0.	0.	loss to (n,xn)	252	3.7112E-04	3.1107E-03
total	520217	1.0597E+00	2.0310E+00	loss to fission	0	4.0018E-01	3.2580E-02
				total	520217	1.0597E+00	2.0310E+00

number of neutrons banked	253	average lifetime, shakes	cutoffs
neutron tracks per source particle	1.0010E+00	escape	tco 1.0000E+34

neutron collisions per source particle 7.7830E+01  
 total neutron collisions 40449082  
 net multiplication 1.0004E+00 .0000  
 capture 9.3384E+03 eco .0000E+00  
 capture or escape 9.3393E+03 wc1 -5.0000E-01  
 any termination 1.0085E+04 wc2 -2.5000E-01  
 computer time so far in this run 89.99 minutes maximum number ever in bank 2  
 computer time in mcrun 89.95 minutes bank overflows to backup file 0  
 source particles per minute 5.7777E+03 field length 0  
 random numbers generated 466116603 most random numbers used was 12366 in history 242791

range of sampled source weights = 9.5102E-01 to 1.0692E+00  
 1neutron activity in each cell

print table 126

cell	tracks entering	population	collisions (per history)	collisions * weight	number weighted energy	flux weighted energy	average track weight (relative)	average track mfp (cm)
1 1	577532	519965	35423477	4.9823E+01	2.5818E-04	5.2493E-01	8.1462E-01	2.1899E+00
2 2	75241	36493	5025605	5.1939E+00	4.7126E-05	2.2736E-01	5.9409E-01	1.3345E+00

1keff results for: Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a) 0 Years 300K probid = 07/26/96 08:40:39

the initial fission neutron source distribution was read from the srctp file named srctp.  
 the criticality problem was scheduled to skip 30 cycles and run a total of 130 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 30 inactive cycles with 120293 neutron histories and 100 active cycles with 399419 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 519712 fission neutron source histories.  
 all cells with fissionable material were sampled and had fission neutron source points.

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

the final estimated combined collision/absorption/track-length keff = .97755 with an estimated standard deviation of .00081  
 the estimated 68, 95, & 99 percent keff confidence intervals are .97674 to .97835, .97593 to .97916, and .97541 to .97968  
 the estimated collision/absorption neutron removal lifetime = 9.36E-05 seconds with an estimated standard deviation of 1.75E-07

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.97699	.00138	.97561 to .97838	.97424 to .97974	.97334 to .98064	
absorption	.97847	.00110	.97736 to .97957	.97627 to .98066	.97556 to .98138	
track length	.97663	.00134	.97529 to .97797	.97397 to .97929	.97310 to .98016	
col/absorp	.97788	.00082	.97706 to .97870	.97624 to .97952	.97571 to .98005	-.1060
abs/trk len	.97770	.00080	.97690 to .97851	.97610 to .97930	.97558 to .97983	-.1259
col/trk len	.97645	.00135	.97510 to .97780	.97376 to .97914	.97288 to .98002	.9838
col/abs/trk len	.97755	.00081	.97674 to .97835	.97593 to .97916	.97541 to .97968	



```

1mcnp      version 4a    ld=10/01/93          08/23/96 10:15:41
*****probid = 08/23/96 10:15:41
*inp=sp40a2 outp=sp40a20

1-      Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a2) 0 Years 300K
2-      C  Calico Hills Tuff 1.5095 g/cc .40 porosity - sphere surrounded by tuff
3-      C  Water and UO2 offset each other in porous space 50 C uniform
4-      C  CELL SPECIFICATIONS
5-      C  INNER WATER REGION
6-      1  1 8.17526-2 -1 IMP:N=1
7-      2  2 8.38290-2 1 -2 IMP:N=1
8-      C  OUTSIDE WORLD
9-      3  0 2 IMP:N=0
10-
11-      C  SURFACE SPECIFICATIONS
12-      1  SO 140      $ INNER FUEL ZONE
13-      2  SO 200      $ TUFF REFLECTOR
14-
15-      MODE N
16-      KCODE 4000 1. 30 130
17-      C  KSRC  0 0 1 0 0 10 0 0 -20 0 0 29 0 20 5 0 0 -5 -10 0 -10
18-      C  0 -5 -20 -10 0 -13 0 -10 14 0 0 -15 -10 -5 -16 5 5 0 10 10 17
19-      C  MATERIAL SPECIFICATIONS
20-      C  32 (x .99 at 50 C) vol% water in calico Hills tuff - 8 vol% UO2
21-      C  3.0% Original Enrichment/ 20 GWD/MT decayed to Uranium isotopes
22-      m1  1001.50c 2.1182-2 8016.50c 4.2711-2 11023.50c 3.9366-4
23-      12000.50c 2.3128-4 13027.50c 2.6070-3 14000.50c 1.1406-2
24-      19000.50c 5.5591-4 20000.50c 5.6949-4 26000.55c 1.4037-4
25-      92234.50c 4.6944-7 92235.50c 3.8253-5 92236.50c 9.1532-6
26-      92238.50c 1.9055-3 93237.50c 2.1829-6
27-      mt1  lwtr.01t
28-      C  40 (x .99 at 50 C) vol% water in calico Hills tuff
29-      m2  1001.50c 2.6477-2 8016.50c 4.1448-2 11023.50c 3.9366-4
30-      12000.50c 2.3128-4 13027.50c 2.6070-3 14000.50c 1.1406-2
31-      19000.50c 5.5591-4 20000.50c 5.6949-4 26000.55c 1.4037-4
32-      mt2  lwtr.01t
33-      PRINT
1 initial source from file srctp

original number of points          4048
points not in any cell             0
points in cells of zero importance 0
points in void cells               0
points in ambiguous cells          0
total points rejected              0
points remaining                   4048
points after expansion or contraction 3997
nominal source size                4000

initial guess for k(eff.)          1.000000
cycles to skip before tallying     30
number of keff cycles that can be stored 260

total fission nubar data are being used.
1material composition
print table 40

material
  number   component nuclide, atom fraction

```

1	1001, .25910	8016, .52244	11023, .00482	12000, .00283
	13027, .03189	14000, .13952	19000, .00680	20000, .00697
	26000, .00172	92234, .00001	92235, .00047	92236, .00011
	92238, .02331	93237, .00003		
associated thermal s(a,b) data sets: lwtr.01t				
2	1001, .31585	8016, .49444	11023, .00470	12000, .00276
	13027, .03110	14000, .13606	19000, .00663	20000, .00679
	26000, .00167			
associated thermal s(a,b) data sets: lwtr.01t				

material number component nuclide, mass fraction

1	1001, .01312	8016, .41972	11023, .00556	12000, .00345
	13027, .04322	14000, .19681	19000, .01335	20000, .01402
	26000, .00482	92234, .00007	92235, .00552	92236, .00133
	92238, .27869	93237, .00032		
2	1001, .02326	8016, .57779	11023, .00789	12000, .00490
	13027, .06130	14000, .27919	19000, .01894	20000, .01989
	26000, .00683			

## 1cell volumes and masses

print table 50

cell	atom density	gram density	input volume	calculated volume	mass	pieces	reason volume not calculated
1	1	8.17526E-02	2.70282E+00	.00000E+00	1.14940E+07	3.10664E+07	1
2	2	8.38290E-02	1.90533E+00	.00000E+00	2.20163E+07	4.19483E+07	1
3	3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	infinite

## 1problem summary

run terminated when 130 kcode cycles were done.

+ Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a2) 0 Years 300K probid = 08/23/96 13:47:25  
0 probid = 08/23/96 10:15:41

neutron creation	tracks	weight (per source particle)	energy	neutron loss	tracks	weight (per source particle)	energy (per source particle)
source	518810	1.0023E+00	2.0305E+00	escape	113	1.2903E-04	1.2917E-04
				energy cutoff	0	0.	0.
				time cutoff	0	0.	0.
weight window	0	0.	0.	weight window	0	0.	0.
cell importance	0	0.	0.	cell importance	0	0.	0.
weight cutoff	0	5.8402E-02	3.2972E-05	weight cutoff	518942	5.8636E-02	3.3741E-05
energy importance	0	0.	0.	energy importance	0	0.	0.
dxtran	0	0.	0.	dxtran	0	0.	0.
forced collisions	0	0.	0.	forced collisions	0	0.	0.
exp. transform	0	0.	0.	exp. transform	0	0.	0.
upscattering	0	0.	1.9681E-07	downscattering	0	0.	1.9372E+00
(n,xn)	488	7.1361E-04	4.8042E-04	capture	0	6.0199E-01	5.8119E-02
fission	0	0.	0.	loss to (n,xn)	243	3.5546E-04	2.9646E-03
total	519298	1.0614E+00	2.0310E+00	loss to fission	0	4.0030E-01	3.2620E-02
				total	519298	1.0614E+00	2.0310E+00

number of neutrons banked	245	average lifetime, shakes	cutoffs
neutron tracks per source particle	1.0009E+00	escape	tco 1.0000E+34

neutron collisions per source particle	7.7862E+01	capture	9.3706E+03	eco	.0000E+00
total neutron collisions	40395375	capture or escape	9.3722E+03	wc1	-5.0000E-01
net multiplication	1.0004E+00 .0000	any termination	1.0137E+04	wc2	-2.5000E-01
computer time so far in this run	89.65 minutes	maximum number ever in bank	2		
computer time in mcrun	89.61 minutes	bank overflows to backup file	0		
source particles per minute	5.7894E+03	field length	0		
random numbers generated	465318405	most random numbers used was	12040 in history	376270	

range of sampled source weights = 9.2915E-01 to 1.0650E+00  
 1neutron activity in each cell

print table 126

cell	tracks entering	population	collisions	collisions * weight (per history)	number weighted energy	flux weighted energy	average track weight (relative)	average track mfp (cm)
1 1	578169	519055	35184913	4.9712E+01	2.6018E-04	5.2471E-01	8.1658E-01	2.2038E+00
2 2	77612	37548	5210462	5.3914E+00	4.6338E-05	2.2143E-01	5.9394E-01	1.3362E+00
total	655781	556603	40395375	5.5103E+01				

1keff results for: Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a2) 0 Years 300K probid = 08/23/96 10:15:41

the initial fission neutron source distribution was read from the srctp file named srctp .  
 the criticality problem was scheduled to skip 30 cycles and run a total of 130 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 30 inactive cycles with 119746 neutron histories and 100 active cycles with 399064 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 518810 fission neutron source histories.  
 all cells with fissionable material were sampled and had fission neutron source points.

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

-----  
 the final estimated combined collision/absorption/track-length keff = .97716 with an estimated standard deviation of .00073  
 the estimated 68, 95, & 99 percent keff confidence intervals are .97643 to .97789, .97571 to .97861, and .97524 to .97909  
 the estimated collision/absorption neutron removal lifetime = 9.37E-05 seconds with an estimated standard deviation of 1.80E-07  
 -----

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.97733	.00132	.97600 to .97866	.97469 to .97997	.97383 to .98083	
absorption	.97701	.00099	.97602 to .97800	.97504 to .97897	.97440 to .97961	
track length	.97708	.00134	.97573 to .97842	.97440 to .97975	.97353 to .98062	
col/absorp	.97713	.00072	.97641 to .97785	.97569 to .97857	.97522 to .97904	-.1824
abs/trk len	.97703	.00073	.97630 to .97776	.97558 to .97849	.97510 to .97896	-.1692
col/trk len	.97731	.00134	.97597 to .97865	.97464 to .97998	.97377 to .98085	.9845

Aug 23 14:04 1996 File Name: sp40a20.sum BBA000000-01717-0200-00021 REV 00 ATTACHMENT X - Page 4

col/abs/trk len .97716 .00073 .97643 to .97789 .97571 to .97861 .97524 to .97909

1mcnp version 4a ld=10/01/93 07/26/96 12:01:33  
\*\*\*\*\*  
\*inp=sp40a1 outp=sp40a1.0  
1- Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a1) 0 Years 600K  
2- C Calico Hills Tuff 1.5095 g/cc .40 porosity - sphere surrounded by tuff  
3- C Water and UO2 offset each other in porous space / H2O @ 500k  
4- C CELL SPECIFICATIONS  
5- C INNER WATER REGION  
6- 1 1 7.48846-2 -1 IMP:N=1  
7- 2 2 8.38290-2 1 -2 IMP:N=1  
8- C OUTSIDE WORLD  
9- 3 0 2 IMP:N=0  
10-  
11- C SURFACE SPECIFICATIONS  
12- 1 SO 140 \$ INNER FUEL ZONE  
13- 2 SO 200 \$ TUFF REFLECTOR  
14-  
15- MODE N  
16- KCODE 4000 1. 30 130  
17- C KSRC 0 0 1 0 0 10 0 0 -20 0 0 29 0 20 5 0 0 -5 -10 0 -10  
18- C 0 -5 -20 -10 0 -13 0 -10 14 0 0 -15 -10 -5 -16 5 5 0 10 10 17  
19- C MATERIAL SPECIFICATIONS  
20- c 32 (x .776 at 265 C) vol% water in calico Hills tuff - 8 vol% UO2  
21- c 3.0% Original Enrichment/ 20 GWD/MT decayed to Uranium isotopes  
22- m1 1001.53c 1.6603-2 8016.53c 4.0422-2 11023.50c 3.9366-4  
23- 12000.50c 2.3128-4 13027.50c 2.6070-3 14000.50c 1.1406-2  
24- 19000.50c 5.5591-4 20000.50c 5.6949-4 26000.55c 1.4037-4  
25- 92234.50c 4.6944-7 92235.53c 3.8253-5 92236.50c 9.1532-6  
26- 92238.53c 1.9055-3 93237.50c 2.1829-6  
27- mt1 lwtr.03t  
28- c 40 (x .99 at 50 C) vol% water in calico Hills tuff  
29- m2 1001.53c 2.6477-2 8016.53c 4.1448-2 11023.50c 3.9366-4  
30- 12000.50c 2.3128-4 13027.50c 2.6070-3 14000.50c 1.1406-2  
31- 19000.50c 5.5591-4 20000.50c 5.6949-4 26000.55c 1.4037-4  
32- mt2 lwtr.02t  
33- PRINT  
1 initial source from file srctp  
original number of points 4001  
points not in any cell 0  
points in cells of zero importance 0  
points in void cells 0  
points in ambiguous cells 0  
total points rejected 0  
points remaining 4001  
points after expansion or contraction 4000  
nominal source size 4000  
initial guess for k(eff.) 1.000000  
cycles to skip before tallying 30  
number of keff cycles that can be stored 260  
total fission nubar data are being used.  
warning. lwtr.02t and lwtr.03t are both called for.  
!material composition

print table 40

material number	component nuclide, atom fraction							
1	1001, .22172	8016, .53979	11023, .00526	12000, .00309				
	13027, .03481	14000, .15232	19000, .00742	20000, .00760				
	26000, .00187	92234, .00001	92235, .00051	92236, .00012				
	92238, .02545	93237, .00003						
associated thermal s(a,b) data sets:	lwtr.03t							
2	1001, .31585	8016, .49444	11023, .00470	12000, .00276				
	13027, .03110	14000, .13606	19000, .00663	20000, .00679				
	26000, .00167							
associated thermal s(a,b) data sets:	lwtr.02t							
material number	component nuclide, mass fraction							
1	1001, .01055	8016, .40755	11023, .00570	12000, .00354				
	13027, .04434	14000, .20193	19000, .01370	20000, .01439				
	26000, .00494	92234, .00007	92235, .00567	92236, .00136				
	92238, .28593	93237, .00033						
2	1001, .02326	8016, .57779	11023, .00789	12000, .00490				
	13027, .06130	14000, .27919	19000, .01894	20000, .01989				
	26000, .00683							
1cell volumes and masses								print table 50
cell	atom density	gram density	input volume	calculated volume	mass	pieces	reason volume not calculated	
1 1	7.48846E-02	2.63436E+00	.00000E+00	1.14940E+07	3.02795E+07	1		
2 2	8.38290E-02	1.90533E+00	.00000E+00	2.20163E+07	4.19483E+07	1		
3 3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	0	infinite	
1problem summary								
run terminated when 130 kcode cycles were done.								
+ Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a1) 0 Years 600K					probid = 07/26/96 14:46:59			
0 neutron creation	tracks	weight (per source particle)	energy (per source particle)	neutron loss	tracks	weight (per source particle)	energy (per source particle)	
source	519688	1.0006E+00	2.0277E+00	escape	112	1.1480E-04	1.1651E-04	
weight window	0	0.	0.	energy cutoff	0	0.	0.	
cell importance	0	0.	0.	time cutoff	0	0.	0.	
weight cutoff	0	6.4155E-02	1.7917E-05	weight window	0	0.	0.	
energy importance	0	0.	0.	cell importance	0	0.	0.	
dxtran	0	0.	0.	weight cutoff	519846	6.4103E-02	3.9674E-05	
forced collisions	0	0.	0.	energy importance	0	0.	0.	
exp. transform	0	0.	0.	dxtran	0	0.	0.	
upsattering	0	0.	3.4039E-07	forced collisions	0	0.	0.	
(n,xn)	538	7.8906E-04	5.5245E-04	exp. transform	0	0.	0.	
fission	0	0.	0.	downscattering	0	0.	1.9255E+00	
total	520226	1.0655E+00	2.0283E+00	capture	0	6.1590E-01	6.2459E-02	
				loss to (n,xn)	268	3.9334E-04	3.2773E-03	
				loss to fission	0	3.8503E-01	3.6840E-02	
				total	520226	1.0655E+00	2.0283E+00	

number of neutrons banked	270	average lifetime, shakes	cutoffs
neutron tracks per source particle	1.0010E+00	escape	tco 1.0000E+34
neutron collisions per source particle	7.9711E+01	capture	eco .0000E+00
total neutron collisions	41424645	capture or escape	wc1 -5.0000E-01
net multiplication	1.0004E+00 .0000	any termination	wc2 -2.5000E-01
computer time so far in this run	95.66 minutes	maximum number ever in bank	2
computer time in mcrun	95.62 minutes	bank overflows to backup file	0
source particles per minute	5.4349E+03	field length	0
random numbers generated	480822729	most random numbers used was	12386 in history 367999

range of sampled source weights = 9.0744E-01 to 1.0579E+00  
 1neutron activity in each cell

print table 126

cell	tracks entering	population	collisions	collisions * weight (per history)	number weighted energy	flux weighted energy	average track weight (relative)	average track mfp (cm)
1 1	599158	519957	34357801	4.8313E+01	3.0916E-04	5.0477E-01	8.0256E-01	2.5043E+00
2 2	102454	48279	7066844	7.2108E+00	4.6390E-05	1.9975E-01	5.7956E-01	1.3152E+00
total	701612	568236	41424645	5.5524E+01				
1keff results for: Far-Field Consequence Study - 32% H2O/ 8% UO2 (sp40a1) 0 Years 600K							probid = 07/26/96 12:01:33	

the initial fission neutron source distribution was read from the srctp file named srctp .  
 the criticality problem was scheduled to skip 30 cycles and run a total of 130 cycles with nominally 4000 neutrons per cycle.  
 this problem has run 30 inactive cycles with 119927 neutron histories and 100 active cycles with 399761 neutron histories.

this calculation has completed the requested number of keff cycles using a total of 519688 fission neutron source histories.  
 all cells with fissionable material were sampled and had fission neutron source points.

the results of the w test for normality applied to the individual collision, absorption, and track-length keff cycle values are:

the k(collision) cycle values appear normally distributed at the 95 percent confidence level  
 the k(absorption) cycle values appear normally distributed at the 95 percent confidence level  
 the k(trk length) cycle values appear normally distributed at the 95 percent confidence level

the final estimated combined collision/absorption/track-length keff = .94240 with an estimated standard deviation of .00099  
 the estimated 68, 95, & 99 percent keff confidence intervals are .94141 to .94339, .94042 to .94437, and .93978 to .94502  
 the estimated collision/absorption neutron removal lifetime = 9.56E-05 seconds with an estimated standard deviation of 2.03E-07

the estimated average keffs, one standard deviations, and 68, 95, and 99 percent confidence intervals are:

keff estimator	keff	standard deviation	68% confidence	95% confidence	99% confidence	corr
collision	.94224	.00151	.94073 to .94375	.93924 to .94524	.93826 to .94622	
absorption	.94255	.00119	.94136 to .94375	.94017 to .94493	.93940 to .94571	
track length	.94207	.00153	.94054 to .94361	.93902 to .94513	.93802 to .94613	
col/absorp	.94244	.00099	.94145 to .94342	.94047 to .94440	.93983 to .94504	.1015

abs/trk len	.94238	.00099	.94139 to .94336	.94042 to .94434	.93978 to .94498	.0842
col/trk len	.94227	.00152	.94075 to .94379	.93924 to .94529	.93826 to .94628	.9876
col/abs/trk len	.94240	.00099	.94141 to .94339	.94042 to .94437	.93978 to .94502	

1 primary module access and input record ( scale driver - 95/03/29 - 09:06:37 )  
- module sas2h will be called  
SAS2H: Far-Field Crit based on B&W 15x15, 3.00wt%, 20gwd/mtu 40% H2O/ 8% UO2  
44group latticecell  
'  
' mixtures of tuff infinite slabs:  
arbm-ftuff 2.6344 14 0 0 0 1001 1.055 8016 40.755 11023 0.570 12000 0.354  
13027 4.434 14000 20.193 19000 1.370 20000 1.439  
26000 0.494 92235 0.567 92234 0.007 92236 0.136  
92238 28.593 93237 0.033 1 1.0 538 end  
kr-83 1 0 1-20 538 end  
kr-85 1 0 1-20 538 end  
sr-90 1 0 1-20 538 end  
y-89 1 0 1-20 538 end  
mo-95 1 0 1-20 538 end  
zr-93 1 0 1-20 538 end  
zr-94 1 0 1-20 538 end  
zr-95 1 0 1-20 538 end  
nb-94 1 0 1-20 538 end  
tc-99 1 0 1-20 538 end  
rh-103 1 0 1-20 538 end  
rh-105 1 0 1-20 538 end  
ru-101 1 0 1-20 538 end  
ru-106 1 0 1-20 538 end  
pd-105 1 0 1-20 538 end  
pd-108 1 0 1-20 538 end  
ag-109 1 0 1-20 538 end  
sb-124 1 0 1-20 538 end  
xe-131 1 0 1-20 538 end  
xe-132 1 0 1-20 538 end  
xe-135 1 0 1-20 538 end  
xe-136 1 0 1-20 538 end  
cs-134 1 0 1-20 538 end  
cs-135 1 0 1-20 538 end  
cs-137 1 0 1-20 538 end  
ba-136 1 0 1-20 538 end  
la-139 1 0 1-20 538 end  
pr-141 1 0 1-20 538 end  
pr-143 1 0 1-20 538 end  
ce-144 1 0 1-20 538 end  
nd-143 1 0 1-20 538 end  
nd-145 1 0 1-20 538 end  
pm-147 1 0 1-20 538 end  
pm-148 1 0 1-20 538 end  
nd-147 1 0 1-20 538 end  
sm-147 1 0 1-20 538 end  
sm-149 1 0 1-20 538 end  
sm-150 1 0 1-20 538 end  
sm-151 1 0 1-20 538 end  
sm-152 1 0 1-20 538 end  
gd-155 1 0 1-20 538 end  
eu-153 1 0 1-20 538 end  
eu-154 1 0 1-20 538 end  
eu-155 1 0 1-20 538 end  
arbm-tuff1 1.90533 9 0 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490  
13027 6.130 14000 27.919 19000 1.894 20000 1.989  
26000 0.683 2 1.0 323. end  
arbm-tuff2 1.90533 9 0 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490  
13027 6.130 14000 27.919 19000 1.894 20000 1.989  
26000 0.683 3 1.0 323. end

```

/
/ -----
/ end comp
/ -----
/
/ fuel-pin-cell geometry:
/
symmslabcell 340. 280. 1 3 281. 2 end
/
/
/
/ assembly and cycle parameters:
/
npin/assm=1 fuelngth=280. ncycles=1 nlib/cyc=5 volfuetot=1.1494E7
printlevel=6 inplevel=0 end
power=0.004 burn=3.6525e2 down=1.82625e3
end
0 * normal termination *
1
ooooooo0oooo rrrrrrrrrrrr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nn nn sssssssssss
ooooooo0oooo rrrrrrrrrrrr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nnn nn sssssssssss
oo oo rr rr ii gg gg ee nnnn nn ss ss
oo oo rr rr ii gg ee nn nn nn ss
oo oo rr rr ii gg ee nn nn nn nn ss
oo oo rrrrrrrrrrrr ii gg gggggggg eeeeeeee nn nn nn sssssssssss
oo oo rrrrrrrrrrrr ii gg gggggggg eeeeeeee nn nn nn nn sssssssssss
oo oo rr rr ii gg gg ee nn nn nn nn ss
oo oo rr rr ii gg ee nn nn nn nn ss
oo oo rr rr ii gg ee nn nnnn ss ss
ooooooo0oooo rr rr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nn nnnn sssssssssss
ooooooo0oooo rr rr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nn nn sssssssssss
0
ddddd0ddddd aaaaaaaa vv vv iiiiiliiiiii sssssssss
ddddd0ddddd aaaaaaaa vv vv iiiiiliiiiii sssssssssss
dd dd aa aa vv vv ii ss ss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aaaaaaaaaaa vv vv ii sssssssssss
dd dd aaaaaaaaaaa vv vv ii sssssssssss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aa aa vvv iiiiiliiiiii sssssssssss
dd dd aa aa v v iiiiiliiiiii sssssssssss
0
00000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666
000000000 88888888888888 // 222222222222 888888888888 // 999999999999 6666666666666
00 00 88 88 22 22 88 88 // 99 99 66
00 00 88 88 22 22 88 88 // 99 99 66
00 00 888888888888 22 888888888888 // 999999999999 666666666666
00 00 888888888888 // 888888888888 // 999999999999 6666666666666
00 00 88 88 22 88 88 // 99 66 66
00 00 88 88 22 88 88 // 99 66 66
000000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666
00000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666

```

0

11	77777777777777		55555555555555	55555555555555		55555555555555	888888888888
111	777777777777		55555555555555	55555555555555		55555555555555	888888888888
1111	77	77	:::	55	55	55	88
11		77	:::	55	55	55	88
11		77	:::	55	55	55	88
11		77	:::	55555555555555	55555555555555	55555555555555	888888888888
11		77	:::	55555555555555	55555555555555	55555555555555	888888888888
11		77	:::	55	55	55	88
11		77	:::	55	55	55	88
11		77	:::	55	55	55	88
11111111	77		55555555555555	55555555555555		55555555555555	888888888888
11111111	77		55555555555555	55555555555555		55555555555555	888888888888

1

ssssssssss	cccccccccc	aaaaaaaa	ll	eeeeeeeeeee
ssssssssss	ccccccccccccc	aaaaaaaaaa	ll	eeeeeeeeeee
ss ss	cc cc	aa aa	ll	ee
ss	cc	aa aa	ll	ee
ss	cc	aa aa	ll	ee
ssssssssss	cc	aaaaaaaaaaaa	ll	eeeeeeee
ssssssssss	cc	aaaaaaaaaaaa	ll	eeeeeeee
ss	cc	aa aa	ll	ee
ss	cc	aa aa	ll	ee
ss ss	cc cc	aa aa	ll	ee
ssssssssss	ccccccccccccc	aa aa	llllllllllll	eeeeeeeeeee
ssssssssss	ccccccccccccc	aa aa	llllllllllll	eeeeeeeeeee

```
*****
*****          program verification information
*****          code system: scale version: 4.3
*****          program: o0o004
*****          creation date: 03/13/96
*****          library: /usr1/ornl/Scale/bin
*****          test code: origens
*****          version: 3.0
*****          jobname: davis
*****          date of execution: 08/28/96
*****          time of execution: 17:55:58
```

```
*****  
*****  
*****  
*****  
  
1      -1q array has      1 entries.  
0      0q array has      1 entries.  
0      dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.  
0          short-lived split test fraction, qxn =   9.1188E-04  
0          half-norm of matrix used, axn =    7.0000E+00  
0          4-place-accuracy-retention ratio, ratio4 =   6.4516E-13  
0      1q array has     20 entries.  
0      3q array has      1 entries.  
0      4q array has      1 entries.  
0      54q array has    12 entries.  
library information...  
  
cross-section data taken from position number 1 of library on unit 33.  
  
pass 1  
pass 0  
*scale-system control module sas2 library*  
used a time-dependent neutron spectrum, for each of the above passes  
  pass 0 applies start-up fuel densities  
  pass n applies mid time densities of nth library interval  
first library updated was...  
pass 1  
pass 0  
*scale-system control module sas2 library*  
used a time-dependent neutron spectrum, for each of the above passes  
  pass 0 applies start-up fuel densities  
  pass n applies mid time densities of nth library interval  
first library updated was...  
*****  
*  
*      prelim lwr origin-s binary working library--id = 1143  
*      made from modified card-image origin-s libraries of scale 4.2  
*      data from the light element, actinide, and fission product libraries  
*      decay data, including gamma and total energy, are from endf/b-vi  
*  
*      neutron flux spectrum factors and cross sections were produced from  
*      the "presas2" case updating all nuclides on the scale "burnup" library  
*  
*      fission product yields are from endf/b-v  
*  
*      photon libraries use an 18-energy-group structure  
*      the photon data are from the master photon data base,  
*      produced to include bremsstrahlung from uo2 matrix  
*  
*      see information above this box (if present) for later updates  
*  
*****
```

```

0      **** other identification and sizes of library.
0      .other identification and sizes of library.
0      data set name: ft33f001
0      8/28/1996 date library was produced
0          1697 total number of nuclides in library
0              689 number of light-element nuclides
0              129 number of actinide nuclides
0              879 number of fission product nuclides
0              7993 number of nonzero off-diagonal matrix elements
0      ****

```

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	light elements	page	1
0	nuclide concentrations, grams			
	basis =single reactor assembly			

	initial	1E-18 d
na 23	1.73E+05	1.73E+05
al 27	1.35E+06	1.35E+06
total	1.52E+06	1.52E+06

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	actinides	page	2
0	nuclide concentrations, grams			
	basis =single reactor assembly			

	initial	1E-18 d
u234	2.12E+03	2.12E+03
u235	1.72E+05	1.72E+05
u236	4.12E+04	4.12E+04
u238	8.66E+06	8.66E+06
np237	9.99E+03	9.99E+03
total	8.88E+06	8.88E+06

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	page	3
	power= .00mw, burnup= 0.mwd, flux= 3.00E+08n/cm**2-sec		

0	basis =			
0	(note, k-infinities, clad and moderator absorptions are correct only, if correctly weighted cross sections are applied.)			
0	productions 1.023182E+06 1.023182E+06 1.023183E+06 1.023183E+06 1.023183E+06 1.023183E+06			
0	absorptions 8.460824E+05 8.460847E+05 8.460852E+05 8.460858E+05 8.460863E+05 8.460863E+05			
0	k infinity 1.209317E+00 1.209314E+00 1.209314E+00 1.209314E+00 1.209313E+00 1.209313E+00			
0	actinide initial 18.3 d 36.5 d 54.8 d 73.1 d 73.1 d 73.1 d			
0	absorptions 8.423173E+05 8.423174E+05 8.423176E+05 8.423178E+05 8.423180E+05 8.423180E+05			
0	non-actinide abs. fracs. 4.450083E-03 4.452646E-03 4.453003E-03 4.453421E-03 4.453838E-03 4.453838E-03			

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	page	4
0	fraction of total absorption rate		

0	power= .00mw, burnup= 0.mwd, flux= 3.00E+08n/cm**2-sec		
0	initial 18.3 d 36.5 d 54.8 d 73.1 d 73.1 d		

xe135	.00E+00	2.28E-06	2.28E-06	2.28E-06	2.28E-06
sm149	.00E+00	3.01E-07	6.68E-07	1.04E-06	1.40E-06
sm151	.00E+00	1.54E-08	3.22E-08	4.91E-08	6.59E-08
nd143	.00E+00	2.56E-09	8.54E-09	1.59E-08	2.37E-08
gd157	.00E+00	3.74E-09	7.67E-09	1.16E-08	1.55E-08
cd113	.00E+00	3.18E-09	6.42E-09	9.65E-09	1.29E-08
pm147	.00E+00	1.47E-09	4.39E-09	7.73E-09	1.12E-08
rh105	.00E+00	8.28E-09	8.28E-09	8.28E-09	8.28E-09
xe131	.00E+00	1.16E-09	3.30E-09	5.64E-09	8.03E-09
cs133	.00E+00	1.14E-09	3.05E-09	5.04E-09	7.03E-09
rh103	.00E+00	5.01E-10	1.82E-09	3.73E-09	6.06E-09
tc 99	.00E+00	1.07E-09	2.44E-09	3.82E-09	5.21E-09
eu155	.00E+00	1.18E-09	2.34E-09	3.50E-09	4.65E-09

nd145	.00E+00	1.04E-09	2.10E-09	3.17E-09	4.23E-09	4.23E-09
pr143	.00E+00	1.61E-09	2.36E-09	2.66E-09	2.78E-09	2.78E-09
sm152	.00E+00	5.54E-10	1.11E-09	1.66E-09	2.22E-09	2.22E-09
xe133	.00E+00	1.81E-09	2.01E-09	2.03E-09	2.03E-09	2.03E-09
kr 83	.00E+00	4.42E-10	8.90E-10	1.34E-09	1.79E-09	1.79E-09
cs135	.00E+00	4.04E-10	8.29E-10	1.25E-09	1.68E-09	1.68E-09
ru101	.00E+00	3.25E-10	6.50E-10	9.75E-10	1.30E-09	1.30E-09
ce141	.00E+00	5.08E-10	8.58E-10	1.10E-09	1.26E-09	1.26E-09
eu153	.00E+00	2.36E-10	5.15E-10	7.93E-10	1.07E-09	1.07E-09
la139	.00E+00	2.48E-10	4.98E-10	7.47E-10	9.96E-10	9.96E-10
pm149	.00E+00	9.59E-10	9.62E-10	9.62E-10	9.62E-10	9.62E-10
nd147	.00E+00	6.46E-10	8.50E-10	9.15E-10	9.35E-10	9.35E-10
pr141	.00E+00	5.22E-11	1.87E-10	3.78E-10	6.06E-10	6.06E-10
pd105	.00E+00	1.05E-10	2.24E-10	3.43E-10	4.62E-10	4.62E-10
zr 93	.00E+00	1.03E-10	2.09E-10	3.15E-10	4.22E-10	4.22E-10
mo 95	.00E+00	7.52E-12	5.27E-11	1.57E-10	3.28E-10	3.28E-10
gd155	.00E+00	1.81E-11	7.23E-11	1.62E-10	2.88E-10	2.88E-10
i129	.00E+00	6.40E-11	1.33E-10	2.04E-10	2.78E-10	2.78E-10
ru103	.00E+00	9.82E-11	1.69E-10	2.21E-10	2.58E-10	2.58E-10
mo 97	.00E+00	5.33E-11	1.10E-10	1.67E-10	2.23E-10	2.23E-10
ag109	.00E+00	3.84E-11	7.86E-11	1.19E-10	1.59E-10	1.59E-10
pm151	.00E+00	1.09E-10	1.09E-10	1.09E-10	1.09E-10	1.09E-10
ce144	.00E+00	2.61E-11	5.10E-11	7.48E-11	9.77E-11	9.77E-11
sm147	.00E+00	2.65E-12	1.69E-11	4.69E-11	9.39E-11	9.39E-11
zr 95	.00E+00	3.01E-11	5.48E-11	7.51E-11	9.18E-11	9.18E-11
ru102	.00E+00	2.29E-11	4.58E-11	6.87E-11	9.16E-11	9.16E-11
sr 90	.00E+00	2.09E-11	4.18E-11	6.26E-11	8.34E-11	8.34E-11
y 91	.00E+00	2.71E-11	4.97E-11	6.80E-11	8.27E-11	8.27E-11
ce142	.00E+00	2.05E-11	4.12E-11	6.18E-11	8.25E-11	8.25E-11
nd148	.00E+00	1.99E-11	3.99E-11	5.98E-11	7.98E-11	7.98E-11
nd146	.00E+00	1.66E-11	3.32E-11	4.99E-11	6.65E-11	6.65E-11
ba138	.00E+00	1.41E-11	2.83E-11	4.25E-11	5.67E-11	5.67E-11
pd108	.00E+00	1.37E-11	2.75E-11	4.12E-11	5.50E-11	5.50E-11
in115	.00E+00	1.10E-11	2.46E-11	3.84E-11	5.22E-11	5.22E-11
ba140	.00E+00	2.97E-11	4.07E-11	4.48E-11	4.63E-11	4.63E-11
xe132	.00E+00	9.05E-12	2.12E-11	3.33E-11	4.55E-11	4.55E-11

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 5

0 power= .00mw, burnup= 0.mwd, flux= 3.00E+08n/cm\*\*2-sec  
0 initial 18.3 d 36.5 d 54.8 d 73.1 d 73.1 d

nb 95	.00E+00	4.55E-12	1.53E-11	2.89E-11	4.35E-11	4.35E-11
ce140	.00E+00	4.43E-12	1.48E-11	2.74E-11	4.08E-11	4.08E-11
sm153	.00E+00	3.79E-11	3.79E-11	3.79E-11	3.79E-11	3.79E-11
eu151	.00E+00	2.20E-12	9.19E-12	2.10E-11	3.76E-11	3.76E-11
y 89	.00E+00	2.93E-12	1.08E-11	2.26E-11	3.75E-11	3.75E-11
zr 91	.00E+00	2.63E-12	1.00E-11	2.12E-11	3.54E-11	3.54E-11
mo 98	.00E+00	8.46E-12	1.69E-11	2.54E-11	3.38E-11	3.38E-11
eu156	.00E+00	1.91E-11	2.78E-11	3.16E-11	3.32E-11	3.32E-11
mo100	.00E+00	8.09E-12	1.62E-11	2.43E-11	3.24E-11	3.24E-11
pd107	.00E+00	7.96E-12	1.59E-11	2.39E-11	3.19E-11	3.19E-11
xe134	.00E+00	7.83E-12	1.57E-11	2.36E-11	3.14E-11	3.14E-11
zr 92	.00E+00	6.33E-12	1.28E-11	1.92E-11	2.57E-11	2.57E-11
nd144	.00E+00	1.62E-12	6.40E-12	1.42E-11	2.49E-11	2.49E-11
kr 87	.00E+00	2.26E-11	2.26E-11	2.26E-11	2.26E-11	2.20E-11
zr 96	.00E+00	5.21E-12	1.04E-11	1.56E-11	2.08E-11	2.08E-11
ru104	.00E+00	4.96E-12	9.93E-12	1.49E-11	1.99E-11	1.99E-11
sr 89	.00E+00	6.73E-12	1.20E-11	1.61E-11	1.92E-11	1.92E-11
nd150	.00E+00	4.44E-12	8.88E-12	1.33E-11	1.78E-11	1.78E-11
cs137	.00E+00	4.37E-12	8.74E-12	1.31E-11	1.75E-11	1.75E-11

ce143	.00E+00	1.74E-11	1.74E-11	1.74E-11	1.74E-11	1.74E-11
xe136	.00E+00	4.25E-12	8.49E-12	1.27E-11	1.70E-11	1.70E-11
i127	.00E+00	3.07E-12	7.59E-12	1.22E-11	1.70E-11	1.70E-11
la140	.00E+00	9.71E-12	1.39E-11	1.54E-11	1.60E-11	1.60E-11
mo 99	.00E+00	1.30E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11
br 81	.00E+00	3.23E-12	6.46E-12	9.69E-12	1.29E-11	1.29E-11
zr 94	.00E+00	2.76E-12	5.51E-12	8.27E-12	1.10E-11	1.10E-11
rb 85	.00E+00	2.47E-12	4.98E-12	7.50E-12	1.00E-11	1.00E-11
te130	.00E+00	1.92E-12	3.85E-12	5.77E-12	7.69E-12	7.69E-12
sm154	.00E+00	1.88E-12	3.75E-12	5.63E-12	7.50E-12	7.50E-12
kr 85	.00E+00	1.84E-12	3.69E-12	5.55E-12	7.39E-12	7.39E-12
rb 87	.00E+00	1.82E-12	3.66E-12	5.49E-12	7.32E-12	7.32E-12
cd111	.00E+00	1.07E-12	2.95E-12	4.97E-12	7.02E-12	7.02E-12
i131	.00E+00	5.34E-12	6.49E-12	6.73E-12	6.78E-12	6.78E-12
se 77	.00E+00	1.26E-12	2.69E-12	4.13E-12	5.56E-12	5.56E-12
kr 84	.00E+00	8.70E-13	1.74E-12	2.61E-12	3.48E-12	3.48E-12
ru106	.00E+00	8.64E-13	1.70E-12	2.51E-12	3.29E-12	3.29E-12
sb121	.00E+00	6.31E-13	1.32E-12	2.01E-12	2.69E-12	2.69E-12
se 79	.00E+00	6.52E-13	1.30E-12	1.96E-12	2.61E-12	2.61E-12
te127m	.00E+00	5.77E-13	1.31E-12	1.98E-12	2.57E-12	2.57E-12
kr 86	.00E+00	4.73E-13	9.47E-13	1.42E-12	1.89E-12	1.89E-12
sb123	.00E+00	4.65E-13	9.36E-13	1.41E-12	1.89E-12	1.89E-12
te128	.00E+00	4.25E-13	8.53E-13	1.28E-12	1.71E-12	1.71E-12
te129m	.00E+00	5.59E-13	9.49E-13	1.22E-12	1.40E-12	1.40E-12
se 80	.00E+00	3.05E-13	6.10E-13	9.15E-13	1.22E-12	1.22E-12
ba137	.00E+00	8.52E-14	3.07E-13	6.64E-13	1.16E-12	1.16E-12
gd156	.00E+00	1.07E-13	3.46E-13	6.43E-13	9.66E-13	9.66E-13
dy161	.00E+00	1.44E-13	3.89E-13	6.51E-13	9.15E-13	9.15E-13
tb159	.00E+00	1.82E-13	3.76E-13	5.69E-13	7.63E-13	7.63E-13
sb125	.00E+00	1.57E-13	3.36E-13	5.19E-13	7.01E-13	7.01E-13

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 0.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 initial 18.3 d 36.5 d 54.8 d 73.1 d 73.1 d

li 6	.00E+00	1.73E-13	3.46E-13	5.19E-13	6.92E-13	6.92E-13
cd112	.00E+00	1.62E-13	3.37E-13	5.13E-13	6.89E-13	6.89E-13
sn117	.00E+00	1.36E-13	2.75E-13	4.13E-13	5.51E-13	5.51E-13
sn119	.00E+00	1.12E-13	2.25E-13	3.37E-13	4.50E-13	4.50E-13
sn115	.00E+00	8.49E-14	1.89E-13	2.94E-13	3.99E-13	3.99E-13
sr 88	.00E+00	8.64E-14	1.74E-13	2.61E-13	3.48E-13	3.48E-13
sm150	.00E+00	2.92E-14	9.62E-14	2.02E-13	3.46E-13	3.46E-13
ag111	.00E+00	2.61E-13	3.09E-13	3.18E-13	3.19E-13	3.19E-13
eu157	.00E+00	2.95E-13	2.95E-13	2.95E-13	2.95E-13	2.95E-13
pd110	.00E+00	6.31E-14	1.26E-13	1.89E-13	2.53E-13	2.53E-13
cd114	.00E+00	6.16E-14	1.23E-13	1.85E-13	2.46E-13	2.46E-13
pd106	.00E+00	1.57E-14	6.19E-14	1.38E-13	2.42E-13	2.42E-13
se 82	.00E+00	5.91E-14	1.18E-13	1.77E-13	2.36E-13	2.36E-13
gd158	.00E+00	5.69E-14	1.14E-13	1.71E-13	2.28E-13	2.28E-13
sn126	.00E+00	4.71E-14	9.42E-14	1.41E-13	1.88E-13	1.88E-13
se 78	.00E+00	4.50E-14	9.03E-14	1.36E-13	1.81E-13	1.81E-13
cd115m	.00E+00	5.82E-14	1.02E-13	1.35E-13	1.60E-13	1.60E-13
pm148m	.00E+00	6.01E-15	3.23E-14	8.12E-14	1.49E-13	1.49E-13
sn124	.00E+00	3.68E-14	7.37E-14	1.11E-13	1.47E-13	1.47E-13
dy162	.00E+00	3.48E-14	6.97E-14	1.05E-13	1.39E-13	1.39E-13
dy164	.00E+00	3.11E-14	6.23E-14	9.34E-14	1.25E-13	1.25E-13
eu154	.00E+00	2.67E-14	5.38E-14	8.14E-14	1.09E-13	1.09E-13
as 75	.00E+00	2.69E-14	5.40E-14	8.11E-14	1.08E-13	1.08E-13
y 90	.00E+00	1.58E-14	3.56E-14	5.54E-14	7.51E-14	7.51E-14
sn118	.00E+00	1.51E-14	3.02E-14	4.54E-14	6.05E-14	6.05E-14

fission products

page 6

cs136	.00E+00	3.45E-14	4.77E-14	5.27E-14	5.47E-14	5.47E-14
cd116	.00E+00	1.28E-14	2.55E-14	3.83E-14	5.10E-14	5.10E-14
sn122	.00E+00	1.25E-14	2.49E-14	3.74E-14	4.98E-14	4.98E-14
ba136	.00E+00	5.16E-15	1.60E-14	2.91E-14	4.29E-14	4.29E-14
sn120	.00E+00	9.38E-15	1.88E-14	2.81E-14	3.75E-14	3.75E-14
kr 82	.00E+00	7.80E-15	1.65E-14	2.52E-14	3.39E-14	3.39E-14
cs134	.00E+00	7.60E-15	1.53E-14	2.31E-14	3.10E-14	3.10E-14
dy163	.00E+00	7.67E-15	1.53E-14	2.30E-14	3.07E-14	3.07E-14
ru105	.00E+00	3.00E-14	3.00E-14	3.00E-14	3.00E-14	3.00E-14
sn125	.00E+00	2.15E-14	2.73E-14	2.88E-14	2.93E-14	2.92E-14
ge 73	.00E+00	7.17E-15	1.45E-14	2.17E-14	2.90E-14	2.90E-14
ru 99	.00E+00	5.42E-15	1.25E-14	1.96E-14	2.67E-14	2.67E-14
zr 90	.00E+00	1.04E-15	5.05E-15	1.21E-14	2.23E-14	2.23E-14
te125	.00E+00	1.06E-15	4.62E-15	1.09E-14	2.01E-14	2.01E-14
xe130	.00E+00	4.76E-15	9.70E-15	1.46E-14	1.96E-14	1.96E-14
mo 96	.00E+00	3.41E-15	7.09E-15	1.08E-14	1.44E-14	1.44E-14
pm148	.00E+00	1.05E-15	4.31E-15	8.63E-15	1.33E-14	1.33E-14
rb 88	.00E+00	1.27E-14	1.27E-14	1.27E-14	1.27E-14	1.27E-14
ge 76	.00E+00	2.66E-15	5.33E-15	7.99E-15	1.07E-14	1.07E-14
i135	.00E+00	1.00E-14	1.00E-14	1.00E-14	1.00E-14	9.95E-15
te132	.00E+00	9.30E-15	9.49E-15	9.49E-15	9.49E-15	9.49E-15
gd160	.00E+00	1.69E-15	3.37E-15	5.06E-15	6.75E-15	6.75E-15
te134	.00E+00	5.77E-15	5.77E-15	5.77E-15	5.77E-15	5.39E-15
te126	.00E+00	9.22E-16	2.08E-15	3.33E-15	4.60E-15	4.60E-15
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						
0						
0	power= .00mw, burnup= 0.mwd, flux= 3.00E+08n/cm**2-sec					
0	initial 18.3 d	36.5 d	54.8 d	73.1 d	73.1 d	
sn123	.00E+00	9.65E-16	1.84E-15	2.63E-15	3.35E-15	3.35E-15
sb126	.00E+00	1.91E-15	2.60E-15	2.85E-15	2.94E-15	2.94E-15
ru100	.00E+00	6.49E-16	1.30E-15	1.96E-15	2.63E-15	2.63E-15
ho165	.00E+00	5.26E-16	1.06E-15	1.59E-15	2.12E-15	2.12E-15
in117m	.00E+00	2.07E-15	2.07E-15	2.07E-15	2.07E-15	2.07E-15
sr 87	.00E+00	3.04E-16	6.09E-16	9.13E-16	1.22E-15	1.22E-15
sb124	.00E+00	3.98E-16	7.21E-16	9.83E-16	1.20E-15	1.20E-15
i130	.00E+00	7.10E-16	7.11E-16	7.11E-16	7.11E-16	7.08E-16
nb 94	.00E+00	7.75E-16	3.51E-16	5.26E-16	7.01E-16	7.01E-16
in117	.00E+00	6.07E-16	6.07E-16	6.07E-16	6.07E-16	6.07E-16
ge 74	.00E+00	1.47E-16	2.93E-16	4.40E-16	5.86E-16	5.86E-16
te124	.00E+00	4.65E-17	1.42E-16	2.78E-16	4.47E-16	4.47E-16
in113	.00E+00	2.49E-17	1.00E-16	2.26E-16	4.02E-16	4.02E-16
ge 72	.00E+00	8.33E-17	1.86E-16	2.89E-16	3.92E-16	3.92E-16
eu152	.00E+00	8.17E-17	1.66E-16	2.57E-16	3.57E-16	3.57E-16
se 76	.00E+00	5.68E-17	1.19E-16	1.80E-16	2.42E-16	2.42E-16
sr 86	.00E+00	2.40E-17	7.85E-17	1.48E-16	2.26E-16	2.26E-16
rb 86	.00E+00	1.18E-16	1.78E-16	2.08E-16	2.23E-16	2.23E-16
dy165	.00E+00	2.08E-16	2.08E-16	2.08E-16	2.08E-16	2.07E-16
ba135	.00E+00	3.50E-17	7.35E-17	1.15E-16	1.61E-16	1.61E-16
tb160	.00E+00	4.73E-17	8.72E-17	1.21E-16	1.49E-16	1.49E-16
cd118	.00E+00	1.19E-16	1.19E-16	1.19E-16	1.19E-16	1.12E-16
ge 75	.00E+00	8.51E-17	8.51E-17	8.51E-17	8.51E-17	8.39E-17
xe128	.00E+00	1.36E-17	2.73E-17	4.09E-17	5.46E-17	5.46E-17
er166	.00E+00	9.94E-18	2.45E-17	3.92E-17	5.39E-17	5.39E-17
nd142	.00E+00	7.24E-18	1.63E-17	2.77E-17	4.22E-17	4.22E-17
gd152	.00E+00	7.41E-18	1.52E-17	2.33E-17	3.20E-17	3.20E-17
gd154	.00E+00	1.97E-18	7.50E-18	1.66E-17	2.95E-17	2.95E-17
sm148	.00E+00	4.19E-19	3.84E-18	1.29E-17	2.91E-17	2.91E-17
in119m	.00E+00	2.97E-17	2.97E-17	2.97E-17	2.97E-17	2.80E-17
cd110	.00E+00	3.68E-18	8.09E-18	1.32E-17	1.90E-17	1.90E-17

fission products

page 7

ba134	.00E+00	1.22E-18	4.73E-18	1.06E-17	1.88E-17	1.88E-17
kr 80	.00E+00	4.07E-18	8.19E-18	1.23E-17	1.64E-17	1.64E-17
dy160	.00E+00	9.41E-19	3.55E-18	7.55E-18	1.27E-17	1.27E-17
pd104	.00E+00	4.32E-19	1.64E-18	4.18E-18	8.50E-18	8.50E-18
br 79	.00E+00	3.76E-19	1.02E-18	1.94E-18	3.13E-18	3.13E-18
te122	.00E+00	4.26E-19	9.68E-19	1.52E-18	2.07E-18	2.07E-18
in119	.00E+00	2.32E-18	2.32E-18	2.32E-18	2.32E-18	1.54E-18
be 9	.00E+00	3.43E-19	6.85E-19	1.02E-18	1.37E-18	1.37E-18
pr142	.00E+00	6.42E-19	7.95E-19	1.01E-18	1.27E-18	1.27E-18
xe129	.00E+00	1.03E-19	3.39E-19	7.15E-19	1.24E-18	1.24E-18
ag107	.00E+00	6.99E-20	2.83E-19	6.39E-19	1.13E-18	1.13E-18
nb 93	.00E+00	1.76E-19	3.56E-19	5.36E-19	7.22E-19	7.22E-19
sn116	.00E+00	1.53E-19	3.16E-19	4.82E-19	6.55E-19	6.55E-19
li 7	.00E+00	1.33E-19	2.66E-19	3.99E-19	5.32E-19	5.32E-19
te123	.00E+00	7.98E-20	1.80E-19	3.03E-19	4.42E-19	4.42E-19
er167	.00E+00	5.32E-20	1.06E-19	1.60E-19	2.13E-19	2.13E-19
cd109	.00E+00	3.33E-21	9.98E-21	1.33E-20	2.00E-20	2.00E-20
cs134m	.00E+00	3.33E-21	6.65E-21	9.98E-21	9.98E-21	

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 0.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 initial 18.3 d 36.5 d 54.8 d 73.1 d 73.1 d

1 cd108 .00E+00 3.33E-21 6.65E-21 6.65E-21 9.98E-21 9.98E-21

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=2.9220E-01mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	18.3 d	36.5 d	54.8 d	73.1 d	73.1 d
h 1	.00E+00	4.40E-09	8.81E-09	1.32E-08	1.76E-08
h 2	.00E+00	1.31E-11	2.61E-11	3.92E-11	5.22E-11
h 3	.00E+00	9.56E-14	1.91E-13	2.86E-13	3.81E-13
h 4	.00E+00	3.87E-37	7.72E-37	1.16E-36	1.54E-36
he 3	.00E+00	1.34E-16	5.37E-16	1.21E-15	2.15E-15
he 4	.00E+00	7.28E-10	1.46E-09	2.18E-09	2.91E-09
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
na 22	.00E+00	5.68E-13	1.13E-12	1.68E-12	2.23E-12
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	.00E+00	3.64E-08	3.64E-08	3.64E-08	3.63E-08
na 24m	.00E+00	5.99E-15	5.99E-15	5.99E-15	5.99E-15
na 25	.00E+00	2.88E-30	5.76E-30	8.64E-30	1.15E-29
mg 24	.00E+00	7.55E-07	1.55E-06	2.34E-06	3.13E-06
mg 25	.00E+00	9.58E-14	1.92E-13	2.87E-13	3.83E-13
mg 26	.00E+00	1.31E-11	2.61E-11	3.92E-11	5.22E-11
mg 27	.00E+00	2.18E-12	2.18E-12	2.18E-12	1.60E-12
mg 28	.00E+00	4.41E-24	4.41E-24	4.41E-24	4.40E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	.00E+00	2.70E-10	2.70E-10	2.70E-10	7.33E-11
al 29	.00E+00	3.80E-32	1.52E-31	3.42E-31	6.08E-31
al 30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
si 28	.00E+00	2.20E-06	4.40E-06	6.60E-06	8.79E-06
si 29	.00E+00	1.41E-16	5.64E-16	1.27E-15	2.26E-15
si 30	.00E+00	9.70E-27	7.76E-26	2.62E-25	6.21E-25
si 31	.00E+00	6.95E-39	5.56E-38	1.88E-37	4.45E-37
si 32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux		3.00E+08	3.00E+08	3.00E+08	3.00E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 8

light elements

page 9

actinides

page 10

0 power= 4.000E-03mw, burnup=2.9220E-01mwd, flux= 3.00E+08n/cm\*\*2-sec  
nuclide concentrations, gram atoms  
basis = single reactor assembly

	charge	18.3 d	36.5 d	54.8 d	73.1 d	73.1 d
he_4	.00E+00	2.54E-06	5.08E-06	7.63E-06	1.02E-05	1.02E-05
th226	.00E+00	5.65E-31	2.72E-30	6.90E-30	1.34E-29	1.34E-29
th227	.00E+00	8.47E-18	6.06E-17	1.82E-16	3.85E-16	3.85E-16
th228	.00E+00	3.89E-17	2.14E-16	6.13E-16	1.32E-15	1.32E-15
th229	.00E+00	1.04E-14	7.46E-14	2.28E-13	4.93E-13	4.93E-13
th230	.00E+00	1.28E-06	2.55E-06	3.83E-06	5.11E-06	5.11E-06
th231	.00E+00	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	.00E+00	2.58E-07	5.16E-07	7.74E-07	1.03E-06	1.03E-06
th233	.00E+00	2.39E-18	4.78E-18	7.17E-18	9.57E-18	8.39E-18
th234	.00E+00	2.19E-07	3.49E-07	4.26E-07	4.71E-07	4.71E-07
pa231	.00E+00	3.60E-08	7.50E-08	1.14E-07	1.53E-07	1.53E-07
pa232	.00E+00	6.18E-16	1.29E-15	1.96E-15	2.63E-15	2.63E-15
pa233	.00E+00	5.45E-07	8.86E-07	1.10E-06	1.23E-06	1.23E-06
pa234m	.00E+00	7.40E-12	1.18E-11	1.44E-11	1.59E-11	1.59E-11
pa234	.00E+00	3.31E-12	5.26E-12	6.42E-12	7.10E-12	7.10E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	5.48E-28	2.63E-27	6.69E-27	1.29E-26	1.29E-26
u231	.00E+00	6.12E-23	2.84E-22	6.26E-22	1.04E-21	1.04E-21
u232	.00E+00	1.86E-13	5.56E-13	1.11E-12	1.84E-12	1.84E-12
u233	.00E+00	1.38E-07	4.79E-07	9.49E-07	1.50E-06	1.50E-06
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	.00E+00	2.74E-06	3.16E-06	3.22E-06	3.23E-06	3.23E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	.00E+00	3.29E-07	3.29E-07	3.29E-07	3.29E-07	3.29E-07
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	2.85E-13	5.62E-13	8.30E-13	1.09E-12	1.09E-12
np236m	.00E+00	2.16E-12	2.16E-12	2.16E-12	2.16E-12	2.15E-12
np236	.00E+00	1.02E-11	2.05E-11	3.07E-11	4.10E-11	4.10E-11
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
np238	.00E+00	1.57E-06	1.58E-06	1.58E-06	1.58E-06	1.58E-06
np239	.00E+00	4.73E-05	4.75E-05	4.75E-05	4.75E-05	4.75E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	.00E+00	9.69E-15	9.74E-15	9.74E-15	9.74E-15	9.29E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	.00E+00	1.39E-11	2.87E-11	4.33E-11	5.77E-11	5.77E-11
pu237	.00E+00	9.13E-18	3.94E-17	8.62E-17	1.46E-16	1.46E-16
pu238	.00E+00	7.86E-06	1.73E-05	2.67E-05	3.62E-05	3.62E-05
pu239	.00E+00	2.08E-04	4.63E-04	7.19E-04	9.74E-04	9.74E-04
pu240	.00E+00	4.61E-11	2.14E-10	5.08E-10	9.28E-10	9.28E-10
pu241	.00E+00	1.42E-17	1.37E-16	4.97E-16	1.22E-15	1.22E-15
pu242	.00E+00	1.26E-24	2.52E-23	1.39E-22	4.61E-22	4.61E-22
pu243	.00E+00	2.77E-33	5.52E-32	3.05E-31	1.01E-30	1.00E-30
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
flux		3.00E+08	3.00E+08	3.00E+08	3.00E+08	3.00E-07

0 1q array has 20 entries.  
0 3q array has 1 entries.  
0 3q array has 1 entries.  
0 3q array has 1 entries.  
0 4q array has 1 entries.  
0 54q array has 12 entries.

1library information...

cross-section data taken from position number 2 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****
```

```

*      prelim lwr origin-s binary working library--id = 1143
*      made from modified card-image origin-s libraries of scale 4.2
*      data from the light element, actinide, and fission product libraries
*      decay data, including gamma and total energy, are from endf/b-vi
*
*      neutron flux spectrum factors and cross sections were produced from
*      the "presas2" case updating all nuclides on the scale "burnup" library
*
*      fission product yields are from endf/b-v
*
*      photon libraries use an 18-energy-group structure
*      the photon data are from the master photon data base,
*      produced to include bremsstrahlung from uo2 matrix
*
*      see information above this box (if present) for later updates
*
```

```
*****
```

```

00 .other identification and sizes of library.
00   data set name: ft33f001
00   8/28/1996 date library was produced
00     1697 total number of nuclides in library
00     689 number of light-element nuclides
00     129 number of actinide nuclides
00     879 number of fission product nuclides
00    7993 number of nonzero off-diagonal matrix elements
00 ****
```

```

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
power= .00mw, burnup= 1.mwd, flux= 2.82E+08n/cm**2-sec
```

page 11

```

0 (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0   initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d
productions 1.090702E+06 1.090702E+06 1.090703E+06 1.090703E+06 1.090703E+06 1.090703E+06
absorptions 8.934394E+05 8.934399E+05 8.934406E+05 8.934413E+05 8.934419E+05 8.934419E+05
k infinity 1.220790E+00 1.220790E+00 1.220789E+00 1.220789E+00 1.220788E+00 1.220788E+00
0   initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d
actinide
absorptions 8.900519E+05 8.900521E+05 8.900524E+05 8.900527E+05 8.900529E+05 8.900529E+05
non-actinide
```

abs. fracs. 3.791451E-03 3.791869E-03 3.792226E-03 3.792703E-03 3.793120E-03 3.793120E-03  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 12  
 0 power= .00mw, burnup= 1.mwd, flux= 2.82E+08n/cm\*\*2-sec  
 0 initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d  
  
 sm149 1.42E-06 1.79E-06 2.17E-06 2.54E-06 2.91E-06 2.91E-06  
 xe135 2.31E-06 2.31E-06 2.31E-06 2.31E-06 2.31E-06 2.31E-06  
 sm151 6.68E-08 8.38E-08 1.01E-07 1.18E-07 1.35E-07 1.35E-07  
 nd143 2.40E-08 3.21E-08 4.04E-08 4.87E-08 5.69E-08 5.69E-08  
 gd157 1.57E-08 1.97E-08 2.37E-08 2.76E-08 3.16E-08 3.16E-08  
 cd113 1.31E-08 1.63E-08 1.96E-08 2.29E-08 2.61E-08 2.61E-08  
 pm147 1.11E-08 1.45E-08 1.79E-08 2.13E-08 2.46E-08 2.46E-08  
 rh103 6.05E-09 8.69E-09 1.16E-08 1.46E-08 1.77E-08 1.77E-08  
 xe131 7.97E-09 1.04E-08 1.27E-08 1.51E-08 1.75E-08 1.75E-08  
 cs133 6.97E-09 8.95E-09 1.09E-08 1.29E-08 1.49E-08 1.49E-08  
 tc 99 5.15E-09 6.52E-09 7.88E-09 9.25E-09 1.06E-08 1.06E-08  
 eu155 4.64E-09 5.78E-09 6.91E-09 8.03E-09 9.14E-09 9.14E-09  
 nd145 4.22E-09 5.28E-09 6.34E-09 7.40E-09 8.46E-09 8.46E-09  
 rh105 8.35E-09 8.33E-09 8.33E-09 8.33E-09 8.33E-09 8.33E-09  
 sm152 2.20E-09 2.75E-09 3.30E-09 3.85E-09 4.40E-09 4.40E-09  
 kr 83 1.80E-09 2.26E-09 2.71E-09 3.16E-09 3.61E-09 3.61E-09  
 cs135 1.67E-09 2.09E-09 2.52E-09 2.94E-09 3.36E-09 3.36E-09  
 pr143 2.79E-09 2.84E-09 2.86E-09 2.86E-09 2.87E-09 2.87E-09  
 ru101 1.28E-09 1.60E-09 1.92E-09 2.24E-09 2.56E-09 2.56E-09  
 eu153 1.07E-09 1.35E-09 1.63E-09 1.91E-09 2.18E-09 2.18E-09  
 xe133 2.05E-09 2.05E-09 2.05E-09 2.05E-09 2.05E-09 2.05E-09  
 la139 1.00E-09 1.26E-09 1.51E-09 1.76E-09 2.01E-09 2.01E-09  
 pr141 6.10E-10 8.66E-10 1.14E-09 1.42E-09 1.72E-09 1.72E-09  
 mo 95 3.26E-10 5.65E-10 8.69E-10 1.23E-09 1.65E-09 1.65E-09  
 ce141 1.27E-09 1.38E-09 1.46E-09 1.51E-09 1.54E-09 1.54E-09  
 gd155 2.93E-10 4.56E-10 6.55E-10 8.89E-10 1.16E-09 1.16E-09  
 pm149 9.75E-10 9.75E-10 9.75E-10 9.75E-10 9.75E-10 9.75E-10  
 nd147 9.27E-10 9.33E-10 9.36E-10 9.36E-10 9.36E-10 9.36E-10  
 pd105 4.60E-10 5.78E-10 6.96E-10 8.15E-10 9.33E-10 9.33E-10  
 zr 93 4.18E-10 5.23E-10 6.28E-10 7.34E-10 8.39E-10 8.39E-10  
 i129 2.81E-10 3.56E-10 4.32E-10 5.09E-10 5.86E-10 5.86E-10  
 mo 97 2.25E-10 2.82E-10 3.39E-10 3.96E-10 4.53E-10 4.53E-10  
 sm147 9.31E-11 1.57E-10 2.37E-10 3.34E-10 4.48E-10 4.48E-10  
 ru103 2.59E-10 2.86E-10 3.06E-10 3.20E-10 3.30E-10 3.30E-10  
 eg109 1.58E-10 1.97E-10 2.37E-10 2.76E-10 3.16E-10 3.16E-10  
 ru102 9.24E-11 1.15E-10 1.39E-10 1.62E-10 1.85E-10 1.85E-10  
 ce144 9.81E-11 1.20E-10 1.41E-10 1.61E-10 1.80E-10 1.80E-10  
 sr 90 8.43E-11 1.05E-10 1.26E-10 1.47E-10 1.68E-10 1.68E-10  
 ce142 8.34E-11 1.04E-10 1.25E-10 1.46E-10 1.67E-10 1.67E-10  
 nd148 8.01E-11 1.00E-10 1.20E-10 1.40E-10 1.60E-10 1.60E-10  
 eu151 3.80E-11 5.97E-11 8.62E-11 1.18E-10 1.54E-10 1.54E-10  
 nd146 6.72E-11 8.40E-11 1.01E-10 1.18E-10 1.34E-10 1.34E-10  
 zr 95 9.09E-11 1.04E-10 1.16E-10 1.25E-10 1.32E-10 1.32E-10  
 y 91 8.36E-11 9.56E-11 1.05E-10 1.13E-10 1.19E-10 1.19E-10  
 y 89 3.78E-11 5.51E-11 7.43E-11 9.49E-11 1.17E-10 1.17E-10  
 ba138 5.74E-11 7.17E-11 8.61E-11 1.00E-10 1.15E-10 1.15E-10  
 zr 91 3.57E-11 5.25E-11 7.14E-11 9.18E-11 1.14E-10 1.14E-10  
 pm151 1.10E-10 1.10E-10 1.10E-10 1.10E-10 1.10E-10 1.10E-10  
 pd108 5.43E-11 6.78E-11 8.12E-11 9.47E-11 1.08E-10 1.08E-10

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 13  
 0 power= .00mw, burnup= 1.mwd, flux= 2.82E+08n/cm\*\*2-sec  
 0 initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d

in115	5.22E-11	6.61E-11	8.00E-11	9.39E-11	1.08E-10	1.08E-10
ce140	4.13E-11	5.52E-11	6.93E-11	8.34E-11	9.75E-11	9.75E-11
nd144	2.52E-11	3.88E-11	5.50E-11	7.38E-11	9.51E-11	9.51E-11
xe132	4.54E-11	5.76E-11	6.98E-11	8.19E-11	9.41E-11	9.41E-11
nb 95	4.35E-11	5.78E-11	7.12E-11	8.33E-11	9.41E-11	9.41E-11
mo 98	3.34E-11	4.18E-11	5.02E-11	5.85E-11	6.69E-11	6.69E-11
mo100	3.23E-11	4.03E-11	4.84E-11	5.65E-11	6.45E-11	6.45E-11
pd107	3.21E-11	4.00E-11	4.80E-11	5.60E-11	6.39E-11	6.39E-11
xe134	3.17E-11	3.97E-11	4.76E-11	5.56E-11	6.35E-11	6.35E-11
zr 92	2.59E-11	3.24E-11	3.90E-11	4.55E-11	5.20E-11	5.20E-11
ba140	4.65E-11	4.71E-11	4.73E-11	4.74E-11	4.74E-11	4.74E-11
zr 96	2.04E-11	2.55E-11	3.06E-11	3.57E-11	4.08E-11	4.08E-11
ru104	1.98E-11	2.48E-11	2.98E-11	3.47E-11	3.97E-11	3.97E-11
sm153	3.82E-11	3.81E-11	3.81E-11	3.81E-11	3.81E-11	3.81E-11
i127	1.69E-11	2.17E-11	2.65E-11	3.14E-11	3.64E-11	3.64E-11
nd150	1.78E-11	2.22E-11	2.66E-11	3.11E-11	3.55E-11	3.55E-11
cs137	1.74E-11	2.18E-11	2.61E-11	3.05E-11	3.48E-11	3.48E-11
eu156	3.35E-11	3.42E-11	3.45E-11	3.46E-11	3.46E-11	3.46E-11
xe136	1.71E-11	2.14E-11	2.57E-11	3.00E-11	3.43E-11	3.43E-11
sr 89	1.95E-11	2.20E-11	2.39E-11	2.54E-11	2.66E-11	2.66E-11
br 81	1.29E-11	1.61E-11	1.94E-11	2.26E-11	2.58E-11	2.58E-11
zr 94	1.09E-11	1.37E-11	1.64E-11	1.92E-11	2.19E-11	2.19E-11
kr 87	2.23E-11	2.30E-11	2.30E-11	2.30E-11	2.30E-11	2.15E-11
rb 85	1.00E-11	1.25E-11	1.51E-11	1.76E-11	2.01E-11	2.01E-11
ce143	1.75E-11	1.75E-11	1.75E-11	1.75E-11	1.75E-11	1.75E-11
la140	1.59E-11	1.61E-11	1.62E-11	1.62E-11	1.62E-11	1.62E-11
te130	7.78E-12	9.73E-12	1.17E-11	1.36E-11	1.56E-11	1.56E-11
cd111	7.09E-12	9.16E-12	1.12E-11	1.33E-11	1.54E-11	1.54E-11
sm154	7.55E-12	9.44E-12	1.13E-11	1.32E-11	1.51E-11	1.51E-11
kr 85	7.45E-12	9.31E-12	1.12E-11	1.30E-11	1.48E-11	1.48E-11
rb 87	7.31E-12	9.14E-12	1.10E-11	1.28E-11	1.46E-11	1.46E-11
mo 99	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11
se 77	5.63E-12	7.08E-12	8.54E-12	9.99E-12	1.14E-11	1.14E-11
kr 84	3.45E-12	4.31E-12	5.17E-12	6.04E-12	6.90E-12	6.90E-12
i131	6.79E-12	6.80E-12	6.80E-12	6.80E-12	6.80E-12	6.80E-12
ru106	3.25E-12	3.99E-12	4.70E-12	5.40E-12	6.07E-12	6.07E-12
sb121	2.68E-12	3.36E-12	4.04E-12	4.73E-12	5.41E-12	5.41E-12
se 79	2.64E-12	3.30E-12	3.96E-12	4.62E-12	5.29E-12	5.29E-12
ba137	1.17E-12	1.81E-12	2.58E-12	3.49E-12	4.54E-12	4.54E-12
te127m	2.59E-12	3.12E-12	3.60E-12	4.02E-12	4.39E-12	4.39E-12
kr 86	1.91E-12	2.39E-12	2.87E-12	3.35E-12	3.83E-12	3.83E-12
sb123	1.88E-12	2.36E-12	2.84E-12	3.33E-12	3.82E-12	3.82E-12
te128	1.71E-12	2.14E-12	2.56E-12	2.99E-12	3.42E-12	3.42E-12
se 80	1.23E-12	1.54E-12	1.85E-12	2.16E-12	2.47E-12	2.47E-12
gd156	9.52E-13	1.28E-12	1.61E-12	1.95E-12	2.28E-12	2.28E-12
dy161	9.25E-13	1.19E-12	1.46E-12	1.72E-12	1.99E-12	1.99E-12
te129m	1.41E-12	1.54E-12	1.62E-12	1.68E-12	1.72E-12	1.72E-12
tb159	7.62E-13	9.55E-13	1.15E-12	1.34E-12	1.53E-12	1.53E-12
sb125	6.99E-13	8.79E-13	1.06E-12	1.23E-12	1.40E-12	1.40E-12

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

0 fraction of total absorption rate

0 power= .00mw, burnup= 1.mwd, flux= 2.82E+08n/cm\*\*2-sec  
initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d

li 6	7.01E-13	8.76E-13	1.05E-12	1.23E-12	1.40E-12	1.40E-12
cd112	6.93E-13	8.69E-13	1.05E-12	1.22E-12	1.40E-12	1.40E-12
sm150	3.47E-13	5.32E-13	7.55E-13	1.02E-12	1.32E-12	1.32E-12
sn117	5.54E-13	6.93E-13	8.32E-13	9.71E-13	1.11E-12	1.11E-12
pd106	2.40E-13	3.71E-13	5.29E-13	7.11E-13	9.19E-13	9.19E-13
sn119	4.55E-13	5.68E-13	6.82E-13	7.96E-13	9.09E-13	9.09E-13

fission products

page 14

sn115	4.04E-13	5.10E-13	6.15E-13	7.21E-13	8.27E-13	8.27E-13
sr 88	3.51E-13	4.39E-13	5.27E-13	6.15E-13	7.03E-13	7.03E-13
pm148m	1.50E-13	2.31E-13	3.21E-13	4.19E-13	5.22E-13	5.22E-13
pd110	2.51E-13	3.13E-13	3.75E-13	4.38E-13	5.00E-13	5.00E-13
cd114	2.43E-13	3.04E-13	3.65E-13	4.26E-13	4.86E-13	4.86E-13
se 82	2.38E-13	2.98E-13	3.58E-13	4.17E-13	4.77E-13	4.77E-13
gd158	2.27E-13	2.84E-13	3.41E-13	3.98E-13	4.54E-13	4.54E-13
sn126	1.91E-13	2.38E-13	2.86E-13	3.34E-13	3.81E-13	3.81E-13
se 78	1.81E-13	2.27E-13	2.72E-13	3.18E-13	3.63E-13	3.63E-13
ag111	3.17E-13	3.17E-13	3.17E-13	3.17E-13	3.17E-13	3.17E-13
eu157	2.97E-13	2.96E-13	2.96E-13	2.96E-13	2.96E-13	2.96E-13
sn124	1.46E-13	1.82E-13	2.19E-13	2.55E-13	2.91E-13	2.91E-13
dy162	1.40E-13	1.74E-13	2.09E-13	2.43E-13	2.78E-13	2.78E-13
dy164	1.26E-13	1.57E-13	1.89E-13	2.20E-13	2.51E-13	2.51E-13
eu154	1.10E-13	1.39E-13	1.69E-13	1.98E-13	2.28E-13	2.28E-13
as 75	1.08E-13	1.35E-13	1.62E-13	1.90E-13	2.17E-13	2.17E-13
cd115m	1.61E-13	1.80E-13	1.94E-13	2.04E-13	2.12E-13	2.12E-13
y 90	7.60E-14	9.60E-14	1.16E-13	1.36E-13	1.56E-13	1.56E-13
sn118	5.96E-14	7.45E-14	8.93E-14	1.04E-13	1.19E-13	1.19E-13
cd116	5.05E-14	6.32E-14	7.58E-14	8.84E-14	1.01E-13	1.01E-13
sn122	5.02E-14	6.27E-14	7.52E-14	8.77E-14	1.00E-13	1.00E-13
ba136	4.28E-14	5.70E-14	7.13E-14	8.56E-14	9.99E-14	1.00E-13
zr 90	2.25E-14	3.58E-14	5.23E-14	7.18E-14	9.44E-14	9.44E-14
te125	2.01E-14	3.22E-14	4.73E-14	6.53E-14	8.64E-14	8.64E-14
sn120	3.76E-14	4.70E-14	5.63E-14	6.57E-14	7.51E-14	7.51E-14
kr 82	3.41E-14	4.29E-14	5.17E-14	6.04E-14	6.92E-14	6.92E-14
cs134	3.12E-14	3.93E-14	4.75E-14	5.58E-14	6.42E-14	6.42E-14
dy163	3.08E-14	3.84E-14	4.61E-14	5.37E-14	6.13E-14	6.13E-14
ge 73	2.92E-14	3.66E-14	4.39E-14	5.13E-14	5.86E-14	5.86E-14
cs136	5.43E-14	5.51E-14	5.54E-14	5.55E-14	5.56E-14	5.55E-14
ru 99	2.66E-14	3.38E-14	4.10E-14	4.82E-14	5.54E-14	5.54E-14
xe130	1.98E-14	2.48E-14	2.99E-14	3.49E-14	3.99E-14	3.99E-14
pm148	1.31E-14	1.76E-14	2.22E-14	2.67E-14	3.13E-14	3.12E-14
ru105	2.97E-14	2.96E-14	2.96E-14	2.96E-14	2.96E-14	2.95E-14
sn125	2.91E-14	2.92E-14	2.92E-14	2.93E-14	2.93E-14	2.92E-14
mo 96	1.44E-14	1.81E-14	2.17E-14	2.54E-14	2.91E-14	2.91E-14
ge 76	1.07E-14	1.34E-14	1.60E-14	1.87E-14	2.14E-14	2.14E-14
gd160	6.76E-15	8.44E-15	1.01E-14	1.18E-14	1.35E-14	1.35E-14
rb 88	1.28E-14	1.29E-14	1.29E-14	1.29E-14	1.29E-14	1.28E-14
i135	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.00E-14
te126	4.62E-15	5.91E-15	7.21E-15	8.50E-15	9.80E-15	9.80E-15
te132	9.56E-15	9.56E-15	9.56E-15	9.56E-15	9.56E-15	9.56E-15
sn123	3.30E-15	3.94E-15	4.52E-15	5.05E-15	5.53E-15	5.53E-15

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 1.mwd, flux= 2.82E+08n/cm\*\*2-sec  
 0 initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d

ru100	2.66E-15	3.34E-15	4.03E-15	4.72E-15	5.42E-15	5.42E-15
te134	5.46E-15	5.85E-15	5.85E-15	5.85E-15	5.09E-15	
ho165	2.12E-15	2.65E-15	3.18E-15	3.71E-15	4.24E-15	4.24E-15
sb126	2.95E-15	2.98E-15	3.00E-15	3.00E-15	3.00E-15	
sr 87	1.23E-15	1.53E-15	1.84E-15	2.15E-15	2.45E-15	2.45E-15
in117m	2.09E-15	2.09E-15	2.09E-15	2.09E-15	2.09E-15	2.09E-15
sb124	1.19E-15	1.37E-15	1.51E-15	1.62E-15	1.71E-15	1.71E-15
in113	4.02E-16	6.28E-16	9.04E-16	1.23E-15	1.61E-15	1.61E-15
nb 94	6.97E-16	8.72E-16	1.05E-15	1.22E-15	1.40E-15	1.40E-15
te124	4.52E-16	6.49E-16	8.67E-16	1.10E-15	1.35E-15	1.35E-15
ge 74	5.93E-16	7.41E-16	8.89E-16	1.04E-15	1.19E-15	1.19E-15
eu152	3.61E-16	4.74E-16	6.03E-16	7.51E-16	9.22E-16	9.22E-16

fission products

page 15

ge 72	3.96E-16	5.00E-16	6.04E-16	7.09E-16	8.13E-16	8.13E-16
i130	7.11E-16	7.14E-16	7.14E-16	7.15E-16	7.15E-16	7.10E-16
in117	6.15E-16	6.14E-16	6.14E-16	6.14E-16	6.14E-16	6.14E-16
sr 86	2.28E-16	3.11E-16	3.96E-16	4.81E-16	5.68E-16	5.68E-16
se 76	2.45E-16	3.08E-16	3.71E-16	4.33E-16	4.96E-16	4.96E-16
ba135	1.61E-16	2.09E-16	2.61E-16	3.17E-16	3.76E-16	3.76E-16
rb 86	2.25E-16	2.33E-16	2.37E-16	2.39E-16	2.40E-16	2.40E-16
tb160	1.51E-16	1.75E-16	1.95E-16	2.12E-16	2.27E-16	2.27E-16
dy165	2.10E-16	2.09E-16	2.09E-16	2.09E-16	2.09E-16	2.06E-16
sm148	2.92E-17	5.32E-17	8.55E-17	1.26E-16	1.76E-16	1.76E-16
nd142	4.27E-17	6.09E-17	8.30E-17	1.09E-16	1.40E-16	1.40E-16
gd154	2.98E-17	4.65E-17	6.71E-17	9.16E-17	1.20E-16	1.20E-16
er166	5.43E-17	6.91E-17	8.40E-17	9.88E-17	1.14E-16	1.14E-16
xe128	5.51E-17	6.90E-17	8.28E-17	9.67E-17	1.11E-16	1.11E-16
cd118	1.14E-16	1.20E-16	1.20E-16	1.20E-16	1.20E-16	1.07E-16
ge 75	8.50E-17	8.64E-17	8.64E-17	8.64E-17	8.64E-17	8.26E-17
ba134	1.88E-17	2.95E-17	4.25E-17	5.80E-17	7.61E-17	7.61E-17
gd152	3.24E-17	4.16E-17	5.17E-17	6.27E-17	7.49E-17	7.49E-17
cd110	1.92E-17	2.57E-17	3.29E-17	4.07E-17	4.92E-17	4.92E-17
pd104	8.40E-18	1.46E-17	2.31E-17	3.40E-17	4.73E-17	4.73E-17
dy160	1.27E-17	1.88E-17	2.58E-17	3.35E-17	4.18E-17	4.18E-17
kr 80	1.66E-17	2.07E-17	2.49E-17	2.91E-17	3.32E-17	3.32E-17
in119m	2.83E-17	3.01E-17	3.01E-17	3.01E-17	3.01E-17	2.50E-17
br 79	3.13E-18	4.59E-18	6.32E-18	8.32E-18	1.06E-17	1.06E-17
xe129	1.24E-18	1.91E-18	2.73E-18	3.70E-18	4.82E-18	4.82E-18
ag107	1.14E-18	1.79E-18	2.57E-18	3.50E-18	4.57E-18	4.57E-18
te122	2.05E-18	2.60E-18	3.16E-18	3.71E-18	4.27E-18	4.27E-18
be 9	1.34E-18	1.68E-18	2.01E-18	2.35E-18	2.69E-18	2.69E-18
pr142	1.28E-18	1.57E-18	1.88E-18	2.21E-18	2.54E-18	2.52E-18
nb 93	7.25E-19	9.13E-19	1.11E-18	1.31E-18	1.52E-18	1.52E-18
sn116	6.45E-19	8.19E-19	1.00E-18	1.19E-18	1.38E-18	1.38E-18
te123	4.43E-19	5.98E-19	7.65E-19	9.47E-19	1.14E-18	1.14E-18
li 7	5.40E-19	6.75E-19	8.09E-19	9.43E-19	1.08E-18	1.08E-18
in119	1.56E-18	2.35E-18	2.35E-18	2.35E-18	2.35E-18	7.42E-19
er167	2.15E-19	2.69E-19	3.26E-19	3.79E-19	4.33E-19	4.33E-19
cd109	2.01E-20	2.35E-20	2.69E-20	3.36E-20	3.69E-20	3.69E-20
cd108	1.01E-20	1.34E-20	1.68E-20	2.01E-20	2.35E-20	2.35E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate  
0 power= .00mw, burnup= 1.mwd, flux= 2.82E+08n/cm\*\*2-sec  
0 initial 91.3 d 109.6 d 127.8 d 146.1 d 146.1 d

1 cs134m 1.01E-20 1.34E-20 1.68E-20 1.68E-20 2.01E-20 2.01E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= 4.000E-03mw, burnup=5.8440E-01mwd, flux= 2.82E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
0 basis = single reactor assembly

	charge	91.3 d	109.6 d	127.8 d	146.1 d	146.1 d
h 1	1.76E-08	2.19E-08	2.62E-08	3.05E-08	3.48E-08	3.48E-08
h 2	5.22E-11	6.50E-11	7.77E-11	9.04E-11	1.03E-10	1.03E-10
h 3	3.81E-13	4.73E-13	5.65E-13	6.57E-13	7.48E-13	7.48E-13
h 4	.00E+00	1.92E-36	2.29E-36	2.67E-36	3.04E-36	.00E+00
he 3	2.15E-15	3.35E-15	4.81E-15	6.52E-15	8.50E-15	8.50E-15
he 4	2.91E-09	3.62E-09	4.33E-09	5.04E-09	5.75E-09	5.75E-09
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	3.50E-10	4.35E-10	5.20E-10	6.05E-10	6.91E-10	6.91E-10
ne 21	2.62E-18	4.03E-18	5.71E-18	7.66E-18	9.88E-18	9.88E-18
ne 22	5.99E-14	9.31E-14	1.33E-13	1.80E-13	2.34E-13	2.34E-13
ne 23	6.56E-17	7.10E-15	7.10E-15	7.10E-15	5.66E-19	

fission products page 16

light elements page 17

na 22	2.23E-12	2.75E-12	3.27E-12	3.78E-12	4.28E-12	4.28E-12
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	3.63E-08	3.07E-08	3.07E-08	3.07E-08	3.07E-08	3.05E-08
na 24m	5.99E-30	5.05E-15	5.05E-15	5.05E-15	5.05E-15	5.05E-30
na 25	6.08E-31	1.39E-29	1.66E-29	1.93E-29	2.20E-29	6.06E-32
mg 24	3.13E-06	3.80E-06	4.47E-06	5.14E-06	5.81E-06	5.81E-06
mg 25	3.83E-13	4.77E-13	5.70E-13	6.64E-13	7.58E-13	7.58E-13
mg 26	5.22E-11	6.50E-11	7.77E-11	9.04E-11	1.03E-10	1.03E-10
mg 27	1.60E-12	2.12E-12	2.12E-12	2.12E-12	2.12E-12	1.14E-12
mg 28	4.40E-24	4.32E-24	4.32E-24	4.32E-24	4.32E-24	4.30E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	7.33E-11	2.28E-10	2.28E-10	2.28E-10	2.28E-10	1.67E-11
al 29	3.89E-31	9.14E-31	1.30E-30	1.75E-30	2.27E-30	9.29E-31
al 30	.00E+00	7.01E-45	7.01E-45	1.40E-44	1.40E-44	.00E+00
si 28	8.79E-06	1.06E-05	1.25E-05	1.44E-05	1.62E-05	1.62E-05
si 29	2.26E-15	3.51E-15	5.00E-15	6.73E-15	8.70E-15	8.70E-15
si 30	6.21E-25	1.21E-24	2.09E-24	3.30E-24	4.90E-24	4.90E-24
si 31	4.37E-37	8.72E-37	1.50E-36	2.37E-36	3.51E-36	3.39E-36
si 32	.00E+00	.00E+00	.00E+00	.00E+00	1.40E-45	1.40E-45
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
0 flux	2.82E+08	2.82E+08	2.82E+08	2.82E+08	2.82E+08	2.82E+08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=5.8440E-01mdy, flux= 2.82E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

	charge	91.3 d	109.6 d	127.8 d	146.1 d	146.1 d
he 4	1.02E-05	1.27E-05	1.53E-05	1.78E-05	2.04E-05	2.04E-05
th226	1.34E-29	2.17E-29	3.24E-29	4.55E-29	6.08E-29	6.08E-29
th227	3.85E-16	6.77E-16	1.06E-15	1.54E-15	2.11E-15	2.11E-15
th228	1.32E-15	2.42E-15	3.98E-15	6.09E-15	8.81E-15	8.81E-15
th229	4.93E-13	8.84E-13	1.41E-12	2.07E-12	2.88E-12	2.88E-12
th230	5.11E-06	6.39E-06	7.66E-06	8.94E-06	1.02E-05	1.02E-05
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	1.03E-06	1.29E-06	1.55E-06	1.81E-06	2.07E-06	2.07E-06
th233	8.39E-18	1.19E-17	1.43E-17	1.66E-17	1.90E-17	1.46E-17
th234	4.71E-07	4.98E-07	5.14E-07	5.23E-07	5.29E-07	5.29E-07
pa231	1.53E-07	1.92E-07	2.31E-07	2.70E-07	3.09E-07	3.09E-07
pa232	2.63E-15	3.30E-15	3.97E-15	4.64E-15	5.31E-15	5.29E-15
pa233	1.23E-06	1.32E-06	1.37E-06	1.40E-06	1.42E-06	1.42E-06
pa234m	1.59E-11	1.68E-11	1.73E-11	1.76E-11	1.78E-11	1.78E-11
pa234	7.10E-12	7.50E-12	7.74E-12	7.88E-12	7.97E-12	7.97E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.29E-26	2.10E-26	3.14E-26	4.40E-26	5.89E-26	5.89E-26
u231	1.04E-21	1.46E-21	1.94E-21	2.43E-21	2.94E-21	2.94E-21
u232	1.84E-12	2.74E-12	3.81E-12	5.05E-12	6.46E-12	6.46E-12
u233	1.50E-06	2.10E-06	2.73E-06	3.38E-06	4.04E-06	4.04E-06
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	3.23E-06	3.16E-06	3.15E-06	3.15E-06	3.15E-06	3.15E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	2.90E-07	3.22E-07	3.22E-07	3.22E-07	3.22E-07	2.51E-07
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	1.09E-12	1.33E-12	1.57E-12	1.79E-12	2.01E-12	2.01E-12
np236m	2.15E-12	2.09E-12	2.09E-12	2.09E-12	2.09E-12	2.08E-12
np236	4.10E-11	5.09E-11	6.08E-11	7.07E-11	8.06E-11	8.06E-11
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
np238	1.58E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06

actinides

page 18

	4.75E-05	4.65E-05	4.65E-05	4.65E-05	4.65E-05	4.65E-05	4.65E-05
np239	.00E+00						
np240m	9.29E-15	9.48E-15	9.48E-15	9.48E-15	9.48E-15	8.63E-15	
np240	.00E+00						
np241	5.77E-11	7.15E-11	8.51E-11	9.85E-11	1.12E-10	1.12E-10	
pu236	1.46E-16	2.11E-16	2.83E-16	3.61E-16	4.42E-16	4.42E-16	
pu237	3.62E-05	4.55E-05	5.48E-05	6.42E-05	7.35E-05	7.35E-05	
pu238	9.74E-04	1.23E-03	1.48E-03	1.73E-03	1.98E-03	1.98E-03	
pu240	9.28E-10	1.47E-09	2.14E-09	2.92E-09	3.83E-09	3.83E-09	
pu241	1.22E-15	2.42E-15	4.21E-15	6.73E-15	1.01E-14	1.01E-14	
pu242	4.61E-22	1.15E-21	2.42E-21	4.53E-21	7.79E-21	7.79E-21	
pu243	1.00E-30	2.46E-30	5.18E-30	9.69E-30	1.67E-29	1.63E-29	
pu244	.00E+00						
pu245	.00E+00						
pu246	.00E+00						
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	
0 flux	2.82E+08	2.82E+08	2.82E+08	2.82E+08	2.82E+08	2.82E+07	

```

0   1q array has      20 entries.
0   3q array has      1 entries.
0   3q array has      1 entries.
0   3q array has      1 entries.
0   4q array has      1 entries.
0   54q array has     12 entries.
library information...

```

cross-section data taken from position number 3 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****  

*          prelim lwr origin-s binary working library--id = 1143      *
*          made from modified card-image origin-s libraries of scale 4.2    *
*          data from the light element, actinide, and fission product libraries  *
*          decay data, including gamma and total energy, are from endf/b-vi  *
*          neutron flux spectrum factors and cross sections were produced from   *
*          the "presas2" case updating all nuclides on the scale "burnup" library  *
*          fission product yields are from endf/b-v                         *
*          photon libraries use an 18-energy-group structure                 *
*          the photon data are from the master photon data base,            *
*          produced to include bremsstrahlung from uo2 matrix             *
*          see information above this box (if present) for later updates      *
*****
```

```

*
***** other identification and sizes of library. *****
0   data set name: ft33f001
0   8/28/1996 date library was produced
0       1697 total number of nuclides in library
0       689 number of light-element nuclides
0       129 number of actinide nuclides
0       879 number of fission product nuclides
0       7993 number of nonzero off-diagonal matrix elements
*****
0   sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
1   power= .00mw, burnup= 1.mwd, flux= 2.74E+08n/cm**2-sec
0   basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0   initial    164.4 d     182.6 d     200.9 d     219.2 d     219.2 d
0   productions  1.122439E+06  1.122440E+06  1.122440E+06  1.122441E+06  1.122441E+06
0   absorptions  9.157813E+05  9.157819E+05  9.157824E+05  9.157831E+05  9.157836E+05
0   k infinity   1.225663E+00  1.225662E+00  1.225662E+00  1.225661E+00  1.225661E+00
0   initial    164.4 d     182.6 d     200.9 d     219.2 d     219.2 d
0   actinide
0   absorptions  9.125454E+05  9.125456E+05  9.125458E+05  9.125460E+05  9.125463E+05
0   non-actinide
0   abs. fracs.  3.533483E-03  3.533840E-03  3.534257E-03  3.534734E-03  3.535092E-03
1   sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
0   fraction of total absorption rate
0   power= .00mw, burnup= 1.mwd, flux= 2.74E+08n/cm**2-sec
0   initial    164.4 d     182.6 d     200.9 d     219.2 d     219.2 d
0
sm149  2.93E-06  3.30E-06  3.67E-06  4.05E-06  4.42E-06  4.42E-06
xe135  2.33E-06  2.33E-06  2.33E-06  2.33E-06  2.33E-06  2.33E-06
sm151  1.36E-07  1.53E-07  1.70E-07  1.87E-07  2.04E-07  2.04E-07
nd143  5.72E-08  6.55E-08  7.39E-08  8.22E-08  9.06E-08  9.06E-08
gd157  3.18E-08  3.58E-08  3.97E-08  4.37E-08  4.77E-08  4.77E-08
cd113  2.63E-08  2.96E-08  3.29E-08  3.62E-08  3.94E-08  3.94E-08
pm147  2.45E-08  2.77E-08  3.09E-08  3.41E-08  3.72E-08  3.72E-08
rh103  1.77E-08  2.09E-08  2.42E-08  2.75E-08  3.09E-08  3.09E-08
xe131  1.74E-08  1.98E-08  2.22E-08  2.46E-08  2.69E-08  2.69E-08
cs133  1.48E-08  1.68E-08  1.88E-08  2.07E-08  2.27E-08  2.27E-08
tc 99   1.06E-08  1.19E-08  1.33E-08  1.47E-08  1.60E-08  1.60E-08
eu155  9.13E-09  1.02E-08  1.13E-08  1.24E-08  1.35E-08  1.35E-08
nd145  8.46E-09  9.52E-09  1.06E-08  1.16E-08  1.27E-08  1.27E-08
rh105  8.36E-09  8.36E-09  8.36E-09  8.36E-09  8.36E-09  8.36E-09
sm152  4.38E-09  4.93E-09  5.48E-09  6.02E-09  6.57E-09  6.57E-09
kr 83   3.63E-09  4.08E-09  4.54E-09  4.99E-09  5.45E-09  5.45E-09
cs135  3.36E-09  3.78E-09  4.20E-09  4.62E-09  5.05E-09  5.05E-09
ru101  2.54E-09  2.86E-09  3.18E-09  3.49E-09  3.81E-09  3.81E-09
mo 95   1.65E-09  2.11E-09  2.62E-09  3.16E-09  3.73E-09  3.73E-09
eu153  2.18E-09  2.46E-09  2.74E-09  3.02E-09  3.29E-09  3.29E-09
la139  2.02E-09  2.27E-09  2.52E-09  2.77E-09  3.03E-09  3.03E-09
pr141  1.72E-09  2.02E-09  2.33E-09  2.63E-09  2.94E-09  2.94E-09
pr143  2.87E-09  2.87E-09  2.87E-09  2.87E-09  2.87E-09  2.87E-09
gd155  1.17E-09  1.47E-09  1.81E-09  2.19E-09  2.60E-09  2.60E-09
xe133  2.06E-09  2.06E-09  2.06E-09  2.06E-09  2.06E-09  2.06E-09
ce141  1.55E-09  1.57E-09  1.59E-09  1.60E-09  1.61E-09  1.61E-09
pd105  9.31E-10  1.05E-09  1.17E-09  1.28E-09  1.40E-09  1.40E-09
zr 93   8.36E-10  9.41E-10  1.05E-09  1.15E-09  1.26E-09  1.26E-09
sm147  4.46E-10  5.76E-10  7.22E-10  8.83E-10  1.06E-09  1.06E-09
pm149  9.80E-10  9.80E-10  9.80E-10  9.80E-10  9.80E-10  9.80E-10
nd147  9.33E-10  9.33E-10  9.33E-10  9.33E-10  9.33E-10  9.33E-10

```

i129	5.89E-10	6.67E-10	7.45E-10	8.23E-10	9.01E-10	9.01E-10
mo 97	4.53E-10	5.11E-10	5.68E-10	6.25E-10	6.82E-10	6.82E-10
ag109	3.15E-10	3.54E-10	3.93E-10	4.33E-10	4.72E-10	4.72E-10
ru103	3.31E-10	3.38E-10	3.44E-10	3.48E-10	3.50E-10	3.50E-10
eu151	1.55E-10	1.96E-10	2.42E-10	2.93E-10	3.49E-10	3.49E-10
ru102	1.85E-10	2.09E-10	2.32E-10	2.55E-10	2.78E-10	2.78E-10
sr 90	1.69E-10	1.90E-10	2.11E-10	2.32E-10	2.53E-10	2.53E-10
ce142	1.68E-10	1.89E-10	2.10E-10	2.31E-10	2.52E-10	2.52E-10
ce144	1.81E-10	1.99E-10	2.17E-10	2.33E-10	2.50E-10	2.49E-10
nd148	1.61E-10	1.81E-10	2.01E-10	2.21E-10	2.41E-10	2.41E-10
y 89	1.17E-10	1.40E-10	1.63E-10	1.87E-10	2.11E-10	2.11E-10
zr 91	1.14E-10	1.37E-10	1.61E-10	1.85E-10	2.10E-10	2.10E-10
nd144	9.56E-11	1.19E-10	1.45E-10	1.73E-10	2.04E-10	2.04E-10
nd146	1.35E-10	1.52E-10	1.69E-10	1.86E-10	2.02E-10	2.02E-10
ba138	1.15E-10	1.30E-10	1.44E-10	1.59E-10	1.73E-10	1.73E-10
in115	1.08E-10	1.22E-10	1.36E-10	1.50E-10	1.64E-10	1.64E-10
pd108	1.08E-10	1.21E-10	1.34E-10	1.48E-10	1.61E-10	1.61E-10
ce140	9.79E-11	1.12E-10	1.26E-10	1.40E-10	1.55E-10	1.55E-10

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 1.mwd, flux= 2.74E+08n/cm\*\*2-sec  
 0 initial 164.4 d 182.6 d 200.9 d 219.2 d 219.2 d

zr 95	1.32E-10	1.38E-10	1.43E-10	1.47E-10	1.50E-10	1.50E-10
xe132	9.40E-11	1.06E-10	1.18E-10	1.30E-10	1.43E-10	1.43E-10
y 91	1.20E-10	1.25E-10	1.29E-10	1.32E-10	1.35E-10	1.35E-10
nb 95	9.40E-11	1.03E-10	1.12E-10	1.18E-10	1.24E-10	1.24E-10
pm151	1.10E-10	1.10E-10	1.10E-10	1.10E-10	1.10E-10	1.10E-10
mo 98	6.65E-11	7.49E-11	8.32E-11	9.15E-11	9.98E-11	9.98E-11
mo100	6.44E-11	7.25E-11	8.05E-11	8.86E-11	9.67E-11	9.67E-11
pd107	6.41E-11	7.21E-11	8.00E-11	8.80E-11	9.60E-11	9.60E-11
xe134	6.38E-11	7.17E-11	7.97E-11	8.77E-11	9.57E-11	9.57E-11
zr 92	5.22E-11	5.87E-11	6.52E-11	7.18E-11	7.83E-11	7.83E-11
zr 96	4.04E-11	4.55E-11	5.05E-11	5.56E-11	6.07E-11	6.07E-11
ru104	3.97E-11	4.46E-11	4.96E-11	5.45E-11	5.95E-11	5.95E-11
i127	3.63E-11	4.13E-11	4.63E-11	5.14E-11	5.65E-11	5.65E-11
nd150	3.55E-11	4.00E-11	4.44E-11	4.88E-11	5.33E-11	5.33E-11
cs137	3.48E-11	3.91E-11	4.34E-11	4.77E-11	5.20E-11	5.20E-11
xe136	3.44E-11	3.87E-11	4.30E-11	4.73E-11	5.16E-11	5.16E-11
ba140	4.75E-11	4.75E-11	4.75E-11	4.75E-11	4.75E-11	4.75E-11
br 81	2.58E-11	2.90E-11	3.22E-11	3.55E-11	3.87E-11	3.87E-11
sm153	3.82E-11	3.82E-11	3.82E-11	3.82E-11	3.82E-11	3.82E-11
eu156	3.48E-11	3.48E-11	3.48E-11	3.48E-11	3.48E-11	3.48E-11
zr 94	2.18E-11	2.46E-11	2.73E-11	3.00E-11	3.28E-11	3.28E-11
rb 85	2.01E-11	2.26E-11	2.52E-11	2.77E-11	3.02E-11	3.02E-11
sr 89	2.67E-11	2.77E-11	2.84E-11	2.90E-11	2.94E-11	2.94E-11
cd111	1.54E-11	1.75E-11	1.96E-11	2.17E-11	2.38E-11	2.38E-11
te130	1.56E-11	1.76E-11	1.96E-11	2.15E-11	2.35E-11	2.35E-11
sm154	1.51E-11	1.70E-11	1.89E-11	2.08E-11	2.27E-11	2.27E-11
kr 85	1.49E-11	1.67E-11	1.86E-11	2.04E-11	2.22E-11	2.22E-11
rb 87	1.46E-11	1.64E-11	1.83E-11	2.01E-11	2.19E-11	2.19E-11
kr 87	2.16E-11	2.31E-11	2.31E-11	2.31E-11	2.31E-11	2.08E-11
ce143	1.76E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11	1.75E-11
se 77	1.15E-11	1.30E-11	1.44E-11	1.59E-11	1.74E-11	1.74E-11
la140	1.62E-11	1.62E-11	1.62E-11	1.62E-11	1.62E-11	1.62E-11
mo 99	1.31E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.31E-11
kr 84	6.87E-12	7.73E-12	8.59E-12	9.45E-12	1.03E-11	1.03E-11
ba137	4.56E-12	5.76E-12	7.08E-12	8.55E-12	1.02E-11	1.02E-11
ru106	6.03E-12	6.68E-12	7.30E-12	7.90E-12	8.48E-12	8.48E-12
sb121	5.40E-12	6.08E-12	6.76E-12	7.44E-12	8.12E-12	8.12E-12

fission products

page 21

se 79	5.31E-12	5.98E-12	6.64E-12	7.31E-12	7.97E-12	7.97E-12
i131	6.81E-12	6.81E-12	6.81E-12	6.81E-12	6.81E-12	6.81E-12
sb123	3.81E-12	4.30E-12	4.79E-12	5.28E-12	5.78E-12	5.78E-12
kr 86	3.84E-12	4.32E-12	4.80E-12	5.28E-12	5.76E-12	5.76E-12
te127m	4.41E-12	4.74E-12	5.04E-12	5.31E-12	5.54E-12	5.54E-12
te128	3.42E-12	3.85E-12	4.27E-12	4.70E-12	5.13E-12	5.13E-12
se 80	2.48E-12	2.79E-12	3.10E-12	3.41E-12	3.72E-12	3.72E-12
gd156	2.27E-12	2.60E-12	2.93E-12	3.27E-12	3.60E-12	3.60E-12
dy161	2.00E-12	2.26E-12	2.53E-12	2.79E-12	3.06E-12	3.06E-12
sm150	1.32E-12	1.66E-12	2.04E-12	2.46E-12	2.92E-12	2.92E-12
tb159	1.53E-12	1.72E-12	1.91E-12	2.11E-12	2.30E-12	2.30E-12
li 6	1.41E-12	1.59E-12	1.76E-12	1.94E-12	2.11E-12	2.11E-12
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	power= .00mW, burnup= initial	164.4 d	182.6 d	200.9 d	219.2 d	219.2 d
0 fraction of total absorption rate	1.mwd, flux= 2.74E+08n/cm**2-sec					
0						
cd112	1.40E-12	1.58E-12	1.75E-12	1.93E-12	2.11E-12	2.11E-12
sb125	1.40E-12	1.57E-12	1.74E-12	1.91E-12	2.07E-12	2.07E-12
pd106	9.16E-13	1.15E-12	1.40E-12	1.67E-12	1.97E-12	1.97E-12
te129m	1.73E-12	1.76E-12	1.78E-12	1.79E-12	1.80E-12	1.80E-12
sn117	1.11E-12	1.25E-12	1.39E-12	1.53E-12	1.67E-12	1.67E-12
sn119	9.14E-13	1.03E-12	1.14E-12	1.26E-12	1.37E-12	1.37E-12
sn115	8.31E-13	9.38E-13	1.04E-12	1.15E-12	1.26E-12	1.26E-12
sr 88	7.05E-13	7.94E-13	8.82E-13	9.70E-13	1.06E-12	1.06E-12
pm148m	5.25E-13	6.30E-13	7.37E-13	8.45E-13	9.54E-13	9.54E-13
pd110	4.99E-13	5.61E-13	6.23E-13	6.85E-13	7.47E-13	7.47E-13
cd114	4.84E-13	5.44E-13	6.05E-13	6.65E-13	7.25E-13	7.25E-13
se 82	4.79E-13	5.39E-13	5.99E-13	6.58E-13	7.18E-13	7.18E-13
gd158	4.53E-13	5.10E-13	5.67E-13	6.23E-13	6.80E-13	6.80E-13
sn126	3.83E-13	4.31E-13	4.79E-13	5.27E-13	5.75E-13	5.75E-13
se 78	3.64E-13	4.09E-13	4.55E-13	5.00E-13	5.46E-13	5.46E-13
sn124	2.90E-13	3.26E-13	3.63E-13	3.99E-13	4.35E-13	4.35E-13
dy162	2.78E-13	3.13E-13	3.47E-13	3.81E-13	4.16E-13	4.16E-13
dy164	2.53E-13	2.84E-13	3.15E-13	3.47E-13	3.78E-13	3.78E-13
eu154	2.29E-13	2.60E-13	2.91E-13	3.23E-13	3.55E-13	3.55E-13
as 75	2.17E-13	2.44E-13	2.71E-13	2.98E-13	3.25E-13	3.25E-13
ag111	3.16E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13
eu157	2.96E-13	2.96E-13	2.96E-13	2.96E-13	2.96E-13	2.95E-13
y 90	1.57E-13	1.77E-13	1.96E-13	2.16E-13	2.36E-13	2.36E-13
cd115m	2.13E-13	2.19E-13	2.23E-13	2.27E-13	2.29E-13	2.29E-13
zr 90	9.47E-14	1.20E-13	1.49E-13	1.81E-13	2.16E-13	2.16E-13
te125	8.63E-14	1.10E-13	1.37E-13	1.67E-13	2.00E-13	2.00E-13
sn118	1.18E-13	1.33E-13	1.48E-13	1.63E-13	1.77E-13	1.77E-13
ba136	9.98E-14	1.14E-13	1.29E-13	1.43E-13	1.57E-13	1.57E-13
cd116	1.01E-13	1.13E-13	1.26E-13	1.38E-13	1.51E-13	1.51E-13
sn122	1.01E-13	1.13E-13	1.26E-13	1.38E-13	1.51E-13	1.51E-13
sn120	7.52E-14	8.45E-14	9.39E-14	1.03E-13	1.13E-13	1.13E-13
kr 82	6.94E-14	7.82E-14	8.70E-14	9.58E-14	1.05E-13	1.05E-13
cs134	6.44E-14	7.30E-14	8.16E-14	9.03E-14	9.92E-14	9.92E-14
dy163	6.14E-14	6.90E-14	7.66E-14	8.42E-14	9.18E-14	9.18E-14
ge 73	5.88E-14	6.62E-14	7.36E-14	8.09E-14	8.83E-14	8.83E-14
ru 99	5.53E-14	6.26E-14	6.99E-14	7.73E-14	8.47E-14	8.47E-14
xe130	4.01E-14	4.51E-14	5.02E-14	5.52E-14	6.03E-14	6.03E-14
cs136	5.54E-14	5.54E-14	5.55E-14	5.55E-14	5.55E-14	5.54E-14
pm148	3.11E-14	3.53E-14	3.97E-14	4.40E-14	4.83E-14	4.82E-14
mo 96	2.90E-14	3.27E-14	3.64E-14	4.01E-14	4.37E-14	4.37E-14
ge 76	2.14E-14	2.41E-14	2.68E-14	2.94E-14	3.21E-14	3.21E-14
sn125	2.92E-14	2.92E-14	2.92E-14	2.92E-14	2.92E-14	2.92E-14
ru105	2.94E-14	2.95E-14	2.95E-14	2.95E-14	2.95E-14	2.91E-14

fission products

page 22

gd160	1.35E-14	1.51E-14	1.68E-14	1.85E-14	2.02E-14	2.02E-14
te126	9.81E-15	1.11E-14	1.24E-14	1.37E-14	1.50E-14	1.50E-14
rb 88	1.29E-14	1.30E-14	1.30E-14	1.30E-14	1.28E-14	
i135	1.00E-14	1.02E-14	1.02E-14	1.02E-14	1.02E-14	9.98E-15
te132	9.58E-15	9.59E-15	9.59E-15	9.59E-15	9.59E-15	9.58E-15
ru100	5.45E-15	6.16E-15	6.87E-15	7.59E-15	8.32E-15	8.32E-15
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						
0						
0	power= .00mw, burnup= initial 164.4 d		1.mwd, flux= 2.74E+08n/cm**2-sec			
0			182.6 d 200.9 d 219.2 d 219.2 d			
sn123	5.49E-15	5.92E-15	6.31E-15	6.67E-15	6.99E-15	6.99E-15
ho165	4.24E-15	4.77E-15	5.30E-15	5.82E-15	6.35E-15	6.35E-15
te134	5.12E-15	5.89E-15	5.89E-15	5.89E-15	5.89E-15	4.78E-15
sr 87	2.46E-15	2.77E-15	3.08E-15	3.39E-15	3.70E-15	3.70E-15
in113	1.60E-15	2.03E-15	2.50E-15	3.03E-15	3.60E-15	3.60E-15
sb126	3.01E-15	3.01E-15	3.01E-15	3.01E-15	3.01E-15	3.01E-15
te124	1.36E-15	1.62E-15	1.89E-15	2.17E-15	2.46E-15	2.46E-15
in117m	2.10E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15
nb 94	1.39E-15	1.57E-15	1.74E-15	1.92E-15	2.09E-15	2.09E-15
sb124	1.71E-15	1.79E-15	1.85E-15	1.89E-15	1.93E-15	1.93E-15
eu152	9.26E-16	1.12E-15	1.35E-15	1.61E-15	1.90E-15	1.90E-15
ge 74	1.19E-15	1.34E-15	1.49E-15	1.64E-15	1.79E-15	1.79E-15
ge 72	8.17E-16	9.21E-16	1.03E-15	1.13E-15	1.24E-15	1.24E-15
sr 86	5.70E-16	6.57E-16	7.44E-16	8.31E-16	9.19E-16	9.19E-16
se 76	4.98E-16	5.62E-16	6.25E-16	6.88E-16	7.51E-16	7.51E-16
i130	7.11E-16	7.16E-16	7.16E-16	7.16E-16	7.16E-16	7.09E-16
ba135	3.76E-16	4.38E-16	5.04E-16	5.73E-16	6.45E-16	6.45E-16
in117	6.17E-16	6.17E-16	6.17E-16	6.17E-16	6.17E-16	6.16E-16
sm148	1.76E-16	2.35E-16	3.03E-16	3.80E-16	4.66E-16	4.66E-16
nd142	1.40E-16	1.75E-16	2.15E-16	2.58E-16	3.07E-16	3.07E-16
gd154	1.21E-16	1.53E-16	1.90E-16	2.31E-16	2.76E-16	2.76E-16
tb160	2.28E-16	2.40E-16	2.50E-16	2.59E-16	2.67E-16	2.67E-16
rb 86	2.41E-16	2.42E-16	2.42E-16	2.42E-16	2.42E-16	2.42E-16
dy165	2.07E-16	2.10E-16	2.10E-16	2.10E-16	2.10E-16	2.03E-16
ba134	7.61E-17	9.67E-17	1.20E-16	1.46E-16	1.74E-16	1.74E-16
er166	1.14E-16	1.29E-16	1.44E-16	1.59E-16	1.74E-16	1.74E-16
xe128	1.11E-16	1.25E-16	1.39E-16	1.53E-16	1.67E-16	1.67E-16
gd152	7.54E-17	8.89E-17	1.04E-16	1.21E-16	1.39E-16	1.39E-16
pd104	4.71E-17	6.29E-17	8.13E-17	1.02E-16	1.26E-16	1.26E-16
cd118	1.08E-16	1.21E-16	1.21E-16	1.21E-16	1.02E-16	
cd110	4.94E-17	5.85E-17	6.81E-17	7.84E-17	8.93E-17	8.93E-17
ge 75	8.31E-17	8.69E-17	8.69E-17	8.69E-17	8.69E-17	8.04E-17
dy160	4.17E-17	5.05E-17	5.97E-17	6.93E-17	7.91E-17	7.91E-17
kr 80	3.33E-17	3.75E-17	4.17E-17	4.59E-17	5.00E-17	5.00E-17
br 79	1.06E-17	1.31E-17	1.60E-17	1.90E-17	2.24E-17	2.24E-17
in119m	2.51E-17	3.02E-17	3.02E-17	3.02E-17	3.02E-17	2.17E-17
xe129	4.82E-18	6.10E-18	7.52E-18	9.10E-18	1.08E-17	1.08E-17
ag107	4.59E-18	5.81E-18	7.16E-18	8.66E-18	1.03E-17	1.03E-17
te122	4.26E-18	4.82E-18	5.38E-18	5.95E-18	6.51E-18	6.51E-18
be 9	2.67E-18	3.00E-18	3.33E-18	3.67E-18	4.00E-18	4.00E-18
pr142	2.53E-18	2.88E-18	3.22E-18	3.57E-18	3.92E-18	3.89E-18
nb 93	1.53E-18	1.75E-18	1.98E-18	2.23E-18	2.48E-18	2.48E-18
sn116	1.37E-18	1.57E-18	1.78E-18	1.98E-18	2.20E-18	2.20E-18
te123	1.14E-18	1.35E-18	1.56E-18	1.78E-18	2.01E-18	2.01E-18
li 7	1.09E-18	1.22E-18	1.36E-18	1.49E-18	1.63E-18	1.63E-18
er167	4.35E-19	4.89E-19	5.43E-19	6.00E-19	6.54E-19	6.54E-19
in119	7.45E-19	2.36E-18	2.36E-18	2.36E-18	2.36E-18	3.40E-19
cd109	3.71E-20	4.04E-20	4.38E-20	4.72E-20	5.05E-20	5.05E-20
cd108	2.36E-20	2.36E-20	2.70E-20	3.03E-20	3.37E-20	3.37E-20

fission products

page 23

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 1.mwd, flux= 2.74E+08n/cm\*\*2-sec  
 0 initial 164.4 d 182.6 d 200.9 d 219.2 d 219.2 d

fission products

page 24

cs134m 2.02E-20 2.36E-20 2.70E-20 3.03E-20 3.03E-20 3.03E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=8.7659E-01mwd, flux= 2.74E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

light elements

page 25

	charge	164.4 d	182.6 d	200.9 d	219.2 d	219.2 d
h 1	3.48E-08	3.91E-08	4.33E-08	4.76E-08	5.18E-08	5.18E-08
h 2	1.03E-10	1.16E-10	1.28E-10	1.41E-10	1.54E-10	1.54E-10
h 3	7.48E-13	8.39E-13	9.29E-13	1.02E-12	1.11E-12	1.11E-12
h 4	.00E+00	3.41E-36	3.78E-36	4.14E-36	4.51E-36	.00E+00
he 3	8.50E-15	1.07E-14	1.32E-14	1.59E-14	1.89E-14	1.89E-14
he 4	5.75E-09	6.45E-09	7.16E-09	7.86E-09	8.57E-09	8.57E-09
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	6.91E-10	7.75E-10	8.60E-10	9.44E-10	1.03E-09	1.03E-09
ne 21	9.88E-18	1.23E-17	1.50E-17	1.80E-17	2.12E-17	2.12E-17
ne 22	2.34E-13	2.94E-13	3.61E-13	4.34E-13	5.14E-13	5.14E-13
ne 23	5.66E-19	7.04E-15	7.04E-15	7.04E-15	7.04E-15	5.25E-21
na 22	4.28E-12	4.78E-12	5.26E-12	5.74E-12	6.22E-12	6.22E-12
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	3.05E-08	2.85E-08	2.85E-08	2.85E-08	2.85E-08	2.82E-08
na 24m	5.05E-30	4.68E-15	4.68E-15	4.68E-15	4.68E-15	4.68E-30
na 25	6.06E-32	2.44E-29	2.71E-29	2.97E-29	3.24E-29	4.81E-33
mg 24	5.81E-06	6.43E-06	7.05E-06	7.67E-06	8.29E-06	8.29E-06
mg 25	7.58E-13	8.51E-13	9.43E-13	1.04E-12	1.13E-12	1.13E-12
mg 26	1.03E-10	1.16E-10	1.28E-10	1.41E-10	1.54E-10	1.54E-10
mg 27	1.14E-12	2.10E-12	2.10E-12	2.10E-12	2.10E-12	8.34E-13
mg 28	4.30E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24	4.26E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	1.67E-11	2.11E-10	2.11E-10	2.11E-10	2.11E-10	4.24E-12
al 29	9.29E-31	2.80E-30	3.42E-30	4.10E-30	4.84E-30	1.27E-30
al 30	.00E+00	2.24E-44	2.94E-44	4.34E-44	5.89E-44	.00E+00
si 28	1.62E-05	1.79E-05	1.96E-05	2.14E-05	2.31E-05	2.31E-05
si 29	8.70E-15	1.09E-14	1.33E-14	1.60E-14	1.88E-14	1.88E-14
si 30	4.90E-24	6.93E-24	9.43E-24	1.25E-23	1.61E-23	1.61E-23
si 31	3.39E-36	4.98E-36	6.78E-36	8.96E-36	1.16E-35	1.09E-35
si 32	1.40E-45	2.80E-45	4.20E-45	7.01E-45	1.12E-44	1.12E-44
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux	2.74E+08	2.74E+08	2.74E+08	2.74E+08	2.74E+08	2.74E+07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=8.7659E-01mwd, flux= 2.74E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

actinides

page 26

	charge	164.4 d	182.6 d	200.9 d	219.2 d	219.2 d
he 4	2.04E-05	2.30E-05	2.56E-05	2.81E-05	3.07E-05	3.07E-05
th226	6.08E-29	7.78E-29	9.72E-29	1.19E-28	1.43E-28	1.43E-28
th227	2.11E-15	2.77E-15	3.53E-15	4.39E-15	5.33E-15	5.34E-15
th228	8.81E-15	1.22E-14	1.64E-14	2.13E-14	2.72E-14	2.72E-14
th229	2.88E-12	3.83E-12	4.93E-12	6.18E-12	7.57E-12	7.57E-12
th230	1.02E-05	1.15E-05	1.28E-05	1.41E-05	1.53E-05	1.53E-05
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	2.07E-06	2.32E-06	2.58E-06	2.84E-06	3.10E-06	3.10E-06
th233	1.46E-17	2.13E-17	2.37E-17	2.61E-17	2.84E-17	1.92E-17
th234	5.29E-07	5.32E-07	5.34E-07	5.35E-07	5.36E-07	5.36E-07

pa231	3.09E-07	3.48E-07	3.87E-07	4.26E-07	4.65E-07	4.65E-07
pa232	5.29E-15	5.98E-15	6.65E-15	7.32E-15	7.99E-15	7.96E-15
pa233	1.42E-06	1.43E-06	1.44E-06	1.45E-06	1.45E-06	1.45E-06
pa234m	1.78E-11	1.79E-11	1.80E-11	1.81E-11	1.81E-11	1.81E-11
pa234	7.97E-12	8.02E-12	8.05E-12	8.06E-12	8.07E-12	8.07E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	5.89E-26	7.54E-26	9.42E-26	1.15E-25	1.38E-25	1.38E-25
u231	2.94E-21	3.41E-21	3.91E-21	4.43E-21	4.94E-21	4.94E-21
u232	6.46E-12	8.02E-12	9.75E-12	1.16E-11	1.37E-11	1.37E-11
u233	4.04E-06	4.71E-06	5.38E-06	6.06E-06	6.74E-06	6.74E-06
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	3.15E-06	3.12E-06	3.11E-06	3.11E-06	3.11E-06	3.11E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	2.51E-07	3.19E-07	3.19E-07	3.19E-07	3.19E-07	2.19E-07
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	2.01E-12	2.22E-12	2.42E-12	2.62E-12	2.81E-12	2.81E-12
np236m	2.08E-12	2.06E-12	2.06E-12	2.06E-12	2.05E-12	2.05E-12
np236	8.06E-11	9.04E-11	1.00E-10	1.10E-10	1.20E-10	1.20E-10
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
np238	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06
np239	4.65E-05	4.61E-05	4.61E-05	4.61E-05	4.61E-05	4.61E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	8.63E-15	9.37E-15	9.37E-15	9.37E-15	9.37E-15	8.14E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.12E-10	1.25E-10	1.38E-10	1.50E-10	1.63E-10	1.63E-10
pu237	4.42E-16	5.24E-16	6.08E-16	6.95E-16	7.82E-16	7.82E-16
pu238	7.35E-05	8.28E-05	9.20E-05	1.01E-04	1.11E-04	1.11E-04
pu239	1.98E-03	2.22E-03	2.47E-03	2.72E-03	2.97E-03	2.97E-03
pu240	3.83E-09	4.87E-09	6.02E-09	7.29E-09	8.69E-09	8.69E-09
pu241	1.01E-14	1.44E-14	1.98E-14	2.63E-14	3.42E-14	3.42E-14
pu242	7.79E-21	1.25E-20	1.92E-20	2.81E-20	3.99E-20	3.99E-20
pu243	1.63E-29	2.65E-29	4.05E-29	5.95E-29	8.44E-29	8.19E-29
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
0 flux	2.74E+08	2.74E+08	2.74E+08	2.74E+08	2.74E+08	2.74E-07

```

0      1q array has    20 entries.
0      3q array has    1 entries.
0      3q array has    1 entries.
0      3q array has    1 entries.
0      4q array has    1 entries.
0      54q array has   12 entries.

```

library information...

cross-section data taken from position number 4 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*

```

used a time-dependent neutron spectrum, for each of the above passes  
 pass 0 applies start-up fuel densities  
 pass n applies mid time densities of nth library interval  
 first library updated was...  
\*\*\*\*\*

\*  
\*        prelim lwr origin-s binary working library--id = 1143        \*  
\*        made from modified card-image origin-s libraries of scale 4.2        \*  
\*        data from the light element, actinide, and fission product libraries        \*  
\*        decay data, including gamma and total energy, are from endf/b-vi        \*  
\*  
\*        neutron flux spectrum factors and cross sections were produced from        \*  
\*        the "presas2" case updating all nuclides on the scale "burnup" library        \*  
\*  
\*        fission product yields are from endf/b-v        \*  
\*  
\*        photon libraries use an 18-energy-group structure        \*  
\*        the photon data are from the master photon data base,        \*  
\*        produced to include bremsstrahlung from uo2 matrix        \*  
\*  
\*        see information above this box (if present) for later updates        \*

0  
0        .other identification and sizes of library.  
0        data set name: ft33f001  
0        8/28/1996        date library was produced  
0        1697        total number of nuclides in library  
0        689        number of light-element nuclides  
0        129        number of actinide nuclides  
0        879        number of fission product nuclides  
0        7993        number of nonzero off-diagonal matrix elements  
0        \*\*\*\*\*  
1        sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2        page 27  
0        power= .00mw, burnup= 1.mwd, flux= 2.71E+08n/cm\*\*2-sec  
0        basis =  
0        (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)  
0        initial        237.4 d        255.7 d        274.0 d        292.2 d        292.2 d  
0        productions        1.134699E+06        1.134700E+06        1.134700E+06        1.134701E+06        1.134701E+06  
0        absorptions        9.243443E+05        9.243449E+05        9.243456E+05        9.243463E+05        9.243468E+05  
0        k infinity        1.227572E+00        1.227571E+00        1.227571E+00        1.227570E+00        1.227570E+00  
0        initial        237.4 d        255.7 d        274.0 d        292.2 d        292.2 d  
0        actinide  
0        absorptions        9.211681E+05        9.211683E+05        9.211685E+05        9.211688E+05        9.211689E+05  
0        non-actinide  
0        abs. fracs.        3.436208E-03        3.436625E-03        3.437161E-03        3.437579E-03        3.437996E-03        3.437996E-03  
1        sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2        fission products        page 28  
0        power= .00mw, burnup= 1.mwd, flux= 2.71E+08n/cm\*\*2-sec  
0        initial        237.4 d        255.7 d        274.0 d        292.2 d        292.2 d  
  
sm149        4.43E-06        4.81E-06        5.18E-06        5.56E-06        5.93E-06        5.93E-06  
xe135        2.33E-06        2.33E-06        2.33E-06        2.33E-06        2.33E-06        2.33E-06  
sm151        2.04E-07        2.21E-07        2.39E-07        2.56E-07        2.73E-07        2.73E-07  
nd143        9.07E-08        9.91E-08        1.07E-07        1.16E-07        1.24E-07        1.24E-07  
gd157        4.78E-08        5.18E-08        5.58E-08        5.97E-08        6.37E-08        6.37E-08  
cd113        3.95E-08        4.28E-08        4.61E-08        4.94E-08        5.27E-08        5.27E-08  
pm147        3.72E-08        4.03E-08        4.33E-08        4.63E-08        4.93E-08        4.93E-08  
rh103        3.09E-08        3.43E-08        3.77E-08        4.11E-08        4.45E-08        4.45E-08

xe131	2.69E-08	2.93E-08	3.17E-08	3.40E-08	3.64E-08	3.64E-08
cs133	2.27E-08	2.46E-08	2.66E-08	2.86E-08	3.06E-08	3.06E-08
tc 99	1.60E-08	1.73E-08	1.87E-08	2.01E-08	2.14E-08	2.14E-08
eu155	1.35E-08	1.46E-08	1.56E-08	1.67E-08	1.77E-08	1.77E-08
nd145	1.27E-08	1.38E-08	1.48E-08	1.59E-08	1.69E-08	1.69E-08
sm152	6.56E-09	7.11E-09	7.65E-09	8.20E-09	8.75E-09	8.75E-09
rh105	8.37E-09	8.36E-09	8.36E-09	8.36E-09	8.36E-09	8.36E-09
kr 83	5.46E-09	5.91E-09	6.37E-09	6.82E-09	7.28E-09	7.28E-09
cs135	5.04E-09	5.47E-09	5.89E-09	6.31E-09	6.73E-09	6.73E-09
mo 95	3.72E-09	4.32E-09	4.94E-09	5.57E-09	6.22E-09	6.22E-09
ru101	3.80E-09	4.12E-09	4.44E-09	4.75E-09	5.07E-09	5.07E-09
gd155	2.61E-09	3.05E-09	3.53E-09	4.04E-09	4.58E-09	4.58E-09
eu153	3.29E-09	3.57E-09	3.85E-09	4.13E-09	4.40E-09	4.40E-09
pr141	2.94E-09	3.25E-09	3.56E-09	3.87E-09	4.18E-09	4.18E-09
la139	3.03E-09	3.28E-09	3.53E-09	3.79E-09	4.04E-09	4.04E-09
pr143	2.88E-09	2.88E-09	2.88E-09	2.88E-09	2.88E-09	2.88E-09
xe133	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09
sm147	1.06E-09	1.25E-09	1.46E-09	1.68E-09	1.92E-09	1.92E-09
pd105	1.40E-09	1.52E-09	1.64E-09	1.75E-09	1.87E-09	1.87E-09
zr 93	1.25E-09	1.36E-09	1.46E-09	1.57E-09	1.67E-09	1.67E-09
ce141	1.61E-09	1.61E-09	1.62E-09	1.62E-09	1.62E-09	1.62E-09
i129	9.03E-10	9.81E-10	1.06E-09	1.14E-09	1.22E-09	1.22E-09
pm149	9.82E-10	9.82E-10	9.82E-10	9.82E-10	9.82E-10	9.82E-10
nd147	9.31E-10	9.31E-10	9.32E-10	9.32E-10	9.32E-10	9.31E-10
mo 97	6.83E-10	7.40E-10	7.97E-10	8.54E-10	9.11E-10	9.11E-10
ag109	4.71E-10	5.11E-10	5.50E-10	5.89E-10	6.29E-10	6.29E-10
eu151	3.49E-10	4.10E-10	4.76E-10	5.47E-10	6.22E-10	6.22E-10
ru102	2.78E-10	3.02E-10	3.25E-10	3.48E-10	3.71E-10	3.71E-10
ru103	3.51E-10	3.53E-10	3.54E-10	3.55E-10	3.56E-10	3.56E-10
nd144	2.04E-10	2.36E-10	2.70E-10	3.06E-10	3.44E-10	3.44E-10
sr 90	2.53E-10	2.74E-10	2.95E-10	3.16E-10	3.37E-10	3.37E-10
ce142	2.52E-10	2.73E-10	2.95E-10	3.16E-10	3.37E-10	3.37E-10
nd148	2.41E-10	2.61E-10	2.81E-10	3.01E-10	3.21E-10	3.21E-10
zr 91	2.10E-10	2.36E-10	2.61E-10	2.87E-10	3.14E-10	3.14E-10
y 89	2.12E-10	2.37E-10	2.61E-10	2.87E-10	3.12E-10	3.12E-10
ce144	2.50E-10	2.65E-10	2.80E-10	2.94E-10	3.07E-10	3.07E-10
nd146	2.03E-10	2.20E-10	2.37E-10	2.53E-10	2.70E-10	2.70E-10
ba138	1.73E-10	1.88E-10	2.02E-10	2.17E-10	2.31E-10	2.31E-10
in115	1.64E-10	1.78E-10	1.92E-10	2.06E-10	2.20E-10	2.20E-10
pd108	1.61E-10	1.74E-10	1.87E-10	2.01E-10	2.14E-10	2.14E-10
ce140	1.55E-10	1.69E-10	1.83E-10	1.98E-10	2.12E-10	2.12E-10

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

0 fraction of total absorption rate  
0 power= .00mw, burnup= 1.mwd, flux= 2.71E+08n/cm\*\*2-sec  
0 initial 237.4 d 255.7 d 274.0 d 292.2 d 292.2 d

xe132	1.43E-10	1.55E-10	1.67E-10	1.79E-10	1.91E-10	1.91E-10
zr 95	1.50E-10	1.53E-10	1.55E-10	1.57E-10	1.58E-10	1.58E-10
y 91	1.35E-10	1.37E-10	1.39E-10	1.41E-10	1.42E-10	1.42E-10
nb 95	1.24E-10	1.29E-10	1.33E-10	1.37E-10	1.40E-10	1.40E-10
mo 98	9.96E-11	1.08E-10	1.16E-10	1.25E-10	1.33E-10	1.33E-10
mo100	9.66E-11	1.05E-10	1.13E-10	1.21E-10	1.29E-10	1.29E-10
pd107	9.60E-11	1.04E-10	1.12E-10	1.20E-10	1.28E-10	1.28E-10
xe134	9.58E-11	1.04E-10	1.12E-10	1.20E-10	1.28E-10	1.28E-10
pm151	1.10E-10	1.11E-10	1.11E-10	1.11E-10	1.11E-10	1.10E-10
zr 92	7.84E-11	8.50E-11	9.15E-11	9.81E-11	1.05E-10	1.05E-10
zr 96	6.05E-11	6.55E-11	7.05E-11	7.56E-11	8.06E-11	8.06E-11
ru104	5.95E-11	6.44E-11	6.93E-11	7.43E-11	7.92E-11	7.93E-11
i127	5.65E-11	6.16E-11	6.67E-11	7.19E-11	7.71E-11	7.71E-11
nd150	5.33E-11	5.77E-11	6.22E-11	6.66E-11	7.10E-11	7.10E-11

fission products

page 29

cs137	5.20E-11	5.63E-11	6.06E-11	6.49E-11	6.92E-11	6.92E-11
xe136	5.17E-11	5.60E-11	6.03E-11	6.46E-11	6.89E-11	6.89E-11
br 81	3.87E-11	4.19E-11	4.51E-11	4.84E-11	5.16E-11	5.16E-11
ba140	4.75E-11	4.76E-11	4.76E-11	4.76E-11	4.76E-11	4.75E-11
zr 94	3.27E-11	3.54E-11	3.82E-11	4.09E-11	4.36E-11	4.36E-11
rb 85	3.02E-11	3.28E-11	3.53E-11	3.79E-11	4.04E-11	4.04E-11
sm153	3.82E-11	3.82E-11	3.82E-11	3.82E-11	3.82E-11	3.82E-11
eu156	3.48E-11	3.48E-11	3.48E-11	3.48E-11	3.48E-11	3.48E-11
cd111	2.38E-11	2.59E-11	2.80E-11	3.01E-11	3.21E-11	3.21E-11
te130	2.35E-11	2.55E-11	2.74E-11	2.94E-11	3.13E-11	3.13E-11
sr 89	2.94E-11	2.98E-11	3.01E-11	3.03E-11	3.04E-11	3.04E-11
sm154	2.27E-11	2.46E-11	2.65E-11	2.84E-11	3.03E-11	3.03E-11
kr 85	2.23E-11	2.41E-11	2.59E-11	2.77E-11	2.95E-11	2.95E-11
rb 87	2.19E-11	2.38E-11	2.56E-11	2.74E-11	2.92E-11	2.92E-11
se 77	1.74E-11	1.89E-11	2.03E-11	2.18E-11	2.33E-11	2.33E-11
kr 87	2.09E-11	2.32E-11	2.32E-11	2.32E-11	2.32E-11	2.01E-11
ba137	1.02E-11	1.19E-11	1.38E-11	1.58E-11	1.80E-11	1.80E-11
ce143	1.76E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11
la140	1.62E-11	1.62E-11	1.62E-11	1.62E-11	1.62E-11	1.62E-11
kr 84	1.03E-11	1.11E-11	1.20E-11	1.29E-11	1.37E-11	1.37E-11
mo 99	1.31E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.31E-11
sb121	8.11E-12	8.79E-12	9.47E-12	1.02E-11	1.08E-11	1.08E-11
se 79	7.99E-12	8.66E-12	9.32E-12	9.99E-12	1.07E-11	1.07E-11
ru106	8.46E-12	9.02E-12	9.56E-12	1.01E-11	1.06E-11	1.06E-11
sb123	5.77E-12	6.27E-12	6.76E-12	7.26E-12	7.76E-12	7.76E-12
kr 86	5.77E-12	6.25E-12	6.73E-12	7.22E-12	7.70E-12	7.70E-12
te128	5.13E-12	5.56E-12	5.98E-12	6.41E-12	6.84E-12	6.84E-12
i131	6.81E-12	6.81E-12	6.81E-12	6.81E-12	6.81E-12	6.81E-12
te127m	5.55E-12	5.76E-12	5.95E-12	6.12E-12	6.27E-12	6.27E-12
sm150	2.92E-12	3.42E-12	3.96E-12	4.54E-12	5.15E-12	5.15E-12
se 80	3.72E-12	4.03E-12	4.34E-12	4.65E-12	4.96E-12	4.96E-12
gd156	3.59E-12	3.92E-12	4.26E-12	4.59E-12	4.92E-12	4.92E-12
dy161	3.06E-12	3.33E-12	3.59E-12	3.86E-12	4.13E-12	4.13E-12
pd106	1.97E-12	2.29E-12	2.62E-12	2.98E-12	3.35E-12	3.35E-12
tb159	2.30E-12	2.49E-12	2.68E-12	2.87E-12	3.06E-12	3.06E-12

1

sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

0

fission products

page 30

0

fraction of total absorption rate

0

power= .00mw, burnup= 1.mwd, flux= 2.71E+08n/cm**2-sec
initial 237.4 d 255.7 d 274.0 d 292.2 d 292.2 d

li 6	2.12E-12	2.30E-12	2.47E-12	2.65E-12	2.83E-12	2.83E-12
cd112	2.11E-12	2.29E-12	2.46E-12	2.64E-12	2.81E-12	2.81E-12
sb125	2.07E-12	2.23E-12	2.39E-12	2.55E-12	2.71E-12	2.71E-12
sn117	1.67E-12	1.81E-12	1.95E-12	2.09E-12	2.23E-12	2.23E-12
sn119	1.37E-12	1.49E-12	1.60E-12	1.72E-12	1.83E-12	1.83E-12
te129m	1.80E-12	1.81E-12	1.81E-12	1.81E-12	1.82E-12	1.82E-12
sn115	1.26E-12	1.37E-12	1.47E-12	1.58E-12	1.68E-12	1.68E-12
sr 88	1.06E-12	1.15E-12	1.24E-12	1.33E-12	1.41E-12	1.41E-12
pm148m	9.56E-13	1.06E-12	1.17E-12	1.28E-12	1.39E-12	1.39E-12
pd110	7.46E-13	8.08E-13	8.71E-13	9.33E-13	9.95E-13	9.95E-13
cd114	7.24E-13	7.84E-13	8.44E-13	9.05E-13	9.65E-13	9.65E-13
se 82	7.19E-13	7.79E-13	8.39E-13	8.99E-13	9.59E-13	9.59E-13
gd158	6.79E-13	7.36E-13	7.92E-13	8.49E-13	9.06E-13	9.06E-13
sn126	5.76E-13	6.25E-13	6.73E-13	7.21E-13	7.69E-13	7.69E-13
se 78	5.46E-13	5.92E-13	6.37E-13	6.83E-13	7.28E-13	7.28E-13
sn124	4.34E-13	4.70E-13	5.07E-13	5.43E-13	5.79E-13	5.79E-13
dy162	4.16E-13	4.50E-13	4.85E-13	5.19E-13	5.53E-13	5.53E-13
dy164	3.79E-13	4.10E-13	4.41E-13	4.73E-13	5.04E-13	5.04E-13
eu154	3.56E-13	3.88E-13	4.21E-13	4.55E-13	4.89E-13	4.89E-13
as 75	3.25E-13	3.53E-13	3.80E-13	4.07E-13	4.34E-13	4.34E-13

zr 90	2.17E-13	2.55E-13	2.96E-13	3.41E-13	3.88E-13	3.88E-13
te125	2.00E-13	2.36E-13	2.75E-13	3.16E-13	3.61E-13	3.61E-13
y 90	2.37E-13	2.57E-13	2.77E-13	2.96E-13	3.16E-13	3.16E-13
ag111	3.15E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13
eu157	2.96E-13	2.97E-13	2.97E-13	2.97E-13	2.97E-13	2.95E-13
sn118	1.77E-13	1.92E-13	2.06E-13	2.21E-13	2.36E-13	2.36E-13
cd115m	2.30E-13	2.32E-13	2.33E-13	2.34E-13	2.35E-13	2.35E-13
ba136	1.57E-13	1.72E-13	1.86E-13	2.00E-13	2.15E-13	2.15E-13
sn122	1.51E-13	1.64E-13	1.76E-13	1.89E-13	2.01E-13	2.01E-13
cd116	1.51E-13	1.63E-13	1.76E-13	1.88E-13	2.01E-13	2.01E-13
sn120	1.13E-13	1.22E-13	1.31E-13	1.41E-13	1.50E-13	1.50E-13
kr 82	1.05E-13	1.14E-13	1.22E-13	1.31E-13	1.40E-13	1.40E-13
cs134	9.93E-14	1.08E-13	1.17E-13	1.26E-13	1.36E-13	1.36E-13
dy163	9.19E-14	9.95E-14	1.07E-13	1.15E-13	1.22E-13	1.22E-13
ge 73	8.84E-14	9.58E-14	1.03E-13	1.11E-13	1.18E-13	1.18E-13
ru 99	8.46E-14	9.20E-14	9.95E-14	1.07E-13	1.15E-13	1.15E-13
xe130	6.04E-14	6.54E-14	7.05E-14	7.56E-14	8.06E-14	8.06E-14
pm148	4.81E-14	5.23E-14	5.64E-14	6.05E-14	6.45E-14	6.44E-14
mo 96	4.37E-14	4.74E-14	5.11E-14	5.47E-14	5.84E-14	5.84E-14
cs136	5.54E-14	5.54E-14	5.54E-14	5.54E-14	5.54E-14	5.54E-14
ge 76	3.21E-14	3.48E-14	3.75E-14	4.02E-14	4.29E-14	4.29E-14
sn125	2.91E-14	2.92E-14	2.92E-14	2.92E-14	2.91E-14	2.91E-14
ru105	2.91E-14	2.94E-14	2.94E-14	2.94E-14	2.94E-14	2.89E-14
gd160	2.02E-14	2.18E-14	2.35E-14	2.52E-14	2.69E-14	2.69E-14
te126	1.50E-14	1.63E-14	1.76E-14	1.89E-14	2.02E-14	2.02E-14
rb 88	1.28E-14	1.30E-14	1.30E-14	1.30E-14	1.30E-14	1.27E-14
ru100	8.33E-15	9.07E-15	9.81E-15	1.06E-14	1.13E-14	1.13E-14
i135	1.00E-14	1.02E-14	1.02E-14	1.02E-14	1.02E-14	9.92E-15
te132	9.59E-15	9.60E-15	9.61E-15	9.61E-15	9.61E-15	9.59E-15

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%  
 0 fraction of total absorption rate

0 power= .00mw, burnup= 1.mwd, flux= 2.71E+08n/cm\*\*2-sec  
 initial 237.4 d 255.7 d 274.0 d 292.2 d 292.2 d

ho165	6.35E-15	6.88E-15	7.41E-15	7.93E-15	8.46E-15	8.46E-15
sn123	6.97E-15	7.26E-15	7.52E-15	7.76E-15	7.98E-15	7.98E-15
in113	3.60E-15	4.22E-15	4.89E-15	5.61E-15	6.38E-15	6.38E-15
sr 87	3.70E-15	4.01E-15	4.32E-15	4.63E-15	4.93E-15	4.93E-15
te134	4.79E-15	5.90E-15	5.90E-15	5.90E-15	5.90E-15	4.46E-15
te124	2.47E-15	2.76E-15	3.05E-15	3.35E-15	3.65E-15	3.65E-15
eu152	1.91E-15	2.24E-15	2.62E-15	3.04E-15	3.51E-15	3.51E-15
sb126	3.01E-15	3.02E-15	3.02E-15	3.02E-15	3.02E-15	3.02E-15
nb 94	2.09E-15	2.26E-15	2.44E-15	2.61E-15	2.78E-15	2.78E-15
ge 74	1.79E-15	1.94E-15	2.09E-15	2.24E-15	2.39E-15	2.39E-15
in117m	2.10E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15
sb124	1.93E-15	1.97E-15	1.99E-15	2.01E-15	2.03E-15	2.03E-15
ge 72	1.24E-15	1.34E-15	1.45E-15	1.55E-15	1.66E-15	1.66E-15
sr 86	9.20E-16	1.01E-15	1.10E-15	1.18E-15	1.27E-15	1.27E-15
se 76	7.52E-16	8.15E-16	8.79E-16	9.42E-16	1.00E-15	1.00E-15
ba135	6.45E-16	7.21E-16	8.01E-16	8.83E-16	9.69E-16	9.69E-16
sm148	4.66E-16	5.61E-16	6.64E-16	7.77E-16	8.99E-16	8.99E-16
i130	7.10E-16	7.17E-16	7.17E-16	7.17E-16	7.17E-16	7.08E-16
in117	6.18E-16	6.18E-16	6.18E-16	6.18E-16	6.18E-16	6.17E-16
nd142	3.07E-16	3.60E-16	4.18E-16	4.80E-16	5.46E-16	5.46E-16
gd154	2.76E-16	3.26E-16	3.79E-16	4.38E-16	5.00E-16	5.00E-16
ba134	1.74E-16	2.05E-16	2.39E-16	2.75E-16	3.14E-16	3.14E-16
tb160	2.67E-16	2.74E-16	2.79E-16	2.84E-16	2.88E-16	2.88E-16
pd104	1.26E-16	1.52E-16	1.81E-16	2.13E-16	2.47E-16	2.47E-16
rb 86	2.42E-16	2.43E-16	2.43E-16	2.43E-16	2.43E-16	2.43E-16
gd152	1.39E-16	1.60E-16	1.83E-16	2.08E-16	2.35E-16	2.35E-16

fission products

page 31

er166	1.74E-16	1.89E-16	2.04E-16	2.19E-16	2.34E-16	2.34E-16
xe128	1.67E-16	1.81E-16	1.95E-16	2.09E-16	2.23E-16	2.23E-16
dy165	2.03E-16	2.10E-16	2.10E-16	2.10E-16	2.10E-16	1.99E-16
cd110	8.94E-17	1.01E-16	1.13E-16	1.25E-16	1.38E-16	1.38E-16
dy160	7.91E-17	8.92E-17	9.95E-17	1.10E-16	1.21E-16	1.21E-16
cd118	1.02E-16	1.21E-16	1.21E-16	1.21E-16	1.21E-16	9.61E-17
ge 75	8.06E-17	8.71E-17	8.71E-17	8.71E-17	8.71E-17	7.78E-17
kr 80	5.01E-17	5.43E-17	5.85E-17	6.27E-17	6.69E-17	6.69E-17
br 79	2.24E-17	2.60E-17	2.99E-17	3.41E-17	3.85E-17	3.85E-17
xe129	1.08E-17	1.27E-17	1.48E-17	1.70E-17	1.93E-17	1.93E-17
in119m	2.17E-17	3.03E-17	3.03E-17	3.03E-17	3.03E-17	1.85E-17
ag107	1.03E-17	1.21E-17	1.40E-17	1.61E-17	1.83E-17	1.83E-17
te122	6.51E-18	7.08E-18	7.65E-18	8.23E-18	8.81E-18	8.81E-18
be 9	3.99E-18	4.32E-18	4.65E-18	4.98E-18	5.32E-18	5.32E-18
pr142	3.90E-18	4.28E-18	4.63E-18	4.98E-18	5.33E-18	5.28E-18
nb 93	2.48E-18	2.76E-18	3.04E-18	3.35E-18	3.67E-18	3.67E-18
sn116	2.19E-18	2.42E-18	2.64E-18	2.88E-18	3.12E-18	3.12E-18
te123	2.01E-18	2.25E-18	2.49E-18	2.74E-18	2.99E-18	2.99E-18
li 7	1.63E-18	1.77E-18	1.90E-18	2.04E-18	2.18E-18	2.18E-18
er167	6.55E-19	7.09E-19	7.63E-19	8.17E-19	8.74E-19	8.74E-19
in119	3.41E-19	2.37E-18	2.37E-18	2.37E-18	2.37E-18	1.65E-19
cd109	5.06E-20	5.74E-20	6.07E-20	6.41E-20	6.75E-20	6.75E-20
cd108	3.37E-20	3.71E-20	3.71E-20	4.05E-20	4.39E-20	4.39E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate  
0 power= .00mw, burnup= 1.mwd, flux= 2.71E+08n/cm\*\*2-sec  
0 initial 237.4 d 255.7 d 274.0 d 292.2 d 292.2 d

cs134m 3.04E-20 3.37E-20 3.71E-20 4.05E-20 4.39E-20 4.05E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= 4.000E-03mw, burnup=1.1688E+00mwd, flux= 2.71E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
basis = single reactor assembly

	charge	237.4 d	255.7 d	274.0 d	292.2 d	292.2 d
h 1	5.18E-08	5.61E-08	6.03E-08	6.46E-08	6.88E-08	6.88E-08
h 2	1.54E-10	1.66E-10	1.79E-10	1.92E-10	2.04E-10	2.04E-10
h 3	1.11E-12	1.20E-12	1.29E-12	1.38E-12	1.46E-12	1.46E-12
h 4	.00E+00	4.87E-36	5.24E-36	5.60E-36	5.96E-36	.00E+00
he 3	1.89E-14	2.22E-14	2.57E-14	2.94E-14	3.34E-14	3.34E-14
he 4	8.57E-09	9.27E-09	9.97E-09	1.07E-08	1.14E-08	1.14E-08
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	1.03E-09	1.11E-09	1.20E-09	1.28E-09	1.37E-09	1.37E-09
ne 21	2.12E-17	2.46E-17	2.82E-17	3.21E-17	3.62E-17	3.62E-17
ne 22	5.14E-13	6.00E-13	6.92E-13	7.90E-13	8.94E-13	8.94E-13
ne 23	5.25E-21	7.03E-15	7.03E-15	7.03E-15	7.03E-15	4.64E-23
ne 22	6.22E-12	6.68E-12	7.14E-12	7.60E-12	8.04E-12	8.04E-12
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.82E-08	2.77E-08	2.77E-08	2.77E-08	2.77E-08	2.73E-08
na 24m	4.68E-30	4.55E-15	4.55E-15	4.55E-15	4.55E-15	4.55E-30
na 25	4.81E-33	3.49E-29	3.75E-29	4.02E-29	4.28E-29	3.31E-34
mg 24	8.29E-06	8.89E-06	9.49E-06	1.01E-05	1.07E-05	1.07E-05
mg 25	1.13E-12	1.22E-12	1.32E-12	1.41E-12	1.50E-12	1.50E-12
mg 26	1.54E-10	1.66E-10	1.79E-10	1.92E-10	2.04E-10	2.04E-10
mg 27	8.34E-13	2.10E-12	2.10E-12	2.10E-12	2.10E-12	6.11E-13
mg 28	4.26E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24	4.25E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	4.24E-12	2.05E-10	2.05E-10	2.05E-10	2.05E-10	1.11E-12
al 29	1.27E-30	5.60E-30	6.44E-30	7.34E-30	8.29E-30	1.40E-30
al 30	.00E+00	7.29E-44	8.69E-44	1.02E-43	1.23E-43	.00E+00

fission products

page 32

light elements

page 33

si 28	2.31E-05	2.48E-05	2.64E-05	2.81E-05	2.98E-05	2.98E-05
si 29	1.88E-14	2.19E-14	2.52E-14	2.87E-14	3.25E-14	3.25E-14
si 30	1.61E-23	2.03E-23	2.52E-23	3.08E-23	3.71E-23	3.71E-23
si 31	1.09E-35	1.46E-35	1.81E-35	2.21E-35	2.67E-35	2.48E-35
si 32	1.12E-44	1.54E-44	2.10E-44	2.80E-44	3.64E-44	3.64E-44
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
0 flux	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E+07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.1688E+00mwd, flux= 2.71E+08n/cm\*\*2-sec

	nuclide concentrations, gram atoms basis = single reactor assembly						
	charge	237.4 d	255.7 d	274.0 d	292.2 d	292.2 d	
he 4	3.07E-05	3.33E-05	3.59E-05	3.85E-05	4.11E-05	4.11E-05	
ra222	2.97E-30	3.45E-30	4.01E-30	4.62E-30	5.28E-30	5.35E-30	
ra223	2.81E-15	3.40E-15	4.05E-15	4.76E-15	5.53E-15	5.53E-15	
ra224	1.33E-16	1.67E-16	2.06E-16	2.51E-16	3.01E-16	3.01E-16	
ra225	3.11E-17	3.82E-17	4.60E-17	5.46E-17	6.39E-17	6.39E-17	
ra226	4.23E-11	4.96E-11	5.76E-11	6.61E-11	7.52E-11	7.52E-11	
ra228	4.48E-17	5.24E-17	6.07E-17	6.95E-17	7.90E-17	7.90E-17	
th226	1.43E-28	1.68E-28	1.96E-28	2.26E-28	2.58E-28	2.57E-28	
th227	5.34E-15	6.38E-15	7.51E-15	8.74E-15	1.01E-14	1.01E-14	
th228	2.72E-14	3.39E-14	4.17E-14	5.05E-14	6.05E-14	6.05E-14	
th229	7.57E-12	9.11E-12	1.08E-11	1.26E-11	1.46E-11	1.46E-11	
th230	1.53E-05	1.66E-05	1.79E-05	1.92E-05	2.04E-05	2.04E-05	
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	
th232	3.10E-06	3.36E-06	3.61E-06	3.87E-06	4.13E-06	4.13E-06	
th233	1.92E-17	3.08E-17	3.31E-17	3.55E-17	3.79E-17	2.24E-17	
th234	5.36E-07	5.36E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	
pa231	4.65E-07	5.04E-07	5.43E-07	5.82E-07	6.21E-07	6.21E-07	
pa232	7.96E-15	8.66E-15	9.33E-15	1.00E-14	1.07E-14	1.06E-14	
pa233	1.45E-06	1.45E-06	1.45E-06	1.45E-06	1.46E-06	1.46E-06	
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	
pa234	8.07E-12	8.08E-12	8.08E-12	8.09E-12	8.09E-12	8.09E-12	
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u230	1.38E-25	1.63E-25	1.90E-25	2.19E-25	2.49E-25	2.49E-25	
u231	4.94E-21	5.43E-21	5.94E-21	6.46E-21	6.97E-21	6.96E-21	
u232	1.37E-11	1.59E-11	1.82E-11	2.07E-11	2.33E-11	2.33E-11	
u233	6.74E-06	7.42E-06	8.10E-06	8.79E-06	9.47E-06	9.47E-06	
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	
u237	3.11E-06	3.10E-06	3.10E-06	3.10E-06	3.10E-06	3.09E-06	
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	
u239	2.19E-07	3.18E-07	3.18E-07	3.18E-07	3.18E-07	1.93E-07	
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
np235	2.81E-12	2.99E-12	3.17E-12	3.34E-12	3.51E-12	3.51E-12	
np236m	2.05E-12	2.05E-12	2.05E-12	2.05E-12	2.05E-12	2.03E-12	
np236	1.20E-10	1.29E-10	1.39E-10	1.49E-10	1.59E-10	1.59E-10	
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	
np238	1.55E-06	1.55E-06	1.55E-06	1.55E-06	1.55E-06	1.55E-06	
np239	4.61E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05	
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
np240	8.14E-15	9.33E-15	9.33E-15	9.33E-15	9.33E-15	7.73E-15	
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pu236	1.63E-10	1.75E-10	1.87E-10	1.99E-10	2.11E-10	2.11E-10	
pu237	7.82E-16	8.69E-16	9.57E-16	1.05E-15	1.14E-15	1.14E-15	
pu238	1.11E-04	1.20E-04	1.29E-04	1.38E-04	1.48E-04	1.48E-04	
pu239	2.97E-03	3.22E-03	3.46E-03	3.71E-03	3.96E-03	3.96E-03	

actinides

page 34

pu240	8.69E-09	1.02E-08	1.18E-08	1.36E-08	1.55E-08	1.55E-08
pu241	3.42E-14	4.35E-14	5.43E-14	6.68E-14	8.10E-14	8.10E-14
pu242	3.99E-20	5.50E-20	7.41E-20	9.77E-20	1.27E-19	1.27E-19

```

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2      actinides    page   35
      power= 4.000E-03mw, burnup=1.1688E+00md, flux= 2.71E+08n/cm**2-sec
0          nuclide concentrations, gram atoms
           basis = single reactor assembly
       charge  237.4 d  255.7 d  274.0 d  292.2 d  292.2 d
pu243  8.19E-29  1.16E-28  1.56E-28  2.06E-28  2.66E-28  2.56E-28
pu244  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu245  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu246  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
totals  3.73E+04  3.73E+04  3.73E+04  3.73E+04  3.73E+04  3.73E+04
0   flux    2.71E+08  2.71E+08  2.71E+08  2.71E+08  2.71E+08  2.71E-07
0     1q array has  20 entries.
0     3q array has  1 entries.
0     3q array has  1 entries.
0     3q array has  1 entries.
0     4q array has  1 entries.
0     54q array has 12 entries.
1library information...

```

cross-section data taken from position number 1 of library on unit 15.

```

pass  5
pass  1
pass  0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass  1
pass  0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****
*          prelim lwr origin-s binary working library--id = 1143
*          made from modified card-image origin-s libraries of scale 4.2
*          data from the light element, actinide, and fission product libraries
*          decay data, including gamma and total energy, are from endf/b-vi
*          neutron flux spectrum factors and cross sections were produced from
*          the "presas2" case updating all nuclides on the scale "burnup" library
*          fission product yields are from endf/b-v
*          photon libraries use an 18-energy-group structure
*          the photon data are from the master photon data base,
*          produced to include bremsstrahlung from uo2 matrix
*          see information above this box (if present) for later updates
*****

```

```

0      **** other identification and sizes of library.
0      .other identification and sizes of library.
0      data set name: ft15f001
0      8/28/1996 date library was produced
0          1697 total number of nuclides in library
0              689 number of light-element nuclides
0              129 number of actinide nuclides
0              879 number of fission product nuclides
0              7993 number of nonzero off-diagonal matrix elements
0      ****
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2      page 36
0      power= .00mw, burnup= 1.mwd, flux= 2.70E+08n/cm**2-sec
0      basis =
0      (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0      productions 1.138348E+06 1.138348E+06 1.138348E+06 1.138349E+06 1.138349E+06
0      absorptions 9.268934E+05 9.268941E+05 9.268948E+05 9.268954E+05 9.268959E+05
0      k infinity 1.228132E+00 1.228132E+00 1.228131E+00 1.228131E+00 1.228130E+00
0      initial 310.5 d 328.8 d 347.0 d 365.3 d
0      actinide
0      absorptions 9.237305E+05 9.237308E+05 9.237310E+05 9.237313E+05 9.237315E+05
0      non-actinide
0      abs. fracs. 3.412426E-03 3.412783E-03 3.413260E-03 3.413677E-03 3.414035E-03
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2      fission products      page 37
0      fraction of total absorption rate
0      power= .00mw, burnup= 1.mwd, flux= 2.70E+08n/cm**2-sec
0      initial 310.5 d 328.8 d 347.0 d 365.3 d

sm149  5.94E-06 6.31E-06 6.69E-06 7.06E-06 7.44E-06
xe135  2.33E-06 2.34E-06 2.34E-06 2.34E-06 2.34E-06
sm151  2.73E-07 2.90E-07 3.07E-07 3.24E-07 3.41E-07
nd143  1.24E-07 1.33E-07 1.41E-07 1.49E-07 1.58E-07
gd157  6.38E-08 6.77E-08 7.17E-08 7.57E-08 7.97E-08
cd113  5.27E-08 5.60E-08 5.93E-08 6.26E-08 6.59E-08
pm147  4.93E-08 5.22E-08 5.51E-08 5.79E-08 6.07E-08
rh103  4.45E-08 4.79E-08 5.14E-08 5.48E-08 5.82E-08
xe131  3.64E-08 3.88E-08 4.11E-08 4.35E-08 4.59E-08
cs133  3.05E-08 3.25E-08 3.45E-08 3.64E-08 3.84E-08
tc 99   2.14E-08 2.28E-08 2.41E-08 2.55E-08 2.68E-08
eu155  1.77E-08 1.87E-08 1.98E-08 2.08E-08 2.18E-08
nd145  1.69E-08 1.80E-08 1.91E-08 2.01E-08 2.12E-08
sm152  8.74E-09 9.29E-09 9.84E-09 1.04E-08 1.09E-08
kr 83   7.28E-09 7.74E-09 8.19E-09 8.65E-09 9.10E-09
mo 95   6.22E-09 6.88E-09 7.55E-09 8.23E-09 8.92E-09
cs135  6.73E-09 7.15E-09 7.57E-09 8.00E-09 8.42E-09
rh105  8.37E-09 8.37E-09 8.37E-09 8.37E-09 8.37E-09
gd155  4.59E-09 5.17E-09 5.78E-09 6.42E-09 7.10E-09
ru101  5.07E-09 5.38E-09 5.70E-09 6.02E-09 6.33E-09
eu153  4.40E-09 4.68E-09 4.96E-09 5.24E-09 5.51E-09
pr141  4.18E-09 4.49E-09 4.81E-09 5.12E-09 5.43E-09
la139  4.04E-09 4.29E-09 4.55E-09 4.80E-09 5.05E-09
sm147  1.92E-09 2.17E-09 2.44E-09 2.72E-09 3.01E-09
pr143  2.88E-09 2.88E-09 2.88E-09 2.88E-09 2.88E-09
pd105  1.87E-09 1.99E-09 2.11E-09 2.23E-09 2.34E-09
zr 93   1.67E-09 1.78E-09 1.88E-09 1.99E-09 2.09E-09
xe133  2.07E-09 2.07E-09 2.07E-09 2.07E-09 2.07E-09
ce141  1.62E-09 1.62E-09 1.62E-09 1.63E-09 1.63E-09
i129   1.22E-09 1.30E-09 1.37E-09 1.45E-09 1.53E-09
mo 97   9.12E-10 9.69E-10 1.03E-09 1.08E-09 1.14E-09
pm149  9.82E-10 9.82E-10 9.82E-10 9.82E-10 9.82E-10

```

eu151	6.22E-10	7.03E-10	7.88E-10	8.78E-10	9.73E-10
nd147	9.31E-10	9.31E-10	9.31E-10	9.31E-10	9.31E-10
ag109	6.28E-10	6.67E-10	7.07E-10	7.46E-10	7.85E-10
nd144	3.44E-10	3.83E-10	4.24E-10	4.66E-10	5.10E-10
ru102	3.71E-10	3.95E-10	4.18E-10	4.41E-10	4.64E-10
ce142	3.37E-10	3.58E-10	3.79E-10	4.00E-10	4.21E-10
zr 91	3.14E-10	3.40E-10	3.67E-10	3.94E-10	4.21E-10
sr 90	3.37E-10	3.58E-10	3.79E-10	4.00E-10	4.20E-10
y 89	3.12E-10	3.37E-10	3.63E-10	3.89E-10	4.14E-10
nd148	3.21E-10	3.42E-10	3.62E-10	3.82E-10	4.02E-10
ru103	3.56E-10	3.57E-10	3.57E-10	3.57E-10	3.58E-10
ce144	3.07E-10	3.20E-10	3.33E-10	3.45E-10	3.56E-10
nd146	2.70E-10	2.87E-10	3.04E-10	3.21E-10	3.38E-10
ba138	2.31E-10	2.46E-10	2.60E-10	2.75E-10	2.89E-10
in115	2.20E-10	2.34E-10	2.48E-10	2.62E-10	2.76E-10
ce140	2.12E-10	2.26E-10	2.40E-10	2.55E-10	2.69E-10
pd108	2.14E-10	2.27E-10	2.41E-10	2.54E-10	2.67E-10
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					fission products
0 fraction of total absorption rate					
0 power= .00mw, burnup= 1.mwd, flux= 2.70E+08n/cm**2-sec					
0 initial 310.5 d 328.8 d 347.0 d 365.3 d					
xe132	1.91E-10	2.03E-10	2.15E-10	2.28E-10	2.40E-10
mo 98	1.33E-10	1.41E-10	1.49E-10	1.58E-10	1.66E-10
zr 95	1.58E-10	1.60E-10	1.61E-10	1.61E-10	1.62E-10
mo100	1.29E-10	1.37E-10	1.45E-10	1.53E-10	1.61E-10
xe134	1.28E-10	1.36E-10	1.44E-10	1.52E-10	1.60E-10
pd107	1.28E-10	1.36E-10	1.44E-10	1.52E-10	1.60E-10
nb 95	1.40E-10	1.42E-10	1.44E-10	1.46E-10	1.47E-10
y 91	1.42E-10	1.43E-10	1.43E-10	1.44E-10	1.44E-10
zr 92	1.05E-10	1.11E-10	1.18E-10	1.24E-10	1.31E-10
pm151	1.10E-10	1.11E-10	1.11E-10	1.11E-10	1.11E-10
zr 96	8.05E-11	8.56E-11	9.06E-11	9.56E-11	1.01E-10
ru104	7.92E-11	8.42E-11	8.91E-11	9.41E-11	9.90E-11
i127	7.70E-11	8.22E-11	8.75E-11	9.27E-11	9.79E-11
nd150	7.10E-11	7.55E-11	7.99E-11	8.44E-11	8.88E-11
cs137	6.92E-11	7.35E-11	7.78E-11	8.20E-11	8.63E-11
xe136	6.89E-11	7.32E-11	7.76E-11	8.19E-11	8.62E-11
br 81	5.16E-11	5.48E-11	5.80E-11	6.12E-11	6.45E-11
zr 94	4.36E-11	4.63E-11	4.91E-11	5.18E-11	5.45E-11
rb 85	4.04E-11	4.30E-11	4.55E-11	4.81E-11	5.06E-11
ba140	4.75E-11	4.76E-11	4.76E-11	4.76E-11	4.76E-11
cd111	3.22E-11	3.42E-11	3.63E-11	3.84E-11	4.05E-11
te130	3.14E-11	3.33E-11	3.53E-11	3.72E-11	3.92E-11
sm153	3.82E-11	3.83E-11	3.83E-11	3.83E-11	3.83E-11
sm154	3.03E-11	3.22E-11	3.41E-11	3.60E-11	3.79E-11
kr 85	2.95E-11	3.13E-11	3.31E-11	3.49E-11	3.67E-11
rb 87	2.92E-11	3.11E-11	3.29E-11	3.47E-11	3.66E-11
eu156	3.48E-11	3.48E-11	3.48E-11	3.48E-11	3.48E-11
sr 89	3.04E-11	3.06E-11	3.07E-11	3.07E-11	3.08E-11
se 77	2.33E-11	2.47E-11	2.62E-11	2.77E-11	2.91E-11
ba137	1.80E-11	2.03E-11	2.27E-11	2.53E-11	2.80E-11
kr 87	2.01E-11	2.32E-11	2.32E-11	2.32E-11	2.32E-11
ce143	1.76E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11
kr 84	1.37E-11	1.46E-11	1.54E-11	1.63E-11	1.71E-11
la140	1.62E-11	1.62E-11	1.62E-11	1.62E-11	1.62E-11
sb121	1.08E-11	1.15E-11	1.22E-11	1.29E-11	1.35E-11
se 79	1.07E-11	1.13E-11	1.20E-11	1.27E-11	1.33E-11
mo 99	1.31E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11
ru106	1.06E-11	1.11E-11	1.15E-11	1.20E-11	1.24E-11

page 38

sb123	7.76E-12	8.26E-12	8.76E-12	9.27E-12	9.77E-12
kr 86	7.70E-12	8.18E-12	8.66E-12	9.15E-12	9.63E-12
te128	6.84E-12	7.27E-12	7.70E-12	8.12E-12	8.55E-12
sm150	5.15E-12	5.81E-12	6.50E-12	7.24E-12	8.01E-12
i131	6.81E-12	6.81E-12	6.81E-12	6.81E-12	6.81E-12
te127m	6.27E-12	6.40E-12	6.52E-12	6.63E-12	6.72E-12
gd156	4.92E-12	5.25E-12	5.58E-12	5.91E-12	6.24E-12
se 80	4.97E-12	5.28E-12	5.59E-12	5.90E-12	6.21E-12
dy161	4.13E-12	4.39E-12	4.66E-12	4.92E-12	5.19E-12
pd106	3.35E-12	3.75E-12	4.16E-12	4.58E-12	5.03E-12
tb159	3.06E-12	3.26E-12	3.45E-12	3.64E-12	3.83E-12
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					
0 fraction of total absorption rate					
0 power= .00mw, burnup= 1.mwd, flux= 2.70E+08n/cm**2-sec					
0 initial 310.5 d 328.8 d 347.0 d 365.3 d					

li 6	2.83E-12	3.00E-12	3.18E-12	3.36E-12	3.53E-12
cd112	2.82E-12	2.99E-12	3.17E-12	3.35E-12	3.52E-12
sb125	2.71E-12	2.86E-12	3.01E-12	3.16E-12	3.31E-12
sn117	2.23E-12	2.37E-12	2.51E-12	2.65E-12	2.78E-12
sn119	1.83E-12	1.95E-12	2.06E-12	2.17E-12	2.29E-12
sn115	1.69E-12	1.79E-12	1.90E-12	2.01E-12	2.11E-12
te129m	1.82E-12	1.82E-12	1.82E-12	1.82E-12	1.82E-12
pm148m	1.39E-12	1.49E-12	1.60E-12	1.70E-12	1.80E-12
sr 88	1.41E-12	1.50E-12	1.59E-12	1.68E-12	1.77E-12
pd110	9.94E-13	1.06E-12	1.12E-12	1.18E-12	1.24E-12
cd114	9.64E-13	1.02E-12	1.08E-12	1.15E-12	1.21E-12
se 82	9.60E-13	1.02E-12	1.08E-12	1.14E-12	1.20E-12
gd158	9.05E-13	9.62E-13	1.02E-12	1.08E-12	1.13E-12
sn126	7.69E-13	8.17E-13	8.65E-13	9.14E-13	9.62E-13
se 78	7.28E-13	7.74E-13	8.19E-13	8.65E-13	9.11E-13
sn124	5.79E-13	6.15E-13	6.51E-13	6.87E-13	7.23E-13
dy162	5.53E-13	5.88E-13	6.22E-13	6.56E-13	6.90E-13
dy164	5.04E-13	5.36E-13	5.67E-13	5.98E-13	6.30E-13
eu154	4.89E-13	5.23E-13	5.58E-13	5.93E-13	6.29E-13
zr 90	3.88E-13	4.39E-13	4.92E-13	5.49E-13	6.09E-13
te125	3.61E-13	4.08E-13	4.58E-13	5.11E-13	5.66E-13
as 75	4.34E-13	4.61E-13	4.88E-13	5.15E-13	5.43E-13
y 90	3.17E-13	3.36E-13	3.56E-13	3.76E-13	3.96E-13
ag111	3.15E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13
eu157	2.95E-13	2.97E-13	2.97E-13	2.97E-13	2.97E-13
sn118	2.36E-13	2.50E-13	2.65E-13	2.80E-13	2.95E-13
ba136	2.15E-13	2.29E-13	2.43E-13	2.58E-13	2.72E-13
sn122	2.01E-13	2.14E-13	2.26E-13	2.39E-13	2.52E-13
cd116	2.01E-13	2.13E-13	2.26E-13	2.38E-13	2.51E-13
cd115m	2.35E-13	2.36E-13	2.36E-13	2.36E-13	2.37E-13
sn120	1.50E-13	1.60E-13	1.69E-13	1.78E-13	1.88E-13
kr 82	1.40E-13	1.49E-13	1.58E-13	1.67E-13	1.75E-13
cs134	1.36E-13	1.45E-13	1.54E-13	1.64E-13	1.73E-13
dy163	1.22E-13	1.30E-13	1.38E-13	1.45E-13	1.53E-13
ge 73	1.18E-13	1.25E-13	1.33E-13	1.40E-13	1.48E-13
ru 99	1.14E-13	1.22E-13	1.30E-13	1.37E-13	1.45E-13
xe130	8.07E-14	8.57E-14	9.08E-14	9.59E-14	1.01E-13
pm148	6.44E-14	6.84E-14	7.23E-14	7.62E-14	8.00E-14
mo 96	5.84E-14	6.21E-14	6.58E-14	6.94E-14	7.31E-14
cs136	5.54E-14	5.54E-14	5.54E-14	5.54E-14	5.54E-14
ge 76	4.29E-14	4.55E-14	4.82E-14	5.09E-14	5.36E-14
gd160	2.69E-14	2.85E-14	3.02E-14	3.19E-14	3.36E-14
ru105	2.88E-14	2.94E-14	2.94E-14	2.94E-14	2.94E-14
sn125	2.91E-14	2.91E-14	2.92E-14	2.92E-14	2.92E-14

fission products

page 39

te126	2.02E-14	2.15E-14	2.29E-14	2.42E-14	2.55E-14
ru100	1.13E-14	1.21E-14	1.28E-14	1.36E-14	1.44E-14
rb 88	1.27E-14	1.30E-14	1.30E-14	1.30E-14	1.30E-14
ho165	8.46E-15	8.99E-15	9.51E-15	1.00E-14	1.06E-14
i135	9.93E-15	1.02E-14	1.02E-14	1.02E-14	1.02E-14
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					
0	fraction of total absorption rate				
0 power= .00mw, burnup=	1.mwd, flux= 2.70E+08n/cm**2-sec	initial	310.5 d	328.8 d	347.0 d
0	365.3 d				

fission products

page 40

in113	6.38E-15	7.19E-15	8.06E-15	8.97E-15	9.93E-15
te132	9.59E-15	9.61E-15	9.61E-15	9.61E-15	9.61E-15
sn123	7.97E-15	8.17E-15	8.35E-15	8.51E-15	8.66E-15
sr 87	4.94E-15	5.24E-15	5.55E-15	5.86E-15	6.17E-15
eu152	3.51E-15	4.03E-15	4.61E-15	5.25E-15	5.94E-15
te134	4.47E-15	5.90E-15	5.90E-15	5.90E-15	5.90E-15
te124	3.66E-15	3.96E-15	4.27E-15	4.57E-15	4.88E-15
nb 94	2.78E-15	2.96E-15	3.13E-15	3.31E-15	3.48E-15
sb126	3.02E-15	3.02E-15	3.02E-15	3.02E-15	3.02E-15
ge 74	2.39E-15	2.54E-15	2.69E-15	2.84E-15	2.99E-15
in117m	2.10E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15
ge 72	1.66E-15	1.76E-15	1.87E-15	1.97E-15	2.08E-15
sb124	2.03E-15	2.04E-15	2.06E-15	2.07E-15	2.07E-15
sr 86	1.27E-15	1.36E-15	1.45E-15	1.53E-15	1.62E-15
sm148	8.99E-16	1.03E-15	1.17E-15	1.32E-15	1.47E-15
ba135	9.69E-16	1.06E-15	1.15E-15	1.25E-15	1.35E-15
se 76	1.01E-15	1.07E-15	1.13E-15	1.20E-15	1.26E-15
nd142	5.46E-16	6.18E-16	6.93E-16	7.73E-16	8.58E-16
gd154	5.00E-16	5.68E-16	6.39E-16	7.16E-16	7.97E-16
i130	7.08E-16	7.17E-16	7.18E-16	7.18E-16	7.18E-16
in117	6.17E-16	6.19E-16	6.19E-16	6.19E-16	6.19E-16
ba134	3.14E-16	3.56E-16	4.01E-16	4.49E-16	4.99E-16
pd104	2.47E-16	2.85E-16	3.25E-16	3.67E-16	4.13E-16
gd152	2.36E-16	2.66E-16	2.99E-16	3.35E-16	3.74E-16
tb160	2.88E-16	2.91E-16	2.94E-16	2.97E-16	2.99E-16
er166	2.34E-16	2.49E-16	2.64E-16	2.79E-16	2.93E-16
xe128	2.23E-16	2.38E-16	2.52E-16	2.66E-16	2.80E-16
rb 86	2.43E-16	2.43E-16	2.43E-16	2.43E-16	2.43E-16
dy165	1.99E-16	2.10E-16	2.10E-16	2.10E-16	2.10E-16
cd110	1.39E-16	1.52E-16	1.66E-16	1.81E-16	1.96E-16
dy160	1.21E-16	1.32E-16	1.42E-16	1.54E-16	1.65E-16
cd118	9.62E-17	1.21E-16	1.21E-16	1.21E-16	1.21E-16
ge 75	7.78E-17	8.72E-17	8.72E-17	8.72E-17	8.72E-17
kr 80	6.69E-17	7.11E-17	7.53E-17	7.94E-17	8.36E-17
br 79	3.85E-17	4.32E-17	4.82E-17	5.35E-17	5.90E-17
in119m	1.86E-17	3.03E-17	3.03E-17	3.03E-17	3.03E-17
xe129	1.93E-17	2.18E-17	2.45E-17	2.73E-17	3.03E-17
ag107	1.83E-17	2.07E-17	2.32E-17	2.58E-17	2.86E-17
te122	8.80E-18	9.38E-18	9.96E-18	1.05E-17	1.11E-17
pr142	5.28E-18	5.68E-18	6.04E-18	6.39E-18	6.74E-18
be 9	5.31E-18	5.64E-18	5.98E-18	6.31E-18	6.64E-18
nb 93	3.67E-18	4.01E-18	4.37E-18	4.75E-18	5.16E-18
sn116	3.11E-18	3.36E-18	3.61E-18	3.86E-18	4.12E-18
te123	2.99E-18	3.25E-18	3.51E-18	3.78E-18	4.05E-18
li 7	2.18E-18	2.31E-18	2.45E-18	2.59E-18	2.72E-18
in119	1.65E-19	2.37E-18	2.37E-18	2.37E-18	2.37E-18
er167	8.74E-19	9.29E-19	9.84E-19	1.04E-18	1.09E-18
cd109	6.62E-20	6.95E-20	7.26E-20	7.57E-20	7.88E-20
cd108	4.40E-20	4.68E-20	4.96E-20	5.23E-20	5.51E-20

fission products

page 41

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					
--	--	--	--	--	--

0 fraction of total absorption rate  
power= .00mw, burnup= 1.mwd, flux= 2.70E+08n/cm\*\*2-sec  
0 initial 310.5 d 328.8 d 347.0 d 365.3 d  
cs134m 4.02E-20 4.57E-20 4.84E-20 5.12E-20 5.40E-20  
ag110 9.08E-24 1.40E-21 1.45E-21 1.50E-21 1.55E-21  
sn114 5.77E-22 6.18E-22 6.59E-22 7.00E-22 7.42E-22  
in120 4.33E-28 3.98E-22 3.98E-22 3.98E-22 3.98E-22  
in120m 1.09E-29 4.28E-23 4.28E-23 4.28E-23 4.28E-23

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
basis = single reactor assembly

	charge	310.5 d	328.8 d	347.0 d	365.3 d
h 1	6.88E-08	7.31E-08	7.74E-08	8.16E-08	8.59E-08
h 2	2.04E-10	2.17E-10	2.29E-10	2.42E-10	2.55E-10
h 3	1.46E-12	1.55E-12	1.64E-12	1.73E-12	1.82E-12
h 4	.00E+00	6.32E-36	6.68E-36	7.03E-36	7.39E-36
he 3	3.34E-14	3.76E-14	4.21E-14	4.69E-14	5.18E-14
he 4	1.14E-08	1.21E-08	1.28E-08	1.35E-08	1.42E-08
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	1.37E-09	1.45E-09	1.54E-09	1.62E-09	1.70E-09
ne 21	3.62E-17	4.06E-17	4.52E-17	5.00E-17	5.51E-17
ne 22	8.94E-13	1.00E-12	1.12E-12	1.24E-12	1.37E-12
ne 23	4.64E-23	7.03E-15	7.03E-15	7.03E-15	7.03E-15
na 22	8.04E-12	8.49E-12	8.92E-12	9.35E-12	9.78E-12
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.73E-08	2.74E-08	2.74E-08	2.74E-08	2.74E-08
na 24m	4.55E-30	4.51E-15	4.51E-15	4.51E-15	4.51E-15
na 25	3.31E-34	4.54E-29	4.80E-29	5.07E-29	5.33E-29
mg 24	1.07E-05	1.13E-05	1.19E-05	1.25E-05	1.31E-05
mg 25	1.50E-12	1.59E-12	1.69E-12	1.78E-12	1.87E-12
mg 26	2.04E-10	2.17E-10	2.29E-10	2.42E-10	2.55E-10
mg 27	6.11E-13	2.10E-12	2.10E-12	2.10E-12	2.10E-12
mg 28	4.25E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	1.11E-12	2.03E-10	2.03E-10	2.03E-10	2.03E-10
al 29	1.40E-30	9.29E-30	1.03E-29	1.15E-29	1.26E-29
al 30	.00E+00	1.53E-43	1.75E-43	2.12E-43	2.40E-43
si 28	2.98E-05	3.14E-05	3.31E-05	3.47E-05	3.64E-05
si 29	3.25E-14	3.64E-14	4.06E-14	4.49E-14	4.95E-14
si 30	3.71E-23	4.43E-23	5.23E-23	6.12E-23	7.10E-23
si 31	2.48E-35	3.18E-35	3.76E-35	4.40E-35	5.10E-35
si 32	3.64E-44	4.62E-44	5.89E-44	7.29E-44	8.97E-44
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux		2.70E+08	2.70E+08	2.70E+08	2.70E+08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
basis = single reactor assembly

	charge	310.5 d	328.8 d	347.0 d	365.3 d
he 4	4.11E-05	4.37E-05	4.63E-05	4.89E-05	5.15E-05
ra222	5.35E-30	5.97E-30	6.70E-30	7.47E-30	8.28E-30
ra223	5.53E-15	6.36E-15	7.25E-15	8.19E-15	9.19E-15
ra224	3.01E-16	3.58E-16	4.20E-16	4.89E-16	5.65E-16
ra225	6.39E-17	7.40E-17	8.48E-17	9.64E-17	1.09E-16
ra226	7.52E-11	8.49E-11	9.51E-11	1.06E-10	1.17E-10
ra228	7.90E-17	8.90E-17	9.95E-17	1.11E-16	1.22E-16

light elements

page 42

actinides

page 43

th226	2.57E-28	2.91E-28	3.27E-28	3.65E-28	4.04E-28
th227	1.01E-14	1.15E-14	1.30E-14	1.46E-14	1.63E-14
th228	6.05E-14	7.15E-14	8.38E-14	9.74E-14	1.12E-13
th229	1.46E-11	1.68E-11	1.90E-11	2.15E-11	2.41E-11
th230	2.04E-05	2.17E-05	2.30E-05	2.43E-05	2.55E-05
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	4.13E-06	4.39E-06	4.65E-06	4.91E-06	5.16E-06
th233	2.24E-17	4.02E-17	4.26E-17	4.50E-17	4.73E-17
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231	6.21E-07	6.60E-07	6.99E-07	7.38E-07	7.77E-07
pa232	1.06E-14	1.13E-14	1.20E-14	1.27E-14	1.34E-14
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	2.49E-25	2.82E-25	3.17E-25	3.53E-25	3.92E-25
u231	6.96E-21	7.48E-21	7.99E-21	8.51E-21	9.02E-21
u232	2.33E-11	2.61E-11	2.90E-11	3.21E-11	3.53E-11
u233	9.47E-06	1.02E-05	1.08E-05	1.15E-05	1.22E-05
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	3.09E-06	3.09E-06	3.09E-06	3.09E-06	3.09E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	1.93E-07	3.17E-07	3.17E-07	3.17E-07	3.17E-07
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	3.51E-12	3.67E-12	3.82E-12	3.97E-12	4.12E-12
np236m	2.03E-12	2.05E-12	2.05E-12	2.05E-12	2.05E-12
np236	1.59E-10	1.68E-10	1.78E-10	1.88E-10	1.97E-10
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
np238	1.55E-06	1.55E-06	1.55E-06	1.55E-06	1.55E-06
np239	4.59E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	7.73E-15	9.32E-15	9.32E-15	9.32E-15	9.32E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	2.11E-10	2.22E-10	2.34E-10	2.45E-10	2.57E-10
pu237	1.14E-15	1.22E-15	1.31E-15	1.40E-15	1.49E-15
pu238	1.48E-04	1.57E-04	1.66E-04	1.75E-04	1.84E-04
pu239	3.96E-03	4.20E-03	4.45E-03	4.70E-03	4.94E-03
pu240	1.55E-08	1.75E-08	1.96E-08	2.18E-08	2.42E-08
pu241	8.10E-14	9.72E-14	1.15E-13	1.36E-13	1.58E-13
pu242	1.27E-19	1.61E-19	2.03E-19	2.52E-19	3.09E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
basis = single reactor assembly

## actinides

Page 44

	charge	310.5 d	328.8 d	347.0 d	365.3 d
pu243	2.56E-28	3.39E-28	4.26E-28	5.29E-28	6.50E-28
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
sum	4.14E+04	4.20E+04	4.26E+04	4.32E+04	4.38E+04

0 flux 2.70E+08 2.70E+08 2.70E+08 2.70E+08  
 0 .results on logical unit no. 71, position 1, for time step 4, subcase 6. (run position 1, case position 1)  
 title: sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

<sup>1</sup> *Journal of Health Politics, Policy and Law*, Vol. 33, No. 1, March 2008, pp. 1–36; Vol. 33, No. 2, June 2008, pp. 375–500.

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec

**light elements**  
lux = 2.79E+08 p

page 45

0 nuclide concentrations, grams  
basis =single reactor assembly

na 23	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
		1.73E+05	1.73E+05	1.73E+05	1.73E+05	1.73E+05	1.73E+05
mg 24		3.14E-04	3.14E-04	3.14E-04	3.14E-04	3.14E-04	3.14E-04
al 27		1.35E+06	1.35E+06	1.35E+06	1.35E+06	1.35E+06	1.35E+06
si 28		1.02E-03	1.02E-03	1.02E-03	1.02E-03	1.02E-03	1.02E-03
total		1.52E+06	1.52E+06	1.52E+06	1.52E+06	1.52E+06	1.52E+06

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 46  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec

0 element radioactivity, curies  
basis =single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
totals	2.55E+01	1.13E-06	9.10E-07	7.36E-07	5.97E-07	4.85E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 47  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec

0 element thermal power, watts  
basis =single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
na	1.70E-01	1.52E-08	1.22E-08	9.77E-09	7.83E-09	6.27E-09
totals	4.76E-01	1.52E-08	1.22E-08	9.77E-09	7.83E-09	6.27E-09

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 48  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec

0 nuclide gamma power, watts  
basis =single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
na 22	1.75E-08	1.40E-08	1.12E-08	8.98E-09	7.19E-09	5.76E-09
total	3.31E-01	1.40E-08	1.12E-08	8.98E-09	7.19E-09	5.76E-09

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 49  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms  
basis = single reactor assembly

he 4	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
th230		5.15E-05	9.51E-05	1.39E-04	1.82E-04	2.26E-04	2.70E-04
th232		2.55E-05	4.68E-05	6.81E-05	8.94E-05	1.11E-04	1.32E-04
th234		5.16E-06	9.47E-06	1.38E-05	1.81E-05	2.24E-05	2.67E-05
pa231		5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa233		7.77E-07	1.38E-06	1.98E-06	2.58E-06	3.19E-06	3.79E-06
u233		1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
u234		1.22E-05	2.50E-05	3.79E-05	5.07E-05	6.35E-05	7.64E-05
u235		9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u236		7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u238		3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
np237		4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
pu238		1.84E-04	1.85E-04	1.84E-04	1.82E-04	1.81E-04	1.80E-04
pu239		4.94E-03	4.99E-03	4.99E-03	4.99E-03	4.99E-03	4.99E-03
total		3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 50  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec

0 element concentrations, gram atoms  
basis = single reactor assembly

he	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
th		5.15E-05	9.51E-05	1.39E-04	1.82E-04	2.26E-04	2.70E-04
		3.13E-05	5.68E-05	8.24E-05	1.08E-04	1.34E-04	1.59E-04

pa	2.23E-06	2.84E-06	3.44E-06	4.04E-06	4.64E-06	5.25E-06	5.85E-06
u	3.73E+04						
np	4.22E+01						
pu	5.13E-03	5.17E-03	5.17E-03	5.17E-03	5.17E-03	5.17E-03	5.17E-03
totals	3.73E+04						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 51  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, grams  
 basis =single reactor assembly

he	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
he	4	2.06E-04	3.81E-04	5.55E-04	7.29E-04	9.04E-04	1.08E-03	1.25E-03
ra226		2.65E-08	8.92E-08	1.89E-07	3.25E-07	4.98E-07	7.08E-07	9.55E-07
th230		5.88E-03	1.08E-02	1.57E-02	2.06E-02	2.55E-02	3.04E-02	3.53E-02
th231		6.98E-07						
th232		1.20E-03	2.20E-03	3.19E-03	4.19E-03	5.19E-03	6.19E-03	7.19E-03
th234		1.26E-04						
pa231		1.79E-04	3.19E-04	4.58E-04	5.97E-04	7.36E-04	8.75E-04	1.01E-03
pa233		3.39E-04						
u233		2.84E-03	5.83E-03	8.82E-03	1.18E-02	1.48E-02	1.78E-02	2.08E-02
u234		2.12E+03						
u235		1.72E+05						
u236		4.12E+04						
u238		8.66E+06						
np237		9.99E+03						
pu238		4.39E-02	4.40E-02	4.37E-02	4.34E-02	4.31E-02	4.28E-02	4.26E-02
pu239		1.18E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
pu240		5.81E-06	5.81E-06	5.81E-06	5.81E-06	5.81E-06	5.80E-06	5.80E-06
total		8.88E+06						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 52  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element concentrations, grams  
 basis =single reactor assembly

he	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
ra	2.06E-04	3.81E-04	5.55E-04	7.29E-04	9.04E-04	1.08E-03	1.25E-03
th	2.65E-08	8.92E-08	1.89E-07	3.25E-07	4.98E-07	7.08E-07	9.55E-07
th	7.20E-03	1.31E-02	1.90E-02	2.49E-02	3.08E-02	3.67E-02	4.26E-02
pa	5.19E-04	6.58E-04	7.97E-04	9.36E-04	1.08E-03	1.21E-03	1.35E-03
u	8.87E+06						
np	9.99E+03						
pu	1.23E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.23E+00
totals		8.88E+06	8.88E+06	8.88E+06	8.88E+06	8.88E+06	8.88E+06

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 53  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide radioactivity, curies  
 basis =single reactor assembly

tl207	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl207	1.05E-07	4.38E-07	9.07E-07	1.54E-06	2.32E-06	3.26E-06	4.34E-06
pb211	1.05E-07	4.39E-07	9.10E-07	1.54E-06	2.33E-06	3.27E-06	4.35E-06
pb212	2.02E-08	9.61E-08	2.07E-07	3.34E-07	4.64E-07	5.89E-07	7.05E-07
pb214	2.55E-08	8.82E-08	1.87E-07	3.21E-07	4.93E-07	7.00E-07	9.44E-07
bi211	1.05E-07	4.39E-07	9.10E-07	1.54E-06	2.33E-06	3.27E-06	4.35E-06
bi212	2.02E-08	9.61E-08	2.07E-07	3.34E-07	4.64E-07	5.89E-07	7.05E-07
bi214	2.55E-08	8.82E-08	1.87E-07	3.21E-07	4.93E-07	7.00E-07	9.44E-07
po214	2.55E-08	8.82E-08	1.87E-07	3.21E-07	4.93E-07	7.00E-07	9.44E-07
po215	1.05E-07	4.39E-07	9.10E-07	1.54E-06	2.33E-06	3.27E-06	4.35E-06
po216	2.02E-08	9.61E-08	2.07E-07	3.34E-07	4.64E-07	5.89E-07	7.05E-07
po218	2.55E-08	8.82E-08	1.87E-07	3.21E-07	4.93E-07	7.00E-07	9.44E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 54  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
2 element thermal power watts

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
				basis =single reactor assembly			
tl	4.78E-10	2.10E-09	4.42E-09	7.34E-09	1.07E-08	1.46E-08	1.87E-08
pb	4.45E-10	1.83E-09	3.81E-09	6.45E-09	9.69E-09	1.35E-08	1.79E-08
bi	4.86E-09	2.03E-08	4.22E-08	7.13E-08	1.07E-07	1.49E-07	1.98E-07
po	8.36E-09	3.44E-08	7.22E-08	1.22E-07	1.81E-07	2.51E-07	3.29E-07
rn	5.97E-09	2.48E-08	5.18E-08	8.72E-08	1.30E-07	1.81E-07	2.39E-07
ra	5.18E-09	2.15E-08	4.48E-08	7.55E-08	1.13E-07	1.57E-07	2.06E-07
th	1.61E-03	1.62E-03	1.62E-03	1.62E-03	1.62E-03	1.63E-03	1.63E-03
pa	3.22E-02	3.22E-02	3.22E-02	3.22E-02	3.22E-02	3.22E-02	3.22E-02
u	7.55E+00	5.36E-01	5.36E-01	5.36E-01	5.36E-01	5.36E-01	5.36E-01
np	7.11E+00	2.01E-01	2.01E-01	2.01E-01	2.01E-01	2.01E-01	2.01E-01
pu	2.72E-02	2.73E-02	2.71E-02	2.69E-02	2.68E-02	2.66E-02	2.65E-02
total	1.47E+01	7.98E-01	7.97E-01	7.97E-01	7.97E-01	7.97E-01	7.97E-01



1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 57  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, grams

sm154	7.86E-04						
eu155	3.33E-04	2.94E-04	2.60E-04	2.30E-04	2.03E-04	1.80E-04	1.59E-04
gd155	2.53E-05	6.40E-05	9.81E-05	1.28E-04	1.55E-04	1.79E-04	2.00E-04
gd156	1.48E-04	1.57E-04	1.57E-04	1.57E-04	1.57E-04	1.57E-04	1.57E-04

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 58  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, grams

							basis =single reactor assembly
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
gd157	7.73E-05	7.75E-05	7.75E-05	7.75E-05	7.75E-05	7.75E-05	7.75E-05
gd158	3.51E-05						
tb159	1.35E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05
gd160	4.28E-06						
dy161	1.26E-06	1.30E-06	1.30E-06	1.30E-06	1.30E-06	1.30E-06	1.30E-06
total	1.54E+00						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 59  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide radioactivity, curies

							basis =single reactor assembly
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h 3	2.03E-02	1.93E-02	1.84E-02	1.76E-02	1.68E-02	1.60E-02	1.53E-02
se 79	3.13E-06						
kr 85	5.62E-01	5.33E-01	5.05E-01	4.78E-01	4.53E-01	4.29E-01	4.07E-01
sr 90	4.78E+00	4.69E+00	4.59E+00	4.50E+00	4.41E+00	4.32E+00	4.23E+00
y 90	4.74E+00	4.69E+00	4.59E+00	4.50E+00	4.41E+00	4.32E+00	4.23E+00
y 91	1.99E+02	5.43E+00	1.48E-01	4.01E-03	1.09E-04	2.96E-06	8.03E-08
zr 93	6.63E-05	6.64E-05	6.64E-05	6.64E-05	6.64E-05	6.64E-05	6.64E-05
nb 93m	1.42E-06	3.70E-06	5.91E-06	8.04E-06	1.01E-05	1.21E-05	1.40E-05
zr 95	2.14E+02	7.94E+00	2.94E-01	1.09E-02	4.03E-04	1.49E-05	5.54E-07
nb 95	2.09E+02	1.69E+01	6.46E-01	2.40E-02	8.88E-04	3.29E-05	1.22E-06
tc 99	6.81E-04	6.89E-04	6.89E-04	6.89E-04	6.89E-04	6.89E-04	6.89E-04
rh102	1.69E-06	1.38E-06	1.13E-06	9.27E-07	7.60E-07	6.23E-07	5.10E-07
ru106	7.83E+00	4.44E+00	2.52E+00	1.43E+00	8.08E-01	4.58E-01	2.60E-01
rh106	7.83E+00	4.44E+00	2.52E+00	1.43E+00	8.08E-01	4.58E-01	2.60E-01
pd107	6.39E-07						
cd113m	4.72E-04	4.54E-04	4.35E-04	4.18E-04	4.01E-04	3.85E-04	3.70E-04
sn119m	8.83E-04	4.30E-04	2.09E-04	1.02E-04	4.96E-05	2.42E-05	1.18E-05
sn121	4.68E-01	2.74E-05	2.71E-05	2.69E-05	2.66E-05	2.63E-05	2.60E-05
sn121m	3.57E-05	3.54E-05	3.50E-05	3.46E-05	3.43E-05	3.39E-05	3.35E-05
sn123	4.99E-02	9.75E-03	1.90E-03	3.72E-04	7.26E-05	1.42E-05	2.77E-06
sb125	2.26E-01	1.85E-01	1.50E-01	1.21E-01	9.83E-02	7.96E-02	6.44E-02
te125m	4.10E-02	4.49E-02	3.66E-02	2.97E-02	2.40E-02	1.94E-02	1.57E-02
sn126	1.01E-05						
sb126	3.85E-03	1.41E-06	1.41E-06	1.41E-06	1.41E-06	1.41E-06	1.41E-06
sb126m	5.29E-03	1.01E-05	1.01E-05	1.01E-05	1.01E-05	1.01E-05	1.01E-05
te127	4.14E+00	9.77E-02	1.41E-02	2.04E-03	2.94E-04	4.24E-05	6.13E-06
te127m	6.64E-01	9.98E-02	1.44E-02	2.08E-03	3.00E-04	4.33E-05	6.25E-06
i129	1.11E-06	1.14E-06	1.14E-06	1.14E-06	1.14E-06	1.14E-06	1.14E-06
cs134	1.57E-04	1.19E-04	8.99E-05	6.80E-05	5.14E-05	3.88E-05	2.93E-05
cs135	6.85E-05	6.87E-05	6.87E-05	6.87E-05	6.87E-05	6.87E-05	6.87E-05
cs137	4.85E+00	4.76E+00	4.67E+00	4.58E+00	4.49E+00	4.41E+00	4.32E+00
ba137m	4.60E+00	4.49E+00	4.41E+00	4.32E+00	4.24E+00	4.16E+00	4.08E+00
ce144	1.08E+02	5.17E+01	2.47E+01	1.18E+01	5.61E+00	2.68E+00	1.28E+00
pr144	1.08E+02	5.17E+01	2.47E+01	1.18E+01	5.61E+00	2.68E+00	1.28E+00
pr144m	1.52E+00	7.24E-01	3.45E-01	1.65E-01	7.86E-02	3.75E-02	1.79E-02
pm147	1.71E+01	1.44E+01	1.16E+01	9.30E+00	7.46E+00	5.98E+00	4.80E+00
sm151	1.22E-01	1.21E-01	1.21E-01	1.20E-01	1.19E-01	1.18E-01	1.18E-01
eu154	8.29E-06	7.75E-06	7.25E-06	6.78E-06	6.34E-06	5.92E-06	5.54E-06

eu155	1.64E-01	1.45E-01	1.28E-01	1.13E-01	1.00E-01	8.86E-02	7.83E-02
total	1.97E+04	1.81E+02	8.67E+01	5.47E+01	3.87E+01	3.02E+01	2.55E+01

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element thermal power, watts  
 basis =single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h	6.83E-07	6.52E-07	6.22E-07	5.93E-07	5.66E-07	5.40E-07
kr	1.29E+01	7.99E-04	7.57E-04	7.17E-04	6.80E-04	6.44E-04
sr	2.00E+01	1.41E-02	5.47E-03	5.23E-03	5.12E-03	5.01E-03
y	2.72E+01	4.55E-02	2.60E-02	2.49E-02	2.44E-02	2.39E-02
zr	1.20E+01	4.00E-02	1.48E-03	5.49E-05	2.04E-06	8.28E-08
nb	2.14E+01	8.09E-02	3.10E-03	1.15E-04	4.27E-06	1.60E-07
tc	6.47E+00	3.46E-07	3.46E-07	3.46E-07	3.46E-07	3.46E-07
ru	7.06E-01	1.90E-03	1.57E-04	8.48E-05	4.81E-05	2.72E-05
rh	3.00E-01	4.27E-02	2.41E-02	1.37E-02	7.75E-03	4.39E-03
cd	6.84E-02	1.04E-06	4.78E-07	4.55E-07	4.36E-07	4.19E-07
sn	1.87E+00	3.07E-05	6.10E-06	1.26E-06	2.94E-07	9.83E-08
sb	7.51E+00	5.87E-04	4.75E-04	3.84E-04	3.11E-04	2.52E-04
te	9.30E+00	2.61E-04	5.78E-05	2.89E-05	2.08E-05	1.64E-05
cs	1.81E+01	5.29E-03	5.19E-03	5.09E-03	4.99E-03	4.90E-03
ba	1.12E+01	1.77E-02	1.73E-02	1.70E-02	1.67E-02	1.63E-02
ce	4.36E+00	3.43E-02	1.61E-02	7.70E-03	3.67E-03	1.75E-03
pr	5.72E+00	3.80E-01	1.81E-01	8.64E-02	4.12E-02	1.97E-02
pm	3.18E-01	5.30E-03	4.25E-03	3.41E-03	2.74E-03	2.20E-03
sm	2.00E-02	1.43E-05	1.42E-05	1.41E-05	1.40E-05	1.39E-05
eu	8.23E-03	1.13E-04	9.97E-05	8.82E-05	7.79E-05	6.89E-05
totals	2.58E+02	6.69E-01	2.86E-01	1.65E-01	1.08E-01	7.92E-02

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide gamma power, watts  
 basis =single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	7.43E-06	7.04E-06	6.67E-06	6.32E-06	5.99E-06	5.68E-06
y 90	4.77E-08	4.72E-08	4.63E-08	4.53E-08	4.44E-08	4.35E-08
zr 95	9.30E-01	3.44E-02	1.28E-03	4.73E-05	1.75E-06	6.48E-08
nb 95	9.48E-01	7.63E-02	2.93E-03	1.09E-04	4.03E-06	1.49E-07
rh102	2.16E-08	1.77E-08	1.45E-08	1.19E-08	9.73E-09	7.97E-09
rh106	9.56E-03	5.42E-03	3.07E-03	1.74E-03	9.87E-04	5.60E-04
sb125	5.82E-04	4.77E-04	3.86E-04	3.13E-04	2.53E-04	2.05E-04
te125m	8.64E-06	9.48E-06	7.73E-06	6.26E-06	5.07E-06	4.10E-06
sn126	7.78E-09	7.78E-09	7.78E-09	7.78E-09	7.78E-09	7.78E-09
sb126	6.28E-05	2.30E-08	2.30E-08	2.30E-08	2.30E-08	2.30E-08
sb126m	4.88E-05	9.27E-08	9.27E-08	9.27E-08	9.27E-08	9.26E-08
cs134	1.45E-06	1.10E-06	8.29E-07	6.26E-07	4.73E-07	3.58E-07
ba137m	1.63E-02	1.60E-02	1.57E-02	1.54E-02	1.51E-02	1.48E-02
ce144	1.22E-02	5.83E-03	2.78E-03	1.32E-03	6.32E-04	3.01E-04
pr144	1.86E-02	8.86E-03	4.23E-03	2.02E-03	9.61E-04	4.59E-04
pr144m	1.13E-04	5.37E-05	2.56E-05	1.22E-05	5.82E-06	2.78E-06
pm147	4.44E-07	3.75E-07	3.01E-07	2.41E-07	1.94E-07	1.55E-07
sm151	1.02E-08	1.02E-08	1.01E-08	1.01E-08	1.00E-08	9.96E-09
eu154	6.16E-08	5.76E-08	5.39E-08	5.04E-08	4.71E-08	4.40E-08
eu155	6.30E-05	5.57E-05	4.92E-05	4.35E-05	3.84E-05	3.40E-05
total	1.28E+02	1.49E-01	3.04E-02	2.10E-02	1.80E-02	1.63E-02

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+00mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element gamma power, watts

	basis =single reactor assembly						
initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
kr	6.74E+00	7.04E-06	6.67E-06	6.32E-06	5.99E-06	5.68E-06	5.38E-06
y	9.80E+00	1.17E-04	3.21E-06	1.31E-07	4.68E-08	4.36E-08	4.26E-08
zr	4.79E+00	3.44E-02	1.28E-03	4.73E-05	1.75E-06	6.48E-08	2.40E-09
nb	9.09E+00	7.64E-02	2.93E-03	1.09E-04	4.03E-06	1.49E-07	5.70E-09
rh	9.50E-02	5.43E-03	3.07E-03	1.74E-03	9.87E-04	5.60E-04	3.17E-04
sn	1.23E+00	4.37E-07	1.01E-07	3.09E-08	1.51E-08	1.10E-08	9.69E-09
sb	5.15E+00	4.77E-04	3.86E-04	3.13E-04	2.53E-04	2.05E-04	1.66E-04
te	5.57E+00	2.30E-05	9.10E-06	6.46E-06	5.10E-06	4.10E-06	3.32E-06
cs	8.75E+00	1.10E-06	8.29E-07	6.26E-07	4.73E-07	3.58E-07	2.70E-07
ba	4.72E+00	1.60E-02	1.57E-02	1.54E-02	1.51E-02	1.48E-02	1.45E-02
ce	2.08E+00	5.96E-03	2.78E-03	1.32E-03	6.32E-04	3.01E-04	1.44E-04
pr	1.79E+00	8.92E-03	4.25E-03	2.03E-03	9.67E-04	4.61E-04	2.20E-04
pm	8.53E-02	3.87E-07	3.01E-07	2.41E-07	1.94E-07	1.55E-07	1.25E-07
sm	4.44E-03	1.02E-08	1.01E-08	1.01E-08	1.00E-08	9.96E-09	9.89E-09
eu	5.17E-03	5.57E-05	4.92E-05	4.35E-05	3.85E-05	3.40E-05	3.01E-05
totals	1.28E+02	1.49E-01	3.04E-02	2.10E-02	1.80E-02	1.63E-02	1.54E-02

page 63

## 1 photon spectrum as a function of time for light elements, cladding and structural materials

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= .00 mw, burnup= 1.mwd, flux= 2.79E+08 n\*\*2-sec  
0 spectrum of photon release rates, photons/sec  
0 basis = single reactor assembly

time after discharge							
emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	5.14E+11	1.31E+04	1.05E+04	8.41E+03	6.73E+03	5.39E+03	4.32E+03
3.00E-02	1.69E+11	4.17E+03	3.34E+03	2.68E+03	2.14E+03	1.72E+03	1.37E+03
5.50E-02	1.18E+11	2.82E+03	2.26E+03	1.81E+03	1.45E+03	1.16E+03	9.29E+02
8.50E-02	6.89E+10	1.59E+03	1.27E+03	1.02E+03	8.15E+02	6.52E+02	5.23E+02
1.20E-01	4.90E+10	1.08E+03	8.68E+02	6.95E+02	5.57E+02	4.46E+02	3.57E+02
1.70E-01	5.12E+10	1.06E+03	8.53E+02	6.83E+02	5.47E+02	4.38E+02	3.51E+02
3.00E-01	5.87E+10	1.06E+03	8.48E+02	6.79E+02	5.44E+02	4.36E+02	3.49E+02
6.50E-01	2.89E+10	5.66E+04	4.53E+04	3.63E+04	2.91E+04	2.33E+04	1.87E+04
1.13E+00	4.96E+09	4.51E+04	3.61E+04	2.89E+04	2.32E+04	1.86E+04	1.49E+04
1.58E+00	9.03E+11	1.13E-01	9.05E-02	7.25E-02	5.80E-02	4.65E-02	3.72E-02
2.00E+00	1.79E+08	1.00E-02	8.05E-03	6.44E-03	5.16E-03	4.13E-03	3.31E-03
2.40E+00	3.62E+07	2.25E-03	1.80E-03	1.44E-03	1.16E-03	9.27E-04	7.42E-04
2.80E+00	2.13E+11	3.53E-05	2.82E-05	2.26E-05	1.81E-05	1.45E-05	1.16E-05
3.25E+00	1.35E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.75E+00	1.39E+08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.25E+00	1.82E+06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.75E+00	6.61E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E+00	1.15E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.18E+12	1.27E+05	1.01E+05	8.12E+04	6.50E+04	5.21E+04	4.17E+04
mev/sec	2.10E+12	8.87E+04	7.10E+04	5.69E+04	4.56E+04	3.65E+04	2.92E+04

0 spectrum of energy release rates, mev/watt-sec  
0 basis = single reactor assembly

time after discharge							
emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	1.29E+06	3.28E-02	2.62E-02	2.10E-02	1.68E-02	1.35E-02	1.08E-02
3.00E-02	1.27E+06	3.13E-02	2.51E-02	2.01E-02	1.61E-02	1.29E-02	1.03E-02
5.50E-02	1.62E+06	3.87E-02	3.10E-02	2.49E-02	1.99E-02	1.59E-02	1.28E-02
8.50E-02	1.46E+06	3.37E-02	2.70E-02	2.16E-02	1.73E-02	1.39E-02	1.11E-02
1.20E-01	1.47E+06	3.25E-02	2.60E-02	2.09E-02	1.67E-02	1.34E-02	1.07E-02
1.70E-01	2.18E+06	4.52E-02	3.62E-02	2.90E-02	2.32E-02	1.86E-02	1.49E-02
3.00E-01	4.41E+06	7.94E-02	6.36E-02	5.10E-02	4.08E-02	3.27E-02	2.62E-02

6.50E-01	4.70E+06	9.20E+00	7.37E+00	5.90E+00	4.72E+00	3.78E+00	3.03E+00
1.13E+00	1.40E+06	1.27E+01	1.02E+01	8.14E+00	6.52E+00	5.22E+00	4.18E+00
1.58E+00	3.56E+08	4.45E-05	3.56E-05	2.85E-05	2.29E-05	1.83E-05	1.47E-05
2.00E+00	8.95E+04	5.02E-06	4.02E-06	3.22E-06	2.58E-06	2.07E-06	1.66E-06
2.40E+00	2.17E+04	1.35E-06	1.08E-06	8.67E-07	6.94E-07	5.56E-07	4.45E-07
2.80E+00	1.49E+08	2.47E-08	1.98E-08	1.58E-08	1.27E-08	1.02E-08	8.13E-09
3.25E+00	1.10E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.75E+00	1.30E+05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.25E+00	1.93E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.75E+00	7.85E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E+00	1.58E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
0 total	5.25E+08	2.22E+01	1.78E+01	1.42E+01	1.14E+01	9.12E+00	7.31E+00
0 gamma watts	3.37E-01	1.42E-08	1.14E-08	9.12E-09	7.30E-09	5.85E-09	4.69E-09

page 64

## photon spectrum as a function of time for fission products

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= .00 mw, burnup= 1.mwd, flux= 2.79E+08 n\*\*2-sec  
 spectrum of photon release rates, photons/sec  
 basis = single reactor assembly

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	2.53E+14	1.84E+12	9.01E+11	5.05E+11	3.13E+11	2.17E+11	1.69E+11
3.00E-02	1.11E+14	8.29E+11	4.10E+11	2.27E+11	1.38E+11	9.41E+10	7.20E+10
5.50E-02	5.92E+13	4.27E+11	2.10E+11	1.16E+11	7.01E+10	4.75E+10	3.62E+10
8.50E-02	4.11E+13	2.77E+11	1.36E+11	7.40E+10	4.38E+10	2.90E+10	2.15E+10
1.20E-01	3.34E+13	3.94E+11	1.91E+11	9.71E+10	5.20E+10	3.02E+10	1.96E+10
1.70E-01	5.44E+13	1.75E+11	8.40E+10	4.58E+10	2.73E+10	1.81E+10	1.35E+10
3.00E-01	1.10E+14	1.96E+11	9.67E+10	5.21E+10	3.04E+10	1.98E+10	1.45E+10
6.50E-01	2.23E+14	1.41E+12	2.80E+11	1.97E+11	1.71E+11	1.58E+11	1.49E+11
1.13E+00	7.81E+13	2.02E+10	1.00E+10	5.30E+09	2.93E+09	1.74E+09	1.13E+09
1.58E+00	4.08E+13	9.69E+09	4.74E+09	2.34E+09	1.18E+09	6.10E+08	3.32E+08
2.00E+00	1.23E+13	1.71E+10	8.21E+09	3.93E+09	1.89E+09	9.06E+08	4.37E+08
2.40E+00	1.06E+13	3.30E+08	1.73E+08	9.11E+07	4.84E+07	2.59E+07	1.39E+07
2.80E+00	4.23E+12	4.16E+07	2.25E+07	1.22E+07	6.64E+06	3.64E+06	2.00E+06
3.25E+00	2.48E+12	4.96E+06	2.81E+06	1.59E+06	9.03E+05	5.12E+05	2.90E+05
3.75E+00	1.26E+12	2.19E+03	1.24E+03	7.02E+02	3.98E+02	2.26E+02	1.28E+02
4.25E+00	1.40E+12	1.63E-09	1.71E-09	1.77E-09	1.82E-09	1.86E-09	1.89E-09
4.75E+00	4.09E+11	8.17E-10	8.56E-10	8.88E-10	9.13E-10	9.34E-10	9.50E-10
5.50E+00	3.04E+11	6.06E-10	6.35E-10	6.59E-10	6.78E-10	6.93E-10	7.05E-10
0 total	1.04E+15	5.60E+12	2.33E+12	1.33E+12	8.52E+11	6.17E+11	4.97E+11
0 mev/sec	4.40E+14	1.21E+12	3.28E+11	2.05E+11	1.55E+11	1.30E+11	1.16E+11

spectrum of energy release rates, mev/watt-sec  
 basis = single reactor assembly

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	6.34E+08	4.61E+06	2.25E+06	1.26E+06	7.82E+05	5.43E+05	4.22E+05
3.00E-02	8.32E+08	6.22E+06	3.08E+06	1.70E+06	1.03E+06	7.05E+05	5.40E+05
5.50E-02	8.14E+08	5.88E+06	2.89E+06	1.59E+06	9.64E+05	6.53E+05	4.97E+05
8.50E-02	8.74E+08	5.88E+06	2.89E+06	1.57E+06	9.31E+05	6.16E+05	4.58E+05
1.20E-01	1.00E+09	1.18E+07	5.73E+06	2.91E+06	1.56E+06	9.07E+05	5.87E+05
1.70E-01	2.31E+09	7.43E+06	3.57E+06	1.95E+06	1.16E+06	7.69E+05	5.75E+05
3.00E-01	8.21E+09	1.47E+07	7.25E+06	3.91E+06	2.28E+06	1.48E+06	1.08E+06
6.50E-01	3.62E+10	2.29E+08	4.55E+07	3.20E+07	2.79E+07	2.56E+07	2.43E+07
1.13E+00	2.20E+10	5.69E+06	2.82E+06	1.49E+06	8.25E+05	4.89E+05	3.17E+05
1.58E+00	1.61E+10	3.82E+06	1.87E+06	9.23E+05	4.64E+05	2.40E+05	1.31E+05
2.00E+00	6.13E+09	8.57E+06	4.10E+06	1.97E+06	9.43E+05	4.53E+05	2.19E+05
2.40E+00	6.38E+09	1.98E+05	1.04E+05	5.47E+04	2.90E+04	1.55E+04	8.36E+03

2.80E+00	2.96E+09	2.92E+04	1.57E+04	8.53E+03	4.65E+03	2.55E+03	1.40E+03
3.25E+00	2.01E+09	4.03E+03	2.28E+03	1.29E+03	7.34E+02	4.16E+02	2.36E+02
3.75E+00	1.18E+09	2.05E+00	1.16E+00	6.59E-01	3.73E-01	2.12E-01	1.20E-01
4.25E+00	1.48E+09	1.73E-12	1.81E-12	1.88E-12	1.93E-12	1.98E-12	2.01E-12
4.75E+00	4.85E+08	9.70E-13	1.02E-12	1.05E-12	1.08E-12	1.11E-12	1.13E-12
5.50E+00	4.18E+08	8.33E-13	8.73E-13	9.06E-13	9.32E-13	9.52E-13	9.69E-13
0 total	1.10E+11	3.04E+08	8.20E+07	5.13E+07	3.88E+07	3.25E+07	2.91E+07
0 gamma watts	7.05E+01	1.95E-01	5.26E-02	3.29E-02	2.49E-02	2.08E-02	1.87E-02

page 65

0 principal photon sources in group 1, photons/sec  
 mean energy = .0100 mev. nuclides exceeding 1.0E-03 of total group release rate (2.17E+11) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	2.96E+09	2.81E+09	2.66E+09	2.52E+09	2.39E+09	2.27E+09	2.15E+09
sr 90	1.95E+10	1.91E+10	1.87E+10	1.83E+10	1.80E+10	1.76E+10	1.72E+10
y 90	9.48E+10	9.39E+10	9.20E+10	9.01E+10	8.83E+10	8.65E+10	8.47E+10
rh106	2.33E+11	1.32E+11	7.49E+10	4.24E+10	2.41E+10	1.36E+10	7.73E+09
cs137	1.71E+10	1.68E+10	1.65E+10	1.62E+10	1.59E+10	1.55E+10	1.53E+10
ba137m	8.07E+08	7.88E+08	7.73E+08	7.58E+08	7.43E+08	7.29E+08	7.15E+08
ce144	2.09E+11	9.96E+10	4.75E+10	2.26E+10	1.08E+10	5.15E+09	2.46E+09
pr144	2.77E+12	1.32E+12	6.29E+11	3.00E+11	1.43E+11	6.83E+10	3.26E+10
pm147	1.99E+10	1.68E+10	1.35E+10	1.08E+10	8.67E+09	6.95E+09	5.58E+09
eu155	4.34E+08	3.84E+08	3.39E+08	3.00E+08	2.65E+08	2.34E+08	2.07E+08

0 principal photon sources in group 2, photons/sec  
 mean energy = .0300 mev. nuclides exceeding 1.0E-03 of total group release rate (9.41E+10) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	8.64E+08	8.19E+08	7.76E+08	7.35E+08	6.97E+08	6.60E+08	6.26E+08
sr 90	5.51E+09	5.40E+09	5.29E+09	5.18E+09	5.08E+09	4.97E+09	4.87E+09
y 90	3.09E+10	3.06E+10	3.00E+10	2.93E+10	2.87E+10	2.82E+10	2.76E+10
rh106	7.78E+10	4.41E+10	2.50E+10	1.42E+10	8.03E+09	4.55E+09	2.58E+09
sb125	4.15E+09	3.40E+09	2.75E+09	2.23E+09	1.80E+09	1.46E+09	1.18E+09
te125m	1.75E+09	1.92E+09	1.57E+09	1.27E+09	1.03E+09	8.32E+08	6.73E+08
cs137	4.77E+09	4.68E+09	4.59E+09	4.50E+09	4.42E+09	4.33E+09	4.25E+09
ba137m	1.39E+10	1.35E+10	1.33E+10	1.30E+10	1.28E+10	1.25E+10	1.23E+10
ce144	4.85E+11	2.31E+11	1.10E+11	5.26E+10	2.51E+10	1.20E+10	5.70E+09
pr144	9.15E+11	4.37E+11	2.08E+11	9.93E+10	4.74E+10	2.26E+10	1.08E+10
pr144m	1.87E+10	8.91E+09	4.25E+09	2.03E+09	9.67E+08	4.61E+08	2.20E+08
pm147	4.37E+09	3.69E+09	2.96E+09	2.37E+09	1.91E+09	1.53E+09	1.23E+09

0 principal photon sources in group 3, photons/sec  
 mean energy = .0550 mev. nuclides exceeding 1.0E-03 of total group release rate (4.75E+10) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	5.30E+08	5.02E+08	4.76E+08	4.51E+08	4.27E+08	4.05E+08	3.84E+08
sr 90	3.26E+09	3.19E+09	3.13E+09	3.06E+09	3.00E+09	2.94E+09	2.88E+09
y 90	2.13E+10	2.11E+10	2.07E+10	2.03E+10	1.99E+10	1.95E+10	1.91E+10
rh106	5.51E+10	3.12E+10	1.77E+10	1.00E+10	5.69E+09	3.23E+09	1.83E+09
cs137	2.78E+09	2.72E+09	2.67E+09	2.62E+09	2.57E+09	2.52E+09	2.47E+09
ce144	7.01E+10	3.34E+10	1.60E+10	7.61E+09	3.63E+09	1.73E+09	8.25E+08
pr144	6.43E+11	3.06E+11	1.46E+11	6.97E+10	3.32E+10	1.59E+10	7.56E+09
pm147	1.84E+09	1.55E+09	1.24E+09	9.98E+08	8.01E+08	6.42E+08	5.15E+08
eu155	1.27E+09	1.12E+09	9.89E+08	8.74E+08	7.73E+08	6.83E+08	6.04E+08

page 66

1 0 principal photon sources in group 4, photons/sec  
 mean energy = .0850 mev. nuclides exceeding 1.0E-03 of total group release rate (2.90E+10) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	2.65E+08	2.51E+08	2.38E+08	2.26E+08	2.14E+08	2.03E+08	1.92E+08
sr 90	1.55E+09	1.52E+09	1.49E+09	1.46E+09	1.43E+09	1.40E+09	1.37E+09
y 90	1.24E+10	1.22E+10	1.20E+10	1.17E+10	1.15E+10	1.13E+10	1.10E+10

rh106	3.28E+10	1.86E+10	1.05E+10	5.97E+09	3.38E+09	1.92E+09	1.09E+09	
cs137	1.30E+09	1.28E+09	1.25E+09	1.23E+09	1.20E+09	1.18E+09	1.16E+09	
ce144	9.90E+10	4.72E+10	2.25E+10	1.07E+10	5.12E+09	2.44E+09	1.17E+09	
pr144	3.78E+11	1.80E+11	8.60E+10	4.10E+10	1.96E+10	9.33E+09	4.45E+09	
pm147	5.22E+08	4.41E+08	3.54E+08	2.84E+08	2.28E+08	1.83E+08	1.47E+08	
eu155	1.92E+09	1.70E+09	1.50E+09	1.33E+09	1.17E+09	1.04E+09	9.17E+08	
0	principal photon sources in group 5, photons/sec							
	mean energy = .1200 mev. nuclides exceeding 1.0E-03 of total group release rate (3.02E+10) at 1521.9 d							
nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
kr 85	1.60E+08	1.52E+08	1.44E+08	1.36E+08	1.29E+08	1.22E+08	1.16E+08	
sr 90	8.84E+08	8.66E+08	8.48E+08	8.31E+08	8.14E+08	7.97E+08	7.81E+08	
y 90	8.69E+09	8.61E+09	8.43E+09	8.26E+09	8.09E+09	7.93E+09	7.77E+09	
rh106	2.37E+10	1.34E+10	7.60E+09	4.31E+09	2.44E+09	1.38E+09	7.85E+08	
cs137	7.29E+08	7.15E+08	7.01E+08	6.88E+08	6.75E+08	6.62E+08	6.49E+08	
ce144	4.86E+11	2.32E+11	1.10E+11	5.27E+10	2.51E+10	1.20E+10	5.71E+09	
pr144	2.71E+11	1.29E+11	6.16E+10	2.94E+10	1.40E+10	6.68E+09	3.18E+09	
pm147	1.66E+08	1.40E+08	1.12E+08	9.00E+07	7.22E+07	5.80E+07	4.65E+07	
eu155	1.10E+09	9.70E+08	8.57E+08	7.58E+08	6.70E+08	5.92E+08	5.23E+08	
0	principal photon sources in group 6, photons/sec							
	mean energy = .1700 mev. nuclides exceeding 1.0E-03 of total group release rate (1.81E+10) at 1521.9 d							
nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
kr 85	1.27E+08	1.20E+08	1.14E+08	1.08E+08	1.02E+08	9.71E+07	9.20E+07	
sr 90	6.30E+08	6.17E+08	6.05E+08	5.93E+08	5.81E+08	5.69E+08	5.57E+08	
y 90	8.96E+09	8.87E+09	8.69E+09	8.51E+09	8.34E+09	8.17E+09	8.00E+09	
rh106	2.54E+10	1.44E+10	8.15E+09	4.62E+09	2.62E+09	1.48E+09	8.42E+08	
sb125	6.25E+08	5.12E+08	4.15E+08	3.36E+08	2.72E+08	2.20E+08	1.78E+08	
cs137	5.15E+08	5.05E+08	4.95E+08	4.86E+08	4.76E+08	4.67E+08	4.58E+08	
ce144	1.04E+09	4.98E+08	2.38E+08	1.13E+08	5.41E+07	2.58E+07	1.23E+07	
pr144	2.86E+11	1.36E+11	6.51E+10	3.10E+10	1.48E+10	7.06E+09	3.37E+09	
1	principal photon sources in group 7, photons/sec							
0	mean energy = .3000 mev. nuclides exceeding 1.0E-03 of total group release rate (1.98E+10) at 1521.9 d							
nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
kr 85	7.67E+07	7.27E+07	6.89E+07	6.53E+07	6.19E+07	5.86E+07	5.55E+07	
sr 90	2.86E+08	2.80E+08	2.74E+08	2.69E+08	2.63E+08	2.58E+08	2.53E+08	
y 90	9.95E+09	9.85E+09	9.65E+09	9.45E+09	9.26E+09	9.07E+09	8.89E+09	
rh106	3.06E+10	1.73E+10	9.83E+09	5.57E+09	3.16E+09	1.79E+09	1.02E+09	
sb125	2.37E+08	1.94E+08	1.57E+08	1.27E+08	1.03E+08	8.33E+07	6.74E+07	
cs137	2.60E+08	2.55E+08	2.51E+08	2.46E+08	2.41E+08	2.37E+08	2.32E+08	
pr144	3.35E+11	1.60E+11	7.62E+10	3.63E+10	1.73E+10	8.27E+09	3.94E+09	
0	principal photon sources in group 8, photons/sec							
0	mean energy = .6500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.58E+11) at 1521.9 d							
nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
y 90	4.21E+09	4.16E+09	4.08E+09	4.00E+09	3.91E+09	3.83E+09	3.76E+09	
rh106	9.45E+10	5.36E+10	3.04E+10	1.72E+10	9.75E+09	5.53E+09	3.13E+09	
sb125	5.08E+09	4.16E+09	3.37E+09	2.73E+09	2.21E+09	1.79E+09	1.45E+09	
ba137m	1.56E+11	1.52E+11	1.49E+11	1.46E+11	1.44E+11	1.41E+11	1.38E+11	
pr144	2.29E+11	1.09E+11	5.20E+10	2.48E+10	1.18E+10	5.64E+09	2.69E+09	
0	principal photon sources in group 9, photons/sec							
0	mean energy = 1.1250 mev. nuclides exceeding 1.0E-03 of total group release rate (1.74E+09) at 1521.9 d							
nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
y 90	5.48E+08	5.43E+08	5.32E+08	5.21E+08	5.11E+08	5.00E+08	4.90E+08	
rh106	8.80E+09	4.99E+09	2.83E+09	1.60E+09	9.09E+08	5.15E+08	2.92E+08	
pr144	2.93E+10	1.40E+10	6.65E+09	3.17E+09	1.51E+09	7.22E+08	3.44E+08	
0	principal photon sources in group 10, photons/sec							

mean energy = 1.5750 mev. nuclides exceeding 1.0E-03 of total group release rate (6.10E+08) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
y 90 7.00E+07 6.93E+07 6.79E+07 6.65E+07 6.52E+07 6.39E+07 6.26E+07  
rh106 1.66E+09 9.41E+08 5.33E+08 3.02E+08 1.71E+08 9.71E+07 5.51E+07  
pr144 1.82E+10 8.68E+09 4.14E+09 1.97E+09 9.42E+08 4.49E+08 2.14E+08

0 principal photon sources in group 11, photons/sec  
mean energy = 2.0000 mev. nuclides exceeding 1.0E-03 of total group release rate (9.06E+08) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
y 90 4.19E+06 4.15E+06 4.06E+06 3.98E+06 3.90E+06 3.82E+06 3.74E+06  
rh106 5.39E+08 3.06E+08 1.73E+08 9.82E+07 5.57E+07 3.16E+07 1.79E+07  
pr144 3.53E+10 1.68E+10 8.03E+09 3.83E+09 1.83E+09 8.71E+08 4.15E+08

1 principal photon sources in group 12, photons/sec  
mean energy = 2.4000 mev. nuclides exceeding 1.0E-03 of total group release rate (2.59E+07) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
rh106 3.01E+08 1.71E+08 9.69E+07 5.49E+07 3.11E+07 1.76E+07 1.00E+07  
pr144 3.34E+08 1.59E+08 7.59E+07 3.62E+07 1.73E+07 8.23E+06 3.92E+06

0 principal photon sources in group 13, photons/sec  
mean energy = 2.8000 mev. nuclides exceeding 1.0E-03 of total group release rate (3.64E+06) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
rh106 5.09E+07 2.88E+07 1.63E+07 9.27E+06 5.25E+06 2.98E+06 1.69E+06  
pr144 2.69E+07 1.28E+07 6.11E+06 2.91E+06 1.39E+06 6.63E+05 3.16E+05

0 principal photon sources in group 14, photons/sec  
mean energy = 3.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (5.12E+05) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
rh106 8.75E+06 4.96E+06 2.81E+06 1.59E+06 9.03E+05 5.12E+05 2.90E+05

0 principal photon sources in group 15, photons/sec  
mean energy = 3.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (2.26E+02) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
rh106 3.86E+03 2.19E+03 1.24E+03 7.02E+02 3.98E+02 2.26E+02 1.28E+02

0 principal photon sources in group 16, photons/sec  
mean energy = 4.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.86E-09) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
ce142 1.47E-09 1.47E-09 1.47E-09 1.47E-09 1.47E-09 1.47E-09 1.47E-09  
sm147 6.24E-11 1.61E-10 2.40E-10 3.03E-10 3.54E-10 3.95E-10 4.27E-10

0 principal photon sources in group 17, photons/sec  
mean energy = 4.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (9.34E-10) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
ce142 7.36E-10 7.36E-10 7.36E-10 7.36E-10 7.36E-10 7.36E-10 7.36E-10  
sm147 3.13E-11 8.07E-11 1.20E-10 1.52E-10 1.77E-10 1.98E-10 2.14E-10

0 principal photon sources in group 18, photons/sec  
mean energy = 5.5000 mev. nuclides exceeding 1.0E-03 of total group release rate (6.93E-10) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge  
ce142 5.46E-10 5.46E-10 5.46E-10 5.46E-10 5.46E-10 5.46E-10 5.46E-10  
sm147 2.32E-11 5.98E-11 8.92E-11 1.13E-10 1.32E-10 1.47E-10 1.59E-10

page 68

1 photon spectrum as a function of time for heavy metals and their daughters

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
power= .00 mw, burnup= 1.mwd, flux= 2.79E+08 n\*\*2-sec  
0 actinide photon release rates, photons/sec

page 69

basis = single reactor assembly

0

				time after discharge				
	emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	1.33E+14	5.50E+11	5.50E+11	5.50E+11	5.50E+11	5.50E+11	5.50E+11	5.50E+11
3.00E-02	8.46E+12	4.62E+10	4.62E+10	4.62E+10	4.62E+10	4.62E+10	4.62E+10	4.62E+10
5.50E-02	1.09E+13	2.01E+10	2.01E+10	2.01E+10	2.01E+10	2.01E+10	2.01E+10	2.01E+10
8.50E-02	5.26E+13	1.51E+11	1.51E+11	1.51E+11	1.51E+11	1.51E+11	1.51E+11	1.51E+11
1.20E-01	5.42E+13	2.90E+10	2.90E+10	2.90E+10	2.90E+10	2.90E+10	2.90E+10	2.90E+10
1.70E-01	1.72E+12	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10
3.00E-01	2.87E+13	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11
6.50E-01	1.45E+12	6.30E+09	6.30E+09	6.30E+09	6.30E+09	6.30E+09	6.30E+09	6.30E+09
1.13E+00	1.86E+12	9.16E+08	9.16E+08	9.16E+08	9.16E+08	9.16E+08	9.16E+08	9.16E+08
1.58E+00	1.07E+08	1.07E+08	1.07E+08	1.07E+08	1.07E+08	1.07E+08	1.07E+08	1.07E+08
2.00E+00	3.65E+07	3.65E+07	3.65E+07	3.65E+07	3.65E+07	3.65E+07	3.65E+07	3.65E+07
2.40E+00	2.90E+04	2.91E+04	2.93E+04	2.95E+04	2.97E+04	3.01E+04	3.05E+04	3.08E+04
2.80E+00	1.75E+04	1.85E+04	1.98E+04	2.14E+04	2.30E+04	2.46E+04	2.60E+04	2.74E+04
3.25E+00	1.02E+04	1.02E+04	1.02E+04	1.02E+04	1.02E+04	1.02E+04	1.02E+04	1.02E+04
3.75E+00	5.89E+03	5.89E+03	5.89E+03	5.89E+03	5.89E+03	5.89E+03	5.89E+03	5.89E+03
4.25E+00	3.41E+03	3.41E+03	3.41E+03	3.41E+03	3.41E+03	3.41E+03	3.41E+03	3.41E+03
4.75E+00	1.97E+03	1.97E+03	1.97E+03	1.97E+03	1.97E+03	1.97E+03	1.97E+03	1.97E+03
5.50E+00	1.78E+03	1.78E+03	1.78E+03	1.78E+03	1.78E+03	1.78E+03	1.78E+03	1.78E+03
total	2.93E+14	9.52E+11	9.52E+11	9.52E+11	9.52E+11	9.52E+11	9.52E+11	9.52E+11
mev/sec	2.51E+13	7.20E+10	7.20E+10	7.20E+10	7.20E+10	7.20E+10	7.20E+10	7.20E+10

actinide energy release rates, mev/watt-sec

basis = single reactor assembly

0

				time after discharge				
	emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	3.33E+08	1.37E+06	1.37E+06	1.37E+06	1.37E+06	1.37E+06	1.37E+06	1.37E+06
3.00E-02	6.34E+07	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05
5.50E-02	1.50E+08	2.77E+05	2.77E+05	2.77E+05	2.77E+05	2.77E+05	2.77E+05	2.77E+05
8.50E-02	1.12E+09	3.20E+06	3.20E+06	3.20E+06	3.20E+06	3.20E+06	3.20E+06	3.20E+06
1.20E-01	1.63E+09	8.69E+05	8.69E+05	8.69E+05	8.69E+05	8.69E+05	8.69E+05	8.69E+05
1.70E-01	7.31E+07	8.07E+05	8.07E+05	8.07E+05	8.07E+05	8.07E+05	8.07E+05	8.07E+05
3.00E-01	2.15E+09	9.77E+06	9.77E+06	9.77E+06	9.77E+06	9.77E+06	9.77E+06	9.77E+06
6.50E-01	2.36E+08	1.02E+06	1.02E+06	1.02E+06	1.02E+06	1.02E+06	1.02E+06	1.02E+06
1.13E+00	5.24E+08	2.58E+05	2.58E+05	2.58E+05	2.58E+05	2.58E+05	2.58E+05	2.58E+05
1.58E+00	4.20E+04	4.21E+04	4.21E+04	4.21E+04	4.21E+04	4.21E+04	4.21E+04	4.21E+04
2.00E+00	1.82E+04	1.82E+04	1.82E+04	1.82E+04	1.82E+04	1.82E+04	1.82E+04	1.82E+04
2.40E+00	1.74E+01	1.75E+01	1.76E+01	1.77E+01	1.78E+01	1.80E+01	1.83E+01	1.83E+01
2.80E+00	1.23E+01	1.29E+01	1.39E+01	1.50E+01	1.61E+01	1.72E+01	1.82E+01	1.82E+01
3.25E+00	8.26E+00	8.26E+00	8.27E+00	8.27E+00	8.27E+00	8.27E+00	8.27E+00	8.27E+00
3.75E+00	5.52E+00	5.52E+00	5.52E+00	5.52E+00	5.52E+00	5.52E+00	5.52E+00	5.52E+00
4.25E+00	3.62E+00	3.62E+00	3.62E+00	3.62E+00	3.62E+00	3.62E+00	3.62E+00	3.62E+00
4.75E+00	2.34E+00	2.34E+00	2.34E+00	2.34E+00	2.34E+00	2.34E+00	2.34E+00	2.34E+00
5.50E+00	2.45E+00	2.45E+00	2.45E+00	2.45E+00	2.45E+00	2.45E+00	2.45E+00	2.45E+00
total	6.27E+09	1.80E+07	1.80E+07	1.80E+07	1.80E+07	1.80E+07	1.80E+07	1.80E+07
gamma watts	4.02E+00	1.15E-02	1.15E-02	1.15E-02	1.15E-02	1.15E-02	1.15E-02	1.15E-02

neutron source intensity as a function of time

0

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
alpha-n neutron source, neutrons/sec/basis  
basis = single reactor assembly

initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d

pb210	6.26E-16	3.94E-15	1.21E-14	2.73E-14	5.15E-14	8.68E-14	1.35E-13
bi210	1.50E-13	1.00E-12	3.09E-12	6.96E-12	1.31E-11	2.22E-11	3.45E-11

bi211	1.66E-04	6.97E-04	1.44E-03	2.44E-03	3.69E-03	5.18E-03	6.90E-03
bi212	8.84E-06	4.21E-05	9.07E-05	1.46E-04	2.03E-04	2.58E-04	3.09E-04
bi213	2.03E-08	9.90E-08	2.22E-07	3.93E-07	6.13E-07	8.83E-07	1.20E-06
bi214	7.14E-09	2.47E-08	5.23E-08	9.01E-08	1.38E-07	1.96E-07	2.65E-07
po210	5.98E-08	5.89E-07	2.20E-06	5.55E-06	1.13E-05	2.00E-05	3.25E-05
po211	6.59E-07	2.76E-06	5.71E-06	9.67E-06	1.46E-05	2.05E-05	2.73E-05
po212	4.52E-05	2.16E-04	4.65E-04	7.49E-04	1.04E-03	1.32E-03	1.58E-03
po213	2.67E-06	1.31E-05	2.92E-05	5.19E-05	8.09E-05	1.16E-04	1.58E-04
po214	6.36E-05	2.20E-04	4.66E-04	8.02E-04	1.23E-03	1.75E-03	2.36E-03
po215	2.35E-04	9.85E-04	2.04E-03	3.45E-03	5.22E-03	7.32E-03	9.76E-03
po216	3.53E-05	1.68E-04	3.63E-04	5.85E-04	8.12E-04	1.03E-03	1.23E-03
po218	3.02E-05	1.05E-04	2.22E-04	3.82E-04	5.85E-04	8.32E-04	1.12E-03
at217	1.73E-06	8.47E-06	1.90E-05	3.36E-05	5.25E-05	7.55E-05	1.03E-04
rn218	4.99E-15	1.96E-19	7.72E-24	.00E+00	.00E+00	.00E+00	.00E+00
rn219	1.87E-04	7.83E-04	1.62E-03	2.74E-03	4.15E-03	5.82E-03	7.76E-03
rn220	2.80E-05	1.33E-04	2.87E-04	4.63E-04	6.43E-04	8.17E-04	9.78E-04
rn222	2.21E-05	7.65E-05	1.62E-04	2.79E-04	4.27E-04	6.07E-04	8.19E-04
fr221	1.26E-06	6.18E-06	1.38E-05	2.45E-05	3.83E-05	5.51E-05	7.49E-05
fr223	9.02E-11	2.97E-10	6.14E-10	1.04E-09	1.57E-09	2.20E-09	2.93E-09
ra222	3.86E-15	1.52E-19	5.97E-24	2.50E-28	.00E+00	.00E+00	.00E+00
ra223	1.08E-04	4.53E-04	9.39E-04	1.59E-03	2.40E-03	3.37E-03	4.49E-03
ra224	1.98E-05	9.43E-05	2.03E-04	3.27E-04	4.55E-04	5.78E-04	6.91E-04
ra226	1.33E-05	4.47E-05	9.46E-05	1.63E-04	2.50E-04	3.55E-04	4.79E-04
ac225	9.09E-07	4.44E-06	9.94E-06	1.76E-05	2.75E-05	3.96E-05	5.39E-05
ac227	1.02E-06	3.34E-06	6.91E-06	1.17E-05	1.77E-05	2.48E-05	3.30E-05
ac228	1.33E-16	4.33E-16	8.87E-16	1.48E-15	2.20E-15	3.03E-15	3.97E-15
th226	3.48E-15	1.37E-19	5.39E-24	2.26E-28	.00E+00	.00E+00	.00E+00
th227	1.31E-04	5.00E-04	1.04E-03	1.75E-03	2.65E-03	3.72E-03	4.95E-03
th228	1.74E-05	7.94E-05	1.71E-04	2.75E-04	3.83E-04	4.86E-04	5.81E-04
th229	6.62E-07	2.59E-06	5.81E-06	1.03E-05	1.61E-05	2.31E-05	3.15E-05
th230	5.67E-02	1.04E-01	1.51E-01	1.98E-01	2.46E-01	2.93E-01	3.40E-01
th232	2.92E-08	5.36E-08	7.80E-08	1.02E-07	1.27E-07	1.51E-07	1.75E-07
pa231	5.14E-03	9.13E-03	1.31E-02	1.71E-02	2.11E-02	2.51E-02	2.91E-02
u230	2.74E-15	1.08E-19	4.24E-24	1.78E-28	.00E+00	.00E+00	.00E+00
u231	1.30E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.40E-04	3.22E-04	4.69E-04	5.88E-04	6.84E-04	7.61E-04	8.22E-04
u233	1.45E-02	2.97E-02	4.50E-02	6.02E-02	7.55E-02	9.07E-02	1.06E-01
u234	6.63E+03						
u235	1.37E+02						
u236	1.04E+03						
u238	8.32E+02						
np235	1.15E-08	6.77E-09	3.98E-09	2.33E-09	1.37E-09	8.05E-10	4.72E-10
np237	3.35E+03						
pu236	3.26E-02	2.69E-02	2.20E-02	1.80E-02	1.48E-02	1.21E-02	9.92E-03
pu237	1.46E-10	1.37E-12	1.28E-14	1.20E-16	1.13E-18	1.05E-20	9.88E-23
pu238	6.52E+02	6.53E+02	6.49E+02	6.45E+02	6.41E+02	6.36E+02	6.32E+02

1

### neutron source intensity as a function of time

0

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% ue  
alpha-n neutron source, neutrons/sec/basis  
basis = single reactor assembly

page 7

am240	2.16E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.36E-09	5.80E-09	1.00E-08	1.41E-08	1.80E-08	2.18E-08	2.54E-08
am242m	7.95E-18	7.92E-18	7.88E-18	7.85E-18	7.82E-18	7.79E-18	7.76E-18
am243	6.04E-21	6.06E-21	6.06E-21	6.06E-21	6.06E-21	6.06E-21	6.06E-21
cm241	2.51E-26	4.04E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm242	3.17E-12	8.85E-13	2.44E-13	6.87E-14	2.06E-14	7.39E-15	3.77E-15
cm243	4.24E-21	4.16E-21	4.07E-21	3.99E-21	3.91E-21	3.83E-21	3.76E-21
cm244	2.61E-24	2.55E-24	2.47E-24	2.39E-24	2.32E-24	2.25E-24	2.18E-24
0 total	1.27E+04						

page 72

## 1 neutron source intensity as a function of time

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 spontaneous fission neutron source, neutrons/sec/basis  
 basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
th230	1.45E-06	2.67E-06	3.88E-06	5.09E-06	6.30E-06	7.52E-06	8.73E-06
pa231	6.45E-07	1.14E-06	1.65E-06	2.15E-06	2.65E-06	3.15E-06	3.65E-06
u232	8.58E-09	1.98E-08	2.88E-08	3.61E-08	4.20E-08	4.67E-08	5.05E-08
u234	1.43E+01						
u235	1.68E+00						
u236	1.57E+02						
u237	1.22E-09	3.42E-23	1.77E-24	1.70E-24	1.63E-24	1.57E-24	1.50E-24
u238	1.17E+05						
u239	9.66E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	7.39E-12						
np238	2.02E-08	2.32E-30	2.31E-30	2.30E-30	2.29E-30	2.29E-30	2.28E-30
np239	1.98E-05	6.28E-32	6.28E-32	6.28E-32	6.28E-32	6.28E-32	6.28E-32
pu236	2.21E-03	1.82E-03	1.49E-03	1.22E-03	1.00E-03	8.19E-04	6.71E-04
pu238	1.20E+02	1.21E+02	1.20E+02	1.19E+02	1.18E+02	1.18E+02	1.17E+02
pu239	2.67E-02	2.70E-02	2.70E-02	2.70E-02	2.70E-02	2.70E-02	2.70E-02
pu240	6.01E-03						
pu241	1.88E-12	1.81E-12	1.74E-12	1.67E-12	1.60E-12	1.54E-12	1.48E-12
pu242	1.29E-13						
pu243	1.04E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	5.23E-13	2.23E-12	3.87E-12	5.44E-12	6.94E-12	8.39E-12	9.77E-12
am242m	3.78E-17	3.76E-17	3.75E-17	3.73E-17	3.72E-17	3.70E-17	3.69E-17
am242	2.17E-16	4.09E-20	4.07E-20	4.05E-20	4.04E-20	4.02E-20	4.00E-20
am243	2.78E-23	2.79E-23	2.79E-23	2.79E-23	2.79E-23	2.79E-23	2.79E-23
am244	5.61E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm242	1.58E-11	4.42E-12	1.22E-12	3.43E-13	1.03E-13	3.69E-14	1.88E-14
cm243	9.21E-23	9.03E-23	8.85E-23	8.67E-23	8.49E-23	8.32E-23	8.16E-23
cm244	3.40E-22	3.33E-22	3.22E-22	3.12E-22	3.02E-22	2.93E-22	2.84E-22
cm245	1.80E-34						
cm246	2.77E-35						
0 total	1.18E+05						
0 total	1.30E+05						

page 73

1 alpha-n neutron source spectrum as a function of time  
 (using reaction spectra for uranium dioxide)

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 alpha-n neutron spectra, neutrons/sec/basis  
 basis = single reactor assembly

boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
-----------------	---------	---------	---------	---------	----------	----------	----------

1	6.43E+00	-	2.00E+01	.000E+00						
2	3.00E+00	-	6.43E+00	2.458E+03	2.458E+03	2.457E+03	2.456E+03	2.456E+03	2.455E+03	2.454E+03
3	1.85E+00	-	3.00E+00	6.963E+03	6.964E+03	6.961E+03	6.959E+03	6.957E+03	6.954E+03	6.952E+03
4	1.40E+00	-	1.85E+00	1.870E+03	1.870E+03	1.870E+03	1.869E+03	1.868E+03	1.868E+03	1.867E+03
5	9.00E-01	-	1.40E+00	1.052E+03	1.052E+03	1.052E+03	1.051E+03	1.051E+03	1.051E+03	1.050E+03
6	4.00E-01	-	9.00E-01	3.056E+02	3.056E+02	3.055E+02	3.054E+02	3.053E+02	3.052E+02	3.051E+02
7	1.00E-01	-	4.00E-01	4.775E+01	4.776E+01	4.774E+01	4.773E+01	4.771E+01	4.770E+01	4.768E+01
8	1.70E-02	-	1.00E-01	.000E+00						
9	3.00E-03	-	1.70E-02	.000E+00						
10	5.50E-04	-	3.00E-03	.000E+00						
11	1.00E-04	-	5.50E-04	.000E+00						
12	3.00E-05	-	1.00E-04	.000E+00						
13	1.00E-05	-	3.00E-05	.000E+00						
14	3.05E-06	-	1.00E-05	.000E+00						
15	1.77E-06	-	3.05E-06	.000E+00						
16	1.30E-06	-	1.77E-06	.000E+00						
17	1.13E-06	-	1.30E-06	.000E+00						
18	1.00E-06	-	1.13E-06	.000E+00						
19	8.00E-07	-	1.00E-06	.000E+00						
20	4.00E-07	-	8.00E-07	.000E+00						
21	3.25E-07	-	4.00E-07	.000E+00						
22	2.25E-07	-	3.25E-07	.000E+00						
23	1.00E-07	-	2.25E-07	.000E+00						
24	5.00E-08	-	1.00E-07	.000E+00						
25	3.00E-08	-	5.00E-08	.000E+00						
26	1.00E-08	-	3.00E-08	.000E+00						
27	1.00E-11	-	1.00E-08	.000E+00						
0				1.270E+04	1.270E+04	1.269E+04	1.269E+04	1.268E+04	1.268E+04	1.268E+04

page 74

## spontaneous fission neutron source spectrum as a function of time

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 spontaneous fission neutron spectra, neutrons/sec/basis basis = single reactor assembly

24 5.00E-08 - 1.00E-07 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00  
 25 3.00E-08 - 5.00E-08 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00  
 26 1.00E-08 - 3.00E-08 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00  
 27 1.00E-11 - 1.00E-08 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00  
 0 1.176E+05 1.176E+05 1.176E+05 1.176E+05 1.176E+05 1.176E+05 1.176E+05  
 1

page 75

total (alpha-n plus spon. fission) neutron source spectrum as a function of time  
 (using reaction spectra for uranium dioxide)

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 neutron spectra, neutrons/sec/basis  
 basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1	6.43E+00 - 2.00E+01	2.215E+03	2.214E+03	2.214E+03	2.214E+03	2.214E+03	2.214E+03	2.214E+03
2	3.00E+00 - 6.43E+00	2.711E+04						
3	1.85E+00 - 3.00E+00	3.362E+04	3.362E+04	3.362E+04	3.361E+04	3.361E+04	3.361E+04	3.361E+04
4	1.40E+00 - 1.85E+00	1.725E+04	1.726E+04	1.726E+04	1.726E+04	1.726E+04	1.726E+04	1.726E+04
5	9.00E-01 - 1.40E+00	2.212E+04	2.213E+04	2.213E+04	2.213E+04	2.213E+04	2.213E+04	2.213E+04
6	4.00E-01 - 9.00E-01	2.343E+04						
7	1.00E-01 - 4.00E-01	4.578E+03	4.576E+03	4.576E+03	4.575E+03	4.575E+03	4.575E+03	4.575E+03
8	1.70E-02 - 1.00E-01	0.000E+00						
9	3.00E-03 - 1.70E-02	0.000E+00						
10	5.50E-04 - 3.00E-03	0.000E+00						
11	1.00E-04 - 5.50E-04	0.000E+00						
12	3.00E-05 - 1.00E-04	0.000E+00						
13	1.00E-05 - 3.00E-05	0.000E+00						
14	3.05E-06 - 1.00E-05	0.000E+00						
15	1.77E-06 - 3.05E-06	0.000E+00						
16	1.30E-06 - 1.77E-06	0.000E+00						
17	1.13E-06 - 1.30E-06	0.000E+00						
18	1.00E-06 - 1.13E-06	0.000E+00						
19	8.00E-07 - 1.00E-06	0.000E+00						
20	4.00E-07 - 8.00E-07	0.000E+00						
21	3.25E-07 - 4.00E-07	0.000E+00						
22	2.25E-07 - 3.25E-07	0.000E+00						
23	1.00E-07 - 2.25E-07	0.000E+00						
24	5.00E-08 - 1.00E-07	0.000E+00						
25	3.00E-08 - 5.00E-08	0.000E+00						
26	1.00E-08 - 3.00E-08	0.000E+00						
27	1.00E-11 - 1.00E-08	0.000E+00						

0 1.303E+05 1.303E+05 1.303E+05 1.303E+05 1.303E+05 1.303E+05 1.303E+05

1 \* gamma sources determined \*  
 0 case applies the following photon data base  
 master photon library  
 in binary mode  
 0 the sources include photons of nuclides for...

light elements  
 actinides  
 fission products

1 gamma source spectrum for gamma lines (sas2)  
 0 1826.25 day time of the requested nuclides  
 0 energy interval in mev photons / second mev / second  
 0  
 1.0000E-02 to 5.0000E-02 3.6132E+11 1.0840E+10  
 5.0000E-02 to 1.0000E-01 2.2149E+11 1.6612E+10  
 1.0000E-01 to 2.0000E-01 7.5224E+10 1.1284E+10

2.0000E-01	to	3.0000E-01	2.4711E+10	6.1779E+09
3.0000E-01	to	4.0000E-01	1.0664E+11	3.7325E+10
4.0000E-01	to	6.0000E-01	1.3796E+10	6.8981E+09
6.0000E-01	to	8.0000E-01	1.3357E+11	9.3496E+10
8.0000E-01	to	1.0000E+00	1.7698E+09	1.5928E+09
1.0000E+00	to	1.3300E+00	1.2218E+09	1.4234E+09
1.3300E+00	to	1.6600E+00	3.8588E+08	5.7690E+08
1.6600E+00	to	2.0000E+00	1.3192E+08	2.4142E+08
2.0000E+00	to	2.5000E+00	3.7967E+08	8.5425E+08
2.5000E+00	to	3.0000E+00	2.4432E+06	6.7187E+06
3.0000E+00	to	4.0000E+00	2.8191E+05	9.8669E+05
4.0000E+00	to	5.0000E+00	5.3042E+03	2.3869E+04
5.0000E+00	to	6.5000E+00	2.1242E+03	1.2214E+04
6.5000E+00	to	8.0000E+00	4.1589E+02	3.0152E+03
8.0000E+00	to	1.0000E+01	8.8185E+01	7.9367E+02
			9.4065E+11	1.8733E+11
				totals

total energy from nuclides with spectrum data = 1.8733E+11  
total energy from nuclides with no spectrum data = 4.6955E+04

1 .results on logical unit no. 71, position 2, for time step 6, subcase 7. (run position 1, case position 2)  
0 title: sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 .terminated logical unit no. 71 with zero flag record.  
1 \* normal termination of execution \*

1 primary module access and input record ( scale driver - 95/03/29 - 09:06:37 )  
- module sas2h will be called  
SAS2H: Far-Field Crit based on B&W 15x15, 3.00wt%, 20gwd/mtu 40% H2O/ 8% UO2  
44group latticecell  
,

' mixtures of tuff infinite slabs:  
arbm-ftuff 2.6344 14 0 0 0 1001 1.055 8016 40.755 11023 0.570 12000 0.354  
13027 4.434 14000 20.193 19000 1.370 20000 1.439  
26000 0.494 92235 0.567 92234 0.007 92236 0.136  
92238 28.593 93237 0.033 1 1.0 538 end

kr-83 1 0 1-20 538 end  
kr-85 1 0 1-20 538 end  
sr-90 1 0 1-20 538 end  
y-89 1 0 1-20 538 end  
mo-95 1 0 1-20 538 end  
zr-93 1 0 1-20 538 end  
zr-94 1 0 1-20 538 end  
zr-95 1 0 1-20 538 end  
nb-94 1 0 1-20 538 end  
tc-99 1 0 1-20 538 end  
rh-103 1 0 1-20 538 end  
rh-105 1 0 1-20 538 end  
ru-101 1 0 1-20 538 end  
ru-106 1 0 1-20 538 end  
pd-105 1 0 1-20 538 end  
pd-108 1 0 1-20 538 end  
ag-109 1 0 1-20 538 end  
sb-124 1 0 1-20 538 end  
xe-131 1 0 1-20 538 end  
xe-132 1 0 1-20 538 end  
xe-135 1 0 1-20 538 end  
xe-136 1 0 1-20 538 end  
cs-134 1 0 1-20 538 end  
cs-135 1 0 1-20 538 end  
cs-137 1 0 1-20 538 end  
ba-136 1 0 1-20 538 end  
la-139 1 0 1-20 538 end  
pr-141 1 0 1-20 538 end  
pr-143 1 0 1-20 538 end  
ce-144 1 0 1-20 538 end  
nd-143 1 0 1-20 538 end  
nd-145 1 0 1-20 538 end  
pm-147 1 0 1-20 538 end  
pm-148 1 0 1-20 538 end  
nd-147 1 0 1-20 538 end  
sm-147 1 0 1-20 538 end  
sm-149 1 0 1-20 538 end  
sm-150 1 0 1-20 538 end  
sm-151 1 0 1-20 538 end  
sm-152 1 0 1-20 538 end  
gd-155 1 0 1-20 538 end  
eu-153 1 0 1-20 538 end  
eu-154 1 0 1-20 538 end  
eu-155 1 0 1-20 538 end  
arbm-tuff1 1.90533 9 0 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490  
13027 6.130 14000 27.919 19000 1.894 20000 1.989  
26000 0.683 2 1.0 323. end  
arbm-tuff2 1.90533 9 0 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490  
13027 6.130 14000 27.919 19000 1.894 20000 1.989  
26000 0.683 3 1.0 323. end

```

'
'-----'
end comp
'
'
' fuel-pin-cell geometry:
'
symmslabcell 340. 280. 1 3 281. 2 end
'
'
'
assembly and cycle parameters:
'
npin/assm=1 fuelngth=280. ncycles=1 nlib/cyc=5 volfueltot=1.1494E7
printlevel=6 inplevel=0 end
power=0.004 burn=3.6525e3 down=1.82625e3
end

1 oooooooooooooo rrrrrrrrrrrrrr iiiiiliiiiiiii gggggggggggg eeeeeeeeeeee nn nn sssssssssss
ooooooooooooooo rrrrrrrrrrrrrr iiiiiliiiiiiii gggggggggggg eeeeeeeeeeee nnn nnn sssssssssssss
oo oo rr rr ii gg gg ee ee nn nn nn ss ss
oo oo rr rr ii gg gg ee ee nn nn nn ss ss
oo oo rrrrrrrrrrrrrr ii gg gggggggg eeeeeeee nn nn nn sssssssssss
oo oo rrrrrrrrrrrrrr ii gg gggggggg eeeeeeee nn nn nn sssssssssss
oo oo rr rr ii gg gg ee ee nn nn nn ss ss
oo oo rr rr ii gg gg ee ee nn nn nn ss ss
oo oo rr rr ii gg gg ee ee nn nn nnnn ss ss
ooooooooooooooo rr rr iiiiiliiiiiiii gggggggggggg eeeeeeeeeeee nn nnn sssssssssssss
ooooooooooooooo rr rr iiiiiliiiiiiii gggggggggggg eeeeeeeeeeee nn nn sssssssssssss

0 dddddd dddddd aaaaaaaa vv vv iiiiiliiiiiiii sssssssss
ddddd dddd aaaaaaaa vv vv iiiiiliiiiiiii sssssssssssss
dd dd aa aa vv vv ii ss ss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aaaaaaaaaaa vv vv ii sssssssssssss
dd dd aaaaaaaaaaa vv vv ii sssssssssssss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dddd dddd aa aa vvvv iiiiiliiiiiiii sssssssssssss
dd dddd dddd aa aa v v iiiiiliiiiiiii sssssssssssss

0 0000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666
000000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666
00 00 88 88 22 22 88 88 99 99 66
00 00 88 88 22 22 88 88 99 99 66
00 00 888888888888 22 888888888888 999999999999 666666666666
00 00 888888888888 22 888888888888 999999999999 666666666666
00 00 88 88 22 22 88 88 99 99 66
00 00 88 88 22 22 88 88 99 99 66
000000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666
00000000 888888888888 // 222222222222 888888888888 // 999999999999 666666666666

```

0

11	88888888888	00000000	99999999999	44	333333333333
111	888888888888	000000000	999999999999	444	3333333333333
1111	88 88 :::: 00 00 99 99 ::::			33	33
11	88 88 :::: 00 00 99 99 ::::			44 44	33
11	88888888888	00 00 99999999999		44 44	333
11	88888888888	00 00 99999999999		44 44	333
11	88 88 :::: 00 00 99 99 ::::			444444444444	33
11	88 88 :::: 00 00 99 99 ::::			444444444444	33
11	88 88 :::: 00 00 99 99 ::::			44	33 33
11111111	888888888888	000000000	999999999999	44	3333333333333
11111111	888888888888	00000000	999999999999	44	3333333333333

1

0	ssssssssss	cccccccccc	aaaaaaaa	ll	eeeeeeeeeeee
	ssssssssssss	cccccccccccc	aaaaaaaaaa	ll	eeeeeeeeeeee
	ss ss cc cc	aa aa	ll	ee	
	ss cc	aa aa	ll	ee	
	ss cc	aa aa	ll	ee	
	ssssssssss	cc	aaaaaaaaaaaa	ll	eeeeeeee
	ssssssssss	cc	aaaaaaaaaaaa	ll	eeeeeeee
	ss cc	aa aa	ll	ee	
	ss cc	aa aa	ll	ee	
	ss ss cc cc	aa aa	llllllllllll	eeeeeeeeeeee	
	ssssssssss	ccccccccccc	aa aa	llllllllllll	eeeeeeeeeeee
	ssssssssss	cccccccccc	aa aa	llllllllllll	eeeeeeeeeeee

```
*****
*****          program verification information
*****          code system: scale version: 4.3
*****          program: o0o004
*****          creation date: 03/13/96
*****          library: /usr1/ornl/Scale/bin
*****          test codes: origens
*****          version: 3.0
*****          jobname: davis
*****          date of execution: 08/28/96
*****          time of execution: 18:09:43
```

```
*****  
*****  
*****  
*****  
  
1  
0 -1q array has      1 entries.  
0 0q array has      1 entries.  
0     dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.  
0     short-lived split test fraction, qxn =  9.1188E-04  
0     half-norm of matrix used, axn =   7.0000E+00  
0     4-place-accuracy-retention ratio, ratio4 =  6.4516E-13  
0 1q array has     20 entries.  
0 3q array has      1 entries.  
0 4q array has      1 entries.  
0 54q array has    12 entries.  
library information...  
  
cross-section data taken from position number 1 of library on unit 33.  
  
pass  1  
pass  0  
*scale-system control module sas2 library*  
used a time-dependent neutron spectrum, for each of the above passes  
  pass 0 applies start-up fuel densities  
  pass n applies mid time densities of nth library interval  
first library updated was...  
pass  1  
pass  0  
*scale-system control module sas2 library*  
used a time-dependent neutron spectrum, for each of the above passes  
  pass 0 applies start-up fuel densities  
  pass n applies mid time densities of nth library interval  
first library updated was...  
*****  
*  
*      prelim lwr origin-s binary working library--id = 1143  
*      made from modified card-image origin-s libraries of scale 4.2  
*      data from the light element, actinide, and fission product libraries  
*      decay data, including gamma and total energy, are from endf/b-vi  
*  
*      neutron flux spectrum factors and cross sections were produced from  
*      the "presas2" case updating all nuclides on the scale "burnup" library  
*  
*          fission product yields are from endf/b-v  
*  
*          photon libraries use an 18-energy-group structure  
*          the photon data are from the master photon data base,  
*          produced to include bremsstrahlung from uo2 matrix  
*  
*      see information above this box (if present) for later updates  
*  
*****
```

```

0      **** other identification and sizes of library.
0      .other identification and sizes of library.
0      data set name: ft33f001
0      8/28/1996 date library was produced
0          1697 total number of nuclides in library
0              689 number of light-element nuclides
0              129 number of actinide nuclides
0              879 number of fission product nuclides
0              7993 number of nonzero off-diagonal matrix elements
0      ****

```

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	light elements	page	1
0	nuclide concentrations, grams			
	basis =single reactor assembly			

na 23	initial	1E-18 d			
na 23		1.73E+05	1.73E+05		
al 27		1.35E+06	1.35E+06		
total		1.52E+06	1.52E+06		

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	actinides	page	2
0	nuclide concentrations, grams			
	basis =single reactor assembly			

u234	initial	1E-18 d			
u234		2.12E+03	2.12E+03		
u235		1.72E+05	1.72E+05		
u236		4.12E+04	4.12E+04		
u238		8.66E+06	8.66E+06		
np237		9.99E+03	9.99E+03		
total		8.88E+06	8.88E+06		

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	page	3
	power= .00mw, burnup= 3.mwd, flux= 3.00E+08n/cm**2-sec		
	basis =		

(note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)

0	productions	1.023181E+06	1.023184E+06	1.023188E+06	1.023192E+06	1.023196E+06
0	absorptions	8.460839E+05	8.460914E+05	8.460971E+05	8.461029E+05	8.461086E+05
0	k infinity	1.209313E+00	1.209307E+00	1.209303E+00	1.209300E+00	1.209296E+00
	initial	182.6 d	365.3 d	547.9 d	730.5 d	730.5 d

0	actinide					
0	absorptions	8.423189E+05	8.423211E+05	8.423233E+05	8.423256E+05	8.423276E+05
0	non-actinide					

1	abs. fracs.	4.449964E-03	4.456222E-03	4.460275E-03	4.464388E-03	4.468620E-03
0	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					fission products
0	fraction of total absorption rate					

0	power= .00mw, burnup= 3.mwd, flux= 3.00E+08n/cm**2-sec				
0	initial	182.6 d	365.3 d	547.9 d	730.5 d

sm149	.00E+00	3.59E-06	7.24E-06	1.09E-05	1.45E-05	1.45E-05
xe135	.00E+00	2.28E-06	2.28E-06	2.28E-06	2.28E-06	2.27E-06
sm151	.00E+00	1.52E-07	3.06E-07	4.58E-07	6.10E-07	6.10E-07
nd143	.00E+00	6.47E-08	1.38E-07	2.11E-07	2.85E-07	2.85E-07
gd157	.00E+00	3.73E-08	7.47E-08	1.12E-07	1.49E-07	1.49E-07
rh103	.00E+00	2.43E-08	5.85E-08	9.31E-08	1.28E-07	1.28E-07
cd113	.00E+00	3.18E-08	6.36E-08	9.53E-08	1.27E-07	1.27E-07
pm147	.00E+00	3.12E-08	6.13E-08	8.78E-08	1.11E-07	1.11E-07
xe131	.00E+00	2.22E-08	4.59E-08	6.97E-08	9.34E-08	9.34E-08
cs133	.00E+00	1.75E-08	3.59E-08	5.43E-08	7.28E-08	7.28E-08
tc 99	.00E+00	1.33E-08	2.69E-08	4.04E-08	5.40E-08	5.40E-08
nd145	.00E+00	1.04E-08	2.08E-08	3.12E-08	4.16E-08	4.16E-08
eu155	.00E+00	1.14E-08	2.19E-08	3.17E-08	4.08E-08	4.08E-08

gd155	.00E+00	1.78E-09	6.93E-09	1.52E-08	2.64E-08	2.64E-08
mo 95	.00E+00	2.64E-09	8.99E-09	1.61E-08	2.34E-08	2.34E-08
sm152	.00E+00	5.54E-09	1.11E-08	1.66E-08	2.22E-08	2.22E-08
kr 83	.00E+00	4.45E-09	8.90E-09	1.34E-08	1.78E-08	1.78E-08
cs135	.00E+00	4.10E-09	8.23E-09	1.24E-08	1.65E-08	1.65E-08
ru101	.00E+00	3.25E-09	6.50E-09	9.74E-09	1.30E-08	1.30E-08
sm147	.00E+00	7.92E-10	3.19E-09	6.98E-09	1.20E-08	1.20E-08
pr141	.00E+00	2.27E-09	5.30E-09	8.34E-09	1.14E-08	1.14E-08
eu153	.00E+00	2.75E-09	5.54E-09	8.32E-09	1.11E-08	1.11E-08
la139	.00E+00	2.48E-09	4.96E-09	7.45E-09	9.93E-09	9.93E-09
rh105	.00E+00	8.28E-09	8.28E-09	8.28E-09	8.27E-09	8.27E-09
pd105	.00E+00	1.05E-09	2.12E-09	3.19E-09	4.25E-09	4.25E-09
zr 93	.00E+00	1.02E-09	2.05E-09	3.08E-09	4.11E-09	4.11E-09
eu151	.00E+00	2.17E-10	8.73E-10	1.96E-09	3.49E-09	3.49E-09
i129	.00E+00	7.29E-10	1.49E-09	2.26E-09	3.03E-09	3.03E-09
pr143	.00E+00	2.66E-09	2.66E-09	2.66E-09	2.66E-09	2.66E-09
mo 97	.00E+00	5.61E-10	1.13E-09	1.69E-09	2.26E-09	2.26E-09
xe133	.00E+00	1.99E-09	1.99E-09	1.99E-09	1.99E-09	1.99E-09
ag109	.00E+00	4.00E-10	8.03E-10	1.20E-09	1.61E-09	1.61E-09
nd144	.00E+00	1.43E-10	5.01E-10	9.97E-10	1.58E-09	1.58E-09
ce141	.00E+00	1.54E-09	1.57E-09	1.57E-09	1.57E-09	1.57E-09
pm149	.00E+00	9.62E-10	9.62E-10	9.62E-10	9.62E-10	9.61E-10
nd147	.00E+00	9.44E-10	9.44E-10	9.44E-10	9.44E-10	9.43E-10
zr 91	.00E+00	1.57E-10	4.10E-10	6.74E-10	9.40E-10	9.40E-10
ru102	.00E+00	2.29E-10	4.58E-10	6.87E-10	9.16E-10	9.16E-10
y 89	.00E+00	1.61E-10	4.07E-10	6.61E-10	9.15E-10	9.15E-10
ce142	.00E+00	2.05E-10	4.11E-10	6.16E-10	8.22E-10	8.22E-10
sr 90	.00E+00	2.08E-10	4.13E-10	6.16E-10	8.16E-10	8.16E-10
nd148	.00E+00	1.99E-10	3.99E-10	5.98E-10	7.98E-10	7.98E-10
nd146	.00E+00	1.66E-10	3.32E-10	4.99E-10	6.65E-10	6.65E-10
ba138	.00E+00	1.42E-10	2.83E-10	4.25E-10	5.66E-10	5.66E-10
pd108	.00E+00	1.37E-10	2.75E-10	4.12E-10	5.50E-10	5.50E-10
in115	.00E+00	1.34E-10	2.72E-10	4.10E-10	5.49E-10	5.49E-10
ce140	.00E+00	1.18E-10	2.50E-10	3.83E-10	5.15E-10	5.15E-10
ce144	.00E+00	2.15E-10	3.53E-10	4.42E-10	4.98E-10	4.98E-10
xe132	.00E+00	1.18E-10	2.39E-10	3.60E-10	4.81E-10	4.81E-10

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate

0 power= .00mw, burnup= 3.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 initial 182.6 d 365.3 d 547.9 d 730.5 d 730.5 d

ru103	.00E+00	3.42E-10	3.56E-10	3.56E-10	3.56E-10	3.56E-10
mo 98	.00E+00	8.46E-11	1.69E-10	2.54E-10	3.38E-10	3.38E-10
mo100	.00E+00	8.09E-11	1.62E-10	2.43E-10	3.24E-10	3.24E-10
pd107	.00E+00	7.96E-11	1.59E-10	2.39E-10	3.19E-10	3.19E-10
xe134	.00E+00	7.85E-11	1.57E-10	2.35E-10	3.14E-10	3.14E-10
zr 92	.00E+00	6.37E-11	1.28E-10	1.91E-10	2.55E-10	2.55E-10
zr 96	.00E+00	5.21E-11	1.04E-10	1.56E-10	2.08E-10	2.08E-10
i127	.00E+00	4.54E-11	9.61E-11	1.48E-10	2.00E-10	2.00E-10
ru104	.00E+00	4.96E-11	9.93E-11	1.49E-10	1.99E-10	1.99E-10
nd150	.00E+00	4.44E-11	8.88E-11	1.33E-10	1.78E-10	1.78E-10
cs137	.00E+00	4.35E-11	8.65E-11	1.29E-10	1.71E-10	1.71E-10
xe136	.00E+00	4.25E-11	8.49E-11	1.27E-10	1.70E-10	1.70E-10
zr 95	.00E+00	1.45E-10	1.65E-10	1.67E-10	1.68E-10	1.68E-10
nb 95	.00E+00	1.12E-10	1.47E-10	1.52E-10	1.53E-10	1.53E-10
y 91	.00E+00	1.25E-10	1.40E-10	1.41E-10	1.42E-10	1.42E-10
br 81	.00E+00	3.23E-11	6.46E-11	9.69E-11	1.29E-10	1.29E-10
zr 94	.00E+00	2.75E-11	5.51E-11	8.27E-11	1.10E-10	1.10E-10
ba137	.00E+00	6.96E-12	2.74E-11	6.12E-11	1.08E-10	1.08E-10
pm151	.00E+00	1.09E-10	1.09E-10	1.09E-10	1.09E-10	1.08E-10

fission products

page 5

rb 85	.00E+00	2.48E-11	4.98E-11	7.51E-11	1.01E-10	1.01E-10
cd111	.00E+00	1.95E-11	4.02E-11	6.09E-11	8.16E-11	8.16E-11
te130	.00E+00	1.92E-11	3.85E-11	5.77E-11	7.69E-11	7.69E-11
sm154	.00E+00	1.88E-11	3.75E-11	5.63E-11	7.50E-11	7.50E-11
rb 87	.00E+00	1.82E-11	3.65E-11	5.47E-11	7.29E-11	7.29E-11
kr 85	.00E+00	1.81E-11	3.56E-11	5.26E-11	6.90E-11	6.90E-11
se 77	.00E+00	1.26E-11	2.53E-11	3.80E-11	5.07E-11	5.08E-11
ba140	.00E+00	4.72E-11	4.72E-11	4.72E-11	4.72E-11	4.71E-11
sm153	.00E+00	3.79E-11	3.79E-11	3.79E-11	3.79E-11	3.76E-11
kr 84	.00E+00	8.70E-12	1.74E-11	2.61E-11	3.48E-11	3.48E-11
eu156	.00E+00	3.38E-11	3.38E-11	3.38E-11	3.38E-11	3.38E-11
sm150	.00E+00	2.05E-12	7.95E-12	1.77E-11	3.13E-11	3.13E-11
sr 89	.00E+00	2.79E-11	3.02E-11	3.04E-11	3.04E-11	3.04E-11
se 79	.00E+00	6.52E-12	1.30E-11	1.96E-11	2.61E-11	2.61E-11
sb121	.00E+00	6.26E-12	1.26E-11	1.89E-11	2.52E-11	2.52E-11
sb123	.00E+00	4.82E-12	9.84E-12	1.50E-11	2.01E-11	2.01E-11
ru106	.00E+00	7.45E-12	1.27E-11	1.65E-11	1.92E-11	1.92E-11
kr 86	.00E+00	4.73E-12	9.47E-12	1.42E-11	1.89E-11	1.89E-11
ce143	.00E+00	1.74E-11	1.74E-11	1.74E-11	1.74E-11	1.73E-11
te128	.00E+00	4.26E-12	8.53E-12	1.28E-11	1.71E-11	1.71E-11
pd106	.00E+00	1.42E-12	5.11E-12	1.04E-11	1.69E-11	1.69E-11
kr 87	.00E+00	2.26E-11	2.26E-11	2.26E-11	2.26E-11	1.56E-11
la140	.00E+00	1.54E-11	1.54E-11	1.54E-11	1.54E-11	1.54E-11
gd156	.00E+00	2.96E-12	6.33E-12	9.71E-12	1.31E-11	1.31E-11
mo 99	.00E+00	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.31E-11
se 80	.00E+00	3.05E-12	6.10E-12	9.15E-12	1.22E-11	1.22E-11
dy161	.00E+00	2.55E-12	5.25E-12	7.95E-12	1.06E-11	1.06E-11
tb159	.00E+00	1.81E-12	3.64E-12	5.47E-12	7.29E-12	7.29E-12
te127m	.00E+00	4.91E-12	6.53E-12	7.03E-12	7.19E-12	7.19E-12
cd112	.00E+00	1.72E-12	3.46E-12	5.20E-12	6.94E-12	6.94E-12

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 3.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 initial 182.6 d 365.3 d 547.9 d 730.5 d 730.5 d

li 6	.00E+00	1.73E-12	3.46E-12	5.19E-12	6.92E-12	6.92E-12
i131	.00E+00	6.77E-12	6.77E-12	6.77E-12	6.76E-12	6.76E-12
sb125	.00E+00	1.75E-12	3.32E-12	4.71E-12	5.94E-12	5.94E-12
sn117	.00E+00	1.38E-12	2.75E-12	4.13E-12	5.51E-12	5.51E-12
sn119	.00E+00	1.12E-12	2.25E-12	3.38E-12	4.50E-12	4.50E-12
sn115	.00E+00	1.01E-12	2.04E-12	3.07E-12	4.10E-12	4.10E-12
pm148m	.00E+00	7.65E-13	1.84E-12	2.81E-12	3.66E-12	3.65E-12
sr 88	.00E+00	8.71E-13	1.74E-12	2.61E-12	3.49E-12	3.49E-12
pd110	.00E+00	6.31E-13	1.26E-12	1.89E-12	2.53E-12	2.53E-12
cd114	.00E+00	6.16E-13	1.23E-12	1.85E-12	2.47E-12	2.47E-12
zr 90	.00E+00	1.51E-13	6.08E-13	1.37E-12	2.42E-12	2.42E-12
se 82	.00E+00	5.91E-13	1.18E-12	1.77E-12	2.36E-12	2.36E-12
gd158	.00E+00	5.70E-13	1.14E-12	1.71E-12	2.29E-12	2.29E-12
te125	.00E+00	1.40E-13	5.73E-13	1.27E-12	2.21E-12	2.21E-12
sn126	.00E+00	4.71E-13	9.42E-13	1.41E-12	1.88E-12	1.88E-12
se 78	.00E+00	4.51E-13	9.03E-13	1.35E-12	1.81E-12	1.81E-12
te129m	.00E+00	1.74E-12	1.78E-12	1.78E-12	1.78E-12	1.78E-12
sn124	.00E+00	3.68E-13	7.37E-13	1.11E-12	1.47E-12	1.47E-12
eu154	.00E+00	2.88E-13	6.21E-13	9.97E-13	1.42E-12	1.42E-12
dy162	.00E+00	3.49E-13	6.97E-13	1.05E-12	1.40E-12	1.40E-12
dy164	.00E+00	3.12E-13	6.23E-13	9.36E-13	1.25E-12	1.25E-12
as 75	.00E+00	2.69E-13	5.39E-13	8.08E-13	1.08E-12	1.08E-12
y 90	.00E+00	1.97E-13	3.92E-13	5.85E-13	7.75E-13	7.75E-13
sn118	.00E+00	1.51E-13	3.03E-13	4.54E-13	6.05E-13	6.05E-13
ba136	.00E+00	1.29E-13	2.73E-13	4.17E-13	5.61E-13	5.61E-13

fission products

page 6

cd116	.00E+00	1.28E-13	2.55E-13	3.83E-13	5.10E-13	5.10E-13
sn122	.00E+00	1.25E-13	2.49E-13	3.74E-13	4.98E-13	4.98E-13
sn120	.00E+00	9.38E-14	1.88E-13	2.81E-13	3.75E-13	3.75E-13
cs134	.00E+00	8.05E-14	1.70E-13	2.67E-13	3.70E-13	3.70E-13
ag111	.00E+00	3.20E-13	3.20E-13	3.20E-13	3.20E-13	3.20E-13
kr 82	.00E+00	7.71E-14	1.55E-13	2.33E-13	3.11E-13	3.11E-13
dy163	.00E+00	7.67E-14	1.53E-13	2.30E-13	3.07E-13	3.07E-13
ru 99	.00E+00	6.90E-14	1.43E-13	2.21E-13	3.02E-13	3.02E-13
ge 73	.00E+00	7.27E-14	1.46E-13	2.18E-13	2.91E-13	2.91E-13
eu157	.00E+00	2.95E-13	2.95E-13	2.95E-13	2.89E-13	
cd115m	.00E+00	2.22E-13	2.35E-13	2.35E-13	2.35E-13	
xe130	.00E+00	4.74E-14	9.51E-14	1.43E-13	1.90E-13	1.90E-13
pm148	.00E+00	4.32E-14	8.57E-14	1.23E-13	1.56E-13	1.55E-13
mo 96	.00E+00	3.39E-14	6.81E-14	1.02E-13	1.37E-13	1.37E-13
ge 76	.00E+00	2.66E-14	5.33E-14	7.99E-14	1.07E-13	1.07E-13
gd160	.00E+00	1.69E-14	3.38E-14	5.06E-14	6.75E-14	6.75E-14
cs136	.00E+00	5.59E-14	5.59E-14	5.59E-14	5.58E-14	
te126	.00E+00	1.24E-14	2.53E-14	3.82E-14	5.12E-14	5.12E-14
in113	.00E+00	2.47E-15	9.79E-15	2.19E-14	3.86E-14	3.86E-14
eu152	.00E+00	1.29E-15	5.50E-15	1.55E-14	3.40E-14	3.40E-14
ru100	.00E+00	6.77E-15	1.41E-14	2.21E-14	3.07E-14	3.07E-14
sn125	.00E+00	2.94E-14	2.94E-14	2.94E-14	2.94E-14	
ru105	.00E+00	3.00E-14	3.00E-14	3.00E-14	3.00E-14	
ho165	.00E+00	5.26E-15	1.05E-14	1.58E-14	2.11E-14	2.11E-14
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						
0						
0	power= .00mw, burnup= 3.mwd, flux= 3.00E+08n/cm**2-sec					
0	initial 182.6 d	365.3 d	547.9 d	730.5 d	730.5 d	
sr 87	.00E+00	3.04E-15	6.08E-15	9.12E-15	1.22E-14	1.22E-14
rb 88	.00E+00	1.27E-14	1.27E-14	1.27E-14	1.27E-14	1.15E-14
te124	.00E+00	1.86E-15	4.78E-15	7.83E-15	1.09E-14	1.09E-14
sn123	.00E+00	6.46E-15	8.88E-15	9.79E-15	1.01E-14	1.01E-14
te132	.00E+00	9.49E-15	9.49E-15	9.49E-15	9.49E-15	
i135	.00E+00	1.00E-14	1.00E-14	1.00E-14	1.00E-14	9.31E-15
nb 94	.00E+00	1.75E-15	3.51E-15	5.26E-15	7.01E-15	7.01E-15
sm148	.00E+00	3.49E-16	1.60E-15	3.74E-15	6.71E-15	6.71E-15
ge 74	.00E+00	1.47E-15	2.93E-15	4.40E-15	5.86E-15	5.86E-15
ba135	.00E+00	4.99E-16	1.33E-15	2.49E-15	3.98E-15	3.98E-15
ge 72	.00E+00	9.64E-16	1.95E-15	2.93E-15	3.91E-15	3.91E-15
gd154	.00E+00	1.88E-16	7.86E-16	1.85E-15	3.45E-15	3.45E-15
sr 86	.00E+00	7.33E-16	1.59E-15	2.45E-15	3.31E-15	3.31E-15
nd142	.00E+00	1.98E-16	7.89E-16	1.80E-15	3.23E-15	3.23E-15
sb126	.00E+00	2.99E-15	2.99E-15	2.99E-15	2.98E-15	
te134	.00E+00	5.77E-15	5.77E-15	5.77E-15	5.77E-15	
se 76	.00E+00	5.64E-16	1.13E-15	1.70E-15	2.27E-15	2.27E-15
ba134	.00E+00	1.20E-16	4.95E-16	1.15E-15	2.11E-15	2.11E-15
sb124	.00E+00	1.84E-15	2.07E-15	2.10E-15	2.10E-15	
in117m	.00E+00	2.07E-15	2.07E-15	2.07E-15	2.07E-15	
pd104	.00E+00	8.36E-17	4.28E-16	1.06E-15	1.97E-15	1.97E-15
gd152	.00E+00	9.86E-17	3.46E-16	8.94E-16	1.89E-15	1.89E-15
i130	.00E+00	7.11E-16	7.12E-16	7.12E-16	7.13E-16	6.88E-16
cd110	.00E+00	6.76E-17	1.95E-16	3.74E-16	5.98E-16	5.98E-16
in117	.00E+00	6.07E-16	6.07E-16	6.07E-16	6.07E-16	5.96E-16
xe128	.00E+00	1.37E-16	2.75E-16	4.15E-16	5.56E-16	5.56E-16
er166	.00E+00	1.32E-16	2.68E-16	4.05E-16	5.42E-16	5.42E-16
dy160	.00E+00	6.00E-17	1.65E-16	2.81E-16	3.99E-16	3.99E-16
tb160	.00E+00	2.46E-16	2.93E-16	3.06E-16	3.12E-16	3.12E-16
rb 86	.00E+00	2.39E-16	2.40E-16	2.40E-16	2.40E-16	
br 79	.00E+00	1.59E-17	5.87E-17	1.28E-16	2.25E-16	2.25E-16

fission products

page 7

dy165	.00E+00	2.08E-16	2.09E-16	2.09E-16	2.09E-16	1.74E-16
kr 80	.00E+00	4.11E-17	8.23E-17	1.24E-16	1.65E-16	1.65E-16
xe129	.00E+00	7.46E-18	3.00E-17	6.77E-17	1.21E-16	1.21E-16
ag107	.00E+00	7.08E-18	2.83E-17	6.37E-17	1.13E-16	1.13E-16
cd118	.00E+00	1.19E-16	1.19E-16	1.19E-16	1.19E-16	6.67E-17
ge 75	.00E+00	8.51E-17	8.51E-17	8.51E-17	8.51E-17	6.16E-17
te122	.00E+00	5.41E-18	1.12E-17	1.72E-17	2.35E-17	2.35E-17
nb 93	.00E+00	1.96E-18	5.07E-18	1.04E-17	1.91E-17	1.91E-17
be 9	.00E+00	3.42E-18	6.84E-18	1.03E-17	1.37E-17	1.37E-17
pr142	.00E+00	3.17E-18	6.63E-18	1.01E-17	1.36E-17	1.32E-17
sn116	.00E+00	1.82E-18	4.23E-18	7.25E-18	1.09E-17	1.09E-17
te123	.00E+00	1.55E-18	4.03E-18	6.83E-18	9.73E-18	9.74E-18
in119m	.00E+00	2.97E-17	2.97E-17	2.97E-17	2.97E-17	6.93E-18
li 7	.00E+00	1.33E-18	2.66E-18	4.00E-18	5.33E-18	5.33E-18
er167	.00E+00	5.36E-19	1.07E-18	1.62E-18	2.17E-18	2.17E-18
cd109	.00E+00	4.32E-20	7.65E-20	1.03E-19	1.23E-19	1.23E-19
cd108	.00E+00	2.66E-20	5.32E-20	8.32E-20	1.10E-19	1.10E-19
cs134m	.00E+00	2.33E-20	4.99E-20	7.65E-20	1.03E-19	8.65E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 3.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 initial 182.6 d 365.3 d 547.9 d 730.5 d 730.5 d

1 in119 .00E+00 2.32E-18 2.32E-18 2.32E-18 2.32E-18 2.66E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=2.9220E+00mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

h 1	charge	182.6 d	365.3 d	547.9 d	730.5 d	730.5 d
h 2	.00E+00	4.40E-08	8.81E-08	1.32E-07	1.76E-07	1.76E-07
h 3	.00E+00	1.31E-10	2.61E-10	3.92E-10	5.22E-10	5.22E-10
h 4	.00E+00	9.44E-13	1.86E-12	2.76E-12	3.62E-12	3.62E-12
he 3	.00E+00	3.82E-36	7.53E-36	1.11E-35	1.47E-35	.00E+00
he 4	.00E+00	1.33E-14	5.28E-14	1.18E-13	2.08E-13	2.08E-13
he 6	.00E+00	7.28E-09	1.46E-08	2.18E-08	2.91E-08	2.91E-08
ne 20	.00E+00	8.74E-10	1.75E-09	2.62E-09	3.50E-09	3.50E-09
ne 21	.00E+00	1.58E-17	6.33E-17	1.43E-16	2.54E-16	2.54E-16
ne 22	.00E+00	3.64E-13	1.40E-12	3.01E-12	5.14E-12	5.14E-12
ne 23	.00E+00	7.28E-15	7.28E-15	7.28E-15	7.28E-15	7.28E-30
na 22	.00E+00	5.35E-12	1.00E-11	1.41E-11	1.77E-11	1.77E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	.00E+00	3.64E-08	3.64E-08	3.64E-08	3.64E-08	3.52E-08
na 24m	.00E+00	5.99E-15	5.99E-15	5.99E-15	5.99E-15	5.99E-30
na 25	.00E+00	2.88E-29	5.78E-29	8.68E-29	1.16E-28	2.08E-41
mg 24	.00E+00	7.55E-06	1.51E-05	2.27E-05	3.03E-05	3.03E-05
mg 25	.00E+00	9.59E-13	1.92E-12	2.89E-12	3.86E-12	3.86E-12
mg 26	.00E+00	1.31E-10	2.61E-10	3.92E-10	5.22E-10	5.22E-10
mg 27	.00E+00	2.18E-12	2.18E-12	2.18E-12	2.18E-12	9.98E-14
mg 28	.00E+00	4.41E-24	4.41E-24	4.41E-24	4.41E-24	4.31E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	.00E+00	2.70E-10	2.70E-10	2.70E-10	2.70E-10	6.00E-16
al 29	.00E+00	3.80E-30	1.52E-29	3.42E-29	6.08E-29	7.17E-31
al 30	.00E+00	3.64E-44	2.76E-43	9.39E-43	2.23E-42	.00E+00
si 28	.00E+00	2.20E-05	4.40E-05	6.59E-05	8.79E-05	8.79E-05
si 29	.00E+00	1.41E-14	5.64E-14	1.27E-13	2.26E-13	2.26E-13
si 30	.00E+00	9.70E-24	7.76E-23	2.62E-22	6.21E-22	6.21E-22
si 31	.00E+00	6.95E-36	5.56E-35	1.88E-34	4.45E-34	3.69E-34
si 32	.00E+00	5.61E-45	9.81E-44	4.97E-43	1.57E-42	1.57E-42

fission products

page 8

light elements

page 9

totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
0 flux		3.00E+08	3.00E+08	3.00E+08	3.00E+08	3.00E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=2.9220E+00mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	182.6 d	365.3 d	547.9 d	730.5 d	730.5 d
he 4	.00E+00	2.56E-05	5.15E-05	7.79E-05	1.05E-04
ra222	.00E+00	1.97E-30	8.37E-30	1.88E-29	3.27E-29
ra223	.00E+00	2.03E-15	9.33E-15	2.20E-14	3.98E-14
ra224	.00E+00	8.13E-17	5.62E-16	1.72E-15	3.75E-15
ra225	.00E+00	2.54E-17	1.24E-16	2.99E-16	5.50E-16
ra226	.00E+00	2.94E-11	1.17E-10	2.64E-10	4.70E-10
ra228	.00E+00	3.12E-17	1.22E-16	2.70E-16	4.71E-16
th226	.00E+00	9.63E-29	4.09E-28	9.16E-28	1.60E-27
th227	.00E+00	3.26E-15	1.50E-14	3.54E-14	6.42E-14
th228	.00E+00	1.55E-14	1.07E-13	3.28E-13	7.15E-13
th229	.00E+00	4.93E-12	2.41E-11	5.80E-11	1.07E-10
th230	.00E+00	1.28E-05	2.55E-05	3.83E-05	5.11E-05
th231	.00E+00	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	.00E+00	2.58E-06	5.16E-06	7.74E-06	1.03E-05
th233	.00E+00	2.39E-17	4.78E-17	7.17E-17	9.57E-17
th234	.00E+00	5.34E-07	5.37E-07	5.37E-07	5.37E-07
pa231	.00E+00	3.57E-07	7.16E-07	1.08E-06	1.44E-06
pa232	.00E+00	6.13E-15	1.23E-14	1.85E-14	2.47E-14
pa233	.00E+00	1.44E-06	1.46E-06	1.46E-06	1.46E-06
pa234m	.00E+00	1.80E-11	1.81E-11	1.81E-11	1.81E-11
pa234	.00E+00	8.05E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	9.34E-26	3.96E-25	8.88E-25	1.55E-24
u231	.00E+00	4.28E-21	9.70E-21	1.51E-20	2.06E-20
u232	.00E+00	9.25E-12	3.39E-11	7.21E-11	1.22E-10
u233	.00E+00	5.38E-06	1.22E-05	1.90E-05	2.59E-05
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	.00E+00	3.24E-06	3.24E-06	3.24E-06	3.23E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	.00E+00	3.29E-07	3.29E-07	3.29E-07	9.48E-08
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	2.48E-12	4.29E-12	5.60E-12	6.55E-12
np236m	.00E+00	2.16E-12	2.16E-12	2.16E-12	2.11E-12
np236	.00E+00	1.02E-10	2.05E-10	3.07E-10	4.10E-10
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
np238	.00E+00	1.58E-06	1.58E-06	1.58E-06	1.56E-06
np239	.00E+00	4.75E-05	4.75E-05	4.75E-05	4.73E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	.00E+00	9.74E-15	9.74E-15	9.74E-15	6.08E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	.00E+00	1.31E-10	2.48E-10	3.52E-10	4.44E-10
pu237	.00E+00	6.41E-16	1.60E-15	2.57E-15	3.54E-15
pu238	.00E+00	9.27E-05	1.87E-04	2.80E-04	3.73E-04
pu239	.00E+00	2.55E-03	5.15E-03	7.75E-03	1.03E-02
pu240	.00E+00	6.28E-09	2.54E-08	5.72E-08	1.02E-07
pu241	.00E+00	2.14E-14	1.71E-13	5.77E-13	1.36E-12
pu242	.00E+00	2.09E-20	3.35E-19	1.70E-18	5.36E-18

actinides

page 10

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

actinides

page 11

```

power= 4.000E-03mW, burnup=2.9220E+00mwd, flux= 3.00E+08n/cm**2-sec
0          nuclide concentrations, gram atoms
          basis = single reactor assembly
      charge   182.6 d   365.3 d   547.9 d   730.5 d   730.5 d
pu243   .00E+00  4.59E-29  7.36E-28  3.73E-27  1.18E-26  1.07E-26
pu244   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu245   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu246   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
totals  3.73E+04  3.73E+04  3.73E+04  3.73E+04  3.73E+04  3.73E+04
0  flux    3.00E+08  3.00E+08  3.00E+08  3.00E+08  3.00E+08  3.00E-07 .
0
0  1q array has   20 entries.
0  3q array has   1 entries.
0  3q array has   1 entries.
0  3q array has   1 entries.
0  4q array has   1 entries.
0  54q array has  12 entries.
1library information...

```

cross-section data taken from position number 2 of library on unit 33.

```

pass  1
pass  0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass  1
pass  0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****prelim lwr origin-s binary working library--id = 1143*****
* made from modified card-image origin-s libraries of scale 4.2
* data from the light element, actinide, and fission product libraries
* decay data, including gamma and total energy, are from endf/b-vi
* neutron flux spectrum factors and cross sections were produced from
* the "presas2" case updating all nuclides on the scale "burnup" library
* fission product yields are from endf/b-v
* photon libraries use an 18-energy-group structure
* the photon data are from the master photon data base,
* produced to include bremsstrahlung from uo2 matrix
* see information above this box (if present) for later updates
*****other identification and sizes of library.
* data set name: ft33f001
* 8/28/1996 date library was produced
* 1697 total number of nuclides in library
* 689 number of light-element nuclides

```

129 number of actinide nuclides  
 879 number of fission product nuclides  
 7993 number of nonzero off-diagonal matrix elements  
 \*\*\*\*  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= .00mw, burnup= 6.mwd, flux= 2.81E+08n/cm\*\*2-sec  
 basis =  
 (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)  
 initial 913.2 d 1095.8 d 1278.4 d 1461.0 d 1461.1 d  
 productions 1.090712E+06 1.090715E+06 1.090719E+06 1.090723E+06 1.090727E+06 1.090727E+06  
 absorptions 8.934652E+05 8.934711E+05 8.934772E+05 8.934830E+05 8.934893E+05 8.934893E+05  
 k infinity 1.220765E+00 1.220762E+00 1.220758E+00 1.220754E+00 1.220750E+00 1.220750E+00  
 initial 913.2 d 1095.8 d 1278.4 d 1461.0 d 1461.1 d  
 actinide  
 absorptions 8.900642E+05 8.900665E+05 8.900688E+05 8.900710E+05 8.900733E+05 8.900733E+05  
 non-actinide  
 abs. fracs. 3.806531E-03 3.810465E-03 3.814757E-03 3.818750E-03 3.823161E-03 3.823161E-03  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 fraction of total absorption rate  
 power= .00mw, burnup= 6.mwd, flux= 2.81E+08n/cm\*\*2-sec  
 initial 913.2 d 1095.8 d 1278.4 d 1461.0 d 1461.1 d  
 sm149 1.47E-05 1.84E-05 2.21E-05 2.58E-05 2.95E-05 2.95E-05  
 xe135 2.31E-06 2.31E-06 2.31E-06 2.31E-06 2.31E-06 2.29E-06  
 sm151 6.18E-07 7.72E-07 9.25E-07 1.08E-06 1.23E-06 1.23E-06  
 nd143 2.88E-07 3.62E-07 4.36E-07 5.10E-07 5.85E-07 5.85E-07  
 gd157 1.51E-07 1.89E-07 2.27E-07 2.64E-07 3.02E-07 3.02E-07  
 rh103 1.27E-07 1.62E-07 1.96E-07 2.31E-07 2.65E-07 2.65E-07  
 cd113 1.29E-07 1.61E-07 1.93E-07 2.25E-07 2.57E-07 2.57E-07  
 xe131 9.27E-08 1.16E-07 1.40E-07 1.63E-07 1.87E-07 1.87E-07  
 pm147 1.10E-07 1.30E-07 1.48E-07 1.63E-07 1.77E-07 1.77E-07  
 cs133 7.22E-08 9.04E-08 1.09E-07 1.27E-07 1.45E-07 1.45E-07  
 tc\_99 5.35E-08 6.69E-08 8.04E-08 9.38E-08 1.07E-07 1.07E-07  
 gd155 2.68E-08 4.10E-08 5.76E-08 7.67E-08 9.79E-08 9.79E-08  
 nd145 4.16E-08 5.20E-08 6.24E-08 7.28E-08 8.32E-08 8.32E-08  
 eu155 4.07E-08 4.92E-08 5.70E-08 6.42E-08 7.09E-08 7.09E-08  
 mo\_95 2.32E-08 3.04E-08 3.77E-08 4.49E-08 5.21E-08 5.21E-08  
 sm152 2.20E-08 2.75E-08 3.30E-08 3.85E-08 4.40E-08 4.40E-08  
 sm147 1.19E-08 1.80E-08 2.49E-08 3.28E-08 4.13E-08 4.13E-08  
 kr\_83 1.80E-08 2.25E-08 2.70E-08 3.15E-08 3.60E-08 3.60E-08  
 cs135 1.64E-08 2.05E-08 2.46E-08 2.87E-08 3.28E-08 3.28E-08  
 ru101 1.28E-08 1.60E-08 1.92E-08 2.24E-08 2.56E-08 2.56E-08  
 pr141 1.15E-08 1.45E-08 1.76E-08 2.06E-08 2.37E-08 2.37E-08  
 eu153 1.11E-08 1.39E-08 1.67E-08 1.94E-08 2.22E-08 2.22E-08  
 la139 1.00E-08 1.25E-08 1.50E-08 1.75E-08 2.00E-08 2.00E-08  
 eu151 3.53E-09 5.51E-09 7.93E-09 1.08E-08 1.41E-08 1.41E-08  
 pd105 4.24E-09 5.30E-09 6.36E-09 7.42E-09 8.48E-09 8.48E-09  
 rh105 8.35E-09 8.33E-09 8.33E-09 8.33E-09 8.32E-09 8.32E-09  
 zr\_93 4.07E-09 5.09E-09 6.11E-09 7.13E-09 8.15E-09 8.15E-09  
 i129 3.06E-09 3.84E-09 4.61E-09 5.39E-09 6.16E-09 6.16E-09  
 mo\_97 2.27E-09 2.83E-09 3.40E-09 3.97E-09 4.54E-09 4.54E-09  
 nd144 1.60E-09 2.25E-09 2.93E-09 3.64E-09 4.36E-09 4.36E-09  
 ag109 1.59E-09 1.99E-09 2.39E-09 2.78E-09 3.18E-09 3.18E-09  
 pr143 2.67E-09 2.67E-09 2.67E-09 2.67E-09 2.67E-09 2.67E-09  
 zr\_91 9.46E-10 1.21E-09 1.48E-09 1.75E-09 2.02E-09 2.02E-09  
 xe133 2.01E-09 2.01E-09 2.01E-09 2.01E-09 2.01E-09 2.01E-09  
 y\_89 9.23E-10 1.18E-09 1.44E-09 1.69E-09 1.95E-09 1.95E-09  
 ru102 9.24E-10 1.15E-09 1.39E-09 1.62E-09 1.85E-09 1.85E-09  
 ce142 8.31E-10 1.04E-09 1.25E-09 1.46E-09 1.66E-09 1.66E-09  
 sr\_90 8.24E-10 1.02E-09 1.22E-09 1.42E-09 1.61E-09 1.61E-09

page 12

page 13

nd148	8.01E-10	1.00E-09	1.20E-09	1.40E-09	1.60E-09	1.60E-09
ce141	1.59E-09	1.59E-09	1.59E-09	1.59E-09	1.59E-09	1.59E-09
nd146	6.71E-10	8.39E-10	1.01E-09	1.17E-09	1.34E-09	1.34E-09
ba138	5.73E-10	7.16E-10	8.60E-10	1.00E-09	1.15E-09	1.15E-09
in115	5.49E-10	6.88E-10	8.26E-10	9.64E-10	1.10E-09	1.10E-09
pd108	5.43E-10	6.78E-10	8.13E-10	9.48E-10	1.08E-09	1.08E-09
ce140	5.22E-10	6.56E-10	7.90E-10	9.24E-10	1.06E-09	1.06E-09
pm149	9.74E-10	9.75E-10	9.74E-10	9.74E-10	9.71E-10	9.71E-10
xe132	4.80E-10	6.00E-10	7.21E-10	8.42E-10	9.63E-10	9.63E-10
nd147	9.35E-10	9.36E-10	9.36E-10	9.36E-10	9.34E-10	9.34E-10
mo 98	3.34E-10	4.18E-10	5.02E-10	5.85E-10	6.69E-10	6.69E-10

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 6.mwd, flux= 2.81E+08n/cm\*\*2-sec  
 0 initial 913.2 d 1095.8 d 1278.4 d 1461.0 d 1461.1 d

mo100	3.23E-10	4.03E-10	4.84E-10	5.65E-10	6.45E-10	6.45E-10
pd107	3.20E-10	4.00E-10	4.80E-10	5.59E-10	6.39E-10	6.39E-10
xe134	3.17E-10	3.96E-10	4.75E-10	5.54E-10	6.34E-10	6.34E-10
ce144	5.00E-10	5.37E-10	5.61E-10	5.76E-10	5.85E-10	5.85E-10
zr 92	2.57E-10	3.22E-10	3.86E-10	4.51E-10	5.15E-10	5.15E-10
ba137	1.09E-10	1.70E-10	2.44E-10	3.30E-10	4.30E-10	4.30E-10
i127	1.99E-10	2.52E-10	3.04E-10	3.56E-10	4.08E-10	4.08E-10
zr 96	2.04E-10	2.55E-10	3.06E-10	3.57E-10	4.08E-10	4.08E-10
ru104	1.98E-10	2.48E-10	2.97E-10	3.47E-10	3.96E-10	3.96E-10
ru103	3.57E-10	3.57E-10	3.57E-10	3.57E-10	3.57E-10	3.57E-10
nd150	1.78E-10	2.22E-10	2.66E-10	3.11E-10	3.55E-10	3.55E-10
xe136	1.71E-10	2.14E-10	2.57E-10	3.00E-10	3.43E-10	3.43E-10
cs137	1.71E-10	2.12E-10	2.53E-10	2.94E-10	3.34E-10	3.34E-10
br 81	1.29E-10	1.61E-10	1.93E-10	2.26E-10	2.58E-10	2.58E-10
zr 94	1.09E-10	1.37E-10	1.64E-10	1.91E-10	2.19E-10	2.19E-10
rb 85	1.01E-10	1.26E-10	1.52E-10	1.78E-10	2.04E-10	2.04E-10
zr 95	1.66E-10	1.66E-10	1.66E-10	1.66E-10	1.66E-10	1.66E-10
cd111	8.24E-11	1.03E-10	1.24E-10	1.45E-10	1.66E-10	1.66E-10
te130	7.78E-11	9.72E-11	1.17E-10	1.36E-10	1.56E-10	1.56E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
sm154	7.55E-11	9.44E-11	1.13E-10	1.32E-10	1.51E-10	1.51E-10
rb 87	7.28E-11	9.10E-11	1.09E-10	1.27E-10	1.46E-10	1.46E-10
y 91	1.43E-10	1.43E-10	1.43E-10	1.43E-10	1.43E-10	1.43E-10
kr 85	6.96E-11	8.56E-11	1.01E-10	1.16E-10	1.31E-10	1.31E-10
sm150	3.14E-11	4.90E-11	7.04E-11	9.57E-11	1.25E-10	1.25E-10
pm151	1.09E-10	1.10E-10	1.10E-10	1.10E-10	1.07E-10	1.07E-10
se 77	5.14E-11	6.43E-11	7.72E-11	9.01E-11	1.03E-10	1.03E-10
kr 84	3.44E-11	4.31E-11	5.17E-11	6.03E-11	6.89E-11	6.89E-11
se 79	2.64E-11	3.30E-11	3.96E-11	4.62E-11	5.28E-11	5.28E-11
sb121	2.51E-11	3.14E-11	3.76E-11	4.39E-11	5.02E-11	5.02E-11
pd106	1.67E-11	2.40E-11	3.17E-11	3.99E-11	4.84E-11	4.84E-11
ba140	4.73E-11	4.74E-11	4.74E-11	4.74E-11	4.74E-11	4.73E-11
sb123	2.00E-11	2.51E-11	3.02E-11	3.54E-11	4.05E-11	4.05E-11
kr 86	1.91E-11	2.39E-11	2.87E-11	3.35E-11	3.82E-11	3.82E-11
sm153	3.79E-11	3.81E-11	3.81E-11	3.81E-11	3.81E-11	3.74E-11
te128	1.71E-11	2.13E-11	2.56E-11	2.99E-11	3.41E-11	3.41E-11
eu156	3.41E-11	3.40E-11	3.40E-11	3.40E-11	3.40E-11	3.40E-11
sr 89	3.07E-11	3.07E-11	3.07E-11	3.07E-11	3.07E-11	3.07E-11
gd156	1.29E-11	1.62E-11	1.95E-11	2.28E-11	2.62E-11	2.62E-11
se 80	1.23E-11	1.54E-11	1.85E-11	2.16E-11	2.47E-11	2.47E-11
ru106	1.90E-11	2.08E-11	2.21E-11	2.31E-11	2.37E-11	2.37E-11
dy161	1.08E-11	1.35E-11	1.62E-11	1.89E-11	2.16E-11	2.16E-11
ce143	1.74E-11	1.75E-11	1.75E-11	1.75E-11	1.75E-11	1.71E-11
la140	1.54E-11	1.54E-11	1.54E-11	1.54E-11	1.54E-11	1.54E-11

fission products

page 14

tb159	7.29E-12	9.10E-12	1.09E-11	1.27E-11	1.46E-11	1.46E-11
li_6	7.01E-12	8.76E-12	1.05E-11	1.23E-11	1.40E-11	1.40E-11
cd112	6.98E-12	8.72E-12	1.05E-11	1.22E-11	1.40E-11	1.40E-11
mo_99	1.31E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.30E-11
sn117	5.54E-12	6.93E-12	8.31E-12	9.69E-12	1.11E-11	1.11E-11
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						fission products
0	fraction of total absorption rate					
0	power= .00mw, burnup= initial	913.2 d	1095.8 d	1278.4 d	1461.0 d	1461.1 d
6 mwd, flux= 2.81E+08n/cm**2-sec						

kr_87	1.58E-11	2.30E-11	2.30E-11	2.30E-11	1.08E-11	
zr_90	2.44E-12	3.80E-12	5.45E-12	7.40E-12	9.63E-12	9.63E-12
sb125	5.92E-12	7.00E-12	7.94E-12	8.78E-12	9.51E-12	9.51E-12
sn119	4.55E-12	5.69E-12	6.83E-12	7.97E-12	9.11E-12	9.11E-12
sn115	4.15E-12	5.20E-12	6.24E-12	7.28E-12	8.32E-12	8.32E-12
te125	2.21E-12	3.36E-12	4.69E-12	6.19E-12	7.82E-12	7.82E-12
te127m	7.25E-12	7.30E-12	7.32E-12	7.32E-12	7.33E-12	7.33E-12
sr_88	3.51E-12	4.39E-12	5.27E-12	6.15E-12	7.03E-12	7.03E-12
i131	6.77E-12	6.78E-12	6.78E-12	6.78E-12	6.77E-12	
pm148m	3.70E-12	4.38E-12	5.02E-12	5.59E-12	6.08E-12	6.08E-12
pd110	2.51E-12	3.13E-12	3.76E-12	4.38E-12	5.01E-12	5.01E-12
cd114	2.44E-12	3.04E-12	3.65E-12	4.26E-12	4.87E-12	4.87E-12
se_82	2.38E-12	2.98E-12	3.58E-12	4.17E-12	4.77E-12	4.77E-12
gd158	2.28E-12	2.85E-12	3.42E-12	4.00E-12	4.57E-12	4.57E-12
sn126	1.91E-12	2.38E-12	2.86E-12	3.34E-12	3.81E-12	3.81E-12
se_78	1.81E-12	2.26E-12	2.71E-12	3.17E-12	3.62E-12	3.62E-12
eu154	1.43E-12	1.89E-12	2.39E-12	2.92E-12	3.49E-12	3.49E-12
sn124	1.46E-12	1.82E-12	2.19E-12	2.55E-12	2.91E-12	2.91E-12
dy162	1.40E-12	1.75E-12	2.09E-12	2.44E-12	2.78E-12	2.78E-12
dy164	1.26E-12	1.58E-12	1.89E-12	2.21E-12	2.52E-12	2.52E-12
as_75	1.08E-12	1.35E-12	1.62E-12	1.89E-12	2.16E-12	2.16E-12
te129m	1.79E-12	1.79E-12	1.79E-12	1.79E-12	1.79E-12	
y_90	7.84E-13	9.74E-13	1.16E-12	1.35E-12	1.53E-12	1.53E-12
sn118	5.96E-13	7.45E-13	8.94E-13	1.04E-12	1.19E-12	1.19E-12
ba136	5.59E-13	7.03E-13	8.47E-13	9.91E-13	1.14E-12	1.14E-12
cd116	5.05E-13	6.32E-13	7.58E-13	8.84E-13	1.01E-12	1.01E-12
sn122	5.02E-13	6.27E-13	7.52E-13	8.77E-13	1.00E-12	1.00E-12
cs134	3.72E-13	4.80E-13	5.92E-13	7.08E-13	8.28E-13	8.27E-13
sn120	3.76E-13	4.70E-13	5.63E-13	6.57E-13	7.51E-13	7.51E-13
ru_99	3.01E-13	3.85E-13	4.72E-13	5.64E-13	6.58E-13	6.58E-13
kr_82	3.14E-13	3.92E-13	4.71E-13	5.50E-13	6.29E-13	
dy163	3.08E-13	3.85E-13	4.61E-13	5.38E-13	6.14E-13	6.14E-13
ge_73	2.93E-13	3.67E-13	4.40E-13	5.14E-13	5.87E-13	5.87E-13
xe130	1.93E-13	2.41E-13	2.90E-13	3.38E-13	3.87E-13	3.87E-13
ag111	3.17E-13	3.17E-13	3.17E-13	3.17E-13	3.17E-13	3.16E-13
eu157	2.91E-13	2.96E-13	2.96E-13	2.96E-13	2.96E-13	2.80E-13
mo_96	1.36E-13	1.71E-13	2.05E-13	2.40E-13	2.75E-13	2.75E-13
eu152	3.44E-14	6.45E-14	1.09E-13	1.70E-13	2.50E-13	2.50E-13
pm148	1.53E-13	1.79E-13	2.03E-13	2.25E-13	2.43E-13	2.42E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.36E-13
ge_76	1.07E-13	1.34E-13	1.60E-13	1.87E-13	2.14E-13	2.14E-13
in113	3.85E-14	5.97E-14	8.53E-14	1.15E-13	1.49E-13	1.49E-13
gd160	6.76E-14	8.44E-14	1.01E-13	1.18E-13	1.35E-13	1.35E-13
te126	5.13E-14	6.43E-14	7.74E-14	9.04E-14	1.03E-13	1.03E-13
ru100	3.10E-14	4.03E-14	5.02E-14	6.06E-14	7.17E-14	7.17E-14
cs136	5.55E-14	5.57E-14	5.57E-14	5.57E-14	5.57E-14	5.55E-14
ho165	2.12E-14	2.64E-14	3.17E-14	3.69E-14	4.22E-14	4.22E-14
sn125	2.92E-14	2.93E-14	2.93E-14	2.93E-14	2.93E-14	2.91E-14
sm148	6.73E-15	1.04E-14	1.48E-14	1.99E-14	2.56E-14	2.56E-14

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 16

fission products

page 15

		fraction of total absorption rate					
0	power= .00mw, burnup= 6.mwd, flux= 2.81E+08n/cm**2-sec	initial	913.2 d	1095.8 d	1278.4 d	1461.0 d	1461.1 d
ru105	2.75E-14	2.97E-14	2.97E-14	2.97E-14	2.97E-14	2.46E-14	
sr 87	1.22E-14	1.53E-14	1.84E-14	2.14E-14	2.45E-14	2.45E-14	
te124	1.10E-14	1.41E-14	1.72E-14	2.03E-14	2.35E-14	2.35E-14	
gd154	3.48E-15	5.67E-15	8.50E-15	1.20E-14	1.63E-14	1.63E-14	
nb 94	6.97E-15	8.72E-15	1.05E-14	1.22E-14	1.40E-14	1.40E-14	
gd152	1.92E-15	3.55E-15	5.96E-15	9.31E-15	1.38E-14	1.38E-14	
nd142	3.27E-15	5.14E-15	7.43E-15	1.02E-14	1.33E-14	1.33E-14	
ba135	3.98E-15	5.80E-15	7.95E-15	1.04E-14	1.32E-14	1.32E-14	
ge 74	5.92E-15	7.41E-15	8.89E-15	1.04E-14	1.19E-14	1.19E-14	
sn123	9.97E-15	1.01E-14	1.01E-14	1.02E-14	1.02E-14	1.02E-14	
rb 88	1.17E-14	1.29E-14	1.29E-14	1.29E-14	1.29E-14	9.98E-15	
te132	9.51E-15	9.56E-15	9.56E-15	9.56E-15	9.56E-15	9.45E-15	
ba134	2.11E-15	3.39E-15	4.99E-15	6.94E-15	9.23E-15	9.24E-15	
i135	9.42E-15	1.01E-14	1.01E-14	1.01E-14	1.01E-14	8.75E-15	
pd104	1.95E-15	3.12E-15	4.58E-15	6.31E-15	8.32E-15	8.32E-15	
ge 72	3.96E-15	4.95E-15	5.95E-15	6.95E-15	7.94E-15	7.94E-15	
sr 86	3.34E-15	4.21E-15	5.08E-15	5.96E-15	6.83E-15	6.83E-15	
se 76	2.30E-15	2.88E-15	3.45E-15	4.03E-15	4.61E-15	4.61E-15	
sb126	3.00E-15	3.01E-15	3.01E-15	3.01E-15	3.01E-15	3.00E-15	
sb124	2.10E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15	
in117m	2.05E-15	2.09E-15	2.09E-15	2.09E-15	2.09E-15	1.94E-15	
cd110	6.03E-16	8.68E-16	1.17E-15	1.51E-15	1.89E-15	1.89E-15	
te134	2.91E-15	5.85E-15	5.85E-15	5.85E-15	5.85E-15	1.45E-15	
xe128	5.61E-16	7.05E-16	8.51E-16	9.98E-16	1.15E-15	1.15E-15	
er166	5.47E-16	6.86E-16	8.24E-16	9.64E-16	1.10E-15	1.10E-15	
dy160	3.97E-16	5.17E-16	6.39E-16	7.64E-16	8.90E-16	8.90E-16	
br 79	2.26E-16	3.50E-16	5.01E-16	6.78E-16	8.83E-16	8.83E-16	
i130	6.90E-16	7.17E-16	7.18E-16	7.19E-16	7.19E-16	6.67E-16	
in117	6.04E-16	6.14E-16	6.14E-16	6.14E-16	6.14E-16	5.74E-16	
xe129	1.21E-16	1.89E-16	2.73E-16	3.72E-16	4.86E-16	4.86E-16	
ag107	1.14E-16	1.79E-16	2.57E-16	3.50E-16	4.57E-16	4.57E-16	
tb160	3.15E-16	3.21E-16	3.26E-16	3.31E-16	3.37E-16	3.36E-16	
kr 80	1.66E-16	2.08E-16	2.49E-16	2.91E-16	3.32E-16	3.32E-16	
rb 86	2.41E-16	2.42E-16	2.42E-16	2.42E-16	2.43E-16	2.42E-16	
dy165	1.76E-16	2.10E-16	2.10E-16	2.10E-16	2.10E-16	1.42E-16	
nb 93	1.92E-17	3.24E-17	5.10E-17	7.61E-17	1.09E-16	1.09E-16	
te122	2.34E-17	2.99E-17	3.66E-17	4.36E-17	5.09E-17	5.09E-17	
ge 75	6.24E-17	8.64E-17	8.64E-17	8.64E-17	8.64E-17	4.39E-17	
cd118	6.76E-17	1.20E-16	1.20E-16	1.20E-16	1.20E-16	3.77E-17	
sn116	1.07E-17	1.48E-17	1.96E-17	2.49E-17	3.08E-17	3.08E-17	
be 9	1.34E-17	1.68E-17	2.01E-17	2.35E-17	2.69E-17	2.69E-17	
pr142	1.33E-17	1.71E-17	2.06E-17	2.40E-17	2.75E-17	2.62E-17	
te123	9.75E-18	1.27E-17	1.57E-17	1.87E-17	2.16E-17	2.16E-17	
li 7	5.40E-18	6.75E-18	8.10E-18	9.45E-18	1.08E-17	1.08E-17	
er167	2.19E-18	2.74E-18	3.30E-18	3.86E-18	4.43E-18	4.43E-18	
in119m	7.02E-18	3.01E-17	3.01E-17	3.01E-17	3.01E-17	1.38E-18	
cd108	1.11E-19	1.38E-19	1.64E-19	1.91E-19	2.22E-19	2.22E-19	
cd109	1.24E-19	1.41E-19	1.51E-19	1.61E-19	1.68E-19	1.68E-19	
cs134m	8.73E-20	1.28E-19	1.51E-19	1.78E-19	2.05E-19	1.44E-19	
1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						fission products
0	power= .00mw, burnup= 6.mwd, flux= 2.81E+08n/cm**2-sec						page 17
0	initial	913.2 d	1095.8 d	1278.4 d	1461.0 d	1461.1 d	
	in119	2.69E-20	2.35E-18	2.35E-18	2.35E-18	6.71E-21	
	sn114	.00E+00	3.36E-21	3.36E-21	3.36E-21	3.36E-21	

1      sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
       power= 4.000E-03mw, burnup=5.8440E+00mwd, flux= 2.81E+08n/cm\*\*2-sec  
       nuclide concentrations, gram atoms  
       basis = single reactor assembly

	charge	913.2 d	1095.8 d	1278.4 d	1461.0 d	1461.1 d	light elements	page	18
h 1	1.76E-07	2.19E-07	2.62E-07	3.05E-07	3.48E-07	3.48E-07			
h 2	5.22E-10	6.50E-10	7.77E-10	9.04E-10	1.03E-09	1.03E-09			
h 3	3.62E-12	4.44E-12	5.24E-12	6.02E-12	6.77E-12	6.77E-12			
h 4	.00E+00	1.80E-35	2.13E-35	2.44E-35	2.75E-35	.00E+00			
he 3	2.08E-13	3.21E-13	4.57E-13	6.15E-13	7.95E-13	7.95E-13			
he 4	2.91E-08	3.62E-08	4.33E-08	5.04E-08	5.75E-08	5.75E-08			
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
ne 20	3.50E-09	4.35E-09	5.20E-09	6.05E-09	6.91E-09	6.91E-09			
ne 21	2.54E-16	3.89E-16	5.51E-16	7.39E-16	9.52E-16	9.52E-16			
ne 22	5.14E-12	7.70E-12	1.06E-11	1.39E-11	1.75E-11	1.75E-11			
ne 23	7.28E-30	7.10E-15	7.10E-15	7.10E-15	7.10E-15	7.10E-30			
na 22	1.77E-11	2.07E-11	2.33E-11	2.56E-11	2.77E-11	2.77E-11			
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03			
na 24	3.52E-08	3.07E-08	3.07E-08	3.07E-08	3.07E-08	2.87E-08			
na 24m	5.99E-30	5.05E-15	5.05E-15	5.05E-15	5.05E-15	5.05E-30			
na 25	2.08E-41	1.40E-28	1.67E-28	1.95E-28	2.23E-28	2.41E-43			
mg 24	3.03E-05	3.67E-05	4.31E-05	4.95E-05	5.59E-05	5.59E-05			
mg 25	3.86E-12	4.80E-12	5.75E-12	6.71E-12	7.66E-12	7.66E-12			
mg 26	5.22E-10	6.50E-10	7.77E-10	9.04E-10	1.03E-09	1.03E-09			
mg 27	9.98E-14	2.12E-12	2.12E-12	2.12E-12	2.12E-12	4.42E-15			
mg 28	4.31E-24	4.32E-24	4.32E-24	4.32E-24	4.32E-24	4.12E-24			
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04			
al 28	6.00E-16	2.28E-10	2.28E-10	2.28E-10	2.28E-10	1.08E-21			
al 29	7.17E-31	9.14E-29	1.30E-28	1.75E-28	2.27E-28	3.11E-32			
al 30	.00E+00	4.23E-42	7.28E-42	1.15E-41	1.70E-41	.00E+00			
si 28	8.79E-05	1.06E-04	1.25E-04	1.44E-04	1.62E-04	1.62E-04			
si 29	2.26E-13	3.51E-13	5.00E-13	6.73E-13	8.69E-13	8.69E-13			
si 30	6.21E-22	1.21E-21	2.09E-21	3.30E-21	4.90E-21	4.90E-21			
si 31	3.69E-34	8.72E-34	1.50E-33	2.37E-33	3.51E-33	2.42E-33			
si 32	1.57E-42	3.85E-42	7.99E-42	1.48E-41	2.51E-41	2.51E-41			
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04			
flux		2.81E+08	2.81E+08	2.81E+08	2.81E+08	2.81E+07			

1      sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
       power= 4.000E-03mw, burnup=5.8440E+00mwd, flux= 2.81E+08n/cm\*\*2-sec  
       nuclide concentrations, gram atoms  
       basis = single reactor assembly

	charge	913.2 d	1095.8 d	1278.4 d	1461.0 d	1461.1 d	actinides	page	19
he 4	1.05E-04	1.32E-04	1.59E-04	1.87E-04	2.16E-04	2.16E-04			
ra222	3.30E-29	4.82E-29	6.72E-29	8.86E-29	1.12E-28	1.12E-28			
ra223	3.98E-14	6.29E-14	9.09E-14	1.24E-13	1.62E-13	1.62E-13			
ra224	3.75E-15	6.78E-15	1.09E-14	1.60E-14	2.23E-14	2.23E-14			
ra225	5.50E-16	8.77E-16	1.28E-15	1.76E-15	2.32E-15	2.32E-15			
ra226	4.70E-10	7.34E-10	1.06E-09	1.44E-09	1.88E-09	1.88E-09			
ra228	4.71E-16	7.22E-16	1.02E-15	1.36E-15	1.75E-15	1.75E-15			
ac225	3.71E-16	5.93E-16	8.66E-16	1.19E-15	1.57E-15	1.57E-15			
ac227	2.97E-11	4.62E-11	6.63E-11	8.97E-11	1.17E-10	1.17E-10			
ac228	5.75E-20	8.81E-20	1.24E-19	1.66E-19	2.13E-19	2.13E-19			
th226	1.60E-27	2.35E-27	3.28E-27	4.32E-27	5.46E-27	5.46E-27			
th227	6.42E-14	1.01E-13	1.47E-13	2.00E-13	2.61E-13	2.61E-13			
th228	7.15E-13	1.29E-12	2.07E-12	3.05E-12	4.25E-12	4.25E-12			
th229	1.07E-10	1.71E-10	2.49E-10	3.43E-10	4.51E-10	4.51E-10			
th230	5.11E-05	6.39E-05	7.66E-05	8.94E-05	1.02E-04	1.02E-04			
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09			

th232	1.03E-05	1.29E-05	1.55E-05	1.81E-05	2.07E-05	2.07E-05
th233	2.59E-17	1.19E-16	1.43E-16	1.66E-16	1.90E-16	1.38E-17
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231	1.44E-06	1.80E-06	2.16E-06	2.51E-06	2.87E-06	2.87E-06
pa232	2.43E-14	3.09E-14	3.71E-14	4.32E-14	4.94E-14	4.79E-14
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.55E-24	2.28E-24	3.18E-24	4.19E-24	5.29E-24	5.28E-24
u231	2.05E-20	2.52E-20	3.04E-20	3.57E-20	4.10E-20	4.06E-20
u232	1.22E-10	1.83E-10	2.53E-10	3.31E-10	4.16E-10	4.16E-10
u233	2.59E-05	3.27E-05	3.95E-05	4.63E-05	5.32E-05	5.32E-05
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	3.23E-06	3.15E-06	3.15E-06	3.15E-06	3.15E-06	3.13E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	9.48E-08	3.22E-07	3.22E-07	3.22E-07	3.22E-07	2.67E-08
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	6.55E-12	7.16E-12	7.61E-12	7.93E-12	8.16E-12	8.16E-12
np236m	2.11E-12	2.09E-12	2.09E-12	2.09E-12	2.09E-12	2.00E-12
np236	4.10E-10	5.09E-10	6.08E-10	7.07E-10	8.06E-10	8.06E-10
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.22E+01
np238	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.53E-06
np239	4.73E-05	4.65E-05	4.65E-05	4.65E-05	4.65E-05	4.60E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	6.08E-15	9.48E-15	9.48E-15	9.48E-15	9.48E-15	3.69E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	4.44E-10	5.22E-10	5.90E-10	6.52E-10	7.06E-10	7.06E-10
pu237	3.54E-15	4.36E-15	5.28E-15	6.20E-15	7.11E-15	7.11E-15
pu238	3.73E-04	4.65E-04	5.56E-04	6.48E-04	7.38E-04	7.38E-04
pu239	1.04E-02	1.29E-02	1.54E-02	1.80E-02	2.05E-02	2.05E-02

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=5.8440E+00mwd, flux= 2.81E+08n/cm\*\*2-sec

actinides

page 20

0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	913.2 d	1095.8 d	1278.4 d	1461.0 d	1461.1 d
pu240	1.02E-07	1.59E-07	2.29E-07	3.11E-07	4.05E-07
pu241	1.36E-12	2.62E-12	4.47E-12	7.04E-12	1.04E-11
pu242	5.36E-18	1.30E-17	2.67E-17	4.92E-17	8.34E-17
pu243	1.07E-26	2.78E-26	5.72E-26	1.05E-25	1.78E-25
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
flux	2.81E+08	2.81E+08	2.81E+08	2.81E+08	2.81E+07

0 1q array has 20 entries.  
 0 3q array has 1 entries.  
 0 3q array has 1 entries.  
 0 3q array has 1 entries.  
 0 4q array has 1 entries.  
 0 54q array has 12 entries.

1 library information...

cross-section data taken from position number 3 of library on unit 33.

pass 1

```

pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****
*          prelim lwr origin-s binary working library--id = 1143
*          made from modified card-image origin-s libraries of scale 4.2
*          data from the light element, actinide, and fission product libraries
*          decay data, including gamma and total energy, are from endf/b-vi
*
*          neutron flux spectrum factors and cross sections were produced from
*          the "presas2" case updating all nuclides on the scale "burnup" library
*
*          fission product yields are from endf/b-v
*
*          photon libraries use an 18-energy-group structure
*          the photon data are from the master photon data base,
*          produced to include bremsstrahlung from uo2 matrix
*
*          see information above this box (if present) for later updates
*
*****
*.other identification and sizes of library.
  data set name: ft33f001
  8/28/1996 date library was produced
    1697 total number of nuclides in library
    689 number of light-element nuclides
    129 number of actinide nuclides
    879 number of fission product nuclides
    7993 number of nonzero off-diagonal matrix elements
*****
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
  power= .00mw, burnup= 9.mwd, flux= 2.74E+08n/cm**2-sec
  basis =
0 (note, k-infinities, clad and moderator absorptions are correct only, if correctly
0   initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d
0 productions 1.122459E+06 1.122463E+06 1.122467E+06 1.122471E+06 1.122474E+
0 absorptions 9.158321E+05 9.158383E+05 9.158444E+05 9.158505E+05 9.158566E+
0 k infinity 1.225616E+00 1.225612E+00 1.225608E+00 1.225605E+00 1.225601E+
0   initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d
0 actinide
0 absorptions 9.125684E+05 9.125708E+05 9.125731E+05 9.125754E+05 9.125776E+
0 non-actinide
0 abs. fracs. 3.563583E-03 3.567815E-03 3.571987E-03 3.576040E-03 3.580332E-
0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
0   fraction of total absorption rate
0   power= .00mw, burnup= 9.mwd, flux= 2.74E+08n/cm**2-sec
0   initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d 2191.7 d

```

sm149	2.96E-05	3.33E-05	3.70E-05	4.07E-05	4.44E-05	4.44E-05
xe135	2.31E-06	2.33E-06	2.33E-06	2.33E-06	2.33E-06	2.29E-06
sm151	1.24E-06	1.39E-06	1.54E-06	1.69E-06	1.84E-06	1.84E-06
nd143	5.87E-07	6.62E-07	7.36E-07	8.11E-07	8.86E-07	8.86E-07
gd157	3.03E-07	3.41E-07	3.79E-07	4.16E-07	4.54E-07	4.54E-07
rh103	2.65E-07	3.00E-07	3.34E-07	3.68E-07	4.03E-07	4.03E-07
cd113	2.59E-07	2.91E-07	3.23E-07	3.55E-07	3.88E-07	3.88E-07
xe131	1.86E-07	2.10E-07	2.33E-07	2.57E-07	2.80E-07	2.80E-07
cs133	1.45E-07	1.63E-07	1.81E-07	1.99E-07	2.18E-07	2.18E-07
pm147	1.76E-07	1.88E-07	1.98E-07	2.07E-07	2.15E-07	2.15E-07
gd155	9.85E-08	1.22E-07	1.47E-07	1.74E-07	2.03E-07	2.03E-07
tc 99	1.07E-07	1.20E-07	1.34E-07	1.47E-07	1.60E-07	1.60E-07
nd145	8.31E-08	9.35E-08	1.04E-07	1.14E-07	1.25E-07	1.25E-07
eu155	7.09E-08	7.71E-08	8.29E-08	8.83E-08	9.33E-08	9.33E-08
mo 95	5.20E-08	5.92E-08	6.64E-08	7.36E-08	8.08E-08	8.08E-08
sm147	4.11E-08	5.02E-08	5.99E-08	7.01E-08	8.06E-08	8.06E-08
sm152	4.38E-08	4.93E-08	5.48E-08	6.02E-08	6.57E-08	6.57E-08
kr 83	3.61E-08	4.06E-08	4.52E-08	4.97E-08	5.42E-08	5.42E-08
cs135	3.28E-08	3.69E-08	4.10E-08	4.51E-08	4.92E-08	4.92E-08
ru101	2.54E-08	2.86E-08	3.17E-08	3.49E-08	3.81E-08	3.81E-08
pr141	2.38E-08	2.68E-08	2.99E-08	3.30E-08	3.61E-08	3.61E-08
eu153	2.22E-08	2.50E-08	2.78E-08	3.06E-08	3.33E-08	3.33E-08
eu151	1.41E-08	1.79E-08	2.20E-08	2.66E-08	3.17E-08	3.17E-08
la139	2.01E-08	2.26E-08	2.51E-08	2.76E-08	3.01E-08	3.01E-08
pd105	8.46E-09	9.52E-09	1.06E-08	1.16E-08	1.27E-08	1.27E-08
zr 93	8.12E-09	9.14E-09	1.02E-08	1.12E-08	1.22E-08	1.22E-08
i129	6.19E-09	6.97E-09	7.75E-09	8.53E-09	9.31E-09	9.31E-09
rh105	8.35E-09	8.36E-09	8.36E-09	8.36E-09	8.36E-09	8.32E-09
nd144	4.38E-09	5.12E-09	5.86E-09	6.61E-09	7.36E-09	7.36E-09
mo 97	4.55E-09	5.12E-09	5.68E-09	6.25E-09	6.82E-09	6.82E-09
ag109	3.17E-09	3.56E-09	3.96E-09	4.35E-09	4.75E-09	4.75E-09
zr 91	2.02E-09	2.29E-09	2.56E-09	2.83E-09	3.10E-09	3.10E-09
y 89	1.96E-09	2.21E-09	2.47E-09	2.73E-09	2.99E-09	2.99E-09
ru102	1.85E-09	2.09E-09	2.32E-09	2.55E-09	2.78E-09	2.78E-09
pr143	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09
ce142	1.67E-09	1.88E-09	2.09E-09	2.30E-09	2.51E-09	2.51E-09
nd148	1.61E-09	1.81E-09	2.01E-09	2.21E-09	2.41E-09	2.41E-09
sr 90	1.62E-09	1.81E-09	2.00E-09	2.18E-09	2.37E-09	2.37E-09
xe133	2.02E-09	2.02E-09	2.02E-09	2.02E-09	2.02E-09	2.02E-09
nd146	1.35E-09	1.52E-09	1.68E-09	1.85E-09	2.02E-09	2.02E-09
ba138	1.15E-09	1.30E-09	1.44E-09	1.58E-09	1.73E-09	1.73E-09
in115	1.10E-09	1.24E-09	1.38E-09	1.52E-09	1.66E-09	1.66E-09
pd108	1.08E-09	1.21E-09	1.35E-09	1.48E-09	1.61E-09	1.61E-09
ce140	1.06E-09	1.20E-09	1.33E-09	1.47E-09	1.60E-09	1.60E-09
ce141	1.60E-09	1.60E-09	1.60E-09	1.60E-09	1.60E-09	1.60E-09
xe132	9.62E-10	1.08E-09	1.20E-09	1.32E-09	1.44E-09	1.44E-09
mo 98	6.65E-10	7.49E-10	8.32E-10	9.15E-10	9.98E-10	9.98E-10
pm149	9.76E-10	9.80E-10	9.80E-10	9.80E-10	9.80E-10	9.73E-10
mo100	6.44E-10	7.25E-10	8.05E-10	8.86E-10	9.67E-10	9.67E-10

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 fraction of total absorption rate  
 power= .00mw, burnup= 9.mwd, flux= 2.74E+08n/cm\*\*2-sec  
 initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d 2191.7 d

pd107	6.41E-10	7.20E-10	8.00E-10	8.79E-10	9.59E-10	9.59E-10
ba137	4.32E-10	5.44E-10	6.69E-10	8.07E-10	9.56E-10	9.56E-10
xe134	6.36E-10	7.16E-10	7.95E-10	8.75E-10	9.54E-10	9.54E-10
nd147	9.30E-10	9.33E-10	9.33E-10	9.33E-10	9.33E-10	9.29E-10
zr 92	5.17E-10	5.81E-10	6.46E-10	7.11E-10	7.75E-10	7.75E-10

fission products

page 23

i127	4.08E-10	4.60E-10	5.12E-10	5.64E-10	6.16E-10	6.16E-10
zr 96	4.04E-10	4.55E-10	5.05E-10	5.56E-10	6.07E-10	6.07E-10
ce144	5.86E-10	5.93E-10	5.97E-10	5.99E-10	6.01E-10	6.01E-10
ru104	3.96E-10	4.46E-10	4.95E-10	5.45E-10	5.94E-10	5.94E-10
nd150	3.55E-10	4.00E-10	4.44E-10	4.88E-10	5.33E-10	5.33E-10
xe136	3.44E-10	3.87E-10	4.30E-10	4.73E-10	5.16E-10	5.16E-10
cs137	3.33E-10	3.73E-10	4.12E-10	4.51E-10	4.89E-10	4.89E-10
br 81	2.58E-10	2.90E-10	3.22E-10	3.54E-10	3.87E-10	3.87E-10
ru103	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.57E-10	3.57E-10
zr 94	2.18E-10	2.45E-10	2.73E-10	3.00E-10	3.27E-10	3.27E-10
rb 85	2.04E-10	2.31E-10	2.57E-10	2.84E-10	3.11E-10	3.11E-10
sm150	1.25E-10	1.58E-10	1.95E-10	2.36E-10	2.81E-10	2.81E-10
cd111	1.67E-10	1.88E-10	2.08E-10	2.29E-10	2.50E-10	2.50E-10
te130	1.56E-10	1.76E-10	1.95E-10	2.15E-10	2.35E-10	2.35E-10
sm154	1.51E-10	1.70E-10	1.89E-10	2.08E-10	2.27E-10	2.27E-10
rb 87	1.46E-10	1.64E-10	1.82E-10	2.00E-10	2.18E-10	2.18E-10
kr 85	1.31E-10	1.45E-10	1.59E-10	1.72E-10	1.85E-10	1.85E-10
zr 95	1.65E-10	1.66E-10	1.66E-10	1.66E-10	1.66E-10	1.66E-10
se 77	1.03E-10	1.16E-10	1.29E-10	1.42E-10	1.55E-10	1.55E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
y 91	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10
pm151	1.07E-10	1.10E-10	1.10E-10	1.10E-10	1.10E-10	1.10E-10
kr 84	6.86E-11	7.72E-11	8.58E-11	9.43E-11	1.03E-10	1.03E-10
pd106	4.82E-11	5.69E-11	6.57E-11	7.46E-11	8.35E-11	8.35E-11
se 79	5.31E-11	5.98E-11	6.64E-11	7.31E-11	7.97E-11	7.97E-11
sb121	5.01E-11	5.63E-11	6.26E-11	6.88E-11	7.51E-11	7.51E-11
sb123	4.04E-11	4.55E-11	5.06E-11	5.57E-11	6.08E-11	6.08E-11
kr 86	3.84E-11	4.32E-11	4.80E-11	5.28E-11	5.76E-11	5.76E-11
te128	3.41E-11	3.84E-11	4.27E-11	4.69E-11	5.12E-11	5.12E-11
ba140	4.74E-11	4.75E-11	4.75E-11	4.75E-11	4.75E-11	4.75E-11
gd156	2.60E-11	2.93E-11	3.26E-11	3.59E-11	3.92E-11	3.92E-11
sm153	3.75E-11	3.82E-11	3.82E-11	3.82E-11	3.82E-11	3.72E-11
se 80	2.48E-11	2.79E-11	3.10E-11	3.41E-11	3.71E-11	3.71E-11
eu156	3.42E-11	3.41E-11	3.42E-11	3.42E-11	3.42E-11	3.42E-11
dy161	2.17E-11	2.44E-11	2.71E-11	2.98E-11	3.25E-11	3.25E-11
sr 89	3.09E-11	3.09E-11	3.09E-11	3.09E-11	3.09E-11	3.09E-11
ru106	2.36E-11	2.41E-11	2.44E-11	2.46E-11	2.48E-11	2.48E-11
tb159	1.45E-11	1.64E-11	1.82E-11	2.00E-11	2.18E-11	2.18E-11
zr 90	9.65E-12	1.22E-11	1.50E-11	1.80E-11	2.14E-11	2.14E-11
li 6	1.41E-11	1.59E-11	1.76E-11	1.94E-11	2.11E-11	2.11E-11
cd112	1.40E-11	1.57E-11	1.75E-11	1.92E-11	2.10E-11	2.10E-11
ce143	1.72E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11
sn117	1.11E-11	1.25E-11	1.39E-11	1.53E-11	1.66E-11	1.66E-11
te125	7.82E-12	9.58E-12	1.15E-11	1.34E-11	1.55E-11	1.55E-11

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mW, burnup= 9.mwd, flux= 2.74E+08n/cm\*\*2-sec  
 0 initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d 2191.7 d

la140	1.53E-11	1.53E-11	1.53E-11	1.53E-11	1.53E-11	1.53E-11
sn119	9.15E-12	1.03E-11	1.14E-11	1.26E-11	1.37E-11	1.37E-11
mo 99	1.30E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.29E-11
sn115	8.37E-12	9.41E-12	1.05E-11	1.15E-11	1.26E-11	1.26E-11
sb125	9.50E-12	1.01E-11	1.07E-11	1.12E-11	1.17E-11	1.17E-11
sr 88	7.05E-12	7.94E-12	8.82E-12	9.70E-12	1.06E-11	1.06E-11
kr 87	1.09E-11	2.31E-11	2.31E-11	2.31E-11	2.31E-11	8.20E-12
pm148m	6.11E-12	6.50E-12	6.88E-12	7.21E-12	7.51E-12	7.50E-12
pd110	4.99E-12	5.61E-12	6.23E-12	6.86E-12	7.48E-12	7.48E-12
te127m	7.35E-12	7.35E-12	7.35E-12	7.35E-12	7.35E-12	7.35E-12
cd114	4.85E-12	5.45E-12	6.06E-12	6.66E-12	7.27E-12	7.27E-12

fission products

page 24

se 82	4.79E-12	5.39E-12	5.99E-12	6.58E-12	7.18E-12	7.18E-12
gd158	4.56E-12	5.14E-12	5.71E-12	6.29E-12	6.87E-12	6.87E-12
i131	6.77E-12	6.78E-12	6.78E-12	6.78E-12	6.78E-12	6.76E-12
eu154	3.51E-12	4.11E-12	4.75E-12	5.42E-12	6.12E-12	6.12E-12
sn126	3.83E-12	4.31E-12	4.79E-12	5.27E-12	5.75E-12	5.75E-12
se 78	3.62E-12	4.08E-12	4.53E-12	4.98E-12	5.44E-12	5.44E-12
sn124	2.90E-12	3.26E-12	3.63E-12	3.99E-12	4.35E-12	4.35E-12
dy162	2.79E-12	3.13E-12	3.48E-12	3.82E-12	4.17E-12	4.17E-12
dy164	2.53E-12	2.85E-12	3.16E-12	3.48E-12	3.79E-12	3.79E-12
as 75	2.16E-12	2.43E-12	2.70E-12	2.97E-12	3.24E-12	3.24E-12
y 90	1.54E-12	1.72E-12	1.90E-12	2.08E-12	2.25E-12	2.25E-12
te129m	1.79E-12	1.79E-12	1.79E-12	1.79E-12	1.79E-12	1.79E-12
sn118	1.18E-12	1.33E-12	1.48E-12	1.63E-12	1.77E-12	1.77E-12
ba136	1.13E-12	1.28E-12	1.42E-12	1.57E-12	1.71E-12	1.71E-12
cd116	1.01E-12	1.13E-12	1.26E-12	1.38E-12	1.51E-12	1.51E-12
sn122	1.01E-12	1.13E-12	1.26E-12	1.38E-12	1.51E-12	1.51E-12
cs134	8.30E-13	9.51E-13	1.07E-12	1.20E-12	1.33E-12	1.33E-12
sn120	7.52E-13	8.45E-13	9.39E-13	1.03E-12	1.13E-12	1.13E-12
ru 99	6.57E-13	7.55E-13	8.56E-13	9.61E-13	1.07E-12	1.07E-12
kr 82	6.31E-13	7.10E-13	7.90E-13	8.69E-13	9.48E-13	9.48E-13
dy163	6.15E-13	6.91E-13	7.68E-13	8.44E-13	9.21E-13	9.21E-13
ge 73	5.89E-13	6.63E-13	7.37E-13	8.10E-13	8.84E-13	8.84E-13
eu152	2.51E-13	3.53E-13	4.79E-13	6.31E-13	8.12E-13	8.12E-13
xe130	3.89E-13	4.38E-13	4.87E-13	5.36E-13	5.85E-13	5.85E-13
mo 96	2.74E-13	3.09E-13	3.44E-13	3.79E-13	4.14E-13	4.14E-13
in113	1.49E-13	1.87E-13	2.29E-13	2.75E-13	3.25E-13	3.25E-13
ge 76	2.14E-13	2.41E-13	2.68E-13	2.94E-13	3.21E-13	3.21E-13
ag111	3.15E-13	3.16E-13	3.16E-13	3.16E-13	3.16E-13	3.14E-13
pm148	2.40E-13	2.56E-13	2.71E-13	2.83E-13	2.94E-13	2.91E-13
eu157	2.81E-13	2.97E-13	2.97E-13	2.97E-13	2.97E-13	2.74E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13
gd160	1.35E-13	1.52E-13	1.68E-13	1.85E-13	2.02E-13	2.02E-13
te126	1.04E-13	1.17E-13	1.30E-13	1.43E-13	1.56E-13	1.56E-13
ru100	7.20E-14	8.37E-14	9.60E-14	1.09E-13	1.22E-13	1.22E-13
ho165	4.23E-14	4.75E-14	5.28E-14	5.80E-14	6.33E-14	6.33E-14
cs136	5.54E-14	5.56E-14	5.56E-14	5.56E-14	5.56E-14	5.54E-14
sm148	2.56E-14	3.19E-14	3.87E-14	4.61E-14	5.40E-14	5.40E-14
gd152	1.38E-14	1.96E-14	2.68E-14	3.56E-14	4.61E-14	4.61E-14

1           ses2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

0           fraction of total absorption rate

0           power= .00mw, burnup= 9.mwd, flux= 2.74E+08n/cm\*\*2-sec  
initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d 2191.7 d

gd154	1.63E-14	2.14E-14	2.72E-14	3.39E-14	4.16E-14	4.16E-14
sr 87	2.46E-14	2.77E-14	3.07E-14	3.38E-14	3.69E-14	3.69E-14
te124	2.36E-14	2.67E-14	2.98E-14	3.30E-14	3.61E-14	3.61E-14
nd142	1.34E-14	1.69E-14	2.10E-14	2.54E-14	3.02E-14	3.02E-14
sn125	2.91E-14	2.92E-14	2.92E-14	2.92E-14	2.92E-14	2.90E-14
ba135	1.32E-14	1.64E-14	1.99E-14	2.37E-14	2.78E-14	2.78E-14
ru105	2.45E-14	2.95E-14	2.95E-14	2.95E-14	2.95E-14	2.25E-14
ba134	9.24E-15	1.19E-14	1.49E-14	1.83E-14	2.21E-14	2.21E-14
nb 94	1.39E-14	1.57E-14	1.76E-14	1.92E-14	2.09E-14	2.09E-14
pd104	8.28E-15	1.05E-14	1.31E-14	1.59E-14	1.90E-14	1.90E-14
ge 74	1.19E-14	1.34E-14	1.49E-14	1.64E-14	1.79E-14	1.79E-14
ge 72	7.98E-15	8.98E-15	9.98E-15	1.10E-14	1.20E-14	1.20E-14
sr 86	6.86E-15	7.74E-15	8.61E-15	9.49E-15	1.04E-14	1.04E-14
sn123	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14
te132	9.48E-15	9.59E-15	9.59E-15	9.59E-15	9.44E-15	
rb 88	1.00E-14	1.30E-14	1.30E-14	1.30E-14	1.30E-14	8.88E-15
1135	8.79E-15	1.02E-14	1.02E-14	1.02E-14	1.02E-14	8.33E-15

fission products

page 25

se 76	4.63E-15	5.21E-15	5.80E-15	6.38E-15	6.96E-15	6.96E-15
cd110	1.90E-15	2.52E-15	2.77E-15	3.26E-15	3.78E-15	3.78E-15
sb126	3.01E-15	3.02E-15	3.02E-15	3.02E-15	3.01E-15	
sb124	2.10E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15	2.10E-15
br 79	8.84E-16	1.12E-15	1.38E-15	1.66E-15	1.98E-15	1.98E-15
in117m	1.95E-15	2.10E-15	2.10E-15	2.10E-15	2.10E-15	1.85E-15
xe128	1.15E-15	1.30E-15	1.45E-15	1.61E-15	1.76E-15	1.76E-15
er166	1.11E-15	1.25E-15	1.39E-15	1.53E-15	1.67E-15	1.67E-15
dy160	8.88E-16	1.02E-15	1.15E-15	1.28E-15	1.41E-15	1.41E-15
xe129	4.87E-16	6.17E-16	7.62E-16	9.22E-16	1.10E-15	1.10E-15
ag107	4.58E-16	5.80E-16	7.16E-16	8.66E-16	1.03E-15	1.03E-15
te134	1.46E-15	5.89E-15	5.89E-15	5.89E-15	5.89E-15	8.72E-16
i130	6.68E-16	7.21E-16	7.22E-16	7.23E-16	7.23E-16	6.52E-16
in117	5.78E-16	6.17E-16	6.17E-16	6.17E-16	6.17E-16	5.49E-16
kr 80	3.34E-16	3.75E-16	4.17E-16	4.59E-16	5.01E-16	5.01E-16
tb160	3.38E-16	3.43E-16	3.48E-16	3.54E-16	3.59E-16	3.59E-16
nb 93	1.09E-16	1.50E-16	2.01E-16	2.62E-16	3.34E-16	3.34E-16
rb 86	2.43E-16	2.44E-16	2.44E-16	2.44E-16	2.44E-16	2.43E-16
dy165	1.43E-16	2.11E-16	2.11E-16	2.11E-16	2.11E-16	1.23E-16
te122	5.08E-17	5.82E-17	6.59E-17	7.39E-17	8.21E-17	8.21E-17
sn116	3.06E-17	3.70E-17	4.40E-17	5.16E-17	5.97E-17	5.97E-17
be 9	2.67E-17	3.00E-17	3.33E-17	3.67E-17	4.00E-17	4.00E-17
pr142	2.62E-17	3.10E-17	3.45E-17	3.80E-17	4.15E-17	3.87E-17
ge 75	4.41E-17	8.69E-17	8.69E-17	8.69E-17	8.69E-17	3.41E-17
te123	2.17E-17	2.46E-17	2.76E-17	3.06E-17	3.36E-17	3.36E-17
cd118	3.79E-17	1.21E-16	1.21E-16	1.21E-16	1.21E-16	2.48E-17
li 7	1.09E-17	1.22E-17	1.36E-17	1.49E-17	1.63E-17	1.63E-17
er167	4.44E-18	5.02E-18	5.59E-18	6.17E-18	6.75E-18	6.75E-18
in119m	1.39E-18	3.02E-17	3.02E-17	3.02E-17	3.02E-17	4.21E-19
cd108	2.22E-19	2.49E-19	2.76E-19	3.07E-19	3.34E-19	3.34E-19
cs134m	1.45E-19	2.29E-19	2.53E-19	2.80E-19	3.07E-19	1.92E-19
cd109	1.68E-19	1.75E-19	1.79E-19	1.82E-19	1.85E-19	1.85E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate  
0 power= .00mw, burnup= 9.mwd, flux= 2.74E+08n/cm\*\*2-sec  
0 initial 1643.7 d 1826.3 d 2009.0 d 2191.6 d 2191.7 d

sn114 3.37E-21 3.37E-21 3.37E-21 6.74E-21 6.74E-21 6.74E-21

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= 4.000E-03mw, burnup=8.7659E+00mwd, flux= 2.74E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
0 basis = single reactor assembly

	charge	1643.7 d	1826.3 d	2009.0 d	2191.6 d	2191.7 d
h 1	3.48E-07	3.91E-07	4.33E-07	4.76E-07	5.18E-07	5.18E-07
h 2	1.03E-09	1.16E-09	1.28E-09	1.41E-09	1.54E-09	1.54E-09
h 3	6.77E-12	7.50E-12	8.20E-12	8.89E-12	9.56E-12	9.56E-12
h 4	.00E+00	3.05E-35	3.34E-35	3.62E-35	3.89E-35	.00E+00
he 3	7.95E-13	9.96E-13	1.22E-12	1.46E-12	1.72E-12	1.72E-12
he 4	5.75E-08	6.45E-08	7.16E-08	7.86E-08	8.57E-08	8.57E-08
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	6.91E-09	7.75E-09	8.60E-09	9.44E-09	1.03E-08	1.03E-08
ne 21	9.52E-16	1.19E-15	1.45E-15	1.73E-15	2.04E-15	2.04E-15
ne 22	1.75E-11	2.13E-11	2.53E-11	2.95E-11	3.38E-11	3.38E-11
ne 23	7.10E-30	7.04E-15	7.04E-15	7.04E-15	7.04E-15	7.04E-30
na 22	2.77E-11	2.94E-11	3.09E-11	3.22E-11	3.33E-11	3.33E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.87E-08	2.85E-08	2.85E-08	2.85E-08	2.85E-08	2.60E-08
na 24m	5.05E-30	4.68E-15	4.68E-15	4.68E-15	4.68E-15	4.68E-30
na 25	2.41E-43	2.47E-28	2.74E-28	3.02E-28	3.29E-28	3.62E-43

fission products

page 26

light elements

page 27

mg 24	5.59E-05	6.19E-05	6.78E-05	7.37E-05	7.97E-05	7.97E-05
mg 25	7.66E-12	8.61E-12	9.56E-12	1.05E-11	1.15E-11	1.15E-11
mg 26	1.03E-09	1.16E-09	1.28E-09	1.41E-09	1.54E-09	1.54E-09
mg 27	4.42E-15	2.10E-12	2.10E-12	2.10E-12	2.10E-12	4.55E-16
mg 28	4.12E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24	4.03E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	1.08E-21	2.11E-10	2.11E-10	2.11E-10	2.11E-10	2.88E-25
al 29	3.11E-32	2.80E-28	3.42E-28	4.10E-28	4.84E-28	2.53E-33
al 30	.00E+00	2.38E-41	3.24E-41	4.28E-41	5.52E-41	.00E+00
si 28	1.62E-04	1.79E-04	1.96E-04	2.14E-04	2.31E-04	2.31E-04
si 29	8.69E-13	1.09E-12	1.33E-12	1.60E-12	1.88E-12	1.88E-12
si 30	4.90E-21	6.92E-21	9.43E-21	1.25E-20	1.61E-20	1.61E-20
si 31	2.42E-33	4.98E-33	6.78E-33	8.96E-33	1.16E-32	6.95E-33
si 32	2.51E-41	4.00E-41	6.07E-41	8.85E-41	1.25E-40	1.25E-40
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
0 flux		2.74E+08	2.74E+08	2.74E+08	2.74E+08	2.74E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=8.7659E+00mwd, flux= 2.74E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	1643.7 d	1826.3 d	2009.0 d	2191.6 d	2191.7 d
he 4	2.16E-04	2.45E-04	2.74E-04	3.03E-04	3.33E-04
ra222	1.12E-28	1.35E-28	1.61E-28	1.89E-28	2.18E-28
ra223	1.62E-13	2.05E-13	2.52E-13	3.05E-13	3.62E-13
ra224	2.23E-14	2.96E-14	3.80E-14	4.73E-14	5.76E-14
ra225	2.32E-15	2.95E-15	3.66E-15	4.45E-15	5.31E-15
ra226	1.88E-09	2.38E-09	2.93E-09	3.55E-09	4.22E-09
ra228	1.75E-15	2.17E-15	2.63E-15	3.13E-15	3.65E-15
ac225	1.57E-15	2.00E-15	2.47E-15	3.01E-15	3.59E-15
ac227	1.17E-10	1.47E-10	1.80E-10	2.17E-10	2.57E-10
ac228	2.13E-19	2.65E-19	3.21E-19	3.81E-19	4.46E-19
th226	5.46E-27	6.59E-27	7.87E-27	9.22E-27	1.06E-26
th227	2.61E-13	3.30E-13	4.07E-13	4.91E-13	5.83E-13
th228	4.25E-12	5.64E-12	7.23E-12	9.00E-12	1.10E-11
th229	4.51E-10	5.74E-10	7.12E-10	8.65E-10	1.03E-09
th230	1.02E-04	1.15E-04	1.28E-04	1.41E-04	1.53E-04
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	2.07E-05	2.32E-05	2.58E-05	2.84E-05	3.10E-05
th233	1.38E-17	2.13E-16	2.37E-16	2.61E-16	2.84E-16
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231	2.87E-06	3.23E-06	3.59E-06	3.95E-06	4.31E-06
pa232	4.79E-14	5.56E-14	6.18E-14	6.80E-14	7.42E-14
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	5.28E-24	6.39E-24	7.63E-24	8.93E-24	1.03E-23
u231	4.06E-20	4.56E-20	5.08E-20	5.60E-20	6.12E-20
u232	4.16E-10	5.07E-10	6.03E-10	7.04E-10	8.09E-10
u233	5.32E-05	6.00E-05	6.68E-05	7.36E-05	8.05E-05
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	3.13E-06	3.11E-06	3.11E-06	3.11E-06	3.09E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	2.67E-08	3.19E-07	3.19E-07	3.19E-07	1.06E-08
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	8.16E-12	8.30E-12	8.40E-12	8.47E-12	8.53E-12

actinides

page 28

	2.00E-12	2.06E-12	2.06E-12	2.06E-12	2.06E-12	1.94E-12
np236	8.06E-10	9.04E-10	1.00E-09	1.10E-09	1.20E-09	1.20E-09
np237	4.22E+01	4.22E+01	4.22E+01	4.22E+01	4.21E+01	4.21E+01
np238	1.53E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.52E-06
np239	4.60E-05	4.61E-05	4.61E-05	4.61E-05	4.61E-05	4.53E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	3.69E-15	9.37E-15	9.37E-15	9.37E-15	9.37E-15	2.58E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	7.06E-10	7.52E-10	7.93E-10	8.30E-10	8.62E-10	8.62E-10
pu237	7.11E-15	7.92E-15	8.80E-15	9.69E-15	1.06E-14	1.06E-14
pu238	7.38E-04	8.28E-04	9.18E-04	1.01E-03	1.10E-03	1.10E-03
pu239	2.05E-02	2.31E-02	2.56E-02	2.81E-02	3.06E-02	3.06E-02

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=8.7659E+00md, flux= 2.74E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

	charge	1643.7	d	1826.3	d	2009.0	d	2191.6	d	2191.7	d
pu240	4.05E-07	5.12E-07		6.31E-07		7.63E-07		9.06E-07		9.06E-07	
pu241	1.04E-11	1.47E-11		2.00E-11		2.63E-11		3.39E-11		3.39E-11	
pu242	8.34E-17	1.33E-16		2.01E-16		2.93E-16		4.12E-16		4.12E-16	
pu243	1.47E-25	2.81E-25		4.25E-25		6.19E-25		8.71E-25		6.66E-25	
pu244	.00E+00	.00E+00									
pu245	.00E+00	.00E+00									
pu246	.00E+00	.00E+00									
totals	3.73E+04	3.73E+04									
flux		2.74E+08		2.74E+08		2.74E+08		2.74E+08		2.74E-07	

0 1q array has 20 entries.  
 0 3q array has 1 entries.  
 0 3q array has 1 entries.  
 0 3q array has 1 entries.  
 0 4q array has 1 entries.  
 0 54q array has 12 entries.

1library information...

cross-section data taken from position number 4 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****
```

\* prelim lwr origin-s binary working library--id = 1143 \*
\* made from modified card-image origin-s libraries of scale 4.2 \*
\* data from the light element, actinide, and fission product libraries \*
\* decay data, including gamma and total energy, are from endf/b-vi \*
\* neutron flux spectrum factors and cross sections were produced from \*
\* the "presas2" case updating all nuclides on the scale "burnup" library \*

actinides

page 29

```

*
* fission product yields are from endf/b-v
*
* photon libraries use an 18-energy-group structure
* the photon data are from the master photon data base,
* produced to include bremsstrahlung from uo2 matrix
*
* see information above this box (if present) for later updates
*****
***** .other identification and sizes of library.
***** data set name: ft33f001
***** 8/28/1996 date library was produced
***** 1697 total number of nuclides in library
***** 689 number of light-element nuclides
***** 129 number of actinide nuclides
***** 879 number of fission product nuclides
***** 7993 number of nonzero off-diagonal matrix elements
*****
***** sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
***** power= .00mw, burnup= 12.mwd, flux= 2.71E+08n/cm**2-sec
***** basis =
***** (note, k-infinities, clad and moderator absorptions are correct only, if correctly weighted cross sections are applied.)
***** initial 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d
***** productions 1.134728E+06 1.134732E+06 1.134735E+06 1.134739E+06 1.134743E+06 1.134746E+06
***** absorptions 9.244198E+05 9.244260E+05 9.244325E+05 9.244386E+05 9.244447E+05 9.244446E+05
***** k infinity 1.227502E+00 1.227498E+00 1.227494E+00 1.227490E+00 1.227486E+00 1.227486E+00
***** initial 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d
***** actinide
***** absorptions 9.212016E+05 9.212040E+05 9.212063E+05 9.212086E+05 9.212108E+05 9.212108E+05
***** non-actinide
***** abs. fracs. 3.481328E-03 3.485382E-03 3.489971E-03 3.493965E-03 3.498256E-03 3.498197E-03
***** sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
***** fraction of total absorption rate
***** power= .00mw, burnup= 12.mwd, flux= 2.71E+08n/cm**2-sec
***** initial 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d
***** sm149 4.45E-05 4.82E-05 5.19E-05 5.56E-05 5.93E-05 5.93E-05
***** sm151 1.84E-06 1.99E-06 2.14E-06 2.29E-06 2.44E-06 2.44E-06
***** xe135 2.30E-06 2.33E-06 2.33E-06 2.33E-06 2.33E-06 2.30E-06
***** nd143 8.87E-07 9.62E-07 1.04E-06 1.11E-06 1.19E-06 1.19E-06
***** gd157 4.55E-07 4.92E-07 5.30E-07 5.67E-07 6.05E-07 6.05E-07
***** rh103 4.03E-07 4.37E-07 4.72E-07 5.06E-07 5.40E-07 5.40E-07
***** cd113 3.88E-07 4.21E-07 4.53E-07 4.85E-07 5.17E-07 5.17E-07
***** xe131 2.80E-07 3.03E-07 3.27E-07 3.50E-07 3.74E-07 3.74E-07
***** gd155 2.03E-07 2.33E-07 2.65E-07 2.98E-07 3.32E-07 3.32E-07
***** cs133 2.17E-07 2.35E-07 2.54E-07 2.72E-07 2.90E-07 2.90E-07
***** pm147 2.15E-07 2.22E-07 2.28E-07 2.34E-07 2.38E-07 2.38E-07
***** tc 99 1.60E-07 1.73E-07 1.87E-07 2.00E-07 2.13E-07 2.13E-07
***** nd145 1.25E-07 1.35E-07 1.45E-07 1.56E-07 1.66E-07 1.66E-07
***** sm147 8.05E-08 9.15E-08 1.03E-07 1.14E-07 1.26E-07 1.26E-07
***** eu155 9.32E-08 9.79E-08 1.02E-07 1.06E-07 1.10E-07 1.10E-07
***** mo 95 8.07E-08 8.79E-08 9.51E-08 1.02E-07 1.10E-07 1.10E-07
***** sm152 6.56E-08 7.11E-08 7.66E-08 8.20E-08 8.75E-08 8.75E-08
***** kr 83 5.43E-08 5.88E-08 6.33E-08 6.79E-08 7.24E-08 7.24E-08
***** cs135 4.91E-08 5.32E-08 5.73E-08 6.14E-08 6.55E-08 6.55E-08
***** eu151 3.17E-08 3.72E-08 4.31E-08 4.94E-08 5.61E-08 5.61E-08
***** ru101 3.80E-08 4.12E-08 4.43E-08 4.75E-08 5.07E-08 5.07E-08

```

page 30

page 31

pr141	3.61E-08	3.92E-08	4.22E-08	4.53E-08	4.84E-08	4.84E-08
eu153	3.33E-08	3.61E-08	3.89E-08	4.17E-08	4.45E-08	4.45E-08
la139	3.02E-08	3.27E-08	3.52E-08	3.77E-08	4.02E-08	4.02E-08
pd105	1.27E-08	1.37E-08	1.48E-08	1.59E-08	1.69E-08	1.69E-08
zr 93	1.22E-08	1.32E-08	1.42E-08	1.52E-08	1.62E-08	1.62E-08
i129	9.33E-09	1.01E-08	1.09E-08	1.17E-08	1.24E-08	1.25E-08
nd144	7.37E-09	8.13E-09	8.88E-09	9.64E-09	1.04E-08	1.04E-08
mo 97	6.83E-09	7.40E-09	7.97E-09	8.54E-09	9.11E-09	9.11E-09
rh105	8.33E-09	8.37E-09	8.37E-09	8.37E-09	8.33E-09	
ag109	4.74E-09	5.13E-09	5.53E-09	5.92E-09	6.31E-09	6.31E-09
zr 91	3.10E-09	3.37E-09	3.64E-09	3.91E-09	4.17E-09	4.17E-09
y 89	2.99E-09	3.25E-09	3.51E-09	3.77E-09	4.03E-09	4.03E-09
ru102	2.78E-09	3.02E-09	3.25E-09	3.48E-09	3.71E-09	3.71E-09
ce142	2.51E-09	2.72E-09	2.93E-09	3.14E-09	3.35E-09	3.35E-09
nd148	2.41E-09	2.61E-09	2.81E-09	3.01E-09	3.21E-09	3.21E-09
sr 90	2.37E-09	2.55E-09	2.73E-09	2.91E-09	3.09E-09	3.09E-09
nd146	2.02E-09	2.19E-09	2.36E-09	2.53E-09	2.70E-09	2.70E-09
pr143	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09	
ba138	1.73E-09	1.88E-09	2.02E-09	2.16E-09	2.31E-09	2.31E-09
in115	1.66E-09	1.79E-09	1.93E-09	2.07E-09	2.21E-09	2.21E-09
ce140	1.61E-09	1.74E-09	1.88E-09	2.01E-09	2.15E-09	2.15E-09
pd108	1.61E-09	1.74E-09	1.88E-09	2.01E-09	2.14E-09	2.14E-09
xe133	2.03E-09	2.03E-09	2.03E-09	2.03E-09	2.03E-09	
xe132	1.44E-09	1.56E-09	1.69E-09	1.81E-09	1.93E-09	1.93E-09
ba137	9.58E-10	1.12E-09	1.29E-09	1.48E-09	1.68E-09	1.68E-09
ce141	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09
mo 98	9.96E-10	1.08E-09	1.16E-09	1.25E-09	1.33E-09	1.33E-09
mo100	9.66E-10	1.05E-09	1.13E-09	1.21E-09	1.29E-09	1.29E-09

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 12.mwd, flux= 2.71E+08n/cm\*\*2-sec  
 0 initial 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d

pd107	9.60E-10	1.04E-09	1.12E-09	1.20E-09	1.28E-09	1.28E-09
xe134	9.56E-10	1.04E-09	1.12E-09	1.19E-09	1.27E-09	1.27E-09
zr 92	7.76E-10	8.41E-10	9.06E-10	9.71E-10	1.04E-09	1.04E-09
pm149	9.75E-10	9.82E-10	9.82E-10	9.82E-10	9.82E-10	9.75E-10
nd147	9.27E-10	9.31E-10	9.31E-10	9.31E-10	9.31E-10	9.27E-10
i127	6.16E-10	6.68E-10	7.20E-10	7.72E-10	8.25E-10	8.25E-10
zr 96	6.04E-10	6.55E-10	7.05E-10	7.56E-10	8.06E-10	8.06E-10
ru104	5.94E-10	6.43E-10	6.93E-10	7.42E-10	7.92E-10	7.92E-10
nd150	5.33E-10	5.77E-10	6.22E-10	6.66E-10	7.10E-10	7.10E-10
xe136	5.17E-10	5.60E-10	6.03E-10	6.46E-10	6.89E-10	6.89E-10
cs137	4.89E-10	5.27E-10	5.64E-10	6.01E-10	6.37E-10	6.37E-10
ce144	6.01E-10	6.02E-10	6.03E-10	6.04E-10	6.04E-10	6.04E-10
br 81	3.86E-10	4.19E-10	4.51E-10	4.83E-10	5.15E-10	5.15E-10
sm150	2.81E-10	3.30E-10	3.82E-10	4.38E-10	4.99E-10	4.99E-10
zr 94	3.27E-10	3.54E-10	3.81E-10	4.09E-10	4.36E-10	4.36E-10
rb 85	3.11E-10	3.38E-10	3.65E-10	3.92E-10	4.20E-10	4.20E-10
ru103	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10
cd111	2.51E-10	2.72E-10	2.93E-10	3.14E-10	3.35E-10	3.35E-10
te130	2.35E-10	2.55E-10	2.74E-10	2.94E-10	3.13E-10	3.13E-10
sm154	2.27E-10	2.46E-10	2.65E-10	2.84E-10	3.03E-10	3.03E-10
rb 87	2.18E-10	2.37E-10	2.55E-10	2.73E-10	2.91E-10	2.91E-10
kr 85	1.86E-10	1.98E-10	2.10E-10	2.22E-10	2.33E-10	2.33E-10
se 77	1.56E-10	1.69E-10	1.82E-10	1.95E-10	2.08E-10	2.08E-10
zr 95	1.65E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	
y 91	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10
kr 84	1.03E-10	1.11E-10	1.20E-10	1.28E-10	1.37E-10	1.37E-10

fission products

page 32

pd106	8.34E-11	9.24E-11	1.01E-10	1.11E-10	1.20E-10	1.20E-10
se 79	7.99E-11	8.65E-11	9.32E-11	9.98E-11	1.07E-10	1.07E-10
pm151	1.06E-10	1.11E-10	1.11E-10	1.11E-10	1.11E-10	1.06E-10
sb121	7.50E-11	8.13E-11	8.75E-11	9.38E-11	1.00E-10	1.00E-10
sb123	6.08E-11	6.59E-11	7.10E-11	7.61E-11	8.12E-11	8.12E-11
kr 86	5.77E-11	6.25E-11	6.73E-11	7.21E-11	7.70E-11	7.70E-11
te128	5.12E-11	5.55E-11	5.97E-11	6.40E-11	6.83E-11	6.83E-11
gd156	3.91E-11	4.24E-11	4.56E-11	4.89E-11	5.22E-11	5.22E-11
se 80	3.72E-11	4.03E-11	4.34E-11	4.65E-11	4.96E-11	4.96E-11
ba140	4.74E-11	4.76E-11	4.76E-11	4.76E-11	4.74E-11	4.74E-11
dy161	3.26E-11	3.53E-11	3.80E-11	4.07E-11	4.34E-11	4.34E-11
zr 90	2.14E-11	2.50E-11	2.89E-11	3.31E-11	3.75E-11	3.75E-11
sm153	3.73E-11	3.82E-11	3.82E-11	3.82E-11	3.72E-11	3.72E-11
eu156	3.42E-11	3.42E-11	3.42E-11	3.42E-11	3.42E-11	3.42E-11
sr 89	3.09E-11	3.10E-11	3.10E-11	3.10E-11	3.09E-11	3.09E-11
tb159	2.18E-11	2.36E-11	2.54E-11	2.72E-11	2.90E-11	2.90E-11
li 6	2.12E-11	2.30E-11	2.47E-11	2.65E-11	2.83E-11	2.83E-11
cd112	2.10E-11	2.27E-11	2.45E-11	2.62E-11	2.80E-11	2.80E-11
ru106	2.48E-11	2.49E-11	2.49E-11	2.50E-11	2.50E-11	2.50E-11
te125	1.55E-11	1.76E-11	1.98E-11	2.21E-11	2.44E-11	2.44E-11
sn117	1.67E-11	1.80E-11	1.94E-11	2.08E-11	2.22E-11	2.22E-11
sn119	1.37E-11	1.49E-11	1.60E-11	1.72E-11	1.83E-11	1.83E-11
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						
0						
0 power= .00mw, burnup= 12.mwd, flux= 2.71E+08n/cm**2-sec						
0 initial 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d						
ce143	1.70E-11	1.76E-11	1.76E-11	1.76E-11	1.70E-11	1.70E-11
sn115	1.26E-11	1.36E-11	1.47E-11	1.57E-11	1.68E-11	1.68E-11
la140	1.53E-11	1.53E-11	1.53E-11	1.53E-11	1.53E-11	1.53E-11
sr 88	1.06E-11	1.15E-11	1.24E-11	1.32E-11	1.41E-11	1.41E-11
sb125	1.17E-11	1.20E-11	1.24E-11	1.27E-11	1.30E-11	1.29E-11
mo 99	1.29E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.29E-11
pd110	7.47E-12	8.09E-12	8.71E-12	9.33E-12	9.95E-12	9.95E-12
cd114	7.26E-12	7.86E-12	8.47E-12	9.07E-12	9.68E-12	9.68E-12
se 82	7.19E-12	7.79E-12	8.39E-12	8.99E-12	9.59E-12	9.59E-12
eu154	6.12E-12	6.85E-12	7.61E-12	8.39E-12	9.19E-12	9.19E-12
gd158	6.86E-12	7.44E-12	8.02E-12	8.60E-12	9.18E-12	9.18E-12
pm148m	7.51E-12	7.75E-12	7.98E-12	8.17E-12	8.35E-12	8.34E-12
kr 87	8.22E-12	2.32E-11	2.32E-11	2.32E-11	2.32E-11	8.22E-12
sn126	5.76E-12	6.25E-12	6.73E-12	7.21E-12	7.69E-12	7.69E-12
te127m	7.36E-12	7.36E-12	7.36E-12	7.36E-12	7.36E-12	7.36E-12
se 78	5.44E-12	5.89E-12	6.34E-12	6.80E-12	7.25E-12	7.25E-12
i131	6.77E-12	6.79E-12	6.79E-12	6.79E-12	6.77E-12	6.77E-12
sn124	4.34E-12	4.70E-12	5.07E-12	5.43E-12	5.79E-12	5.79E-12
dy162	4.17E-12	4.51E-12	4.86E-12	5.20E-12	5.55E-12	5.55E-12
dy164	3.80E-12	4.12E-12	4.43E-12	4.75E-12	5.07E-12	5.07E-12
as 75	3.24E-12	3.51E-12	3.78E-12	4.05E-12	4.32E-12	4.32E-12
y 90	2.26E-12	2.43E-12	2.60E-12	2.77E-12	2.94E-12	2.94E-12
sn118	1.77E-12	1.92E-12	2.06E-12	2.21E-12	2.36E-12	2.36E-12
ba136	1.71E-12	1.85E-12	2.00E-12	2.14E-12	2.29E-12	2.29E-12
sn122	1.51E-12	1.64E-12	1.76E-12	1.89E-12	2.01E-12	2.01E-12
cd116	1.51E-12	1.63E-12	1.76E-12	1.88E-12	2.01E-12	2.01E-12
eu152	8.13E-13	1.03E-12	1.27E-12	1.55E-12	1.87E-12	1.87E-12
cs134	1.33E-12	1.46E-12	1.58E-12	1.71E-12	1.84E-12	1.84E-12
te129m	1.80E-12	1.80E-12	1.80E-12	1.80E-12	1.80E-12	1.80E-12
ru 99	1.07E-12	1.18E-12	1.30E-12	1.41E-12	1.54E-12	1.54E-12
sn120	1.13E-12	1.22E-12	1.31E-12	1.41E-12	1.50E-12	1.50E-12
kr 82	9.49E-13	1.03E-12	1.11E-12	1.19E-12	1.27E-12	1.27E-12
dy163	9.21E-13	9.98E-13	1.07E-12	1.15E-12	1.23E-12	1.23E-12

fission products

page 33

ge 73	8.85E-13	9.59E-13	1.03E-12	1.11E-12	1.18E-12	1.18E-12
xe130	5.86E-13	6.35E-13	6.84E-13	7.33E-13	7.83E-13	7.83E-13
in113	3.25E-13	3.78E-13	4.35E-13	4.96E-13	5.60E-13	5.60E-13
mo 96	4.14E-13	4.49E-13	4.84E-13	5.19E-13	5.55E-13	5.55E-13
ge 76	3.21E-13	3.48E-13	3.75E-13	4.02E-13	4.28E-13	4.28E-13
pm148	2.90E-13	3.02E-13	3.10E-13	3.18E-13	3.24E-13	3.21E-13
ag111	3.14E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13	3.14E-13
eu157	2.75E-13	2.97E-13	2.97E-13	2.97E-13	2.97E-13	2.74E-13
gd160	2.02E-13	2.19E-13	2.35E-13	2.52E-13	2.69E-13	2.69E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13
te126	1.56E-13	1.69E-13	1.82E-13	1.95E-13	2.09E-13	2.09E-13
ru100	1.23E-13	1.37E-13	1.51E-13	1.67E-13	1.83E-13	1.83E-13
gd152	4.62E-14	5.88E-14	7.35E-14	9.05E-14	1.10E-13	1.10E-13
sm148	5.41E-14	6.25E-14	7.14E-14	8.07E-14	9.05E-14	9.05E-14
ho165	6.33E-14	6.86E-14	7.39E-14	7.91E-14	8.44E-14	8.44E-14
gd154	4.16E-14	5.02E-14	5.98E-14	7.04E-14	8.20E-14	8.20E-14
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	fraction of total absorption rate				fission products	
0	power= .00mw, burnup= 12.mwd, flux= 2.71E+08n/cm**2-sec					page 34
0	initial 2374.3 d	2556.9 d	2739.5 d	2922.2 d	2922.2 d	
cs136	5.53E-14	5.56E-14	5.56E-14	5.56E-14	5.54E-14	
nd142	3.03E-14	3.56E-14	4.13E-14	4.75E-14	5.40E-14	5.40E-14
sr 87	3.69E-14	4.00E-14	4.31E-14	4.62E-14	4.93E-14	4.93E-14
te124	3.61E-14	3.93E-14	4.24E-14	4.56E-14	4.87E-14	4.87E-14
ba135	2.78E-14	3.23E-14	3.71E-14	4.22E-14	4.76E-14	4.76E-14
ba134	2.21E-14	2.62E-14	3.08E-14	3.57E-14	4.10E-14	4.10E-14
pd104	1.90E-14	2.23E-14	2.60E-14	2.99E-14	3.41E-14	3.41E-14
sn125	2.90E-14	2.92E-14	2.92E-14	2.92E-14	2.90E-14	
nb 94	2.09E-14	2.26E-14	2.44E-14	2.61E-14	2.78E-14	2.78E-14
ge 74	1.79E-14	1.94E-14	2.09E-14	2.24E-14	2.39E-14	2.39E-14
ru105	2.25E-14	2.94E-14	2.94E-14	2.94E-14	2.94E-14	2.25E-14
ge 72	1.20E-14	1.30E-14	1.40E-14	1.50E-14	1.60E-14	1.60E-14
sr 86	1.04E-14	1.13E-14	1.22E-14	1.30E-14	1.39E-14	1.39E-14
sn123	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14
te132	9.45E-15	9.60E-15	9.60E-15	9.60E-15	9.60E-15	9.45E-15
se 76	6.97E-15	7.56E-15	8.14E-15	8.73E-15	9.31E-15	9.31E-15
rb 88	8.90E-15	1.30E-14	1.30E-14	1.30E-14	1.30E-14	8.90E-15
i135	8.34E-15	1.02E-14	1.02E-14	1.02E-14	1.02E-14	8.35E-15
cd110	3.79E-15	4.35E-15	4.95E-15	5.58E-15	6.25E-15	6.25E-15
br 79	1.98E-15	2.32E-15	2.68E-15	3.08E-15	3.50E-15	3.50E-15
sb126	3.01E-15	3.03E-15	3.03E-15	3.03E-15	3.03E-15	3.02E-15
xe128	1.76E-15	1.92E-15	2.08E-15	2.24E-15	2.40E-15	2.40E-15
er166	1.67E-15	1.81E-15	1.95E-15	2.10E-15	2.24E-15	2.24E-15
sb124	2.10E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15
dy160	1.41E-15	1.54E-15	1.68E-15	1.82E-15	1.96E-15	1.96E-15
xe129	1.10E-15	1.29E-15	1.50E-15	1.72E-15	1.95E-15	1.95E-15
in117m	1.85E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15	1.85E-15
sg107	1.03E-15	1.21E-15	1.40E-15	1.61E-15	1.83E-15	1.83E-15
te134	8.74E-16	5.90E-15	5.90E-15	5.90E-15	5.90E-15	8.74E-16
nb 93	3.34E-16	4.19E-16	5.17E-16	6.29E-16	7.55E-16	7.55E-16
kr 80	5.01E-16	5.43E-16	5.85E-16	6.27E-16	6.69E-16	6.69E-16
i130	6.52E-16	7.25E-16	7.25E-16	7.26E-16	7.26E-16	6.54E-16
in117	5.50E-16	6.19E-16	6.19E-16	6.19E-16	6.19E-16	5.50E-16
tb160	3.59E-16	3.65E-16	3.70E-16	3.75E-16	3.80E-16	3.80E-16
rb 86	2.44E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16
dy165	1.23E-16	2.12E-16	2.12E-16	2.12E-16	2.12E-16	1.23E-16
te122	8.20E-17	9.05E-17	9.91E-17	1.08E-16	1.17E-16	1.17E-16
sn116	5.96E-17	6.83E-17	7.76E-17	8.75E-17	9.79E-17	9.79E-17
be 9	3.99E-17	4.32E-17	4.65E-17	4.98E-17	5.32E-17	5.32E-17

pr142	3.87E-17	4.50E-17	4.85E-17	5.20E-17	5.55E-17	5.17E-17
te123	3.36E-17	3.66E-17	3.96E-17	4.26E-17	4.56E-17	4.56E-17
ge 75	3.41E-17	8.71E-17	8.71E-17	8.71E-17	8.71E-17	3.41E-17
cd118	2.48E-17	1.21E-16	1.21E-16	1.21E-16	1.21E-16	2.48E-17
li 7	1.63E-17	1.77E-17	1.90E-17	2.04E-17	2.18E-17	2.18E-17
er167	6.76E-18	7.35E-18	7.94E-18	8.53E-18	9.13E-18	9.13E-18
cd108	3.34E-19	3.61E-19	3.91E-19	4.18E-19	4.49E-19	4.49E-19
in119m	4.22E-19	3.03E-17	3.03E-17	3.03E-17	3.03E-17	4.22E-19
cs134m	1.92E-19	3.31E-19	3.58E-19	3.81E-19	4.08E-19	2.56E-19
cd109	1.86E-19	1.89E-19	1.92E-19	1.92E-19	1.96E-19	1.96E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 12.mwd, flux= 2.71E+08n/cm\*\*2-sec  
 0 initial 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d

sn114 6.75E-21 6.75E-21 6.75E-21 6.75E-21 1.01E-20 1.01E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=1.1688E+01mwd, flux= 2.71E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	2374.3 d	2556.9 d	2739.5 d	2922.2 d	2922.2 d
h 1	5.18E-07	5.61E-07	6.03E-07	6.46E-07	6.89E-07
h 2	1.54E-09	1.66E-09	1.79E-09	1.92E-09	2.04E-09
h 3	9.56E-12	1.02E-11	1.08E-11	1.14E-11	1.20E-11
h 4	.00E+00	4.15E-35	4.41E-35	4.66E-35	4.90E-35
he 3	1.72E-12	1.99E-12	2.29E-12	2.60E-12	2.93E-12
he 4	8.57E-08	9.27E-08	9.97E-08	1.07E-07	1.14E-07
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	1.03E-08	1.11E-08	1.20E-08	1.28E-08	1.37E-08
ne 21	2.04E-15	2.36E-15	2.71E-15	3.09E-15	3.48E-15
ne 22	3.38E-11	3.84E-11	4.30E-11	4.77E-11	5.26E-11
ne 23	7.04E-30	7.03E-15	7.03E-15	7.03E-15	7.03E-30
na 22	3.33E-11	3.43E-11	3.52E-11	3.60E-11	3.66E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.60E-08	2.77E-08	2.77E-08	2.77E-08	2.53E-08
na 24m	4.68E-30	4.55E-15	4.55E-15	4.55E-15	4.55E-30
na 25	3.62E-43	3.55E-28	3.82E-28	4.10E-28	4.37E-28
mg 24	7.97E-05	8.54E-05	9.12E-05	9.70E-05	1.03E-04
mg 25	1.15E-11	1.24E-11	1.34E-11	1.44E-11	1.53E-11
mg 26	1.54E-09	1.66E-09	1.79E-09	1.92E-09	2.04E-09
mg 27	4.55E-16	2.10E-12	2.10E-12	2.10E-12	4.54E-16
mg 28	4.03E-24	4.29E-24	4.29E-24	4.29E-24	4.03E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	2.88E-25	2.05E-10	2.05E-10	2.05E-10	2.80E-25
al 29	2.53E-33	5.60E-28	6.44E-28	7.34E-28	8.29E-28
al 30	.00E+00	6.93E-41	8.60E-41	1.05E-40	.00E+00
si 28	2.31E-04	2.48E-04	2.64E-04	2.81E-04	2.98E-04
si 29	1.88E-12	2.19E-12	2.52E-12	2.87E-12	3.25E-12
si 30	1.61E-20	2.03E-20	2.52E-20	3.08E-20	3.71E-20
si 31	6.95E-33	1.46E-32	1.81E-32	2.21E-32	2.67E-32
si 32	1.25E-40	1.71E-40	2.28E-40	2.99E-40	3.85E-40
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=1.1688E+01mwd, flux= 2.71E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge 2374.3 d 2556.9 d 2739.5 d 2922.2 d 2922.2 d

fission products

page 35

light elements

page 36

actinides

page 37

he	4	3.33E-04	3.64E-04	3.94E-04	4.25E-04	4.57E-04	4.57E-04
pb206		1.19E-13	1.67E-13	2.28E-13	3.05E-13	4.00E-13	4.00E-13
pb207		1.73E-11	2.20E-11	2.74E-11	3.37E-11	4.08E-11	4.08E-11
pb208		7.06E-12	9.23E-12	1.18E-11	1.48E-11	1.82E-11	1.82E-11
pb209		4.90E-17	5.72E-17	6.65E-17	7.65E-17	8.72E-17	8.78E-17
pb210		3.48E-12	4.41E-12	5.49E-12	6.73E-12	8.14E-12	8.14E-12
pb211		7.93E-16	9.28E-16	1.07E-15	1.23E-15	1.39E-15	1.39E-15
pb212		6.97E-15	8.32E-15	9.76E-15	1.13E-14	1.29E-14	1.29E-14
pb214		1.30E-16	1.58E-16	1.83E-16	2.10E-16	2.39E-16	2.32E-16
ra222		2.18E-28	2.46E-28	2.77E-28	3.08E-28	3.40E-28	3.40E-28
ra223		3.62E-13	4.23E-13	4.89E-13	5.59E-13	6.34E-13	6.34E-13
ra224		5.76E-14	6.87E-14	8.06E-14	9.33E-14	1.07E-13	1.07E-13
ra225		5.31E-15	6.25E-15	7.27E-15	8.36E-15	9.53E-15	9.53E-15
ra226		4.22E-09	4.96E-09	5.75E-09	6.60E-09	7.51E-09	7.51E-09
ra228		3.65E-15	4.21E-15	4.80E-15	5.42E-15	6.06E-15	6.06E-15
ac225		3.59E-15	4.22E-15	4.91E-15	5.65E-15	6.44E-15	6.44E-15
ac227		2.57E-10	3.00E-10	3.46E-10	3.96E-10	4.48E-10	4.48E-10
ac228		4.46E-19	5.14E-19	5.86E-19	6.61E-19	7.39E-19	7.39E-19
th226		1.06E-26	1.20E-26	1.35E-26	1.50E-26	1.66E-26	1.66E-26
th227		5.83E-13	6.82E-13	7.88E-13	9.01E-13	1.02E-12	1.02E-12
th228		1.10E-11	1.31E-11	1.53E-11	1.77E-11	2.03E-11	2.03E-11
th229		1.03E-09	1.22E-09	1.41E-09	1.62E-09	1.85E-09	1.85E-09
th230		1.53E-04	1.66E-04	1.79E-04	1.92E-04	2.04E-04	2.04E-04
th231		3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232		3.10E-05	3.36E-05	3.61E-05	3.87E-05	4.13E-05	4.13E-05
th233		7.92E-18	3.08E-16	3.31E-16	3.55E-16	3.79E-16	1.05E-17
th234		5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231		4.31E-06	4.67E-06	5.03E-06	5.39E-06	5.75E-06	5.75E-06
pa232		7.11E-14	8.03E-14	8.65E-14	9.27E-14	9.89E-14	9.48E-14
pa233		1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234m		1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234		8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235		.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
u230		1.03E-23	1.16E-23	1.31E-23	1.46E-23	1.61E-23	1.60E-23
u231		6.04E-20	6.60E-20	7.12E-20	7.64E-20	8.16E-20	8.05E-20
u232		8.09E-10	9.18E-10	1.03E-09	1.15E-09	1.26E-09	1.26E-09
u233		8.05E-05	8.73E-05	9.41E-05	1.01E-04	1.08E-04	1.08E-04
u234		9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235		7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236		1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237		3.09E-06	3.10E-06	3.10E-06	3.10E-06	3.10E-06	3.07E-06
u238		3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239		1.06E-08	3.18E-07	3.18E-07	3.18E-07	3.18E-07	1.06E-08
u240		.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
u241		.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
np235		8.53E-12	8.55E-12	8.57E-12	8.58E-12	8.59E-12	8.59E-12
np236m		1.94E-12	2.05E-12	2.05E-12	2.05E-12	1.93E-12	
np236		1.20E-09	1.29E-09	1.39E-09	1.49E-09	1.59E-09	1.59E-09
np237		4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01
np238		1.52E-06	1.55E-06	1.55E-06	1.55E-06	1.51E-06	

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.1688E+01mwd, flux= 2.71E+08n/cm\*\*2-sec

nuclide concentrations, gram atoms							
basis = single reactor assembly							
charge	2374.3 d	2556.9 d	2739.5 d	2922.2 d	2922.2 d		
np239	4.53E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05	4.51E-05	
np240m	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
np240	2.58E-15	9.33E-15	9.33E-15	9.33E-15	9.33E-15	2.57E-15	
np241	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	

actinides

page 38

pu236	8.62E-10	8.90E-10	9.15E-10	9.37E-10	9.57E-10	9.57E-10
pu237	1.06E-14	1.14E-14	1.23E-14	1.31E-14	1.40E-14	1.40E-14
pu238	1.10E-03	1.18E-03	1.27E-03	1.36E-03	1.45E-03	1.45E-03
pu239	3.06E-02	3.31E-02	3.56E-02	3.82E-02	4.07E-02	4.07E-02
pu240	9.06E-07	1.06E-06	1.23E-06	1.41E-06	1.60E-06	1.60E-06
pu241	3.39E-11	4.28E-11	5.30E-11	6.47E-11	7.79E-11	7.79E-11
pu242	4.12E-16	5.64E-16	7.55E-16	9.90E-16	1.27E-15	1.27E-15
pu243	6.66E-25	1.19E-24	1.59E-24	2.08E-24	2.68E-24	2.05E-24
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
0 flux	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E+07

```

0      1q array has      20 entries.
0      3q array has      1 entries.
0      3q array has      1 entries.
0      3q array has      1 entries.
0      4q array has      1 entries.
0      54q array has     12 entries.
1library information...

```

cross-section data taken from position number 1 of library on unit 15.

```

pass  5
pass  1
pass  0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass  1
pass  0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****prelim lwr origin-s binary working library--id = 1143*****
*****made from modified card-image origin-s libraries of scale 4.2*****
*****data from the light element, actinide, and fission product libraries*****
*****decay data, including gamma and total energy, are from endf/b-vi*****
*****neutron flux spectrum factors and cross sections were produced from*****
*****the "presas2" case updating all nuclides on the scale "burnup" library*****
*****fission product yields are from endf/b-v*****
*****photon libraries use an 18-energy-group structure*****
*****the photon data are from the master photon data base,*****
*****produced to include bremsstrahlung from uo2 matrix*****
*****see information above this box (if present) for later updates*****
*****.other identification and sizes of library.

```

```

0
0

```

```

0           data set name: ft15f001
0           8/28/1996 date library was produced
0           1697 total number of nuclides in library
0           689 number of light-element nuclides
0           129 number of actinide nuclides
0           879 number of fission product nuclides
0           7993 number of nonzero off-diagonal matrix elements
0           ****
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2          page 39
0           power= .00mw, burnup= 15.mwd, flux= 2.70E+08n/cm**2-sec
0           basis =
0           (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0           initial   3104.9 d    3287.5 d    3470.1 d    3652.7 d
0           productions  1.138387E+06  1.138390E+06  1.138394E+06  1.138398E+06  1.138402E+06
0           absorptions  9.269936E+05  9.269998E+05  9.270060E+05  9.270122E+05  9.270183E+05
0           k infinity  1.228041E+00  1.228037E+00  1.228033E+00  1.228029E+00  1.228025E+00
0           initial   3104.9 d    3287.5 d    3470.1 d    3652.7 d
0           actinide
0           absorptions  9.237744E+05  9.237767E+05  9.237790E+05  9.237813E+05  9.237836E+05
0           non-actinide
0           abs. fracs.  3.472745E-03  3.476918E-03  3.481090E-03  3.485322E-03  3.489256E-03
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2          fission products      page 40
0           power= .00mw, burnup= 15.mwd, flux= 2.70E+08n/cm**2-sec
0           initial   3104.9 d    3287.5 d    3470.1 d    3652.7 d

sm149   5.94E-05  6.31E-05  6.67E-05  7.04E-05  7.41E-05
sm151   2.44E-06  2.59E-06  2.73E-06  2.88E-06  3.03E-06
xe135   2.30E-06  2.34E-06  2.34E-06  2.34E-06  2.34E-06
nd143   1.19E-06  1.26E-06  1.34E-06  1.41E-06  1.49E-06
gd157   6.05E-07  6.42E-07  6.80E-07  7.17E-07  7.54E-07
rh103   5.40E-07  5.75E-07  6.09E-07  6.44E-07  6.78E-07
cd113   5.18E-07  5.50E-07  5.82E-07  6.14E-07  6.47E-07
gd155   3.32E-07  3.68E-07  4.04E-07  4.41E-07  4.80E-07
xe131   3.74E-07  3.97E-07  4.20E-07  4.44E-07  4.67E-07
cs133   2.90E-07  3.08E-07  3.26E-07  3.44E-07  3.63E-07
tc 99    2.13E-07  2.27E-07  2.40E-07  2.53E-07  2.67E-07
pm147   2.38E-07  2.42E-07  2.46E-07  2.49E-07  2.52E-07
nd145   1.66E-07  1.77E-07  1.87E-07  1.97E-07  2.08E-07
sm147   1.26E-07  1.38E-07  1.50E-07  1.63E-07  1.75E-07
mo 95    1.09E-07  1.17E-07  1.24E-07  1.31E-07  1.38E-07
eu155   1.10E-07  1.13E-07  1.16E-07  1.19E-07  1.22E-07
sm152   8.75E-08  9.29E-08  9.84E-08  1.04E-07  1.09E-07
kr 83    7.24E-08  7.69E-08  8.15E-08  8.60E-08  9.05E-08
eu151   5.61E-08  6.33E-08  7.09E-08  7.89E-08  8.73E-08
cs135   6.55E-08  6.96E-08  7.37E-08  7.78E-08  8.19E-08
ru01    5.06E-08  5.38E-08  5.70E-08  6.01E-08  6.33E-08
pr141   4.84E-08  5.15E-08  5.45E-08  5.76E-08  6.07E-08
eu153   4.45E-08  4.72E-08  5.00E-08  5.28E-08  5.56E-08
la139   4.02E-08  4.27E-08  4.53E-08  4.78E-08  5.03E-08
pd105   1.69E-08  1.80E-08  1.90E-08  2.01E-08  2.11E-08
zr 93    1.62E-08  1.72E-08  1.82E-08  1.93E-08  2.03E-08
i129    1.25E-08  1.32E-08  1.40E-08  1.48E-08  1.56E-08
nd144   1.04E-08  1.12E-08  1.19E-08  1.27E-08  1.34E-08
mo 97    9.11E-09  9.68E-09  1.02E-08  1.08E-08  1.14E-08
rh105   8.34E-09  8.37E-09  8.37E-09  8.37E-09  8.37E-09
ag109   6.31E-09  6.71E-09  7.10E-09  7.49E-09  7.89E-09
zr 91    4.18E-09  4.44E-09  4.71E-09  4.98E-09  5.25E-09
y 89     4.03E-09  4.29E-09  4.54E-09  4.80E-09  5.06E-09
ru102   3.71E-09  3.95E-09  4.18E-09  4.41E-09  4.64E-09

```

ce142	3.35E-09	3.56E-09	3.77E-09	3.98E-09	4.19E-09
nd148	3.21E-09	3.41E-09	3.62E-09	3.82E-09	4.02E-09
sr 90	3.09E-09	3.26E-09	3.43E-09	3.60E-09	3.77E-09
nd146	2.70E-09	2.87E-09	3.04E-09	3.21E-09	3.38E-09
ba138	2.31E-09	2.45E-09	2.60E-09	2.74E-09	2.89E-09
in115	2.21E-09	2.35E-09	2.49E-09	2.62E-09	2.76E-09
ce140	2.15E-09	2.28E-09	2.42E-09	2.55E-09	2.69E-09
pr143	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09
pd108	2.14E-09	2.28E-09	2.41E-09	2.54E-09	2.68E-09
ba137	1.68E-09	1.89E-09	2.11E-09	2.34E-09	2.58E-09
xe132	1.93E-09	2.05E-09	2.17E-09	2.29E-09	2.41E-09
xe133	2.03E-09	2.03E-09	2.03E-09	2.03E-09	2.03E-09
mo 98	1.33E-09	1.41E-09	1.49E-09	1.58E-09	1.66E-09
mo100	1.29E-09	1.37E-09	1.45E-09	1.53E-09	1.61E-09
ce141	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 41

power= .00mW, burnup= 15.mwd, flux= 2.70E+08n/cm\*\*2-sec  
 initial 3104.9 d 3287.5 d 3470.1 d 3652.7 d

pd107	1.28E-09	1.36E-09	1.44E-09	1.52E-09	1.60E-09
xe134	1.28E-09	1.35E-09	1.43E-09	1.51E-09	1.59E-09
zr 92	1.04E-09	1.10E-09	1.17E-09	1.23E-09	1.29E-09
i127	8.24E-10	8.76E-10	9.29E-10	9.81E-10	1.03E-09
zr 96	8.05E-10	8.56E-10	9.06E-10	9.56E-10	1.01E-09
ru104	7.92E-10	8.41E-10	8.91E-10	9.40E-10	9.90E-10
pm149	9.75E-10	9.82E-10	9.82E-10	9.82E-10	9.82E-10
nd147	9.27E-10	9.31E-10	9.31E-10	9.31E-10	9.31E-10
nd150	7.10E-10	7.55E-10	7.99E-10	8.44E-10	8.88E-10
xe136	6.89E-10	7.32E-10	7.75E-10	8.18E-10	8.62E-10
cs137	6.37E-10	6.73E-10	7.09E-10	7.44E-10	7.79E-10
sm150	4.99E-10	5.63E-10	6.31E-10	7.03E-10	7.78E-10
br 81	5.15E-10	5.47E-10	5.80E-10	6.12E-10	6.44E-10
ce144	6.04E-10	6.04E-10	6.04E-10	6.04E-10	6.04E-10
zr 94	4.36E-10	4.63E-10	4.90E-10	5.17E-10	5.45E-10
rb 85	4.20E-10	4.47E-10	4.75E-10	5.03E-10	5.31E-10
cd111	3.35E-10	3.56E-10	3.77E-10	3.98E-10	4.19E-10
te130	3.13E-10	3.33E-10	3.53E-10	3.72E-10	3.92E-10
sm154	3.03E-10	3.22E-10	3.41E-10	3.60E-10	3.79E-10
rb 87	2.91E-10	3.09E-10	3.28E-10	3.46E-10	3.64E-10
ru103	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10
kr 85	2.33E-10	2.44E-10	2.55E-10	2.65E-10	2.75E-10
se 77	2.08E-10	2.21E-10	2.34E-10	2.47E-10	2.60E-10
kr 84	1.37E-10	1.46E-10	1.54E-10	1.63E-10	1.71E-10
zr 95	1.65E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10
pd106	1.20E-10	1.29E-10	1.38E-10	1.47E-10	1.56E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
y 91	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10
se 79	1.07E-10	1.13E-10	1.20E-10	1.27E-10	1.33E-10
sb121	1.00E-10	1.06E-10	1.12E-10	1.19E-10	1.25E-10
pm151	1.06E-10	1.11E-10	1.11E-10	1.11E-10	1.11E-10
sb123	8.12E-11	8.63E-11	9.14E-11	9.65E-11	1.02E-10
kr 86	7.70E-11	8.18E-11	8.66E-11	9.14E-11	9.62E-11
te128	6.83E-11	7.25E-11	7.68E-11	8.11E-11	8.53E-11
gd156	5.22E-11	5.55E-11	5.88E-11	6.21E-11	6.54E-11
se 80	4.96E-11	5.28E-11	5.59E-11	5.90E-11	6.21E-11
zr 90	3.75E-11	4.22E-11	4.71E-11	5.23E-11	5.77E-11
dy161	4.34E-11	4.61E-11	4.88E-11	5.16E-11	5.43E-11
ba140	4.74E-11	4.76E-11	4.76E-11	4.76E-11	4.76E-11
sm153	3.73E-11	3.83E-11	3.83E-11	3.83E-11	3.83E-11

tb159	2.90E-11	3.08E-11	3.27E-11	3.45E-11	3.63E-11
li 6	2.83E-11	3.00E-11	3.18E-11	3.36E-11	3.53E-11
cd112	2.80E-11	2.98E-11	3.15E-11	3.32E-11	3.50E-11
eu156	3.42E-11	3.42E-11	3.42E-11	3.42E-11	3.42E-11
te125	2.44E-11	2.67E-11	2.91E-11	3.16E-11	3.40E-11
sr 89	3.10E-11	3.10E-11	3.10E-11	3.10E-11	3.10E-11
sn117	2.22E-11	2.36E-11	2.50E-11	2.64E-11	2.78E-11
ru106	2.50E-11	2.51E-11	2.51E-11	2.51E-11	2.51E-11
kr 87	8.22E-12	2.32E-11	2.32E-11	2.32E-11	2.32E-11
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					
0					
power= .00mw, burnup= 15.mwd, flux= 2.70E+08n/cm**2-sec					
0 initial 3104.9 d	3287.5 d	3470.1 d	3652.7 d		
sn119	1.83E-11	1.95E-11	2.06E-11	2.18E-11	2.29E-11
sn115	1.68E-11	1.78E-11	1.89E-11	1.99E-11	2.10E-11
sr 88	1.41E-11	1.50E-11	1.59E-11	1.68E-11	1.77E-11
ce143	1.70E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11
la140	1.53E-11	1.53E-11	1.53E-11	1.53E-11	1.53E-11
sb125	1.29E-11	1.32E-11	1.34E-11	1.36E-11	1.37E-11
mo 99	1.29E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11
eu154	9.20E-12	1.00E-11	1.09E-11	1.18E-11	1.27E-11
pd110	9.95E-12	1.06E-11	1.12E-11	1.18E-11	1.24E-11
cd114	9.68E-12	1.03E-11	1.09E-11	1.15E-11	1.21E-11
se 82	9.60E-12	1.02E-11	1.08E-11	1.14E-11	1.20E-11
gd158	9.18E-12	9.77E-12	1.04E-11	1.09E-11	1.15E-11
sn126	7.69E-12	8.17E-12	8.65E-12	9.14E-12	9.62E-12
se 78	7.25E-12	7.70E-12	8.16E-12	8.61E-12	9.06E-12
pm148m	8.34E-12	8.49E-12	8.63E-12	8.74E-12	8.84E-12
te127m	7.37E-12	7.36E-12	7.37E-12	7.37E-12	7.37E-12
sn124	5.79E-12	6.15E-12	6.51E-12	6.87E-12	7.23E-12
dy162	5.55E-12	5.90E-12	6.24E-12	6.59E-12	6.93E-12
i131	6.77E-12	6.79E-12	6.79E-12	6.79E-12	6.79E-12
dy164	5.07E-12	5.39E-12	5.70E-12	6.02E-12	6.34E-12
es 75	4.32E-12	4.59E-12	4.86E-12	5.13E-12	5.40E-12
y 90	2.94E-12	3.10E-12	3.27E-12	3.43E-12	3.59E-12
eu152	1.87E-12	2.22E-12	2.62E-12	3.06E-12	3.54E-12
sn118	2.36E-12	2.50E-12	2.65E-12	2.80E-12	2.95E-12
ba136	2.29E-12	2.43E-12	2.57E-12	2.72E-12	2.86E-12
sn122	2.01E-12	2.14E-12	2.26E-12	2.39E-12	2.52E-12
cd116	2.01E-12	2.13E-12	2.26E-12	2.38E-12	2.51E-12
cs134	1.85E-12	1.98E-12	2.11E-12	2.24E-12	2.37E-12
ru 99	1.54E-12	1.66E-12	1.79E-12	1.92E-12	2.06E-12
sn120	1.50E-12	1.60E-12	1.69E-12	1.78E-12	1.88E-12
te129m	1.80E-12	1.80E-12	1.80E-12	1.80E-12	1.80E-12
kr 82	1.27E-12	1.35E-12	1.43E-12	1.51E-12	1.59E-12
dy163	1.23E-12	1.30E-12	1.38E-12	1.46E-12	1.53E-12
ge 73	1.18E-12	1.25E-12	1.33E-12	1.40E-12	1.48E-12
xe130	7.83E-13	8.33E-13	8.82E-13	9.32E-13	9.81E-13
in113	5.60E-13	6.27E-13	6.98E-13	7.71E-13	8.48E-13
mo 96	5.55E-13	5.90E-13	6.26E-13	6.62E-13	6.97E-13
ge 76	4.29E-13	4.55E-13	4.82E-13	5.09E-13	5.36E-13
pm148	3.21E-13	3.29E-13	3.34E-13	3.38E-13	3.42E-13
gd160	2.69E-13	2.86E-13	3.02E-13	3.19E-13	3.36E-13
ag111	3.14E-13	3.15E-13	3.15E-13	3.15E-13	3.15E-13
eu157	2.75E-13	2.97E-13	2.97E-13	2.97E-13	2.97E-13
te126	2.09E-13	2.22E-13	2.35E-13	2.48E-13	2.61E-13
ru100	1.83E-13	1.99E-13	2.16E-13	2.34E-13	2.52E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13
gd152	1.10E-13	1.32E-13	1.57E-13	1.85E-13	2.16E-13

fission products

page 42

gd154 8.21E-14 9.48E-14 1.09E-13 1.24E-13 1.40E-13  
 sm148 9.06E-14 1.01E-13 1.12E-13 1.23E-13 1.34E-13  
 ho165 8.44E-14 8.97E-14 9.50E-14 1.00E-13 1.06E-13  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 15.mwd, flux= 2.70E+08n/cm\*\*2-sec  
 0 initial 3104.9 d 3287.5 d 3470.1 d 3652.7 d

nd142 5.41E-14 6.11E-14 6.85E-14 7.64E-14 8.46E-14  
 ba135 4.76E-14 5.34E-14 5.95E-14 6.60E-14 7.28E-14  
 be134 4.10E-14 4.67E-14 5.28E-14 5.93E-14 6.62E-14  
 sr 87 4.93E-14 5.24E-14 5.54E-14 5.85E-14 6.16E-14  
 te124 4.87E-14 5.19E-14 5.50E-14 5.81E-14 6.13E-14  
 cs136 5.54E-14 5.56E-14 5.56E-14 5.57E-14 5.57E-14  
 pd104 3.41E-14 3.85E-14 4.32E-14 4.82E-14 5.35E-14  
 nb 94 2.78E-14 2.96E-14 3.13E-14 3.31E-14 3.48E-14  
 ge 74 2.39E-14 2.54E-14 2.69E-14 2.84E-14 2.99E-14  
 ru105 2.25E-14 2.94E-14 2.94E-14 2.94E-14 2.94E-14  
 sn125 2.90E-14 2.92E-14 2.92E-14 2.92E-14 2.92E-14  
 ge 72 1.60E-14 1.70E-14 1.80E-14 1.90E-14 2.00E-14  
 sr 86 1.39E-14 1.48E-14 1.57E-14 1.66E-14 1.75E-14  
 rb 88 8.90E-15 1.30E-14 1.30E-14 1.30E-14 1.30E-14  
 se 76 9.32E-15 9.90E-15 1.05E-14 1.11E-14 1.17E-14  
 i135 8.35E-15 1.02E-14 1.02E-14 1.02E-14 1.02E-14  
 sn123 1.01E-14 1.01E-14 1.01E-14 1.01E-14 1.01E-14  
 te132 9.45E-15 9.61E-15 9.61E-15 9.61E-15 9.61E-15  
 cd110 6.25E-15 6.96E-15 7.70E-15 8.47E-15 9.29E-15  
 te134 8.74E-16 5.90E-15 5.90E-15 5.90E-15 5.90E-15  
 br 79 3.50E-15 3.95E-15 4.43E-15 4.93E-15 5.46E-15  
 xe128 2.40E-15 2.56E-15 2.73E-15 2.89E-15 3.06E-15  
 xe129 1.95E-15 2.21E-15 2.47E-15 2.76E-15 3.05E-15  
 sb126 3.02E-15 3.03E-15 3.03E-15 3.03E-15 3.03E-15  
 ag107 1.83E-15 2.07E-15 2.32E-15 2.58E-15 2.86E-15  
 er166 2.24E-15 2.38E-15 2.52E-15 2.67E-15 2.81E-15  
 dy160 1.96E-15 2.11E-15 2.25E-15 2.40E-15 2.55E-15  
 sb124 2.11E-15 2.11E-15 2.11E-15 2.11E-15 2.11E-15  
 in117m 1.85E-15 2.11E-15 2.11E-15 2.11E-15 2.11E-15  
 nb 93 7.56E-16 8.98E-16 1.06E-15 1.23E-15 1.43E-15  
 kr 80 6.69E-16 7.11E-16 7.53E-16 7.95E-16 8.37E-16  
 i130 6.55E-16 7.27E-16 7.28E-16 7.29E-16 7.29E-16  
 in117 5.50E-16 6.19E-16 6.19E-16 6.19E-16 6.19E-16  
 tb160 3.80E-16 3.85E-16 3.90E-16 3.96E-16 4.01E-16  
 rb 86 2.45E-16 2.46E-16 2.46E-16 2.46E-16 2.46E-16  
 dy165 1.23E-16 2.12E-16 2.12E-16 2.13E-16 2.13E-16  
 te122 1.17E-16 1.27E-16 1.36E-16 1.46E-16 1.56E-16  
 sn116 9.79E-17 1.09E-16 1.20E-16 1.33E-16 1.45E-16  
 cd118 2.48E-17 1.21E-16 1.21E-16 1.21E-16 1.21E-16  
 ge 75 3.42E-17 8.72E-17 8.72E-17 8.72E-17 8.72E-17  
 pr142 5.17E-17 5.90E-17 6.24E-17 6.59E-17 6.94E-17  
 be 9 5.31E-17 5.64E-17 5.98E-17 6.31E-17 6.64E-17  
 te123 4.56E-17 4.86E-17 5.16E-17 5.46E-17 5.76E-17  
 in119m 4.22E-19 3.03E-17 3.03E-17 3.03E-17 3.03E-17  
 li 7 2.18E-17 2.31E-17 2.45E-17 2.59E-17 2.72E-17  
 er167 9.13E-18 9.74E-18 1.03E-17 1.09E-17 1.16E-17  
 in119 1.62E-21 2.37E-18 2.37E-18 2.37E-18 2.37E-18  
 cd108 4.48E-19 4.77E-19 5.06E-19 5.35E-19 5.63E-19  
 cs134m 2.58E-19 4.33E-19 4.58E-19 4.84E-19 5.09E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 15.mwd, flux= 2.70E+08n/cm\*\*2-sec

fission products

page 43

fission products

page 44

0 initial 3104.9 d 3287.5 d 3470.1 d 3652.7 d

cd109	1.95E-19	1.96E-19	1.98E-19	1.99E-19	2.00E-19
sn114	8.58E-21	9.40E-21	1.03E-20	1.12E-20	1.22E-20
ag110	2.03E-23	9.36E-21	9.88E-21	1.04E-20	1.09E-20
in120	.00E+00	3.98E-22	3.98E-22	3.98E-22	3.98E-22
in120m	.00E+00	4.28E-23	4.28E-23	4.28E-23	4.29E-23

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms  
basis = single reactor assembly

charge	3104.9 d	3287.5 d	3470.1 d	3652.7 d
h 1	6.89E-07	7.31E-07	7.74E-07	8.16E-07
h 2	2.04E-09	2.17E-09	2.29E-09	2.42E-09
h 3	1.20E-11	1.26E-11	1.32E-11	1.37E-11
h 4	.00E+00	5.14E-35	5.37E-35	5.59E-35
he 3	2.93E-12	3.28E-12	3.64E-12	4.02E-12
he 4	1.14E-07	1.21E-07	1.28E-07	1.35E-07
he 6	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	1.37E-08	1.45E-08	1.54E-08	1.62E-08
ne 21	3.48E-15	3.90E-15	4.35E-15	4.81E-15
ne 22	5.26E-11	5.75E-11	6.25E-11	6.75E-11
ne 23	7.03E-30	7.03E-15	7.03E-15	7.03E-15
na 22	3.66E-11	3.72E-11	3.77E-11	3.82E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.53E-08	2.74E-08	2.74E-08	2.74E-08
na 24m	4.55E-30	4.51E-15	4.51E-15	4.51E-15
na 25	4.82E-43	4.64E-28	4.92E-28	5.19E-28
mg 24	1.03E-04	1.08E-04	1.14E-04	1.20E-04
mg 25	1.53E-11	1.63E-11	1.73E-11	1.82E-11
mg 26	2.04E-09	2.17E-09	2.29E-09	2.42E-09
mg 27	4.54E-16	2.10E-12	2.10E-12	2.10E-12
mg 28	4.03E-24	4.29E-24	4.29E-24	4.29E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	2.80E-25	2.03E-10	2.03E-10	2.03E-10
al 29	4.34E-33	9.29E-28	1.03E-27	1.15E-27
al 30	.00E+00	1.51E-40	1.78E-40	2.08E-40
si 28	2.98E-04	3.14E-04	3.31E-04	3.47E-04
si 29	3.25E-12	3.64E-12	4.06E-12	4.49E-12
si 30	3.71E-20	4.43E-20	5.23E-20	6.12E-20
si 31	1.61E-32	3.18E-32	3.76E-32	4.40E-32
si 32	3.85E-40	4.89E-40	6.11E-40	7.55E-40
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04
0 flux	2.70E+08	2.70E+08	2.70E+08	2.70E+08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms  
basis = single reactor assembly

charge	3104.9 d	3287.5 d	3470.1 d	3652.7 d
he 4	4.57E-04	4.89E-04	5.21E-04	5.54E-04
pb206	4.00E-13	5.15E-13	6.53E-13	8.18E-13
pb207	4.08E-11	4.89E-11	5.79E-11	6.79E-11
pb208	1.82E-11	2.22E-11	2.66E-11	3.15E-11
pb209	8.78E-17	9.86E-17	1.11E-16	1.24E-16
pb210	8.14E-12	9.72E-12	1.15E-11	1.35E-11
pb211	1.39E-15	1.56E-15	1.75E-15	1.94E-15
pb212	1.29E-14	1.46E-14	1.64E-14	1.82E-14
pb214	2.32E-16	2.70E-16	3.03E-16	3.37E-16

light elements

page 45

actinides

page 46

ra222	3.40E-28	3.72E-28	4.05E-28	4.39E-28	4.73E-28
ra223	6.34E-13	7.13E-13	7.96E-13	8.83E-13	9.74E-13
ra224	1.07E-13	1.21E-13	1.35E-13	1.50E-13	1.66E-13
ra225	9.53E-15	1.08E-14	1.21E-14	1.35E-14	1.50E-14
ra226	7.51E-09	8.48E-09	9.50E-09	1.06E-08	1.17E-08
ra228	6.06E-15	6.72E-15	7.41E-15	8.12E-15	8.85E-15
ac225	6.44E-15	7.28E-15	8.17E-15	9.12E-15	1.01E-14
ac227	4.48E-10	5.03E-10	5.61E-10	6.22E-10	6.86E-10
ac228	7.39E-19	8.21E-19	9.05E-19	9.91E-19	1.08E-18
th226	1.66E-26	1.82E-26	1.98E-26	2.14E-26	2.31E-26
th227	1.02E-12	1.15E-12	1.28E-12	1.42E-12	1.57E-12
th228	2.03E-11	2.29E-11	2.57E-11	2.86E-11	3.15E-11
th229	1.85E-09	2.09E-09	2.35E-09	2.62E-09	2.91E-09
th230	2.04E-04	2.17E-04	2.30E-04	2.43E-04	2.55E-04
th231	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
th232	4.13E-05	4.39E-05	4.65E-05	4.91E-05	5.16E-05
th233	1.05E-17	4.02E-16	4.26E-16	4.50E-16	4.73E-16
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231	5.75E-06	6.11E-06	6.47E-06	6.83E-06	7.19E-06
pa232	9.48E-14	1.05E-13	1.11E-13	1.17E-13	1.24E-13
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.60E-23	1.76E-23	1.92E-23	2.08E-23	2.24E-23
u231	8.05E-20	8.66E-20	9.18E-20	9.69E-20	1.02E-19
u232	1.26E-09	1.38E-09	1.50E-09	1.63E-09	1.75E-09
u233	1.08E-04	1.15E-04	1.21E-04	1.28E-04	1.35E-04
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
u237	3.07E-06	3.09E-06	3.09E-06	3.09E-06	3.09E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	1.06E-08	3.17E-07	3.17E-07	3.17E-07	3.17E-07
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	8.59E-12	8.60E-12	8.60E-12	8.60E-12	8.60E-12
np236m	1.93E-12	2.05E-12	2.05E-12	2.05E-12	2.05E-12
np236	1.59E-09	1.68E-09	1.78E-09	1.88E-09	1.97E-09
np237	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01
np238	1.51E-06	1.55E-06	1.55E-06	1.55E-06	1.55E-06

1

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec

0

nuclide concentrations, gram atoms

basis = single reactor assembly

	charge	3104.9 d	3287.5 d	3470.1 d	3652.7 d
np239	4.51E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	2.57E-15	9.32E-15	9.32E-15	9.32E-15	9.32E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	9.57E-10	9.74E-10	9.89E-10	1.00E-09	1.01E-09
pu237	1.40E-14	1.48E-14	1.57E-14	1.65E-14	1.74E-14
pu238	1.45E-03	1.53E-03	1.62E-03	1.71E-03	1.79E-03
pu239	4.07E-02	4.32E-02	4.57E-02	4.82E-02	5.07E-02
pu240	1.60E-06	1.81E-06	2.03E-06	2.26E-06	2.50E-06
pu241	7.79E-11	9.28E-11	1.09E-10	1.28E-10	1.48E-10
pu242	1.27E-15	1.62E-15	2.02E-15	2.50E-15	3.05E-15
pu243	2.05E-24	3.40E-24	4.25E-24	5.25E-24	6.42E-24
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

actinides

page 47

pu245 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00  
 pu246 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00  
 totals 3.73E+04 3.73E+04 3.73E+04 3.73E+04 3.73E+04  
 0 flux 2.70E+08 2.70E+08 2.70E+08 2.70E+08 2.70E+08  
 0 results on logical unit no. 71, position 1, for time step 4, subcase 6. (run position 1, case position 1)  
 title: sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 48  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mdw, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, grams  
 basis =single reactor assembly  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 h 1 8.59E-07 8.59E-07 8.59E-07 8.59E-07 8.59E-07 8.59E-07  
 he 4 5.68E-07 5.68E-07 5.68E-07 5.68E-07 5.68E-07 5.68E-07  
 na 23 1.73E+05 1.73E+05 1.73E+05 1.73E+05 1.73E+05 1.73E+05  
 mg 24 3.01E-03 3.01E-03 3.01E-03 3.01E-03 3.01E-03 3.01E-03  
 al 27 1.35E+06 1.35E+06 1.35E+06 1.35E+06 1.35E+06 1.35E+06  
 si 28 1.02E-02 1.02E-02 1.02E-02 1.02E-02 1.02E-02 1.02E-02  
 total 1.52E+06 1.52E+06 1.52E+06 1.52E+06 1.52E+06 1.52E+06  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 49  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mdw, flux= 2.79E+08n/cm\*\*2-sec  
 0 element radioactivity, curies  
 basis =single reactor assembly  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 na 8.39E+00 4.25E-06 3.40E-06 2.73E-06 2.18E-06 1.75E-06 1.40E-06  
 totals 2.55E+01 4.64E-06 3.78E-06 3.08E-06 2.53E-06 2.08E-06 1.71E-06  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 50  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mdw, flux= 2.79E+08n/cm\*\*2-sec  
 0 element thermal power, watts  
 basis =single reactor assembly  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 na 1.70E-01 6.01E-08 4.81E-08 3.86E-08 3.09E-08 2.47E-08 1.98E-08  
 totals 4.76E-01 6.01E-08 4.82E-08 3.86E-08 3.09E-08 2.47E-08 1.98E-08  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 51  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mdw, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide gamma power, watts  
 basis =single reactor assembly  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 na 22 6.90E-08 5.52E-08 4.42E-08 3.54E-08 2.84E-08 2.27E-08 1.82E-08  
 total 3.31E-01 5.52E-08 4.42E-08 3.54E-08 2.84E-08 2.27E-08 1.82E-08  
 1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 52  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mdw, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 he 4 5.87E-04 6.42E-04 6.97E-04 7.52E-04 8.07E-04 8.62E-04 9.17E-04  
 th230 2.55E-04 2.77E-04 2.98E-04 3.19E-04 3.41E-04 3.62E-04 3.83E-04  
 th232 5.16E-05 5.59E-05 6.02E-05 6.45E-05 6.88E-05 7.31E-05 7.75E-05  
 th234 5.37E-07 5.37E-07 5.37E-07 5.37E-07 5.37E-07 5.37E-07 5.37E-07  
 pa231 7.19E-06 7.79E-06 8.40E-06 9.00E-06 9.60E-06 1.02E-05 1.08E-05  
 pa233 1.46E-06 1.46E-06 1.46E-06 1.46E-06 1.46E-06 1.46E-06 1.46E-06  
 u233 1.35E-04 1.48E-04 1.61E-04 1.74E-04 1.86E-04 1.99E-04 2.12E-04  
 u234 9.06E+00 9.06E+00 9.06E+00 9.06E+00 9.06E+00 9.06E+00 9.06E+00  
 u235 7.30E+02 7.30E+02 7.30E+02 7.30E+02 7.30E+02 7.30E+02 7.30E+02  
 u236 1.74E+02 1.74E+02 1.74E+02 1.74E+02 1.74E+02 1.74E+02 1.74E+02  
 u238 3.64E+04 3.64E+04 3.64E+04 3.64E+04 3.64E+04 3.64E+04 3.64E+04

np237	4.21E+01							
pu238	1.79E-03	1.78E-03	1.77E-03	1.76E-03	1.75E-03	1.74E-03	1.73E-03	
pu239	5.07E-02							
pu240	2.50E-06							
total	3.73E+04							

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 53  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element concentrations, gram atoms  
 basis = single reactor assembly

he	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
he	5.87E-04	6.42E-04	6.97E-04	7.52E-04	8.07E-04	8.62E-04	9.17E-04	
th	3.08E-04	3.33E-04	3.59E-04	3.84E-04	4.10E-04	4.36E-04	4.61E-04	
pa	8.65E-06	9.25E-06	9.85E-06	1.05E-05	1.11E-05	1.17E-05	1.23E-05	
u	3.73E+04							
np	4.21E+01							
pu	5.25E-02							
totals	3.73E+04							

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 54  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, grams  
 basis =single reactor assembly

he	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
he	4.235E-03	2.57E-03	2.79E-03	3.01E-03	3.23E-03	3.45E-03	3.67E-03	
ra226	2.65E-06	3.11E-06	3.61E-06	4.14E-06	4.71E-06	5.32E-06	5.96E-06	
th229	6.66E-07	7.84E-07	9.13E-07	1.05E-06	1.20E-06	1.36E-06	1.53E-06	
th230	5.88E-02	6.37E-02	6.85E-02	7.34E-02	7.83E-02	8.32E-02	8.81E-02	
th231	6.98E-07	6.98E-07	6.98E-07	6.98E-07	6.98E-07	6.98E-07	6.98E-07	
th232	1.20E-02	1.30E-02	1.40E-02	1.50E-02	1.60E-02	1.70E-02	1.80E-02	
th234	1.26E-04	1.26E-04	1.26E-04	1.26E-04	1.26E-04	1.26E-04	1.26E-04	
pa231	1.66E-03	1.80E-03	1.94E-03	2.08E-03	2.22E-03	2.36E-03	2.50E-03	
pa233	3.39E-04	3.39E-04	3.39E-04	3.39E-04	3.39E-04	3.39E-04	3.39E-04	
u232	4.07E-07	4.46E-07	4.77E-07	5.01E-07	5.20E-07	5.35E-07	5.46E-07	
u233	3.15E-02	3.45E-02	3.75E-02	4.04E-02	4.34E-02	4.64E-02	4.94E-02	
u234	2.12E+03	2.12E+03	2.12E+03	2.12E+03	2.12E+03	2.12E+03	2.12E+03	
u235	1.72E+05	1.72E+05	1.72E+05	1.72E+05	1.72E+05	1.72E+05	1.72E+05	
u236	4.12E+04	4.12E+04	4.12E+04	4.12E+04	4.12E+04	4.12E+04	4.12E+04	
u238	8.66E+06	8.66E+06	8.66E+06	8.66E+06	8.66E+06	8.66E+06	8.66E+06	
np237	9.99E+03	9.99E+03	9.99E+03	9.99E+03	9.99E+03	9.99E+03	9.99E+03	
pu238	4.27E-01	4.24E-01	4.22E-01	4.19E-01	4.16E-01	4.13E-01	4.11E-01	
pu239	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	
pu240	6.00E-04	6.00E-04	5.99E-04	5.99E-04	5.99E-04	5.99E-04	5.99E-04	
total	8.88E+06	8.88E+06	8.88E+06	8.88E+06	8.88E+06	8.88E+06	8.88E+06	

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 55  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element concentrations, grams  
 basis =single reactor assembly

he	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
he	2.35E-03	2.57E-03	2.79E-03	3.01E-03	3.23E-03	3.45E-03	3.67E-03	
ra	2.65E-06	3.11E-06	3.61E-06	4.14E-06	4.71E-06	5.32E-06	5.96E-06	
th	7.09E-02	7.68E-02	8.27E-02	8.85E-02	9.44E-02	1.00E-01	1.06E-01	
pa	2.00E-03	2.14E-03	2.28E-03	2.42E-03	2.56E-03	2.70E-03	2.84E-03	
u	8.87E+06							
np	9.99E+03							
pu	1.25E+01	1.26E+01	1.26E+01	1.25E+01	1.25E+01	1.25E+01	1.25E+01	
totals	8.88E+06							

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 56

decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide radioactivity, curies  
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl207	1.11E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.17E-05	2.41E-05
tl208	2.13E-06	2.46E-06	2.78E-06	3.07E-06	3.33E-06	3.56E-06	3.76E-06
pb210	2.51E-07	3.17E-07	3.94E-07	4.82E-07	5.81E-07	6.93E-07	8.17E-07
pb211	1.11E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.18E-05	2.42E-05
pb212	5.91E-06	6.84E-06	7.73E-06	8.55E-06	9.27E-06	9.91E-06	1.05E-05
pb214	2.62E-06	3.08E-06	3.57E-06	4.09E-06	4.66E-06	5.26E-06	5.89E-06
bi210	2.51E-07	3.18E-07	3.94E-07	4.82E-07	5.81E-07	6.93E-07	8.18E-07
bi211	1.11E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.18E-05	2.42E-05
bi212	5.91E-06	6.84E-06	7.73E-06	8.55E-06	9.27E-06	9.91E-06	1.05E-05
bi214	2.62E-06	3.08E-06	3.57E-06	4.09E-06	4.66E-06	5.26E-06	5.89E-06
po210	2.12E-07	2.71E-07	3.40E-07	4.20E-07	5.10E-07	6.13E-07	7.27E-07
po212	3.79E-06	4.38E-06	4.95E-06	5.47E-06	5.94E-06	6.35E-06	6.70E-06
po214	2.62E-06	3.08E-06	3.57E-06	4.09E-06	4.66E-06	5.26E-06	5.89E-06
po215	1.11E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.18E-05	2.42E-05
po216	5.91E-06	6.84E-06	7.73E-06	8.55E-06	9.27E-06	9.91E-06	1.05E-05
po218	2.62E-06	3.08E-06	3.57E-06	4.10E-06	4.66E-06	5.26E-06	5.89E-06
rn219	1.11E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.18E-05	2.42E-05
rn220	5.91E-06	6.84E-06	7.73E-06	8.55E-06	9.27E-06	9.91E-06	1.05E-05
rn222	2.62E-06	3.08E-06	3.57E-06	4.10E-06	4.66E-06	5.26E-06	5.89E-06
ra223	1.11E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.18E-05	2.42E-05
ra224	5.91E-06	6.84E-06	7.73E-06	8.55E-06	9.27E-06	9.91E-06	1.05E-05
ra226	2.62E-06	3.08E-06	3.57E-06	4.10E-06	4.66E-06	5.26E-06	5.89E-06
ac227	1.13E-05	1.31E-05	1.51E-05	1.72E-05	1.94E-05	2.17E-05	2.41E-05
th227	1.10E-05	1.30E-05	1.49E-05	1.70E-05	1.92E-05	2.15E-05	2.39E-05
th228	5.89E-06	6.82E-06	7.70E-06	8.52E-06	9.24E-06	9.87E-06	1.04E-05
th230	1.21E-03	1.31E-03	1.41E-03	1.51E-03	1.62E-03	1.72E-03	1.82E-03
th231	3.71E-01						
th234	2.91E+00						
pa231	7.85E-05	8.51E-05	9.16E-05	9.82E-05	1.05E-04	1.11E-04	1.18E-04
pa233	7.04E+00	7.05E+00	7.05E+00	7.05E+00	7.05E+00	7.05E+00	7.05E+00
pa234m	2.91E+00						
pa234	3.78E-03	3.79E-03	3.79E-03	3.79E-03	3.79E-03	3.79E-03	3.79E-03
u232	8.98E-06	9.84E-06	1.05E-05	1.11E-05	1.15E-05	1.18E-05	1.21E-05
u233	3.03E-04	3.32E-04	3.61E-04	3.90E-04	4.19E-04	4.48E-04	4.76E-04
u234	1.32E+01						
u235	3.71E-01						
u236	2.66E+00						
u238	2.91E+00						
np237	7.04E+00						
pu236	1.25E-04	1.03E-04	8.41E-05	6.89E-05	5.65E-05	4.63E-05	3.79E-05
pu238	7.31E+00	7.27E+00	7.22E+00	7.18E+00	7.13E+00	7.08E+00	7.04E+00
pu239	7.52E-01	7.53E-01	7.53E-01	7.53E-01	7.53E-01	7.53E-01	7.53E-01
pu240	1.36E-04						
pu241	3.69E-06	3.54E-06	3.40E-06	3.27E-06	3.14E-06	3.02E-06	2.90E-06
total	5.29E+03	4.74E+01	4.74E+01	4.73E+01	4.73E+01	4.72E+01	

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
actinides page 57  
element thermal power, watts  
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl	8.25E-08	9.62E-08	1.09E-07	1.23E-07	1.35E-07	1.47E-07	1.59E-07
pb	5.42E-08	6.37E-08	7.31E-08	8.29E-08	9.30E-08	1.03E-07	1.14E-07
bi	5.78E-07	6.80E-07	7.80E-07	8.85E-07	9.93E-07	1.10E-06	1.22E-06
po	1.17E-06	1.37E-06	1.57E-06	1.77E-06	1.98E-06	2.18E-06	2.39E-06
at	5.64E-09	6.63E-09	7.72E-09	8.90E-09	1.02E-08	1.15E-08	1.30E-08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 58  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01md, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide gamma power, watts  
 basis =single reactor assembly

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 59  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mdw, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, grams

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 60  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
neutile concentrations: none

sn124	2.15E-03						
te124	9.58E-07	9.79E-07	9.80E-07	9.80E-07	9.80E-07	9.80E-07	9.80E-07
sb125	8.94E-04	7.26E-04	5.88E-04	4.76E-04	3.85E-04	3.11E-04	2.52E-04
te125	1.56E-03	1.73E-03	1.87E-03	1.99E-03	2.08E-03	2.15E-03	2.21E-03
te125m	1.19E-05	1.03E-05	8.35E-06	6.76E-06	5.47E-06	4.42E-06	3.58E-06
sn126	3.54E-03						
te126	2.06E-05	2.07E-05	2.07E-05	2.07E-05	2.07E-05	2.08E-05	2.08E-05
i127	1.03E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02
te128	2.99E-02						
i129	6.41E-02	6.42E-02	6.42E-02	6.42E-02	6.42E-02	6.42E-02	6.42E-02
te130	1.50E-01						
xe130	1.81E-05						
xe131	2.48E-01	2.49E-01	2.49E-01	2.49E-01	2.49E-01	2.49E-01	2.49E-01
xe132	3.74E-01	3.75E-01	3.75E-01	3.75E-01	3.75E-01	3.75E-01	3.75E-01
cs133	5.83E-01	5.85E-01	5.85E-01	5.85E-01	5.85E-01	5.85E-01	5.85E-01
xe134	6.87E-01						
ba134	2.62E-06	3.02E-06	3.33E-06	3.56E-06	3.74E-06	3.87E-06	3.97E-06
cs135	5.79E-01						
ba135	9.61E-07	1.11E-06	1.25E-06	1.40E-06	1.54E-06	1.69E-06	1.83E-06
xe136	5.63E-01						
ba136	4.75E-04	4.78E-04	4.78E-04	4.78E-04	4.78E-04	4.78E-04	4.78E-04
cs137	5.03E-01	4.94E-01	4.84E-01	4.75E-01	4.66E-01	4.57E-01	4.49E-01
ba137	6.05E-02	7.01E-02	7.95E-02	8.87E-02	9.78E-02	1.07E-01	1.15E-01
ba138	6.04E-01						
la138	3.03E-06						
la139	5.78E-01						
ce140	5.75E-01	5.78E-01	5.78E-01	5.78E-01	5.78E-01	5.78E-01	5.78E-01
pr141	5.28E-01	5.35E-01	5.35E-01	5.35E-01	5.35E-01	5.35E-01	5.35E-01
ce142	5.44E-01						
nd142	5.71E-07	5.72E-07	5.72E-07	5.72E-07	5.72E-07	5.72E-07	5.72E-07
nd143	5.51E-01	5.54E-01	5.54E-01	5.54E-01	5.54E-01	5.54E-01	5.54E-01
ce144	5.79E-02	2.76E-02	1.32E-02	6.28E-03	2.99E-03	1.43E-03	6.81E-04
nd144	4.56E-01	4.86E-01	5.01E-01	5.08E-01	5.11E-01	5.13E-01	5.13E-01
nd145	3.72E-01						
nd146	2.86E-01						
pm147	7.65E-02	6.21E-02	4.98E-02	4.00E-02	3.21E-02	2.57E-02	2.07E-02
sm147	1.42E-01	1.57E-01	1.69E-01	1.79E-01	1.87E-01	1.93E-01	1.98E-01

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 6  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, grams  
basis =single reactor assembly

dy161	1.32E-05							
dy162	3.64E-06							
dy163	1.21E-06							
total	1.52E+01							

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 62  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide radioactivity, curies  
 basis =single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
h	1.59E-01	1.52E-01	1.45E-01	1.38E-01	1.32E-01	1.26E-01	1.20E-01
se	3.13E-05						
kr	4.22E+00	3.99E+00	3.78E+00	3.59E+00	3.40E+00	3.22E+00	3.05E+00
sr	90	4.29E+01	4.21E+01	4.12E+01	4.04E+01	3.95E+01	3.87E+01
y	90	4.29E+01	4.21E+01	4.12E+01	4.04E+01	3.96E+01	3.88E+01
y	91	1.98E+02	5.43E+00	1.47E-01	4.00E-03	1.09E-04	2.95E-06
zr	93	6.43E-04	6.43E-04	6.43E-04	6.43E-04	6.43E-04	6.43E-04
nb	93m	1.20E-04	1.39E-04	1.57E-04	1.74E-04	1.90E-04	2.06E-04
zr	95	2.18E+02	8.09E+00	3.00E-01	1.11E-02	4.11E-04	1.52E-05
nb	95	2.18E+02	1.72E+01	6.58E-01	2.44E-02	9.05E-04	3.35E-05
tc	99	6.77E-03	6.78E-03	6.78E-03	6.78E-03	6.78E-03	6.78E-03
rh102		7.21E-06	5.91E-06	4.84E-06	3.97E-06	3.25E-06	2.66E-06
ru106		1.58E+01	8.97E+00	5.08E+00	2.88E+00	1.63E+00	9.26E-01
rh106		1.58E+01	8.97E+00	5.08E+00	2.88E+00	1.63E+00	9.26E-01
pd107		6.39E-06	6.39E-06	6.39E-06	6.39E-06	6.39E-06	6.39E-06
cd113m		3.76E-03	3.61E-03	3.46E-03	3.32E-03	3.19E-03	3.06E-03
sn119m		1.53E-03	7.43E-04	3.62E-04	1.76E-04	8.57E-05	4.17E-05
sn121		4.68E-01	2.60E-04	2.57E-04	2.54E-04	2.51E-04	2.49E-04
sn121m		3.38E-04	3.34E-04	3.31E-04	3.27E-04	3.24E-04	3.21E-04
sn123		5.81E-02	1.14E-02	2.22E-03	4.33E-04	8.45E-05	1.65E-05
sb125		9.37E-01	7.61E-01	6.16E-01	4.98E-01	4.03E-01	3.26E-01
te125m		2.15E-01	1.85E-01	1.50E-01	1.22E-01	9.85E-02	7.97E-02
sn126		1.01E-04	1.01E-04	1.01E-04	1.01E-04	1.01E-04	1.01E-04
sb126		3.87E-03	1.41E-05	1.41E-05	1.41E-05	1.41E-05	1.41E-05
sb126m		5.40E-03	1.01E-04	1.01E-04	1.01E-04	1.01E-04	1.01E-04
te127		4.19E+00	1.07E-01	1.54E-02	2.23E-03	3.21E-04	4.64E-05
te127m		7.28E-01	1.09E-01	1.57E-02	2.27E-03	3.28E-04	4.73E-05
i129		1.13E-05	1.13E-05	1.13E-05	1.13E-05	1.13E-05	1.13E-05
cs134		2.16E-03	1.63E-03	1.23E-03	9.30E-04	7.03E-04	5.31E-04
cs135		6.67E-04	6.67E-04	6.67E-04	6.67E-04	6.67E-04	6.67E-04
cs137		4.38E+01	4.30E+01	4.22E+01	4.14E+01	4.06E+01	3.98E+01
ba137m		4.14E+01	4.06E+01	3.98E+01	3.91E+01	3.83E+01	3.76E+01
ce144		1.84E+02	8.79E+01	4.19E+01	2.00E+01	9.53E+00	4.55E+00
pr144		1.84E+02	8.79E+01	4.19E+01	2.00E+01	9.53E+00	4.55E+00
pr144m		2.58E+00	1.23E+00	5.87E+01	2.80E+01	1.33E-01	6.36E-02
pm147		7.09E+01	5.76E+01	4.62E+01	3.71E+01	2.98E+01	2.39E+01
sm151		1.08E+00	1.07E+00	1.07E+00	1.06E+00	1.05E+00	1.05E+00
eu152		5.90E-05	5.65E-05	5.41E-05	5.18E-05	4.96E-05	4.75E-05
eu154		1.67E-04	1.56E-04	1.46E-04	1.36E-04	1.28E-04	1.19E-04
eu155		9.20E-01	8.13E-01	7.19E-01	6.35E-01	5.61E-01	4.96E-01
total	2.01E+04	4.62E+02	3.13E+02	2.50E+02	2.16E+02	1.95E+02	1.81E+02

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 63  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+01mwd, flux= 2.79E+08n/cm\*\*2-sec

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
h	5.37E-06	5.13E-06	4.89E-06	4.67E-06	4.45E-06	4.25E-06	4.06E-06
se	3.33E+00	9.80E-09	9.80E-09	9.80E-09	9.80E-09	9.80E-09	9.80E-09
kr	1.30E+01	5.99E-03	5.68E-03	5.38E-03	5.10E-03	4.83E-03	4.58E-03

sr	2.00E+01	5.75E-02	4.80E-02	4.69E-02	4.59E-02	4.50E-02	4.41E-02
y	2.74E+01	2.52E-01	2.29E-01	2.24E-01	2.19E-01	2.15E-01	2.10E-01
zr	1.20E+01	4.08E-02	1.51E-03	5.60E-05	2.14E-06	1.49E-07	7.53E-08
nb	2.15E+01	8.25E-02	3.16E-03	1.17E-04	4.38E-06	1.97E-07	4.42E-08
tc	6.47E+00	3.40E-06	3.40E-06	3.40E-06	3.40E-06	3.40E-06	3.40E-06
ru	7.07E-01	2.17E-03	3.10E-04	1.71E-04	9.71E-05	5.51E-05	3.12E-05
rh	3.77E-01	8.61E-02	4.87E-02	2.76E-02	1.57E-02	8.88E-03	5.03E-03
cd	6.85E-02	4.48E-06	3.77E-06	3.62E-06	3.47E-06	3.33E-06	3.20E-06
sn	1.87E+00	3.63E-05	7.52E-06	1.85E-06	7.12E-07	4.74E-07	4.19E-07
sb	7.51E+00	2.41E-03	1.95E-03	1.58E-03	1.28E-03	1.03E-03	8.37E-04
te	9.30E+00	3.96E-04	1.56E-04	1.07E-04	8.35E-05	6.72E-05	5.43E-05
i	2.08E+01	5.31E-09	5.31E-09	5.31E-09	5.31E-09	5.31E-09	5.31E-09
cs	1.81E+01	4.78E-02	4.69E-02	4.60E-02	4.51E-02	4.42E-02	4.34E-02
ba	1.14E+01	1.59E-01	1.56E-01	1.53E-01	1.50E-01	1.48E-01	1.45E-01
ce	4.41E+00	5.79E-02	2.74E-02	2.31E-02	6.24E-03	2.97E-03	1.42E-03
pr	6.24E+00	6.45E-01	3.08E-01	1.47E-01	7.00E-02	3.34E-02	1.59E-02
pm	3.37E-01	2.11E-02	1.70E-02	1.36E-02	1.09E-02	8.77E-03	7.03E-03
sm	2.01E-02	1.26E-04	1.25E-04	1.25E-04	1.24E-04	1.23E-04	1.22E-04
eu	8.73E-03	6.34E-04	5.60E-04	4.95E-04	4.38E-04	3.87E-04	3.42E-04
totals	2.59E+02	1.46E+00	8.94E-01	6.79E-01	5.70E-01	5.12E-01	4.78E-01

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 64  
 decay, following reactor irradiation identified by: power= 4.000E-03mW, burnup=1.4610E+01md, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide gamma power, watts  
 basis =single reactor assembly

kr	85	5.57E-05	5.28E-05	5.00E-05	4.74E-05	4.49E-05	4.26E-05	4.03E-05
y	90	4.33E-07	4.24E-07	4.15E-07	4.07E-07	3.99E-07	3.90E-07	3.83E-07
zr	95	9.47E-01	3.51E-02	1.30E-03	4.82E-05	1.78E-06	6.61E-08	2.45E-09
nb	95	9.89E-01	7.79E-02	2.98E-03	1.11E-04	4.10E-06	1.52E-07	5.63E-09
rh102	9.23E-08	7.56E-08	6.20E-08	5.08E-08	4.16E-08	3.41E-08	2.79E-08	
rh106	1.93E-02	1.10E-02	6.21E-03	3.52E-03	1.99E-03	1.13E-03	6.41E-04	
sn121m	1.00E-08	9.91E-09	9.81E-09	9.70E-09	9.60E-09	9.50E-09	9.40E-09	
sb125	2.41E-03	1.96E-03	1.58E-03	1.28E-03	1.04E-03	8.40E-04	6.80E-04	
te125m	4.53E-05	3.91E-05	3.17E-05	2.57E-05	2.08E-05	1.68E-05	1.36E-05	
sn126	7.78E-08							
sb126	6.31E-05	2.30E-07	2.30E-07	2.30E-07	2.30E-07	2.30E-07	2.30E-07	
sb126m	4.97E-05	9.27E-07	9.27E-07	9.27E-07	9.27E-07	9.27E-07	9.27E-07	
cs134	1.99E-05	1.50E-05	1.13E-05	8.58E-06	6.48E-06	4.90E-06	3.70E-06	
ba137m	1.47E-01	1.44E-01	1.41E-01	1.39E-01	1.36E-01	1.33E-01	1.31E-01	
ce144	2.07E-02	9.89E-03	4.72E-03	2.25E-03	1.07E-03	5.12E-04	2.44E-04	
pr144	3.16E-02	1.51E-02	7.18E-03	3.42E-03	1.63E-03	7.79E-04	3.71E-04	
pr144m	1.91E-04	9.11E-05	4.35E-05	2.07E-05	9.89E-06	4.72E-06	2.25E-06	
pm147	1.84E-06	1.50E-06	1.20E-06	9.63E-07	7.73E-07	6.20E-07	4.97E-07	
sm151	9.08E-08	9.03E-08	8.97E-08	8.91E-08	8.85E-08	8.80E-08	8.74E-08	
eu152	4.06E-07	3.89E-07	3.73E-07	3.57E-07	3.42E-07	3.27E-07	3.13E-07	
eu154	1.24E-06	1.16E-06	1.08E-06	1.01E-06	9.48E-07	8.87E-07	8.29E-07	
eu155	3.53E-04	3.12E-04	2.76E-04	2.44E-04	2.15E-04	1.90E-04	1.68E-04	
total	1.28E+02	2.97E-01	1.66E-01	1.50E-01	1.42E-01	1.37E-01	1.33E-01	

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 65  
 decay, following reactor irradiation identified by: power= 4.000E-03mW, burnup=1.4610E+01md, flux= 2.79E+08n/cm\*\*2-sec  
 0 element gamma power, watts  
 basis =single reactor assembly

kr	6.74E+00	5.28E-05	5.00E-05	4.74E-05	4.49E-05	4.26E-05	4.03E-05
y	9.80E+00	1.18E-04	3.58E-06	4.93E-07	4.01E-07	3.91E-07	3.83E-07
zr	4.81E+00	3.51E-02	1.30E-03	4.82E-05	1.78E-06	6.61E-08	2.45E-09
nb	9.13E+00	7.79E-02	2.98E-03	1.11E-04	4.11E-06	1.55E-07	8.28E-09
rh	1.05E-01	1.10E-02	6.21E-03	3.52E-03	1.99E-03	1.13E-03	6.41E-04

sn	1.23E+00	6.03E-07	2.03E-07	1.17E-07	9.67E-08	9.08E-08	8.88E-08
sb	5.16E+00	1.96E-03	1.59E-03	1.28E-03	1.04E-03	8.41E-04	6.81E-04
te	5.57E+00	5.34E-05	3.32E-05	2.59E-05	2.08E-05	1.68E-05	1.36E-05
cs	8.75E+00	1.50E-05	1.13E-05	8.58E-06	6.48E-06	4.90E-06	3.70E-06
ba	4.85E+00	1.44E-01	1.41E-01	1.39E-01	1.36E-01	1.33E-01	1.31E-01
ce	2.08E+00	1.00E-02	4.72E-03	2.25E-03	1.07E-03	5.12E-04	2.44E-04
pr	1.80E+00	1.51E-02	7.22E-03	3.45E-03	1.64E-03	7.84E-04	3.74E-04
pm	8.53E-02	1.55E-06	1.20E-06	9.63E-07	7.73E-07	6.20E-07	4.97E-07
sm	4.44E-03	9.03E-08	8.97E-08	8.91E-08	8.85E-08	8.80E-08	8.74E-08
eu	5.40E-03	3.13E-04	2.77E-04	2.45E-04	2.17E-04	1.92E-04	1.69E-04
totals	1.28E+02	2.97E-01	1.66E-01	1.50E-01	1.42E-01	1.37E-01	1.33E-01

1

photon spectrum as a function of time for light elements, cladding and structural materials

page 66

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= .00 mw, burnup= 15.mwd, flux= 2.79E+08 n\*\*2-sec  
0 spectrum of photon release rates, photons/sec  
0 basis = single reactor assembly

0

		time after discharge						
emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
1.00E-02	5.14E+11	5.17E+04	4.14E+04	3.32E+04	2.66E+04	2.13E+04	1.70E+04	
3.00E-02	1.69E+11	1.65E+04	1.32E+04	1.06E+04	8.46E+03	6.77E+03	5.43E+03	
5.50E-02	1.18E+11	1.11E+04	8.91E+03	7.13E+03	5.71E+03	4.58E+03	3.66E+03	
8.50E-02	6.89E+10	6.26E+03	5.01E+03	4.01E+03	3.22E+03	2.58E+03	2.06E+03	
1.20E-01	4.90E+10	4.28E+03	3.43E+03	2.74E+03	2.20E+03	1.76E+03	1.41E+03	
1.70E-01	5.12E+10	4.20E+03	3.36E+03	2.69E+03	2.16E+03	1.73E+03	1.38E+03	
3.00E-01	5.87E+10	4.18E+03	3.35E+03	2.68E+03	2.15E+03	1.72E+03	1.38E+03	
6.50E-01	2.89E+10	2.23E+05	1.79E+05	1.43E+05	1.15E+05	9.19E+04	7.36E+04	
1.13E+00	4.97E+09	1.78E+05	1.43E+05	1.14E+05	9.14E+04	7.32E+04	5.87E+04	
1.58E+00	9.03E+11	4.46E-01	3.57E-01	2.86E-01	2.29E-01	1.83E-01	1.47E-01	
2.00E+00	1.79E+08	3.96E-02	3.18E-02	2.54E-02	2.04E-02	1.63E-02	1.31E-02	
2.40E+00	3.62E+07	8.89E-03	7.12E-03	5.70E-03	4.57E-03	3.66E-03	2.93E-03	
2.80E+00	2.13E+11	1.39E-04	1.11E-04	8.93E-05	7.15E-05	5.73E-05	4.59E-05	
3.25E+00	1.35E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
3.75E+00	1.39E+08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
4.25E+00	1.82E+06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
4.75E+00	6.63E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
5.50E+00	1.10E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
total	2.18E+12	5.00E+05	4.00E+05	3.20E+05	2.57E+05	2.06E+05	1.65E+05	
mev/sec	2.10E+12	3.50E+05	2.80E+05	2.25E+05	1.80E+05	1.44E+05	1.15E+05	

8

3.75E+00	1.30E+05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.25E+00	1.93E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.75E+00	7.87E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E+00	1.51E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
0 total	5.25E+08	8.75E+01	7.01E+01	5.61E+01	4.50E+01	3.60E+01	2.88E+01
0 gamma watts	3.37E-01	5.61E-08	4.49E-08	3.60E-08	2.88E-08	2.31E-08	1.85E-08

## 1 photon spectrum as a function of time for fission products

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= .00 mw, burnup= 15.mwd, flux= 2.79E+08 n\*\*2-sec  
0 spectrum of photon release rates, photons/sec  
0 basis = single reactor assembly

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	2.57E+14	4.09E+12	2.53E+12	1.83E+12	1.47E+12	1.28E+12	1.17E+12
3.00E-02	1.12E+14	1.81E+12	1.11E+12	7.88E+11	6.24E+11	5.39E+11	4.92E+11
5.50E-02	5.99E+13	9.26E+11	5.64E+11	3.97E+11	3.14E+11	2.70E+11	2.46E+11
8.50E-02	4.15E+13	5.86E+11	3.50E+11	2.40E+11	1.85E+11	1.56E+11	1.41E+11
1.20E-01	3.41E+13	7.47E+11	4.04E+11	2.42E+11	1.62E+11	1.23E+11	1.03E+11
1.70E-01	5.47E+13	3.67E+11	2.18E+11	1.51E+11	1.17E+11	9.93E+10	8.98E+10
3.00E-01	1.10E+14	4.10E+11	2.42E+11	1.63E+11	1.24E+11	1.04E+11	9.36E+10
6.50E-01	2.25E+14	2.83E+12	1.59E+12	1.45E+12	1.38E+12	1.34E+12	1.30E+12
1.13E+00	7.81E+13	3.94E+10	2.18E+10	1.33E+10	8.99E+09	6.76E+09	5.58E+09
1.58E+00	4.04E+13	1.73E+10	8.72E+09	4.56E+09	2.53E+09	1.53E+09	1.04E+09
2.00E+00	1.23E+13	2.93E+10	1.40E+10	6.74E+09	3.25E+09	1.58E+09	7.75E+08
2.40E+00	1.06E+13	6.16E+08	3.25E+08	1.72E+08	9.22E+07	4.96E+07	2.69E+07
2.80E+00	4.23E+12	8.00E+07	4.34E+07	2.37E+07	1.30E+07	7.14E+06	3.95E+06
3.25E+00	2.48E+12	1.00E+07	5.68E+06	3.22E+06	1.82E+06	1.03E+06	5.86E+05
3.75E+00	1.26E+12	4.42E+03	2.50E+03	1.42E+03	8.05E+02	4.56E+02	2.59E+02
4.25E+00	1.40E+12	1.86E-08	1.89E-08	1.92E-08	1.94E-08	1.96E-08	1.97E-08
4.75E+00	4.09E+11	9.34E-09	9.50E-09	9.63E-09	9.73E-09	9.81E-09	9.87E-09
5.50E+00	3.04E+11	6.93E-09	7.05E-09	7.14E-09	7.22E-09	7.28E-09	7.32E-09
0 total	1.04E+15	1.18E+13	7.06E+12	5.28E+12	4.39E+12	3.92E+12	3.65E+12
0 mev/sec	4.41E+14	2.44E+12	1.38E+12	1.17E+12	1.06E+12	1.00E+12	9.61E+11

spectrum of energy release rates, mev/watt-sec  
basis = single reactor assembly

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	6.42E+08	1.02E+07	6.33E+06	4.56E+06	3.67E+06	3.20E+06	2.94E+06
3.00E-02	8.42E+08	1.36E+07	8.35E+06	5.91E+06	4.68E+06	4.04E+06	3.69E+06
5.50E-02	8.24E+08	1.27E+07	7.76E+06	5.46E+06	4.31E+06	3.71E+06	3.38E+06
8.50E-02	8.82E+08	1.24E+07	7.43E+06	5.10E+06	3.93E+06	3.32E+06	2.99E+06
1.20E-01	1.02E+09	2.24E+07	1.21E+07	7.25E+06	4.87E+06	3.70E+06	3.10E+06
1.70E-01	2.32E+09	1.56E+07	9.27E+06	6.40E+06	4.96E+06	4.22E+06	3.82E+06
3.00E-01	8.23E+09	3.07E+07	1.82E+07	1.23E+07	9.33E+06	7.82E+06	7.02E+06
6.50E-01	3.65E+10	4.59E+08	2.58E+08	2.35E+08	2.24E+08	2.17E+08	2.11E+08
1.13E+00	2.20E+10	1.11E+07	6.14E+06	3.74E+06	2.53E+06	1.90E+06	1.57E+06
1.58E+00	1.59E+10	6.80E+06	3.43E+06	1.80E+06	9.97E+05	6.04E+05	4.08E+05
2.00E+00	6.14E+09	1.46E+07	7.01E+06	3.37E+06	1.62E+06	7.89E+05	3.88E+05
2.40E+00	6.37E+09	3.69E+05	1.95E+05	1.03E+05	5.53E+04	2.98E+04	1.61E+04
2.80E+00	2.96E+09	5.60E+04	3.04E+04	1.66E+04	9.08E+03	5.00E+03	2.76E+03
3.25E+00	2.01E+09	8.14E+03	4.61E+03	2.62E+03	1.48E+03	8.40E+02	4.76E+02
3.75E+00	1.18E+09	4.14E+00	2.35E+00	1.33E+00	7.54E-01	4.28E-01	2.42E-01
4.25E+00	1.48E+09	1.98E-11	2.01E-11	2.04E-11	2.06E-11	2.08E-11	2.09E-11
4.75E+00	4.85E+08	1.11E-11	1.13E-11	1.14E-11	1.16E-11	1.16E-11	1.17E-11
5.50E+00	4.18E+08	9.53E-12	9.69E-12	9.82E-12	9.92E-12	1.00E-11	1.01E-11
0 total	1.10E+11	6.10E+08	3.45E+08	2.91E+08	2.65E+08	2.50E+08	2.40E+08

0 gamma watts 7.07E+01 3.91E-01 2.21E-01 1.87E-01 1.70E-01 1.60E-01 1.54E-01

page 68

1  
0 mean energy = .0100 mev. nuclides exceeding 1.0E-03 of total group release rate (1.28E+12) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	2.22E+10	2.11E+10	2.00E+10	1.89E+10	1.79E+10	1.70E+10	1.61E+10
sr 90	1.75E+11	1.71E+11	1.68E+11	1.64E+11	1.61E+11	1.58E+11	1.55E+11
y 90	8.60E+11	8.42E+11	8.25E+11	8.08E+11	7.92E+11	7.76E+11	7.60E+11
rh106	4.71E+11	2.67E+11	1.51E+11	8.58E+10	4.86E+10	2.76E+10	1.56E+10
cs137	1.55E+11	1.52E+11	1.49E+11	1.46E+11	1.43E+11	1.40E+11	1.38E+11
ba137m	7.25E+09	7.11E+09	6.98E+09	6.84E+09	6.71E+09	6.59E+09	6.46E+09
ce144	3.55E+11	1.69E+11	8.07E+10	3.85E+10	1.83E+10	8.75E+09	4.17E+09
pr144	4.70E+12	2.24E+12	1.07E+12	5.10E+11	2.43E+11	1.16E+11	5.53E+10
pm147	8.24E+10	6.69E+10	5.37E+10	4.31E+10	3.46E+10	2.77E+10	2.23E+10
eu155	2.43E+09	2.15E+09	1.90E+09	1.68E+09	1.49E+09	1.31E+09	1.16E+09

0 mean energy = .0300 mev. nuclides exceeding 1.0E-03 of total group release rate (5.39E+11) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	6.48E+09	6.14E+09	5.82E+09	5.51E+09	5.23E+09	4.95E+09	4.69E+09
sr 90	4.94E+10	4.84E+10	4.74E+10	4.65E+10	4.55E+10	4.46E+10	4.37E+10
y 90	2.80E+11	2.74E+11	2.69E+11	2.63E+11	2.58E+11	2.53E+11	2.48E+11
rh106	1.57E+11	8.91E+10	5.05E+10	2.86E+10	1.62E+10	9.20E+09	5.22E+09
sb125	1.72E+10	1.40E+10	1.13E+10	9.15E+09	7.40E+09	5.99E+09	4.85E+09
te125m	9.19E+09	7.94E+09	6.44E+09	5.21E+09	4.22E+09	3.41E+09	2.76E+09
cs137	4.31E+10	4.23E+10	4.14E+10	4.07E+10	3.99E+10	3.91E+10	3.84E+10
ba137m	1.25E+11	1.22E+11	1.20E+11	1.18E+11	1.15E+11	1.13E+11	1.11E+11
ce144	8.23E+11	3.93E+11	1.87E+11	8.93E+10	4.26E+10	2.03E+10	9.69E+09
pr144	1.55E+12	7.42E+11	3.54E+11	1.69E+11	8.04E+10	3.84E+10	1.83E+10
pr144m	3.18E+10	1.51E+10	7.22E+09	3.44E+09	1.64E+09	7.83E+08	3.74E+08
pm147	1.81E+10	1.47E+10	1.18E+10	9.48E+09	7.60E+09	6.10E+09	4.90E+09

0 mean energy = .0550 mev. nuclides exceeding 1.0E-03 of total group release rate (2.70E+11) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	3.97E+09	3.77E+09	3.57E+09	3.38E+09	3.20E+09	3.04E+09	2.88E+09
sr 90	2.92E+10	2.86E+10	2.80E+10	2.75E+10	2.69E+10	2.64E+10	2.58E+10
y 90	1.94E+11	1.90E+11	1.86E+11	1.82E+11	1.78E+11	1.75E+11	1.71E+11
rh106	1.11E+11	6.31E+10	3.58E+10	2.03E+10	1.15E+10	6.52E+09	3.69E+09
cs137	2.51E+10	2.46E+10	2.41E+10	2.37E+10	2.32E+10	2.28E+10	2.23E+10
ce144	1.19E+11	5.68E+10	2.71E+10	1.29E+10	6.16E+09	2.94E+09	1.40E+09
pr144	1.09E+12	5.21E+11	2.48E+11	1.18E+11	5.65E+10	2.69E+10	1.28E+10
pm147	7.61E+09	6.18E+09	4.96E+09	3.98E+09	3.19E+09	2.56E+09	2.06E+09
eu155	7.09E+09	6.27E+09	5.54E+09	4.90E+09	4.33E+09	3.83E+09	3.38E+09

1  
0 mean energy = .0850 mev. nuclides exceeding 1.0E-03 of total group release rate (1.56E+11) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	1.99E+09	1.89E+09	1.79E+09	1.69E+09	1.60E+09	1.52E+09	1.44E+09
sr 90	1.39E+10	1.36E+10	1.34E+10	1.31E+10	1.28E+10	1.26E+10	1.23E+10
y 90	1.12E+11	1.10E+11	1.07E+11	1.05E+11	1.03E+11	1.01E+11	9.90E+10
rh106	6.62E+10	3.75E+10	2.13E+10	1.21E+10	6.83E+09	3.87E+09	2.20E+09
cs137	1.17E+10	1.15E+10	1.13E+10	1.11E+10	1.09E+10	1.07E+10	1.05E+10
ce144	1.68E+11	8.02E+10	3.83E+10	1.82E+10	8.70E+09	4.15E+09	1.98E+09
pr144	6.42E+11	3.06E+11	1.46E+11	6.97E+10	3.32E+10	1.59E+10	7.56E+09
pm147	2.17E+09	1.76E+09	1.41E+09	1.13E+09	9.09E+08	7.29E+08	5.85E+08
eu155	1.08E+10	9.52E+09	8.41E+09	7.44E+09	6.57E+09	5.81E+09	5.14E+09

0 principal photon sources in group 5, photons/sec

page 69

mean energy = .1200 mev. nuclides exceeding 1.0E-03 of total group release rate (1.23E+11) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	1.20E+09	1.14E+09	1.08E+09	1.02E+09	9.67E+08	9.16E+08	8.68E+08
sr 90	7.93E+09	7.77E+09	7.61E+09	7.45E+09	7.30E+09	7.15E+09	7.01E+09
y 90	7.88E+10	7.72E+10	7.56E+10	7.41E+10	7.26E+10	7.11E+10	6.97E+10
rh106	4.78E+10	2.71E+10	1.54E+10	8.71E+09	4.94E+09	2.80E+09	1.59E+09
cs137	6.58E+09	6.45E+09	6.33E+09	6.21E+09	6.09E+09	5.98E+09	5.86E+09
ce144	8.25E+11	3.93E+11	1.88E+11	8.95E+10	4.27E+10	2.04E+10	9.71E+09
pr144	4.60E+11	2.19E+11	1.05E+11	4.99E+10	2.38E+10	1.13E+10	5.41E+09
pm147	6.87E+08	5.58E+08	4.48E+08	3.59E+08	2.88E+08	2.31E+08	1.86E+08
eu155	6.15E+09	5.43E+09	4.80E+09	4.25E+09	3.75E+09	3.32E+09	2.93E+09

0 principal photon sources in group 6, photons/sec  
mean energy = .1700 mev. nuclides exceeding 1.0E-03 of total group release rate (9.93E+10) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	9.53E+08	9.03E+08	8.56E+08	8.11E+08	7.68E+08	7.28E+08	6.90E+08
sr 90	5.65E+09	5.54E+09	5.43E+09	5.32E+09	5.21E+09	5.10E+09	5.00E+09
y 90	8.12E+10	7.96E+10	7.80E+10	7.64E+10	7.48E+10	7.33E+10	7.18E+10
rh106	5.13E+10	2.91E+10	1.65E+10	9.34E+09	5.29E+09	3.00E+09	1.70E+09
sb125	2.59E+09	2.10E+09	1.70E+09	1.38E+09	1.11E+09	9.02E+08	7.30E+08
cs137	4.65E+09	4.56E+09	4.47E+09	4.39E+09	4.30E+09	4.22E+09	4.14E+09
pr144	4.86E+11	2.32E+11	1.11E+11	5.27E+10	2.51E+10	1.20E+10	5.72E+09

0 principal photon sources in group 7, photons/sec  
mean energy = .3000 mev. nuclides exceeding 1.0E-03 of total group release rate (1.04E+11) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

kr 85	5.75E+08	5.45E+08	5.17E+08	4.89E+08	4.64E+08	4.39E+08	4.16E+08
sr 90	2.56E+09	2.51E+09	2.46E+09	2.41E+09	2.36E+09	2.31E+09	2.27E+09
y 90	9.02E+10	8.84E+10	8.66E+10	8.48E+10	8.31E+10	8.14E+10	7.98E+10
rh106	6.18E+10	3.51E+10	1.99E+10	1.13E+10	6.38E+09	3.62E+09	2.05E+09
sb125	9.81E+08	7.96E+08	6.44E+08	5.22E+08	4.22E+08	3.42E+08	2.76E+08
cs137	2.35E+09	2.31E+09	2.26E+09	2.22E+09	2.18E+09	2.14E+09	2.10E+09
pr144	5.69E+11	2.71E+11	1.29E+11	6.17E+10	2.94E+10	1.40E+10	6.70E+09

1 0 principal photon sources in group 8, photons/sec  
mean energy = .6500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.34E+12) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

y 90	3.81E+10	3.74E+10	3.66E+10	3.58E+10	3.51E+10	3.44E+10	3.37E+10
rh106	1.91E+11	1.08E+11	6.13E+10	3.48E+10	1.97E+10	1.12E+10	6.33E+09
sb125	2.10E+10	1.71E+10	1.38E+10	1.12E+10	9.06E+09	7.33E+09	5.93E+09
ba137m	1.40E+12	1.37E+12	1.35E+12	1.32E+12	1.30E+12	1.27E+12	1.25E+12
pr144	3.88E+11	1.85E+11	8.83E+10	4.21E+10	2.01E+10	9.58E+09	4.57E+09

0 principal photon sources in group 9, photons/sec  
mean energy = 1.1250 mev. nuclides exceeding 1.0E-03 of total group release rate (6.76E+09) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

y 90	4.97E+09	4.87E+09	4.77E+09	4.68E+09	4.58E+09	4.49E+09	4.40E+09
rh106	1.78E+10	1.01E+10	5.71E+09	3.24E+09	1.84E+09	1.04E+09	5.90E+08
pr144	4.97E+10	2.37E+10	1.13E+10	5.39E+09	2.57E+09	1.23E+09	5.85E+08

0 principal photon sources in group 10, photons/sec  
mean energy = 1.5750 mev. nuclides exceeding 1.0E-03 of total group release rate (1.53E+09) at 1521.9 d  
nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d time after discharge

y 90	6.35E+08	6.22E+08	6.09E+08	5.97E+08	5.85E+08	5.73E+08	5.61E+08
rh106	3.35E+09	1.90E+09	1.08E+09	6.11E+08	3.46E+08	1.96E+08	1.11E+08
pr144	3.09E+10	1.47E+10	7.03E+09	3.35E+09	1.60E+09	7.63E+08	3.64E+08

0 principal photon sources in group 11, photons/sec  
mean energy = 2.0000 mev. nuclides exceeding 1.0E-03 of total group release rate (1.58E+09) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
y 90 3.80E+07 3.72E+07 3.64E+07 3.57E+07 3.50E+07 3.43E+07 3.36E+07  
rh106 1.09E+09 6.18E+08 3.50E+08 1.99E+08 1.13E+08 6.38E+07 3.62E+07  
pr144 6.00E+10 2.86E+10 1.36E+10 6.50E+09 3.10E+09 1.48E+09 7.06E+08

0 principal photon sources in group 12, photons/sec  
mean energy = 2.4000 mev. nuclides exceeding 1.0E-03 of total group release rate (4.96E+07) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
rh106 6.09E+08 3.45E+08 1.96E+08 1.11E+08 6.29E+07 3.56E+07 2.02E+07  
pr144 5.67E+08 2.70E+08 1.29E+08 6.15E+07 2.93E+07 1.40E+07 6.67E+06

1 0 principal photon sources in group 13, photons/sec  
mean energy = 2.8000 mev. nuclides exceeding 1.0E-03 of total group release rate (7.14E+06) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
rh106 1.03E+08 5.83E+07 3.30E+07 1.87E+07 1.06E+07 6.02E+06 3.41E+06  
pr144 4.56E+07 2.18E+07 1.04E+07 4.95E+06 2.36E+06 1.13E+06 5.37E+05

0 principal photon sources in group 14, photons/sec  
mean energy = 3.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.03E+06) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
rh106 1.77E+07 1.00E+07 5.68E+06 3.22E+06 1.82E+06 1.03E+06 5.86E+05

0 principal photon sources in group 15, photons/sec  
mean energy = 3.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (4.56E+02) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
rh106 7.79E+03 4.42E+03 2.50E+03 1.42E+03 8.05E+02 4.56E+02 2.59E+02

0 principal photon sources in group 16, photons/sec  
mean energy = 4.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.96E-08) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
ce142 1.46E-08 1.46E-08 1.46E-08 1.46E-08 1.46E-08 1.46E-08 1.46E-08  
sm147 3.63E-09 4.02E-09 4.34E-09 4.59E-09 4.79E-09 4.96E-09 5.09E-09

0 principal photon sources in group 17, photons/sec  
mean energy = 4.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (9.81E-09) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
ce142 7.32E-09 7.32E-09 7.32E-09 7.32E-09 7.32E-09 7.32E-09 7.32E-09  
sm147 1.82E-09 2.02E-09 2.18E-09 2.30E-09 2.40E-09 2.49E-09 2.55E-09

0 principal photon sources in group 18, photons/sec  
mean energy = 5.5000 mev. nuclides exceeding 1.0E-03 of total group release rate (7.28E-09) at 1521.9 d

nuclide initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
ce142 5.43E-09 5.43E-09 5.43E-09 5.43E-09 5.43E-09 5.43E-09 5.43E-09  
sm147 1.35E-09 1.50E-09 1.61E-09 1.71E-09 1.78E-09 1.84E-09 1.89E-09

page 71

## 1 photon spectrum as a function of time for heavy metals and their daughters

page 72

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
power= .00 mw, burnup= 15.mwd, flux= 2.79E+08 n\*\*2-sec  
actinide photon release rates, photons/sec  
basis = single reactor assembly

0  
emean time after discharge  
(meV) initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
1.00E-02 1.33E+14 5.89E+11 5.89E+11 5.88E+11 5.88E+11 5.88E+11  
3.00E-02 8.46E+12 4.62E+10 4.62E+10 4.62E+10 4.62E+10 4.62E+10 4.62E+10  
5.50E-02 1.09E+13 2.02E+10 2.02E+10 2.02E+10 2.02E+10 2.02E+10 2.02E+10  
8.50E-02 5.26E+13 1.51E+11 1.51E+11 1.51E+11 1.51E+11 1.51E+11 1.51E+11

	1.20E-01	5.42E+13	2.90E+10	2.90E+10	2.90E+10	2.90E+10	2.90E+10	2.90E+10
	1.70E-01	1.72E+12	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10
	3.00E-01	2.87E+13	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11
	6.50E-01	1.45E+12	6.30E+09	6.30E+09	6.30E+09	6.30E+09	6.30E+09	6.30E+09
	1.13E+00	1.86E+12	9.16E+08	9.16E+08	9.16E+08	9.16E+08	9.16E+08	9.16E+08
	1.58E+00	1.07E+08						
	2.00E+00	3.65E+07						
	2.40E+00	3.35E+04	3.42E+04	3.50E+04	3.58E+04	3.67E+04	3.77E+04	3.87E+04
	2.80E+00	9.08E+04	1.02E+05	1.13E+05	1.24E+05	1.33E+05	1.40E+05	1.47E+05
	3.25E+00	1.03E+04	1.03E+04	1.03E+04	1.03E+04	1.03E+04	1.03E+04	1.04E+04
	3.75E+00	5.95E+03						
	4.25E+00	3.45E+03	3.44E+03	3.44E+03	3.44E+03	3.44E+03	3.44E+03	3.44E+03
	4.75E+00	1.99E+03						
0	5.50E+00	1.80E+03						
0	total	2.93E+14	9.92E+11	9.92E+11	9.91E+11	9.91E+11	9.91E+11	9.91E+11
0	mev/sec	2.51E+13	7.24E+10	7.24E+10	7.24E+10	7.24E+10	7.24E+10	7.24E+10

actinide energy release rates, mev/watt-sec  
basis = single reactor assembly

	emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
	1.00E-02	3.33E+08	1.47E+06	1.47E+06	1.47E+06	1.47E+06	1.47E+06	1.47E+06
	3.00E-02	6.34E+07	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05
	5.50E-02	1.50E+08	2.78E+05	2.78E+05	2.78E+05	2.78E+05	2.78E+05	2.78E+05
	8.50E-02	1.12E+09	3.20E+06	3.20E+06	3.20E+06	3.20E+06	3.20E+06	3.20E+06
	1.20E-01	1.63E+09	8.70E+05	8.70E+05	8.70E+05	8.70E+05	8.70E+05	8.70E+05
	1.70E-01	7.31E+07	8.07E+05	8.07E+05	8.07E+05	8.07E+05	8.07E+05	8.07E+05
	3.00E-01	2.15E+09	9.77E+06	9.77E+06	9.77E+06	9.77E+06	9.77E+06	9.77E+06
	6.50E-01	2.36E+08	1.02E+06	1.02E+06	1.02E+06	1.02E+06	1.02E+06	1.02E+06
	1.13E+00	5.24E+08	2.58E+05	2.58E+05	2.58E+05	2.58E+05	2.58E+05	2.58E+05
	1.58E+00	4.21E+04						
	2.00E+00	1.82E+04						
	2.40E+00	2.01E+01	2.05E+01	2.10E+01	2.15E+01	2.20E+01	2.26E+01	2.32E+01
	2.80E+00	6.36E+01	7.16E+01	7.94E+01	8.65E+01	9.28E+01	9.83E+01	1.03E+02
	3.25E+00	8.38E+00	8.39E+00	8.39E+00	8.40E+00	8.40E+00	8.41E+00	8.41E+00
	3.75E+00	5.58E+00						
	4.25E+00	3.66E+00						
	4.75E+00	2.37E+00						
	5.50E+00	2.48E+00						
0	total	6.27E+09	1.81E+07	1.81E+07	1.81E+07	1.81E+07	1.81E+07	1.81E+07
0	gamma watts	4.02E+00	1.16E-02	1.16E-02	1.16E-02	1.16E-02	1.16E-02	1.16E-02

neutron source intensity as a function of time

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
alpha-n neutron source, neutrons/sec/basis  
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pb210	6.08E-13	7.68E-13	9.54E-13	1.17E-12	1.41E-12	1.68E-12	1.98E-12
bi210	1.55E-10	1.96E-10	2.43E-10	2.98E-10	3.59E-10	4.28E-10	5.05E-10
bi211	1.77E-02	2.08E-02	2.40E-02	2.73E-02	3.08E-02	3.45E-02	3.84E-02
bi212	2.59E-03	3.00E-03	3.39E-03	3.75E-03	4.06E-03	4.34E-03	4.58E-03
bi213	3.06E-06	3.60E-06	4.19E-06	4.83E-06	5.51E-06	6.25E-06	7.04E-06
bi214	7.34E-07	8.62E-07	9.99E-07	1.15E-06	1.31E-06	1.47E-06	1.65E-06
po210	1.61E-04	2.06E-04	2.59E-04	3.19E-04	3.88E-04	4.66E-04	5.53E-04
po211	6.99E-05	8.25E-05	9.49E-05	1.08E-04	1.22E-04	1.37E-04	1.52E-04
po212	1.33E-02	1.54E-02	1.73E-02	1.92E-02	2.08E-02	2.22E-02	2.35E-02
po213	4.03E-04	4.75E-04	5.53E-04	6.37E-04	7.28E-04	8.25E-04	9.29E-04

po214	6.54E-03	7.68E-03	8.90E-03	1.02E-02	1.16E-02	1.31E-02	1.47E-02
po215	2.50E-02	2.95E-02	3.39E-02	3.86E-02	4.35E-02	4.88E-02	5.42E-02
po216	1.04E-02	1.20E-02	1.35E-02	1.50E-02	1.62E-02	1.74E-02	1.83E-02
po218	3.11E-03	3.65E-03	4.24E-03	4.86E-03	5.53E-03	6.24E-03	7.00E-03
at217	2.61E-04	3.08E-04	3.58E-04	4.13E-04	4.72E-04	5.35E-04	6.02E-04
rn218	2.85E-13	1.12E-17	4.41E-22	1.74E-26	.00E+00	.00E+00	.00E+00
rn219	1.98E-02	2.34E-02	2.69E-02	3.07E-02	3.46E-02	3.88E-02	4.31E-02
rn220	8.20E-03	9.49E-03	1.07E-02	1.19E-02	1.29E-02	1.37E-02	1.45E-02
rn222	2.27E-03	2.67E-03	3.09E-03	3.55E-03	4.04E-03	4.56E-03	5.11E-03
fr221	1.91E-04	2.24E-04	2.61E-04	3.01E-04	3.44E-04	3.90E-04	4.39E-04
fr223	7.61E-09	8.86E-09	1.02E-08	1.16E-08	1.31E-08	1.47E-08	1.63E-08
ra222	2.20E-13	8.67E-18	3.41E-22	1.34E-26	.00E+00	.00E+00	.00E+00
ra223	1.15E-02	1.36E-02	1.56E-02	1.78E-02	2.00E-02	2.24E-02	2.50E-02
ra224	5.80E-03	6.71E-03	7.58E-03	8.38E-03	9.09E-03	9.72E-03	1.03E-02
ra226	1.33E-03	1.56E-03	1.81E-03	2.08E-03	2.36E-03	2.67E-03	2.99E-03
ac225	1.37E-04	1.61E-04	1.88E-04	2.17E-04	2.47E-04	2.80E-04	3.16E-04
ac227	8.57E-05	9.97E-05	1.15E-04	1.31E-04	1.47E-04	1.65E-04	1.84E-04
ac228	9.62E-15	1.10E-14	1.24E-14	1.39E-14	1.54E-14	1.69E-14	1.85E-14
th226	1.99E-13	7.82E-18	3.08E-22	1.21E-26	.00E+00	.00E+00	.00E+00
th227	1.26E-02	1.50E-02	1.72E-02	1.96E-02	2.21E-02	2.48E-02	2.75E-02
th228	4.87E-03	5.64E-03	6.37E-03	7.04E-03	7.64E-03	8.17E-03	8.62E-03
th229	8.01E-05	9.43E-05	1.10E-04	1.27E-04	1.45E-04	1.64E-04	1.84E-04
th230	5.67E-01	6.14E-01	6.61E-01	7.09E-01	7.56E-01	8.03E-01	8.50E-01
th232	2.92E-07	3.17E-07	3.41E-07	3.66E-07	3.90E-07	4.14E-07	4.39E-07
pa231	4.76E-02	5.16E-02	5.56E-02	5.96E-02	6.36E-02	6.76E-02	7.15E-02
u230	1.57E-13	6.16E-18	2.42E-22	9.52E-27	.00E+00	.00E+00	.00E+00
u231	1.47E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	6.93E-03	7.59E-03	8.12E-03	8.54E-03	8.87E-03	9.12E-03	9.31E-03
u233	1.60E-01	1.76E-01	1.91E-01	2.06E-01	2.21E-01	2.37E-01	2.52E-01
u234	6.63E+03						
u235	1.37E+02						
u236	1.04E+03						
u238	8.32E+02						
np235	2.41E-08	1.41E-08	8.30E-09	4.88E-09	2.86E-09	1.68E-09	9.87E-10
np237	3.35E+03						
pu236	1.29E-01	1.06E-01	8.68E-02	7.11E-02	5.83E-02	4.78E-02	3.91E-02
pu237	1.70E-09	1.59E-11	1.49E-13	1.40E-15	1.31E-17	1.23E-19	1.15E-21
pu238	6.34E+03	6.31E+03	6.26E+03	6.22E+03	6.18E+03	6.14E+03	6.10E+03

page 74

## neutron source intensity as a function of time

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
alpha-n neutron source, neutrons/sec/basis  
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pu239	5.12E+02						
pu240	9.34E-02	9.34E-02	9.34E-02	9.33E-02	9.33E-02	9.33E-02	9.33E-02
pu241	4.90E-08	4.70E-08	4.52E-08	4.34E-08	4.17E-08	4.00E-08	3.85E-08
pu242	1.64E-12						
am239	1.36E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	2.14E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.31E-05	1.72E-05	2.12E-05	2.50E-05	2.86E-05	3.21E-05	3.55E-05
am242m	7.75E-13	7.71E-13	7.68E-13	7.65E-13	7.62E-13	7.59E-13	7.56E-13
am243	7.43E-16	7.43E-16	7.43E-16	7.43E-16	7.43E-16	7.43E-16	7.42E-16
cm241	1.24E-21	1.99E-24	3.21E-27	5.12E-30	.00E+00	.00E+00	.00E+00
cm242	9.90E-08	2.74E-08	7.69E-09	2.28E-09	7.96E-10	3.89E-10	2.77E-10
cm243	1.43E-15	1.41E-15	1.38E-15	1.35E-15	1.32E-15	1.30E-15	1.27E-15
cm244	3.03E-18	2.94E-18	2.84E-18	2.76E-18	2.67E-18	2.58E-18	2.50E-18

0	cm245	7.66E-27						
0	total	1.88E+04	1.88E+04	1.88E+04	1.87E+04	1.87E+04	1.86E+04	1.86E+04

page 75

## neutron source intensity as a function of time

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 spontaneous fission neutron source, neutrons/sec/basis  
 basis = single reactor assembly

initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
---------	---------	---------	---------	----------	----------	----------

th230	1.45E-05	1.58E-05	1.70E-05	1.82E-05	1.94E-05	2.06E-05	2.18E-05
pa231	5.97E-06	6.47E-06	6.97E-06	7.47E-06	7.97E-06	8.47E-06	8.97E-06
u232	4.25E-07	4.66E-07	4.99E-07	5.25E-07	5.45E-07	5.60E-07	5.72E-07
u234	1.43E+01						
u235	1.68E+00						
u236	1.57E+02						
u237	1.22E-09	1.75E-21	1.65E-21	1.59E-21	1.53E-21	1.47E-21	1.41E-21
u238	1.17E+05						
u239	9.66E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	7.39E-11						
np238	2.02E-08	2.26E-25	2.25E-25	2.25E-25	2.24E-25	2.23E-25	2.22E-25
np239	1.98E-05	7.70E-27	7.70E-27	7.70E-27	7.70E-27	7.70E-27	7.69E-27
pu236	8.74E-03	7.17E-03	5.87E-03	4.81E-03	3.94E-03	3.23E-03	2.65E-03
pu238	1.17E+03	1.16E+03	1.16E+03	1.15E+03	1.14E+03	1.13E+03	1.13E+03
pu239	2.74E-01						
pu240	6.21E-01	6.21E-01	6.21E-01	6.21E-01	6.21E-01	6.20E-01	6.20E-01
pu241	1.76E-09	1.69E-09	1.63E-09	1.56E-09	1.50E-09	1.44E-09	1.38E-09
pu242	1.28E-09						
pu243	1.03E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	5.03E-09	6.62E-09	8.15E-09	9.61E-09	1.10E-08	1.24E-08	1.37E-08
am242m	3.68E-12	3.67E-12	3.65E-12	3.64E-12	3.62E-12	3.61E-12	3.59E-12
am242	2.09E-12	3.98E-15	3.97E-15	3.95E-15	3.93E-15	3.92E-15	3.90E-15
am243	3.42E-18						
am244	6.89E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm242	4.94E-07	1.37E-07	3.84E-08	1.14E-08	3.97E-09	1.94E-09	1.38E-09
cm243	3.12E-17	3.05E-17	2.99E-17	2.93E-17	2.87E-17	2.82E-17	2.76E-17
cm244	3.95E-16	3.83E-16	3.71E-16	3.59E-16	3.48E-16	3.37E-16	3.27E-16
cm245	2.08E-27						
cm246	3.47E-27						
0	total	1.19E+05	1.19E+05	1.19E+05	1.19E+05	1.19E+05	1.19E+05

0	total	1.38E+05	1.37E+05	1.37E+05	1.37E+05	1.37E+05	1.37E+05
---	-------	----------	----------	----------	----------	----------	----------

page 76

alpha-n neutron source spectrum as a function of time  
 (using reaction spectra for uranium dioxide)

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 alpha-n neutron spectra, neutrons/sec/basis  
 basis = single reactor assembly

boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
-----------------	---------	---------	---------	---------	----------	----------	----------

1	6.43E+00	- 2.00E+01	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
2	3.00E+00	- 6.43E+00	3.649E+03	3.642E+03	3.634E+03	3.626E+03	3.618E+03
3	1.85E+00	- 3.00E+00	1.034E+04	1.032E+04	1.029E+04	1.027E+04	1.025E+04
4	1.40E+00	- 1.85E+00	2.776E+03	2.771E+03	2.765E+03	2.759E+03	2.753E+03
5	9.00E-01	- 1.40E+00	1.562E+03	1.559E+03	1.555E+03	1.552E+03	1.549E+03
6	4.00E-01	- 9.00E-01	4.536E+02	4.528E+02	4.518E+02	4.508E+02	4.498E+02
7	1.00E-01	- 4.00E-01	7.090E+01	7.076E+01	7.061E+01	7.045E+01	7.030E+01

8	1.70E-02	- 1.00E-01	.000E+00						
9	3.00E-03	- 1.70E-02	.000E+00						
10	5.50E-04	- 3.00E-03	.000E+00						
11	1.00E-04	- 5.50E-04	.000E+00						
12	3.00E-05	- 1.00E-04	.000E+00						
13	1.00E-05	- 3.00E-05	.000E+00						
14	3.05E-06	- 1.00E-05	.000E+00						
15	1.77E-06	- 3.05E-06	.000E+00						
16	1.30E-06	- 1.77E-06	.000E+00						
17	1.13E-06	- 1.30E-06	.000E+00						
18	1.00E-06	- 1.13E-06	.000E+00						
19	8.00E-07	- 1.00E-06	.000E+00						
20	4.00E-07	- 8.00E-07	.000E+00						
21	3.25E-07	- 4.00E-07	.000E+00						
22	2.25E-07	- 3.25E-07	.000E+00						
23	1.00E-07	- 2.25E-07	.000E+00						
24	5.00E-08	- 1.00E-07	.000E+00						
25	3.00E-08	- 5.00E-08	.000E+00						
26	1.00E-08	- 3.00E-08	.000E+00						
27	1.00E-11	- 1.00E-08	.000E+00						
0			1.885E+04	1.881E+04	1.877E+04	1.873E+04	1.869E+04	1.865E+04	1.861E+04
1									

page 77

spontaneous fission neutron source spectrum as a function of time

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 spontaneous fission neutron spectra, neutrons/sec/basis  
 basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
1	6.43E+00	- 2.00E+01	2.267E+03	2.267E+03	2.266E+03	2.265E+03	2.263E+03	2.261E+03	2.259E+03
2	3.00E+00	- 6.43E+00	2.485E+04	2.484E+04	2.484E+04	2.484E+04	2.484E+04	2.484E+04	2.484E+04
3	1.85E+00	- 3.00E+00	2.708E+04	2.707E+04	2.707E+04	2.706E+04	2.705E+04	2.704E+04	2.703E+04
4	1.40E+00	- 1.85E+00	1.534E+04	1.534E+04	1.534E+04	1.535E+04	1.536E+04	1.537E+04	1.538E+04
5	9.00E-01	- 1.40E+00	2.106E+04	2.106E+04	2.106E+04	2.107E+04	2.109E+04	2.110E+04	
6	4.00E-01	- 9.00E-01	2.347E+04	2.346E+04	2.346E+04	2.345E+04	2.344E+04	2.343E+04	
7	1.00E-01	- 4.00E-01	4.633E+03	4.633E+03	4.632E+03	4.630E+03	4.626E+03	4.621E+03	4.617E+03
8	1.70E-02	- 1.00E-01	.000E+00						
9	3.00E-03	- 1.70E-02	.000E+00						
10	5.50E-04	- 3.00E-03	.000E+00						
11	1.00E-04	- 5.50E-04	.000E+00						
12	3.00E-05	- 1.00E-04	.000E+00						
13	1.00E-05	- 3.00E-05	.000E+00						
14	3.05E-06	- 1.00E-05	.000E+00						
15	1.77E-06	- 3.05E-06	.000E+00						
16	1.30E-06	- 1.77E-06	.000E+00						
17	1.13E-06	- 1.30E-06	.000E+00						
18	1.00E-06	- 1.13E-06	.000E+00						
19	8.00E-07	- 1.00E-06	.000E+00						
20	4.00E-07	- 8.00E-07	.000E+00						
21	3.25E-07	- 4.00E-07	.000E+00						
22	2.25E-07	- 3.25E-07	.000E+00						
23	1.00E-07	- 2.25E-07	.000E+00						
24	5.00E-08	- 1.00E-07	.000E+00						
25	3.00E-08	- 5.00E-08	.000E+00						
26	1.00E-08	- 3.00E-08	.000E+00						
27	1.00E-11	- 1.00E-08	.000E+00						
0			1.187E+05	1.187E+05	1.187E+05	1.187E+05	1.187E+05	1.186E+05	
1									

page 78

total (alpha-n plus spon. fission) neutron source spectrum as a function of time

(using reaction spectra for uranium dioxide)

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 neutron spectra, neutrons/sec/basis  
 basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d	
1	6.43E+00	- 2.00E+01	2.267E+03	2.267E+03	2.266E+03	2.265E+03	2.263E+03	2.261E+03	2.259E+03
2	3.00E+00	- 6.43E+00	2.849E+04	2.849E+04	2.848E+04	2.847E+04	2.846E+04	2.845E+04	2.845E+04
3	1.85E+00	- 3.00E+00	3.741E+04	3.739E+04	3.737E+04	3.734E+04	3.730E+04	3.726E+04	3.723E+04
4	1.40E+00	- 1.85E+00	1.812E+04	1.811E+04	1.811E+04	1.811E+04	1.811E+04	1.812E+04	1.812E+04
5	9.00E-01	- 1.40E+00	2.262E+04	2.262E+04	2.261E+04	2.261E+04	2.262E+04	2.263E+04	2.264E+04
6	4.00E-01	- 9.00E-01	2.392E+04	2.392E+04	2.391E+04	2.391E+04	2.390E+04	2.388E+04	2.388E+04
7	1.00E-01	- 4.00E-01	4.704E+03	4.703E+03	4.702E+03	4.700E+03	4.696E+03	4.691E+03	4.687E+03
8	1.70E-02	- 1.00E-01	.000E+00						
9	3.00E-03	- 1.70E-02	.000E+00						
10	5.50E-04	- 3.00E-03	.000E+00						
11	1.00E-04	- 5.50E-04	.000E+00						
12	3.00E-05	- 1.00E-04	.000E+00						
13	1.00E-05	- 3.00E-05	.000E+00						
14	3.05E-06	- 1.00E-05	.000E+00						
15	1.77E-06	- 3.05E-06	.000E+00						
16	1.30E-06	- 1.77E-06	.000E+00						
17	1.13E-06	- 1.30E-06	.000E+00						
18	1.00E-06	- 1.13E-06	.000E+00						
19	8.00E-07	- 1.00E-06	.000E+00						
20	4.00E-07	- 8.00E-07	.000E+00						
21	3.25E-07	- 4.00E-07	.000E+00						
22	2.25E-07	- 3.25E-07	.000E+00						
23	1.00E-07	- 2.25E-07	.000E+00						
24	5.00E-08	- 1.00E-07	.000E+00						
25	3.00E-08	- 5.00E-08	.000E+00						
26	1.00E-08	- 3.00E-08	.000E+00						
27	1.00E-11	- 1.00E-08	.000E+00						
0			1.375E+05	1.375E+05	1.374E+05	1.374E+05	1.373E+05	1.373E+05	

1  
 1 \* gamma sources determined \*  
 0 case applies the following photon data base  
 master photon library  
 in binary mode

0 the sources include photons of nuclides for...

light elements  
 actinides  
 fission products

gamma source spectrum for gamma lines (sas2) 1826.25 day time of the requested nuclides			
energy interval in mev	photons / second	mev / second	
1.0000E-02 to 5.0000E-02	5.0000E-02	1.1389E+12	3.4166E+10
5.0000E-02 to 1.0000E-01	1.0000E-01	4.4703E+11	3.3528E+10
1.0000E-01 to 2.0000E-01	2.0000E-01	2.2869E+11	3.4304E+10
2.0000E-01 to 3.0000E-01	3.0000E-01	7.1950E+10	1.7988E+10
3.0000E-01 to 4.0000E-01	4.0000E-01	1.4071E+11	4.9249E+10
4.0000E-01 to 6.0000E-01	6.0000E-01	4.2383E+10	2.1191E+10
6.0000E-01 to 8.0000E-01	8.0000E-01	1.1773E+12	8.2409E+11
8.0000E-01 to 1.0000E+00	1.0000E+00	6.2471E+09	5.6224E+09
1.0000E+00 to 1.3300E+00	1.3300E+00	4.0598E+09	4.7297E+09
1.3300E+00 to 1.6600E+00	1.6600E+00	1.0379E+09	1.5517E+09

1.6600E+00 to	2.0000E+00	2.5559E+08	4.6772E+08
2.0000E+00 to	2.5000E+00	6.5386E+08	1.4712E+09
2.5000E+00 to	3.0000E+00	4.9296E+06	1.3556E+07
3.0000E+00 to	4.0000E+00	5.5379E+05	1.9383E+06
4.0000E+00 to	5.0000E+00	5.3567E+03	2.4105E+04
5.0000E+00 to	6.5000E+00	2.1440E+03	1.2328E+04
6.5000E+00 to	8.0000E+00	4.1954E+02	3.0417E+03
8.0000E+00 to	1.0000E+01	8.8927E+01	8.0034E+02
totals		3.2592E+12	1.0284E+12

total energy from nuclides with spectrum data = 1.0284E+12  
total energy from nuclides with no spectrum data = 2.3297E+05

.results on logical unit no. 71, position 2, for time step 6, subcase 7. (run position 1, case position 2)  
title: sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
.terminated logical unit no. 71 with zero flag record.  
\* normal termination of execution \*

1 primary module access and input record ( scale driver - 95/03/29 - 09:06:37 )  
- module sas2h will be called  
SAS2H: Far-Field Crit based on B&W 15x15, 3.00wt%, 20gwd/mtu 40% H2O/ 8% U02  
44group latticecell  
' mixtures of tuff infinite slabs:  
arbm-ftuff 2.6344 14 0 0 0 1001 1.055 8016 40.755 11023 0.570 12000 0.354  
13027 4.434 14000 20.193 19000 1.370 20000 1.439  
26000 0.494 92235 0.567 92234 0.007 92236 0.136  
92238 28.593 93237 0.033 1 1.0 538 end  
kr-83 1 0 1-20 538 end  
kr-85 1 0 1-20 538 end  
sr-90 1 0 1-20 538 end  
y-89 1 0 1-20 538 end  
mo-95 1 0 1-20 538 end  
zr-93 1 0 1-20 538 end  
zr-94 1 0 1-20 538 end  
zr-95 1 0 1-20 538 end  
nb-94 1 0 1-20 538 end  
tc-99 1 0 1-20 538 end  
rh-103 1 0 1-20 538 end  
rh-105 1 0 1-20 538 end  
ru-101 1 0 1-20 538 end  
ru-106 1 0 1-20 538 end  
pd-105 1 0 1-20 538 end  
pd-108 1 0 1-20 538 end  
ag-109 1 0 1-20 538 end  
sb-124 1 0 1-20 538 end  
xe-131 1 0 1-20 538 end  
xe-132 1 0 1-20 538 end  
xe-135 1 0 1-20 538 end  
xe-136 1 0 1-20 538 end  
cs-134 1 0 1-20 538 end  
cs-135 1 0 1-20 538 end  
cs-137 1 0 1-20 538 end  
ba-136 1 0 1-20 538 end  
la-139 1 0 1-20 538 end  
pr-141 1 0 1-20 538 end  
pr-143 1 0 1-20 538 end  
ce-144 1 0 1-20 538 end  
nd-143 1 0 1-20 538 end  
nd-145 1 0 1-20 538 end  
pm-147 1 0 1-20 538 end  
pm-148 1 0 1-20 538 end  
nd-147 1 0 1-20 538 end  
sm-147 1 0 1-20 538 end  
sm-149 1 0 1-20 538 end  
sm-150 1 0 1-20 538 end  
sm-151 1 0 1-20 538 end  
sm-152 1 0 1-20 538 end  
gd-155 1 0 1-20 538 end  
eu-153 1 0 1-20 538 end  
eu-154 1 0 1-20 538 end  
eu-155 1 0 1-20 538 end  
arbm-tuff1 1.90533 9 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490  
13027 6.130 14000 27.919 19000 1.894 20000 1.989  
26000 0.683 2 1.0 323. end  
arbm-tuff2 1.90533 9 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490  
13027 6.130 14000 27.919 19000 1.894 20000 1.989  
26000 0.683 3 1.0 323. end

```

'
'-----+
' end comp
'-----+
'
' fuel-pin-cell geometry:
'
symmslabcell 340. 280. 1 3 281. 2 end
'
'
'
' assembly and cycle parameters:
'
npin/assm=1 fuelngth=280. ncycles=1 nlib/cyc=5 volfueltot=1.1494E7
printlevel=6 inplevel=0 end
power=0.004 burn=3.6525e4 down=1.82625e3
end

1 oooooooooooooo rrrrrrrrrrrr iiiiilililii gggggggggggg eeeeeeeeeeee nn nn sssssssssss
oooooooooooooo rrrrrrrrrrrr iiiiilililii gggggggggggggg eeeeeeeeeeee nnn nn sssssssssssss
oo oo rr rr ii gg gg ee nnn nn ss ss
oo oo rr rr ii gg ee nn nn ss
oo oo rr rr ii gg ee nn nn ss
oo oo rrrrrrrrrrrr ii gggggggg eeeeeeee nn nn nn sssssssssss
oo oo rrrrrrrrrrrr ii gg gggggggg eeeeeeee nn nn nn sssssssssss
oo oo rr rr ii gg gg ee nn nn nn ss
oo oo rr rr ii gg gg ee nn nn nn ss
oo oo rr rr ii gg gg ee nn nnnn ss ss
oooooooooooooo rr rr iiiiilililii gggggggggggggg eeeeeeeeeeee nn nnn sssssssssssss
oooooooooooooo rr rr iiiiilililii gggggggggggggg eeeeeeeeeeee nn nn sssssssssssss

0
ddddd dddd dddd dddd aaaaaaaa vv vv iiiiilililii sssssssssss
ddddd dddd dddd dddd aaaaaaaa vv vv iiiiilililii sssssssssssss
dd dd aa aa vv vv ii ss ss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aaaaaaaaaaa vv vv ii sssssssssss
dd dd aaaaaaaaaaa vv vv ii sssssssssss
dd aa aa vv vv ii ss
dd aa aa vv vv ii ss
dd dd aa aa vvv iiiiilililii sssssssssss
ddddd dddd dddd dddd aa aa v v iiiiilililii sssssssssssss

0
0000000 88888888888 // 22222222222 88888888888 // 99999999999 666666666666
0000000 888888888888 // 22222222222 888888888888 // 999999999999 66666666666666
00 00 88 88 22 22 88 88 99 99 66
00 00 88 88 22 22 88 88 99 99 66
00 00 88888888888 22 88888888888 999999999999 666666666666
00 00 88888888888 22 88888888888 999999999999 66666666666666
00 00 88 88 22 22 88 88 99 66 66
00 00 88 88 22 22 88 88 99 66 66
000000000 888888888888 // 22222222222 888888888888 // 999999999999 666666666666
0000000 888888888888 // 22222222222 888888888888 // 999999999999 666666666666

```

0

11	888888888888		222222222222	333333333333		222222222222	11
111	8888888888888		2222222222222	33333333333333		2222222222222	111
1111	88 88	:::	22 22	33 33	:::	22 22	1111
11	88 88	:::		22		22	11
11	888888888888			22	333		11
11	888888888888				333	22	11
11	88 88	:::		22		22	11
11	88 88	:::		22	33		11
11	88 88	:::	22	33		22	11
11111111	8888888888888		222222222222	3333333333333		222222222222	11111111
11111111	8888888888888		222222222222	3333333333333		222222222222	11111111

1  
0

ssssssssss	cccccccccc	aaaaaaaa		eeeeeeeeeeee
ssssssssss	cccccccccc	aaaaaaaaaa		eeeeeeeeeeee
ss ss	cc cc	aa aa		ee
ss	cc	aa		ee
ss	cc	aa		ee
ssssssssss	cc	aaaaaaaaaaaa		eeeeeeee
ssssssssss	cc	aaaaaaaaaaaa		eeeeeeee
ss	cc	aa		ee
ss	cc	aa		ee
ss ss	cc cc	aa aa		ee
ssssssssss	cccccccccccc	aa aa	llllllll	eeeeeeeeeeee
ssssssssss	cccccccccccc	aa aa	llllllll	eeeeeeeeeeee

```
*****
*****          program verification information
*****          code system: scale version: 4.3
*****          program: o0o004
*****          creation date: 03/13/96
*****          library: /usr1/ornl/Scale/bin
*****          test code: origens
*****          version: 3.0
*****          jobname: davis
*****          date of execution: 08/28/96
*****          time of execution: 18:23:21
```

```
*****  
*****  
*****  
*****  
  
1      -1q array has      1 entries.  
0      0q array has      1 entries.  
0      dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.  
0      short-lived split test fraction, qxn =  9.1188E-04  
0      half-norm of matrix used, axn =   7.0000E+00  
0      4-place-accuracy-retention ratio, ratio4 =  6.4516E-13  
0      1q array has     20 entries.  
0      3q array has      1 entries.  
0      4q array has      1 entries.  
0      54q array has    12 entries.  
library information...  
  
cross-section data taken from position number  1 of library on unit 33.  
  
pass  1  
pass  0  
*scale-system control module sas2 library*  
used a time-dependent neutron spectrum, for each of the above passes  
  pass 0 applies start-up fuel densities  
  pass n applies mid time densities of nth library interval  
first library updated was...  
pass  1  
pass  0  
*scale-system control module sas2 library*  
used a time-dependent neutron spectrum, for each of the above passes  
  pass 0 applies start-up fuel densities  
  pass n applies mid time densities of nth library interval  
first library updated was...  
*****  
*      prelim lwr origin-s binary working library--id = 1143  
*      made from modified card-image origin-s libraries of scale 4.2  
*      data from the light element, actinide, and fission product libraries  
*      decay data, including gamma and total energy, are from endf/b-VI  
*  
*      neutron flux spectrum factors and cross sections were produced from  
*      the "presas2" case updating all nuclides on the scale "burnup" library  
*  
*      fission product yields are from endf/b-v  
*  
*      photon libraries use an 18-energy-group structure  
*      the photon data are from the master photon data base,  
*      produced to include bremsstrahlung from uo2 matrix  
*  
*      see information above this box (if present) for later updates  
*  
*****
```

```

0 ***** other identification and sizes of library.
0   data set name: ft33f001
0   8/28/1996 date library was produced
0       1697 total number of nuclides in library
0       689 number of light-element nuclides
0       129 number of actinide nuclides
0       879 number of fission product nuclides
0       7993 number of nonzero off-diagonal matrix elements
0 ****

```

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	light elements	page 1
0	nuclide concentrations, grams		
	basis =single reactor assembly		

na 23	initial 1E-18 d
	1.73E+05 1.73E+05
al 27	1.35E+06 1.35E+06
total	1.52E+06 1.52E+06

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	actinides	page 2
0	nuclide concentrations, grams		
	basis =single reactor assembly		

u234	initial 1E-18 d
	2.12E+03 2.12E+03
u235	1.72E+05 1.72E+05
u236	4.12E+04 4.12E+04
u238	8.66E+06 8.66E+06
np237	9.99E+03 9.99E+03
total	8.88E+06 8.88E+06

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	page 3
	power= .00mw, burnup= 29.mwd, flux= 3.00E+08n/cm**2-sec	
0	basis =	

(note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)

productions	1.023168E+06 1.023204E+06 1.023278E+06 1.023315E+06 1.023315E+06
absorptions	8.460999E+05 8.461583E+05 8.462148E+05 8.462709E+05 8.463270E+05 8.463269E+05
k infinity	1.209275E+00 1.209235E+00 1.209198E+00 1.209161E+00 1.209125E+00 1.209125E+00
actinide	initial 1826.3 d 3652.5 d 5478.8 d 7305.0 d 7305.1 d

absorptions	8.423347E+05 8.423564E+05 8.423781E+05 8.423998E+05 8.424216E+05 8.424216E+05
non-actinide	
abs. fracs.	4.450142E-03 4.493117E-03 4.533887E-03 4.574358E-03 4.614592E-03 4.614472E-03

1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	fission products	page 4
0	fraction of total absorption rate		
0	power= .00mw, burnup= 29.mwd, flux= 3.00E+08n/cm**2-sec		

0	Initial 1826.3 d 3652.5 d 5478.8 d 7305.0 d 7305.1 d		
---	--	--	--

sm149	.00E+00 3.63E-05 7.24E-05 1.08E-04 1.44E-04 1.44E-04
sm151	.00E+00 1.51E-06 2.96E-06 4.36E-06 5.70E-06 5.70E-06
nd143	.00E+00 7.23E-07 1.45E-06 2.19E-06 2.92E-06 2.92E-06
xe135	.00E+00 2.28E-06 2.28E-06 2.28E-06 2.28E-06 2.24E-06
gd157	.00E+00 3.72E-07 7.41E-07 1.11E-06 1.47E-06 1.47E-06
rh103	.00E+00 3.35E-07 6.81E-07 1.03E-06 1.37E-06 1.37E-06
gd155	.00E+00 1.44E-07 4.69E-07 8.80E-07 1.33E-06 1.33E-06
cd113	.00E+00 3.17E-07 6.34E-07 9.49E-07 1.26E-06 1.26E-06
xe131	.00E+00 2.35E-07 4.72E-07 7.09E-07 9.46E-07 9.46E-07
cs133	.00E+00 1.83E-07 3.67E-07 5.51E-07 7.35E-07 7.35E-07
tc 99	.00E+00 1.36E-07 2.71E-07 4.07E-07 5.43E-07 5.43E-07
sm147	.00E+00 6.04E-08 1.77E-07 3.08E-07 4.43E-07 4.43E-07
nd145	.00E+00 1.04E-07 2.08E-07 3.12E-07 4.16E-07 4.16E-07

eu151	.00E+00	2.17E-08	8.55E-08	1.90E-07	3.33E-07	3.33E-07
mo 95	.00E+00	6.69E-08	1.39E-07	2.12E-07	2.85E-07	2.85E-07
pm147	.00E+00	2.00E-07	2.54E-07	2.69E-07	2.73E-07	2.73E-07
sm152	.00E+00	5.55E-08	1.11E-07	1.67E-07	2.22E-07	2.22E-07
kr 83	.00E+00	4.45E-08	8.91E-08	1.34E-07	1.78E-07	1.78E-07
cs135	.00E+00	4.12E-08	8.24E-08	1.24E-07	1.65E-07	1.65E-07
eu155	.00E+00	8.33E-08	1.23E-07	1.42E-07	1.51E-07	1.51E-07
ru101	.00E+00	3.25E-08	6.50E-08	9.74E-08	1.30E-07	1.30E-07
pr141	.00E+00	2.97E-08	6.01E-08	9.05E-08	1.21E-07	1.21E-07
eu153	.00E+00	2.78E-08	5.57E-08	8.35E-08	1.11E-07	1.11E-07
la139	.00E+00	2.48E-08	4.96E-08	7.45E-08	9.93E-08	9.93E-08
pd105	.00E+00	1.06E-08	2.13E-08	3.20E-08	4.26E-08	4.26E-08
zr 93	.00E+00	1.03E-08	2.06E-08	3.08E-08	4.11E-08	4.11E-08
i129	.00E+00	7.63E-09	1.53E-08	2.30E-08	3.06E-08	3.06E-08
nd144	.00E+00	5.77E-09	1.32E-08	2.06E-08	2.80E-08	2.80E-08
mo 97	.00E+00	5.64E-09	1.13E-08	1.69E-08	2.26E-08	2.26E-08
ag109	.00E+00	4.03E-09	8.06E-09	1.21E-08	1.62E-08	1.62E-08
zr 91	.00E+00	2.54E-09	5.20E-09	7.86E-09	1.05E-08	1.05E-08
y 89	.00E+00	2.44E-09	4.98E-09	7.52E-09	1.01E-08	1.01E-08
ba137	.00E+00	6.58E-10	2.53E-09	5.49E-09	9.41E-09	9.41E-09
ru102	.00E+00	2.29E-09	4.58E-09	6.87E-09	9.16E-09	9.16E-09
rh105	.00E+00	8.28E-09	8.28E-09	8.28E-09	8.28E-09	8.25E-09
ce142	.00E+00	2.05E-09	4.11E-09	6.16E-09	8.21E-09	8.21E-09
nd148	.00E+00	1.99E-09	3.99E-09	5.98E-09	7.98E-09	7.98E-09
nd146	.00E+00	1.66E-09	3.32E-09	4.98E-09	6.65E-09	6.65E-09
sr 90	.00E+00	1.97E-09	3.71E-09	5.24E-09	6.60E-09	6.60E-09
ba138	.00E+00	1.42E-09	2.83E-09	4.25E-09	5.66E-09	5.66E-09
in115	.00E+00	1.38E-09	2.76E-09	4.15E-09	5.53E-09	5.53E-09
pd108	.00E+00	1.38E-09	2.75E-09	4.13E-09	5.51E-09	5.51E-09
ce140	.00E+00	1.31E-09	2.64E-09	3.96E-09	5.29E-09	5.29E-09
xe132	.00E+00	1.21E-09	2.42E-09	3.62E-09	4.83E-09	4.83E-09
mo 98	.00E+00	8.46E-10	1.69E-09	2.54E-09	3.38E-09	3.38E-09
mo100	.00E+00	8.09E-10	1.62E-09	2.43E-09	3.24E-09	3.24E-09
pd107	.00E+00	7.97E-10	1.59E-09	2.39E-09	3.19E-09	3.19E-09
xe134	.00E+00	7.85E-10	1.57E-09	2.35E-09	3.14E-09	3.14E-09
sm150	.00E+00	1.93E-10	7.70E-10	1.73E-09	3.06E-09	3.06E-09

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate

0 power=.00mw, burnup= 29.mwd, flux=3.00E+08n/cm\*\*2-sec  
 0 initial 1826.3 d 3652.5 d 5478.8 d 7305.0 d 7305.1 d

pr143	.00E+00	2.66E-09	2.66E-09	2.66E-09	2.66E-09	2.66E-09
zr 92	.00E+00	6.38E-10	1.28E-09	1.91E-09	2.55E-09	2.55E-09
i127	.00E+00	5.14E-10	1.04E-09	1.56E-09	2.09E-09	2.09E-09
zr 96	.00E+00	5.21E-10	1.04E-09	1.56E-09	2.08E-09	2.08E-09
xe133	.00E+00	1.99E-09	1.99E-09	1.99E-09	1.99E-09	1.99E-09
ru104	.00E+00	4.96E-10	9.93E-10	1.49E-09	1.99E-09	1.99E-09
nd150	.00E+00	4.44E-10	8.88E-10	1.33E-09	1.78E-09	1.78E-09
xe136	.00E+00	4.25E-10	8.49E-10	1.27E-09	1.70E-09	1.70E-09
ce141	.00E+00	1.58E-09	1.58E-09	1.58E-09	1.58E-09	1.58E-09
cs137	.00E+00	4.13E-10	7.81E-10	1.11E-09	1.40E-09	1.40E-09
br 81	.00E+00	3.23E-10	6.46E-10	9.68E-10	1.29E-09	1.29E-09
rb 85	.00E+00	2.57E-10	5.30E-10	8.14E-10	1.11E-09	1.11E-09
zr 94	.00E+00	2.76E-10	5.51E-10	8.26E-10	1.10E-09	1.10E-09
pm149	.00E+00	9.62E-10	9.62E-10	9.62E-10	9.62E-10	9.55E-10
nd147	.00E+00	9.44E-10	9.44E-10	9.44E-10	9.44E-10	9.40E-10
cd111	.00E+00	2.04E-10	4.10E-10	6.16E-10	8.23E-10	8.23E-10
te130	.00E+00	1.92E-10	3.85E-10	5.77E-10	7.69E-10	7.69E-10
sm154	.00E+00	1.88E-10	3.75E-10	5.63E-10	7.50E-10	7.50E-10
rb 87	.00E+00	1.82E-10	3.65E-10	5.47E-10	7.29E-10	7.29E-10

fission products

page 5

ce144	.00E+00	5.93E-10	6.00E-10	6.00E-10	6.00E-10	5.99E-10
se 77	.00E+00	1.27E-10	2.54E-10	3.82E-10	5.09E-10	5.09E-10
kr 85	.00E+00	1.57E-10	2.71E-10	3.53E-10	4.13E-10	4.13E-10
ru103	.00E+00	3.56E-10	3.56E-10	3.56E-10	3.56E-10	3.56E-10
kr 84	.00E+00	8.70E-11	1.74E-10	2.61E-10	3.48E-10	3.48E-10
pd106	.00E+00	6.65E-11	1.59E-10	2.52E-10	3.45E-10	3.45E-10
se 79	.00E+00	6.52E-11	1.30E-10	1.96E-10	2.61E-10	2.61E-10
sb121	.00E+00	6.31E-11	1.26E-10	1.89E-10	2.53E-10	2.53E-10
zr 90	.00E+00	1.48E-11	5.70E-11	1.23E-10	2.11E-10	2.11E-10
sb123	.00E+00	5.10E-11	1.03E-10	1.54E-10	2.06E-10	2.06E-10
kr 86	.00E+00	4.73E-11	9.47E-11	1.42E-10	1.89E-10	1.89E-10
te128	.00E+00	4.26E-11	8.53E-11	1.28E-10	1.71E-10	1.71E-10
zr 95	.00E+00	1.68E-10	1.68E-10	1.68E-10	1.68E-10	1.68E-10
nb 95	.00E+00	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
y 91	.00E+00	1.42E-10	1.42E-10	1.42E-10	1.42E-10	1.42E-10
gd156	.00E+00	3.28E-11	6.62E-11	9.98E-11	1.34E-10	1.34E-10
se 80	.00E+00	3.05E-11	6.10E-11	9.14E-11	1.22E-10	1.22E-10
dy161	.00E+00	2.64E-11	5.31E-11	7.98E-11	1.07E-10	1.07E-10
pm151	.00E+00	1.09E-10	1.09E-10	1.09E-10	1.09E-10	1.09E-10
te125	.00E+00	1.16E-11	3.43E-11	6.02E-11	8.69E-11	8.69E-11
tb159	.00E+00	1.82E-11	3.65E-11	5.48E-11	7.31E-11	7.31E-11
cd112	.00E+00	1.74E-11	3.48E-11	5.22E-11	6.96E-11	6.96E-11
li 6	.00E+00	1.73E-11	3.46E-11	5.19E-11	6.92E-11	6.92E-11
sn117	.00E+00	1.38E-11	2.76E-11	4.14E-11	5.52E-11	5.52E-11
ba140	.00E+00	4.72E-11	4.72E-11	4.72E-11	4.72E-11	4.72E-11
sn119	.00E+00	1.13E-11	2.25E-11	3.38E-11	4.51E-11	4.51E-11
sn115	.00E+00	1.03E-11	2.06E-11	3.09E-11	4.12E-11	4.12E-11
sm153	.00E+00	3.80E-11	3.80E-11	3.80E-11	3.80E-11	3.80E-11
sr 88	.00E+00	8.72E-12	1.74E-11	2.61E-11	3.49E-11	3.49E-11
eu154	.00E+00	4.71E-12	1.26E-11	2.26E-11	3.40E-11	3.40E-11

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate

0 power= .00mw, burnup= 29.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 0 initial 1826.3 d 3652.5 d 5478.8 d 7305.0 d 7305.1 d

eu156	.00E+00	3.38E-11	3.39E-11	3.39E-11	3.39E-11	3.39E-11
sr 89	.00E+00	3.04E-11	3.04E-11	3.04E-11	3.04E-11	3.03E-11
ru106	.00E+00	2.50E-11	2.58E-11	2.58E-11	2.59E-11	2.58E-11
pd110	.00E+00	6.32E-12	1.26E-11	1.90E-11	2.53E-11	2.53E-11
cd114	.00E+00	6.18E-12	1.24E-11	1.86E-11	2.49E-11	2.49E-11
eu152	.00E+00	4.70E-13	3.46E-12	1.09E-11	2.41E-11	2.41E-11
gd158	.00E+00	5.76E-12	1.16E-11	1.77E-11	2.38E-11	2.38E-11
se 82	.00E+00	5.91E-12	1.18E-11	1.77E-11	2.36E-11	2.36E-11
sn126	.00E+00	4.71E-12	9.42E-12	1.41E-11	1.88E-11	1.88E-11
se 78	.00E+00	4.52E-12	9.03E-12	1.35E-11	1.81E-11	1.81E-11
ce143	.00E+00	1.74E-11	1.74E-11	1.74E-11	1.74E-11	1.68E-11
la140	.00E+00	1.54E-11	1.54E-11	1.54E-11	1.54E-11	1.54E-11
sb125	.00E+00	1.08E-11	1.38E-11	1.46E-11	1.49E-11	1.49E-11
sn124	.00E+00	3.68E-12	7.37E-12	1.11E-11	1.47E-11	1.47E-11
dy162	.00E+00	3.49E-12	7.01E-12	1.05E-11	1.41E-11	1.41E-11
mo 99	.00E+00	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.29E-11
dy164	.00E+00	3.13E-12	6.27E-12	9.44E-12	1.26E-11	1.26E-11
as 75	.00E+00	2.69E-12	5.39E-12	8.08E-12	1.08E-11	1.08E-11
pm148m	.00E+00	7.01E-12	8.99E-12	9.52E-12	9.66E-12	9.65E-12
kr 87	.00E+00	2.26E-11	2.26E-11	2.26E-11	2.26E-11	8.03E-12
te127m	.00E+00	7.36E-12	7.36E-12	7.36E-12	7.36E-12	7.36E-12
i131	.00E+00	6.77E-12	6.77E-12	6.77E-12	6.77E-12	6.75E-12
y 90	.00E+00	1.87E-12	3.52E-12	4.98E-12	6.27E-12	6.27E-12
sn118	.00E+00	1.51E-12	3.03E-12	4.54E-12	6.05E-12	6.05E-12
ba136	.00E+00	1.42E-12	2.87E-12	4.32E-12	5.77E-12	5.77E-12

fission products

page 6

ru 99	.00E+00	8.61E-13	2.07E-12	3.63E-12	5.54E-12	5.54E-12
cs134	.00E+00	1.07E-12	2.39E-12	3.76E-12	5.13E-12	5.13E-12
cd116	.00E+00	1.28E-12	2.55E-12	3.83E-12	5.10E-12	5.10E-12
sn122	.00E+00	1.25E-12	2.49E-12	3.74E-12	4.98E-12	4.98E-12
sn120	.00E+00	9.38E-13	1.88E-12	2.81E-12	3.75E-12	3.75E-12
kr 82	.00E+00	7.81E-13	1.57E-12	2.36E-12	3.15E-12	3.15E-12
dy163	.00E+00	7.69E-13	1.54E-12	2.32E-12	3.11E-12	3.11E-12
in113	.00E+00	2.30E-13	8.51E-13	1.78E-12	2.95E-12	2.95E-12
ge 73	.00E+00	7.28E-13	1.46E-12	2.18E-12	2.91E-12	2.91E-12
xe130	.00E+00	4.78E-13	9.60E-13	1.45E-12	1.94E-12	1.94E-12
te129m	.00E+00	1.78E-12	1.78E-12	1.78E-12	1.78E-12	1.78E-12
gd152	.00E+00	2.62E-14	2.11E-13	7.25E-13	1.75E-12	1.75E-12
mo 96	.00E+00	3.45E-13	7.00E-13	1.06E-12	1.44E-12	1.44E-12
ge 76	.00E+00	2.66E-13	5.32E-13	7.99E-13	1.06E-12	1.06E-12
ru100	.00E+00	9.50E-14	2.51E-13	4.67E-13	7.45E-13	7.45E-13
gd154	.00E+00	2.69E-14	1.39E-13	3.69E-13	7.43E-13	7.43E-13
gd160	.00E+00	1.69E-13	3.38E-13	5.07E-13	6.77E-13	6.77E-13
te126	.00E+00	1.29E-13	2.60E-13	3.91E-13	5.24E-13	5.24E-13
sm148	.00E+00	3.96E-14	1.37E-13	2.79E-13	4.60E-13	4.60E-13
pm148	.00E+00	2.80E-13	3.56E-13	3.77E-13	3.82E-13	3.78E-13
nd142	.00E+00	2.10E-14	8.38E-14	1.88E-13	3.35E-13	3.35E-13
ag111	.00E+00	3.20E-13	3.21E-13	3.21E-13	3.20E-13	3.20E-13
ba134	.00E+00	1.50E-14	6.69E-14	1.59E-13	2.93E-13	2.93E-13
ba135	.00E+00	1.99E-14	7.28E-14	1.59E-13	2.78E-13	2.78E-13

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 7

0	power= .00mw, burnup= 29.mwd, flux= 3.00E+08n/cm^2*sec
0	initial 1826.3 d 3652.5 d 5478.8 d 7305.0 d 7305.1 d

eu157	.00E+00	2.95E-13	2.96E-13	2.96E-13	2.74E-13
cd115m	.00E+00	2.35E-13	2.35E-13	2.35E-13	2.35E-13
pd104	.00E+00	1.39E-14	5.63E-14	1.27E-13	2.27E-13
ho165	.00E+00	5.28E-14	1.06E-13	1.59E-13	2.13E-13
te124	.00E+00	2.93E-14	6.00E-14	9.08E-14	1.22E-13
sr 87	.00E+00	3.04E-14	6.08E-14	9.12E-14	1.22E-13
nb 94	.00E+00	1.75E-14	3.51E-14	5.26E-14	7.01E-14
ge 74	.00E+00	1.47E-14	2.93E-14	4.40E-14	5.86E-14
cs136	.00E+00	5.60E-14	5.61E-14	5.63E-14	5.64E-14
ge 72	.00E+00	9.81E-15	1.96E-14	2.95E-14	3.93E-14
sr 86	.00E+00	8.48E-15	1.71E-14	2.59E-14	3.47E-14
cd110	.00E+00	2.77E-15	9.38E-15	1.97E-14	3.37E-14
sn125	.00E+00	2.94E-14	2.94E-14	2.94E-14	2.92E-14
ru105	.00E+00	3.00E-14	3.00E-14	3.00E-14	2.30E-14
se 76	.00E+00	5.69E-15	1.14E-14	1.71E-14	2.29E-14
br 79	.00E+00	1.37E-15	5.44E-15	1.22E-14	2.16E-14
xe129	.00E+00	7.62E-16	3.05E-15	6.86E-15	1.22E-14
ag107	.00E+00	7.08E-16	2.83E-15	6.37E-15	1.13E-14
sn123	.00E+00	1.03E-14	1.03E-14	1.03E-14	1.03E-14
nb 93	.00E+00	2.00E-16	1.42E-15	4.49E-15	1.01E-14
te132	.00E+00	9.49E-15	9.49E-15	9.49E-15	9.34E-15
rb 88	.00E+00	1.27E-14	1.27E-14	1.27E-14	8.70E-15
i135	.00E+00	1.00E-14	1.00E-14	1.00E-14	8.18E-15
xe128	.00E+00	1.43E-15	3.02E-15	4.75E-15	6.63E-15
dy160	.00E+00	1.16E-15	2.58E-15	4.19E-15	6.01E-15
er166	.00E+00	1.37E-15	2.77E-15	4.19E-15	5.64E-15
sb126	.00E+00	2.99E-15	3.00E-15	3.01E-15	3.02E-15
sb124	.00E+00	2.10E-15	2.11E-15	2.11E-15	2.11E-15
in117m	.00E+00	2.07E-15	2.07E-15	2.07E-15	1.82E-15
kr 80	.00E+00	4.12E-16	8.25E-16	1.24E-15	1.65E-15
te134	.00E+00	5.77E-15	5.77E-15	5.77E-15	8.55E-16

i130	.00E+00	7.17E-16	7.23E-16	7.30E-16	7.36E-16	6.63E-16
sn116	.00E+00	4.53E-17	1.51E-16	3.17E-16	5.43E-16	5.43E-16
in117	.00E+00	6.07E-16	6.07E-16	6.08E-16	6.08E-16	5.40E-16
tb160	.00E+00	3.46E-16	3.98E-16	4.49E-16	5.01E-16	5.01E-16
te122	.00E+00	6.63E-17	1.57E-16	2.73E-16	4.14E-16	4.14E-16
rb 86	.00E+00	2.41E-16	2.43E-16	2.45E-16	2.47E-16	2.46E-16
be 9	.00E+00	3.42E-17	6.84E-17	1.03E-16	1.37E-16	1.37E-16
pr142	.00E+00	3.44E-17	6.91E-17	1.04E-16	1.38E-16	1.29E-16
dy165	.00E+00	2.10E-16	2.11E-16	2.12E-16	2.14E-16	1.24E-16
te123	.00E+00	2.75E-17	5.73E-17	8.73E-17	1.17E-16	1.17E-16
li 7	.00E+00	1.33E-17	2.66E-17	4.00E-17	5.33E-17	5.33E-17
ge 75	.00E+00	8.51E-17	8.51E-17	8.51E-17	8.51E-17	3.34E-17
cd118	.00E+00	1.19E-16	1.19E-16	1.19E-16	1.19E-16	2.44E-17
er167	.00E+00	5.52E-18	1.14E-17	1.76E-17	2.41E-17	2.41E-17
cd108	.00E+00	2.76E-19	5.55E-19	8.45E-19	1.14E-18	1.14E-18
cs134m	.00E+00	2.56E-19	5.12E-19	7.68E-19	1.02E-18	6.49E-19
in119m	.00E+00	2.97E-17	2.97E-17	2.97E-17	2.97E-17	4.16E-19
cd109	.00E+00	1.76E-19	1.96E-19	2.06E-19	2.13E-19	2.13E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 29.mwd, flux= 3.00E+08n/cm\*\*2-sec  
 initial 1826.3 d 3652.5 d 5478.8 d 7305.0 d 7305.1 d

sn114 .00E+00 3.33E-21 1.33E-20 2.66E-20 4.66E-20 4.66E-20

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= 4.000E-03mw, burnup=2.9220E+01mwd, flux= 3.00E+08n/cm\*\*2-sec  
 nuclide concentrations, gram atoms  
 basis = single reactor assembly

h 1	charge	1826.3 d	3652.5 d	5478.8 d	7305.0 d	7305.1 d
h 2	.00E+00	4.41E-07	8.81E-07	1.32E-06	1.76E-06	1.76E-06
h 3	.00E+00	1.31E-09	2.61E-09	3.92E-09	5.22E-09	5.22E-09
h 4	.00E+00	8.35E-12	1.47E-11	1.94E-11	2.30E-11	2.30E-11
he 3	.00E+00	3.38E-35	5.93E-35	7.85E-35	9.30E-35	.00E+00
he 4	.00E+00	1.23E-12	4.50E-12	9.32E-12	1.53E-11	1.53E-11
he 6	.00E+00	7.28E-08	1.46E-07	2.18E-07	2.91E-07	2.91E-07
ne 20	.00E+00	8.74E-09	1.75E-08	2.62E-08	3.50E-08	3.50E-08
ne 21	.00E+00	1.58E-15	6.32E-15	1.42E-14	2.53E-14	2.53E-14
ne 22	.00E+00	2.56E-11	7.43E-11	1.29E-10	1.85E-10	1.86E-10
ne 23	.00E+00	7.28E-15	7.28E-15	7.28E-15	7.28E-15	7.28E-30
na 22	.00E+00	3.15E-11	3.98E-11	4.20E-11	4.26E-11	4.26E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	.00E+00	3.64E-08	3.64E-08	3.64E-08	3.64E-08	3.33E-08
na 24m	.00E+00	5.99E-15	5.99E-15	5.99E-15	5.99E-15	5.99E-30
na 25	.00E+00	2.93E-28	5.94E-28	9.05E-28	1.22E-27	1.21E-42
mg 24	.00E+00	7.55E-05	1.51E-04	2.27E-04	3.02E-04	3.02E-04
mg 25	.00E+00	9.73E-12	1.98E-11	3.01E-11	4.07E-11	4.07E-11
mg 26	.00E+00	1.31E-09	2.61E-09	3.92E-09	5.22E-09	5.22E-09
mg 27	.00E+00	2.18E-12	2.18E-12	2.18E-12	2.18E-12	4.70E-16
mg 28	.00E+00	4.41E-24	4.41E-24	4.41E-24	4.41E-24	4.14E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	.00E+00	2.70E-10	2.70E-10	2.70E-10	2.70E-10	3.67E-25
al 29	.00E+00	3.80E-28	1.52E-27	3.42E-27	6.08E-27	3.18E-32
al 30	.00E+00	3.49E-41	2.79E-40	9.42E-40	2.23E-39	.00E+00
si 28	.00E+00	2.20E-04	4.40E-04	6.59E-04	8.79E-04	8.79E-04
si 29	.00E+00	1.41E-12	5.64E-12	1.27E-11	2.26E-11	2.26E-11
si 30	.00E+00	9.70E-21	7.76E-20	2.62E-19	6.21E-19	6.21E-19
si 31	.00E+00	6.95E-33	5.56E-32	1.88E-31	4.45E-31	2.68E-31
si 32	.00E+00	6.12E-41	9.75E-40	4.92E-39	1.55E-38	1.55E-38

fission products

page 8

light elements

page 9

	totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
0	flux		3.00E+08	3.00E+08	3.00E+08	3.00E+08	3.00E-07
1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	power= 4.000E-03mw, burnup=2.9220E+01mwd, flux= 3.00E+08n/cm**2-sec	nuclide concentrations, gram atoms	basis = single reactor assembly			
0	he 4	charge 1826.3 d	3652.5 d	5478.8 d	7305.0 d	7305.1 d	
he 4	.00E+00	2.74E-04	5.87E-04	9.39E-04	1.33E-03	1.33E-03	
pb206	.00E+00	7.11E-14	1.14E-12	5.75E-12	1.79E-11	1.79E-11	
pb207	.00E+00	9.49E-12	7.37E-11	2.41E-10	5.52E-10	5.52E-10	
pb208	.00E+00	3.81E-12	3.76E-11	1.26E-10	2.81E-10	2.81E-10	
pb209	.00E+00	3.42E-17	1.38E-16	3.12E-16	5.56E-16	5.60E-16	
pb210	.00E+00	2.03E-12	1.57E-11	5.10E-11	1.17E-10	1.17E-10	
pb211	.00E+00	5.69E-16	2.16E-15	4.64E-15	7.85E-15	7.85E-15	
pb212	.00E+00	4.63E-15	2.05E-14	4.22E-14	6.61E-14	6.61E-14	
pb214	.00E+00	9.34E-17	3.73E-16	8.40E-16	1.49E-15	1.45E-15	
ra222	.00E+00	1.76E-28	5.20E-28	9.13E-28	1.32E-27	1.32E-27	
ra223	.00E+00	2.59E-13	9.87E-13	2.11E-12	3.58E-12	3.58E-12	
ra224	.00E+00	3.82E-14	1.69E-13	3.49E-13	5.46E-13	5.46E-13	
ra225	.00E+00	3.74E-15	1.51E-14	3.41E-14	6.08E-14	6.08E-14	
ra226	.00E+00	2.93E-09	1.17E-08	2.64E-08	4.68E-08	4.68E-08	
ra228	.00E+00	2.63E-15	8.85E-15	1.70E-14	2.63E-14	2.63E-14	
ac225	.00E+00	2.53E-15	1.02E-14	2.31E-14	4.11E-14	4.11E-14	
ac227	.00E+00	1.80E-10	6.86E-10	1.47E-09	2.49E-09	2.49E-09	
ac228	.00E+00	3.21E-19	1.08E-18	2.08E-18	3.21E-18	3.21E-18	
th226	.00E+00	8.59E-27	2.54E-26	4.45E-26	6.43E-26	6.42E-26	
th227	.00E+00	4.19E-13	1.59E-12	3.41E-12	5.78E-12	5.78E-12	
th228	.00E+00	7.29E-12	3.23E-11	6.66E-11	1.04E-10	1.04E-10	
th229	.00E+00	7.27E-10	2.94E-09	6.64E-09	1.18E-08	1.18E-08	
th230	.00E+00	1.28E-04	2.55E-04	3.83E-04	5.11E-04	5.11E-04	
th231	.00E+00	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	
th232	.00E+00	2.58E-05	5.16E-05	7.74E-05	1.03E-04	1.03E-04	
th233	.00E+00	2.39E-16	4.78E-16	7.17E-16	9.57E-16	2.66E-17	
th234	.00E+00	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	
pa231	.00E+00	3.59E-06	7.19E-06	1.08E-05	1.44E-05	1.44E-05	
pa232	.00E+00	6.18E-14	1.24E-13	1.85E-13	2.47E-13	2.37E-13	
pa233	.00E+00	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06	
pa234m	.00E+00	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	
pa234	.00E+00	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12	
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u230	.00E+00	8.33E-24	2.46E-23	4.32E-23	6.23E-23	6.21E-23	
u231	.00E+00	5.33E-20	1.08E-19	1.62E-19	2.17E-19	2.14E-19	
u232	.00E+00	6.11E-10	1.80E-09	3.16E-09	4.57E-09	4.57E-09	
u233	.00E+00	6.68E-05	1.35E-04	2.03E-04	2.72E-04	2.72E-04	
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	
u236	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	
u237	.00E+00	3.24E-06	3.24E-06	3.24E-06	3.24E-06	3.21E-06	
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	
u239	.00E+00	3.29E-07	3.29E-07	3.29E-07	3.29E-07	1.09E-08	
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
np235	.00E+00	8.71E-12	9.06E-12	9.08E-12	9.08E-12	9.07E-12	
np236m	.00E+00	2.16E-12	2.16E-12	2.16E-12	2.16E-12	2.03E-12	
np236	.00E+00	1.02E-09	2.05E-09	3.07E-09	4.10E-09	4.10E-09	
np237	4.22E+01	4.22E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01	
np238	.00E+00	1.58E-06	1.58E-06	1.58E-06	1.58E-06	1.54E-06	

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

actinides

page 10

actinides

page 11

```

power= 4.000E-03mw, burnup=2.9220E+01mwd, flux= 3.00E+08n/cm**2-sec
0          nuclide concentrations, gram atoms
          basis = single reactor assembly

charge   1826.3 d  3652.5 d  5478.8 d  7305.0 d  7305.1 d
np239    .00E+00  4.75E-05  4.75E-05  4.75E-05  4.67E-05
np240m   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
np240    .00E+00  9.74E-15  9.74E-15  9.74E-15  9.74E-15  2.68E-15
np241    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu236    .00E+00  8.16E-10  1.06E-09  1.14E-09  1.16E-09  1.16E-09
pu237    .00E+00  9.61E-15  1.89E-14  2.78E-14  3.64E-14  3.63E-14
pu238    .00E+00  9.24E-04  1.81E-03  2.67E-03  3.49E-03  3.49E-03
pu239    .00E+00  2.55E-02  5.11E-02  7.66E-02  1.02E-01  1.02E-01
pu240    .00E+00  6.28E-07  2.51E-06  5.66E-06  1.01E-05  1.01E-05
pu241    .00E+00  2.03E-11  1.53E-10  4.90E-10  1.10E-09  1.10E-09
pu242    .00E+00  2.03E-16  3.15E-15  1.55E-14  4.75E-14  4.75E-14
pu243    .00E+00  4.46E-25  6.91E-24  3.39E-23  1.04E-22  7.97E-23
pu244    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu245    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
pu246    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
am239    .00E+00  3.56E-28  5.43E-27  2.63E-26  7.94E-26  7.10E-26
am240    .00E+00  1.63E-25  2.49E-24  1.20E-23  3.64E-23  3.54E-23
am241    .00E+00  1.24E-12  1.89E-11  9.13E-11  2.76E-10  2.76E-10
am242m   .00E+00  3.20E-18  9.80E-17  7.13E-16  2.88E-15  2.88E-15
am242    .00E+00  4.35E-20  6.65E-19  3.22E-18  9.73E-18  8.96E-18
am243    .00E+00  6.23E-22  2.16E-20  1.76E-19  7.89E-19  7.89E-19
am244    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
am245    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
am246    .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
totals   3.73E+04  3.73E+04  3.73E+04  3.73E+04  3.73E+04  3.73E+04
0        flux      3.00E+08  3.00E+08  3.00E+08  3.00E+08  3.00E+08  3.00E-07
0
0        1q array has 20 entries.
0        3q array has 1 entries.
0        3q array has 1 entries.
0        3q array has 1 entries.
0        4q array has 1 entries.
0        54q array has 12 entries.
1library information...

```

cross-section data taken from position number 2 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
***** ****
*
*      prelim lwr origin-s binary working library--id = 1143
*      made from modified card-image origin-s libraries of scale 4.2
*      data from the light element, actinide, and fission product libraries
*
```

```

*      decay data, including gamma and total energy, are from endf/b-vi      *
*      neutron flux spectrum factors and cross sections were produced from      *
*      the "presas2" case updating all nuclides on the scale "burnup" library      *
*      fission product yields are from endf/b-v      *
*      photon libraries use an 18-energy-group structure      *
*      the photon data are from the master photon data base,      *
*      produced to include bremsstrahlung from uo2 matrix      *
*      see information above this box (if present) for later updates      *
*****
```

0	.other identification and sizes of library.							
0	data set name: ft33f001							
0	8/28/1996 date library was produced							
0	1697	total number of nuclides in library						
0	689	number of light-element nuclides						
0	129	number of actinide nuclides						
0	879	number of fission product nuclides						
0	7993	number of nonzero off-diagonal matrix elements						
0	*****							
1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2							page 12
	power= .00mw, burnup= 58.mwd, flux= 2.81E+08n/cm**2-sec							
0	basis =							
0	(note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)							
0	initial	9131.3 d	10957.6 d	12783.8 d	14610.1 d	14610.2 d		
0	productions	1.090805E+06	1.090842E+06	1.090879E+06	1.090916E+06	1.090953E+06	1.090953E+06	
0	absorptions	8.937227E+05	8.937811E+05	8.938394E+05	8.938971E+05	8.939546E+05	8.939546E+05	
0	k infinity	1.220518E+00	1.220480E+00	1.220441E+00	1.220404E+00	1.220367E+00	1.220367E+00	
0	initial	9131.3 d	10957.6 d	12783.8 d	14610.1 d	14610.2 d		
0	actinide							
0	absorptions	8.901883E+05	8.902102E+05	8.902321E+05	8.902540E+05	8.902759E+05	8.902759E+05	
0	non-actinide							
1	abs. fracs.	3.954649E-03	3.995299E-03	4.035652E-03	4.075527E-03	4.115045E-03	4.115045E-03	
1	sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2	fraction of total absorption rate						
0	power= .00mw, burnup= 58.mwd, flux= 2.81E+08n/cm**2-sec							
0	initial	9131.3 d	10957.6 d	12783.8 d	14610.1 d	14610.2 d		
sm149	1.46E-04	1.82E-04	2.17E-04	2.53E-04	2.88E-04	2.88E-04		
sm151	5.78E-06	7.08E-06	8.34E-06	9.55E-06	1.07E-05	1.07E-05		
nd143	2.95E-06	3.69E-06	4.43E-06	5.17E-06	5.91E-06	5.91E-06		
gd155	1.35E-06	1.83E-06	2.31E-06	2.79E-06	3.28E-06	3.28E-06		
gd157	1.49E-06	1.85E-06	2.21E-06	2.56E-06	2.91E-06	2.91E-06		
rh103	1.37E-06	1.71E-06	2.06E-06	2.40E-06	2.75E-06	2.75E-06		
cd113	1.28E-06	1.60E-06	1.91E-06	2.23E-06	2.54E-06	2.54E-06		
xe135	2.27E-06	2.31E-06	2.31E-06	2.31E-06	2.31E-06	2.28E-06		
xe131	9.39E-07	1.17E-06	1.41E-06	1.64E-06	1.88E-06	1.88E-06		
cs133	7.29E-07	9.11E-07	1.09E-06	1.28E-06	1.46E-06	1.46E-06		
eu151	3.37E-07	5.21E-07	7.40E-07	9.94E-07	1.28E-06	1.28E-06		
tc 99	5.37E-07	6.72E-07	8.06E-07	9.40E-07	1.07E-06	1.07E-06		
sm147	4.40E-07	5.75E-07	7.10E-07	8.46E-07	9.81E-07	9.81E-07		
nd145	4.16E-07	5.20E-07	6.24E-07	7.28E-07	8.32E-07	8.32E-07		
mo 95	2.83E-07	3.55E-07	4.27E-07	5.00E-07	5.72E-07	5.72E-07		
sm152	2.20E-07	2.76E-07	3.31E-07	3.86E-07	4.41E-07	4.41E-07		
kr 83	1.80E-07	2.25E-07	2.70E-07	3.15E-07	3.60E-07	3.60E-07		

cs135	1.64E-07	2.05E-07	2.46E-07	2.87E-07	3.28E-07	3.28E-07
pm147	2.70E-07	2.72E-07	2.72E-07	2.72E-07	2.72E-07	2.72E-07
ru101	1.28E-07	1.60E-07	1.92E-07	2.24E-07	2.56E-07	2.56E-07
pr141	1.22E-07	1.52E-07	1.83E-07	2.14E-07	2.44E-07	2.44E-07
eu153	1.11E-07	1.39E-07	1.67E-07	1.95E-07	2.22E-07	2.22E-07
la139	1.00E-07	1.25E-07	1.50E-07	1.75E-07	2.00E-07	2.00E-07
eu155	1.51E-07	1.55E-07	1.57E-07	1.58E-07	1.58E-07	1.58E-07
pd105	4.25E-08	5.31E-08	6.37E-08	7.43E-08	8.49E-08	8.49E-08
zr 93	4.07E-08	5.09E-08	6.11E-08	7.13E-08	8.15E-08	8.15E-08
i129	3.10E-08	3.87E-08	4.65E-08	5.42E-08	6.20E-08	6.20E-08
nd144	2.83E-08	3.58E-08	4.33E-08	5.08E-08	5.83E-08	5.83E-08
mo 97	2.27E-08	2.84E-08	3.40E-08	3.97E-08	4.54E-08	4.54E-08
ba137	9.52E-09	1.44E-08	2.00E-08	2.63E-08	3.32E-08	3.32E-08
ag109	1.60E-08	2.00E-08	2.41E-08	2.81E-08	3.22E-08	3.22E-08
zr 91	1.06E-08	1.33E-08	1.59E-08	1.86E-08	2.13E-08	2.13E-08
y 89	1.02E-08	1.27E-08	1.53E-08	1.79E-08	2.04E-08	2.04E-08
ru102	9.23E-09	1.15E-08	1.39E-08	1.62E-08	1.85E-08	1.85E-08
ce142	8.31E-09	1.04E-08	1.25E-08	1.45E-08	1.66E-08	1.66E-08
nd148	8.01E-09	1.00E-08	1.20E-08	1.40E-08	1.60E-08	1.60E-08
nd146	6.71E-09	8.38E-09	1.01E-08	1.17E-08	1.34E-08	1.34E-08
sm150	3.07E-09	4.79E-09	6.88E-09	9.35E-09	1.22E-08	1.22E-08
ba138	5.73E-09	7.16E-09	8.59E-09	1.00E-08	1.15E-08	1.15E-08
in115	5.54E-09	6.92E-09	8.30E-09	9.69E-09	1.11E-08	1.11E-08
pd108	5.45E-09	6.81E-09	8.17E-09	9.53E-09	1.09E-08	1.09E-08
sr 90	6.67E-09	7.88E-09	8.96E-09	9.91E-09	1.07E-08	1.07E-08
ce140	5.35E-09	6.69E-09	8.03E-09	9.37E-09	1.07E-08	1.07E-08
xe132	4.83E-09	6.03E-09	7.24E-09	8.45E-09	9.65E-09	9.65E-09
rh105	8.32E-09	8.34E-09	8.34E-09	8.34E-09	8.34E-09	8.31E-09
mo 98	3.34E-09	4.18E-09	5.01E-09	5.85E-09	6.69E-09	6.69E-09
mo100	3.22E-09	4.03E-09	4.84E-09	5.64E-09	6.45E-09	6.45E-09
pd107	3.21E-09	4.01E-09	4.81E-09	5.61E-09	6.42E-09	6.42E-09
xe134	3.17E-09	3.96E-09	4.75E-09	5.54E-09	6.33E-09	6.33E-09

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate

0 power=.00mw, burnup=.58.mwd flux=2.81E+08n/cm\*\*2·sec  
 0 initial 9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d

zr 92	2.57E-09	3.22E-09	3.86E-09	4.50E-09	5.15E-09	5.15E-09
i127	2.08E-09	2.60E-09	3.12E-09	3.65E-09	4.17E-09	4.17E-09
zr 96	2.04E-09	2.55E-09	3.06E-09	3.57E-09	4.08E-09	4.08E-09
ru104	1.98E-09	2.48E-09	2.97E-09	3.47E-09	3.96E-09	3.96E-09
nd150	1.78E-09	2.22E-09	2.66E-09	3.11E-09	3.55E-09	3.55E-09
xe136	1.71E-09	2.14E-09	2.57E-09	3.00E-09	3.42E-09	3.42E-09
pr143	2.67E-09	2.67E-09	2.67E-09	2.67E-09	2.67E-09	2.67E-09
br 81	1.29E-09	1.61E-09	1.93E-09	2.26E-09	2.58E-09	2.58E-09
rb 85	1.11E-09	1.41E-09	1.71E-09	2.02E-09	2.32E-09	2.32E-09
cs137	1.40E-09	1.66E-09	1.89E-09	2.10E-09	2.28E-09	2.28E-09
zr 94	1.09E-09	1.37E-09	1.64E-09	1.91E-09	2.19E-09	2.19E-09
xe133	2.01E-09	2.01E-09	2.01E-09	2.01E-09	2.01E-09	2.01E-09
cd111	8.31E-10	1.04E-09	1.25E-09	1.46E-09	1.66E-09	1.66E-09
ce141	1.59E-09	1.60E-09	1.60E-09	1.60E-09	1.60E-09	1.60E-09
te130	7.77E-10	9.72E-10	1.17E-09	1.36E-09	1.56E-09	1.56E-09
sm154	7.55E-10	9.44E-10	1.13E-09	1.32E-09	1.51E-09	1.51E-09
rb 87	7.28E-10	9.10E-10	1.09E-09	1.27E-09	1.46E-09	1.46E-09
se 77	5.15E-10	6.44E-10	7.73E-10	9.02E-10	1.03E-09	1.03E-09
pm149	9.67E-10	9.74E-10	9.74E-10	9.74E-10	9.74E-10	9.67E-10
nd147	9.32E-10	9.36E-10	9.36E-10	9.36E-10	9.36E-10	9.32E-10
zr 90	2.13E-10	3.20E-10	4.44E-10	5.84E-10	7.36E-10	7.36E-10
pd106	3.42E-10	4.34E-10	5.26E-10	6.18E-10	7.10E-10	7.10E-10
kr 84	3.44E-10	4.30E-10	5.17E-10	6.03E-10	6.89E-10	6.89E-10

fission products

page 14

ce144	6.02E-10	6.02E-10	6.02E-10	6.02E-10	6.02E-10	6.02E-10
kr 85	4.16E-10	4.60E-10	4.91E-10	5.14E-10	5.31E-10	5.31E-10
se 79	2.64E-10	3.30E-10	3.96E-10	4.62E-10	5.28E-10	5.28E-10
sb121	2.51E-10	3.14E-10	3.77E-10	4.40E-10	5.02E-10	5.02E-10
sb123	2.05E-10	2.56E-10	3.07E-10	3.58E-10	4.10E-10	4.10E-10
kr 86	1.91E-10	2.39E-10	2.87E-10	3.34E-10	3.82E-10	3.82E-10
ru103	3.57E-10	3.57E-10	3.57E-10	3.57E-10	3.57E-10	3.57E-10
te128	1.71E-10	2.13E-10	2.56E-10	2.99E-10	3.41E-10	3.41E-10
gd156	1.32E-10	1.65E-10	1.99E-10	2.33E-10	2.67E-10	2.67E-10
se 80	1.23E-10	1.54E-10	1.85E-10	2.16E-10	2.46E-10	2.46E-10
dy161	1.08E-10	1.35E-10	1.61E-10	1.88E-10	2.16E-10	2.16E-10
te125	8.69E-11	1.14E-10	1.41E-10	1.68E-10	1.95E-10	1.95E-10
zr 95	1.66E-10	1.66E-10	1.66E-10	1.66E-10	1.66E-10	1.66E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
eu152	2.43E-11	4.46E-11	7.23E-11	1.08E-10	1.52E-10	1.52E-10
tb159	7.30E-11	9.13E-11	1.09E-10	1.28E-10	1.46E-10	1.46E-10
y 91	1.43E-10	1.44E-10	1.44E-10	1.44E-10	1.43E-10	1.43E-10
li 6	7.00E-11	8.76E-11	1.05E-10	1.23E-10	1.40E-10	1.40E-10
cd112	7.00E-11	8.74E-11	1.05E-10	1.22E-10	1.40E-10	1.40E-10
sn117	5.54E-11	6.93E-11	8.31E-11	9.70E-11	1.11E-10	1.11E-10
pm151	1.06E-10	1.10E-10	1.10E-10	1.10E-10	1.06E-10	1.06E-10
sn119	4.56E-11	5.70E-11	6.84E-11	7.98E-11	9.11E-11	9.11E-11
eu154	3.43E-11	4.66E-11	5.95E-11	7.29E-11	8.65E-11	8.65E-11
sn115	4.17E-11	5.21E-11	6.26E-11	7.30E-11	8.34E-11	8.34E-11
sr 88	3.51E-11	4.39E-11	5.27E-11	6.15E-11	7.03E-11	7.03E-11
pd110	2.51E-11	3.14E-11	3.77E-11	4.40E-11	5.03E-11	5.03E-11
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2						
0						
0 power= .00mw, burnup= 58.mwd, flux= 2.81E+08n/cm**2-sec						
0 initial 9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d						
cd114	2.46E-11	3.07E-11	3.70E-11	4.32E-11	4.95E-11	4.95E-11
gd158	2.37E-11	3.00E-11	3.63E-11	4.28E-11	4.94E-11	4.94E-11
se 82	2.38E-11	2.98E-11	3.58E-11	4.17E-11	4.77E-11	4.77E-11
ba140	4.72E-11	4.74E-11	4.74E-11	4.74E-11	4.72E-11	4.72E-11
sn126	1.91E-11	2.38E-11	2.86E-11	3.34E-11	3.82E-11	3.82E-11
sm153	3.72E-11	3.81E-11	3.82E-11	3.82E-11	3.82E-11	3.72E-11
se 78	1.81E-11	2.26E-11	2.71E-11	3.17E-11	3.62E-11	3.62E-11
eu156	3.42E-11	3.41E-11	3.42E-11	3.42E-11	3.42E-11	3.42E-11
sr 89	3.07E-11	3.07E-11	3.07E-11	3.07E-11	3.07E-11	3.07E-11
sn124	1.46E-11	1.82E-11	2.19E-11	2.55E-11	2.92E-11	2.92E-11
dy162	1.41E-11	1.77E-11	2.12E-11	2.48E-11	2.83E-11	2.83E-11
dy164	1.28E-11	1.60E-11	1.93E-11	2.25E-11	2.58E-11	2.58E-11
ru106	2.55E-11	2.55E-11	2.55E-11	2.55E-11	2.55E-11	2.55E-11
as 75	1.08E-11	1.35E-11	1.62E-11	1.89E-11	2.16E-11	2.16E-11
ce143	1.69E-11	1.75E-11	1.75E-11	1.75E-11	1.75E-11	1.69E-11
ru 99	5.51E-12	7.76E-12	1.03E-11	1.33E-11	1.66E-11	1.66E-11
la140	1.54E-11	1.54E-11	1.54E-11	1.54E-11	1.54E-11	1.54E-11
sb125	1.48E-11	1.49E-11	1.49E-11	1.49E-11	1.49E-11	1.49E-11
gd152	1.77E-12	3.52E-12	6.17E-12	9.91E-12	1.49E-11	1.49E-11
mo 99	1.29E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.29E-11
sn118	5.96E-12	7.45E-12	8.94E-12	1.04E-11	1.19E-11	1.19E-11
ba136	5.75E-12	7.20E-12	8.66E-12	1.01E-11	1.16E-11	1.16E-11
cs134	5.17E-12	6.47E-12	7.82E-12	9.18E-12	1.05E-11	1.05E-11
y 90	6.34E-12	7.49E-12	8.51E-12	9.41E-12	1.02E-11	1.02E-11
cd116	5.05E-12	6.32E-12	7.58E-12	8.84E-12	1.01E-11	1.01E-11
sn122	5.02E-12	6.27E-12	7.52E-12	8.77E-12	1.00E-11	1.00E-11
pm148m	9.75E-12	9.64E-12	9.65E-12	9.66E-12	9.66E-12	9.64E-12
in113	2.94E-12	4.29E-12	5.79E-12	7.40E-12	9.10E-12	9.10E-12
kr 87	8.14E-12	2.30E-11	2.30E-11	2.29E-11	2.29E-11	8.14E-12

fission products

page 15

sn120	3.76E-12	4.70E-12	5.63E-12	6.57E-12	7.51E-12	7.51E-12
te127m	7.42E-12	7.43E-12	7.43E-12	7.43E-12	7.43E-12	7.43E-12
i131	6.76E-12	6.78E-12	6.78E-12	6.78E-12	6.78E-12	6.76E-12
kr 82	3.17E-12	3.98E-12	4.78E-12	5.59E-12	6.41E-12	6.41E-12
dy163	3.12E-12	3.90E-12	4.69E-12	5.48E-12	6.27E-12	6.27E-12
ge 73	2.93E-12	3.67E-12	4.40E-12	5.14E-12	5.87E-12	5.87E-12
xe130	1.96E-12	2.46E-12	2.97E-12	3.48E-12	4.00E-12	4.00E-12
gd154	7.50E-13	1.28E-12	1.99E-12	2.86E-12	3.92E-12	3.92E-12
mo 96	1.43E-12	1.82E-12	2.21E-12	2.61E-12	3.02E-12	3.02E-12
ru100	7.53E-13	1.09E-12	1.49E-12	1.94E-12	2.46E-12	2.46E-12
ge 76	1.07E-12	1.33E-12	1.60E-12	1.87E-12	2.14E-12	2.14E-12
te129m	1.79E-12	1.79E-12	1.79E-12	1.79E-12	1.79E-12	1.79E-12
sm148	4.61E-13	6.76E-13	9.30E-13	1.22E-12	1.55E-12	1.55E-12
gd160	6.78E-13	8.47E-13	1.02E-12	1.19E-12	1.36E-12	1.36E-12
nd142	3.39E-13	5.29E-13	7.61E-13	1.03E-12	1.35E-12	1.35E-12
ba134	2.94E-13	4.68E-13	6.81E-13	9.35E-13	1.23E-12	1.23E-12
ba135	2.78E-13	4.30E-13	6.15E-13	8.33E-13	1.08E-12	1.08E-12
te126	5.25E-13	6.59E-13	7.94E-13	9.29E-13	1.07E-12	1.07E-12
pd104	2.24E-13	3.50E-13	5.03E-13	6.84E-13	8.93E-13	8.93E-13
ho165	2.14E-13	2.68E-13	3.22E-13	3.77E-13	4.32E-13	4.32E-13

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 16

0 power=.00mw, burnup= 58.mwd, flux= 2.81E+08n/cm\*\*2-sec  
0 initial 9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d

pm148	3.74E-13	3.73E-13	3.73E-13	3.73E-13	3.73E-13	3.70E-13
ag111	3.17E-13	3.18E-13	3.19E-13	3.19E-13	3.19E-13	3.18E-13
eu157	2.76E-13	2.97E-13	2.97E-13	2.97E-13	2.97E-13	2.75E-13
te124	1.23E-13	1.54E-13	1.85E-13	2.17E-13	2.48E-13	2.48E-13
sr 87	1.22E-13	1.53E-13	1.84E-13	2.14E-13	2.45E-13	2.45E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.36E-13
nb 94	6.97E-14	8.72E-14	1.05E-13	1.22E-13	1.40E-13	1.40E-13
cd110	3.40E-14	5.16E-14	7.28E-14	9.77E-14	1.26E-13	1.26E-13
ge 74	5.92E-14	7.40E-14	8.89E-14	1.04E-13	1.19E-13	1.19E-13
br 79	2.17E-14	3.39E-14	4.87E-14	6.63E-14	8.65E-14	8.65E-14
ge 72	3.98E-14	4.97E-14	5.97E-14	6.96E-14	7.96E-14	7.96E-14
sr 86	3.50E-14	4.40E-14	5.31E-14	6.22E-14	7.14E-14	7.14E-14
nb 93	1.01E-14	1.88E-14	3.11E-14	4.72E-14	6.75E-14	6.75E-14
cs136	5.58E-14	5.63E-14	5.64E-14	5.66E-14	5.67E-14	5.65E-14
xe129	1.22E-14	1.91E-14	2.75E-14	3.74E-14	4.89E-14	4.89E-14
se 76	2.32E-14	2.90E-14	3.49E-14	4.07E-14	4.66E-14	4.66E-14
ag107	1.14E-14	1.79E-14	2.57E-14	3.50E-14	4.58E-14	4.58E-14
sn125	2.91E-14	2.93E-14	2.93E-14	2.93E-14	2.93E-14	2.91E-14
ru105	2.27E-14	2.97E-14	2.97E-14	2.97E-14	2.97E-14	2.27E-14
xe128	6.69E-15	8.73E-15	1.09E-14	1.33E-14	1.57E-14	1.57E-14
dy160	5.98E-15	7.98E-15	1.02E-14	1.26E-14	1.51E-14	1.51E-14
er166	5.69E-15	7.17E-15	8.68E-15	1.02E-14	1.18E-14	1.18E-14
sn123	1.02E-14	1.02E-14	1.02E-14	1.02E-14	1.02E-14	1.02E-14
te132	9.40E-15	9.56E-15	9.56E-15	9.56E-15	9.56E-15	9.40E-15
rb 88	8.81E-15	1.29E-14	1.29E-14	1.29E-14	1.29E-14	8.82E-15
i135	8.28E-15	1.01E-14	1.01E-14	1.01E-14	1.01E-14	8.28E-15
kr 80	1.66E-15	2.08E-15	2.50E-15	2.92E-15	3.34E-15	3.34E-15
sb126	3.02E-15	3.05E-15	3.06E-15	3.06E-15	3.07E-15	3.06E-15
sb124	2.11E-15	2.12E-15	2.12E-15	2.12E-15	2.12E-15	2.12E-15
sn116	5.34E-16	8.14E-16	1.15E-15	1.55E-15	2.01E-15	2.01E-15
in117m	1.84E-15	2.09E-15	2.09E-15	2.09E-15	2.09E-15	1.84E-15
te122	4.12E-16	5.75E-16	7.63E-16	9.75E-16	1.21E-15	1.21E-15
te134	8.66E-16	5.85E-15	5.85E-15	5.85E-15	5.85E-15	8.66E-16
tb160	5.06E-16	5.57E-16	6.08E-16	6.60E-16	7.11E-16	7.11E-16
i130	6.65E-16	7.46E-16	7.52E-16	7.59E-16	7.65E-16	6.89E-16

in117	5.47E-16	6.15E-16	6.15E-16	6.15E-16	6.15E-16	5.47E-16
be_9	1.34E-16	1.68E-16	2.01E-16	2.35E-16	2.69E-16	2.69E-16
pr142	1.30E-16	1.74E-16	2.08E-16	2.43E-16	2.78E-16	2.59E-16
rb_86	2.48E-16	2.51E-16	2.53E-16	2.55E-16	2.57E-16	2.56E-16
te123	1.18E-16	1.48E-16	1.78E-16	2.09E-16	2.39E-16	2.39E-16
dy165	1.26E-16	2.16E-16	2.18E-16	2.19E-16	2.20E-16	1.28E-16
li_7	5.40E-17	6.74E-17	8.09E-17	9.44E-17	1.08E-16	1.08E-16
er167	2.43E-17	3.13E-17	3.86E-17	4.63E-17	5.43E-17	5.43E-17
ge_75	3.38E-17	8.63E-17	8.63E-17	8.63E-17	8.63E-17	3.38E-17
cd118	2.47E-17	1.20E-16	1.20E-16	1.20E-16	1.20E-16	2.46E-17
cd108	1.15E-18	1.45E-18	1.77E-18	2.09E-18	2.42E-18	2.42E-18
cs134m	6.58E-19	1.28E-18	1.53E-18	1.79E-18	2.04E-18	1.29E-18
in119m	4.20E-19	3.01E-17	3.01E-17	3.01E-17	3.01E-17	4.19E-19
cd109	2.18E-19	2.25E-19	2.35E-19	2.42E-19	2.52E-19	2.52E-19
sas2h:	far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					
	fraction of total absorption rate					
power=	.00mw,	burnup=	58.mwd	flux=	2.81E+08n/cm**2-sec	
	initial 9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d					

sn114	4.70E-20	7.72E-20	1.17E-19	1.68E-19	2.32E-19	2.32E-19
sas2h:	far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2					
power=	4.000E-03mw,	burnup=	5.8440E+01mwd	flux=	2.81E+08n/cm**2-sec	
	nuclide concentrations, gram atoms					
	basis = single reactor assembly					
charge	9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d					
h_1	1.76E-06	2.19E-06	2.62E-06	3.05E-06	3.48E-06	3.48E-06
h_2	5.22E-09	6.50E-09	7.77E-09	9.05E-09	1.03E-08	1.03E-08
h_3	2.30E-11	2.55E-11	2.74E-11	2.89E-11	2.99E-11	2.99E-11
h_4	.00E+00	1.04E-34	1.11E-34	1.17E-34	1.22E-34	.00E+00
he_3	1.53E-11	2.21E-11	2.96E-11	3.75E-11	4.57E-11	4.57E-11
he_4	2.91E-07	3.62E-07	4.33E-07	5.04E-07	5.75E-07	5.75E-07
he_6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne_20	3.50E-08	4.35E-08	5.20E-08	6.06E-08	6.91E-08	6.91E-08
ne_21	2.53E-14	3.88E-14	5.49E-14	7.36E-14	9.49E-14	9.49E-14
ne_22	1.86E-10	2.42E-10	2.97E-10	3.53E-10	4.09E-10	4.09E-10
ne_23	7.28E-30	7.10E-15	7.10E-15	7.10E-15	7.10E-15	7.10E-30
na_22	4.26E-11	4.19E-11	4.18E-11	4.17E-11	4.17E-11	4.17E-11
na_23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na_24	3.33E-08	3.07E-08	3.07E-08	3.07E-08	3.07E-08	2.81E-08
na_24m	5.99E-30	5.05E-15	5.05E-15	5.05E-15	5.05E-15	5.05E-30
na_25	1.21E-42	1.50E-27	1.81E-27	2.14E-27	2.47E-27	2.53E-42
mg_24	3.02E-04	3.66E-04	4.30E-04	4.93E-04	5.57E-04	5.57E-04
mg_25	4.07E-11	5.14E-11	6.24E-11	7.36E-11	8.50E-11	8.50E-11
mg_26	5.22E-09	6.50E-09	7.77E-09	9.05E-09	1.03E-08	1.03E-08
mg_27	4.70E-16	2.12E-12	2.12E-12	2.12E-12	2.12E-12	4.59E-16
mg_28	4.14E-24	4.32E-24	4.32E-24	4.32E-24	4.32E-24	4.05E-24
al_27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al_28	3.67E-25	2.28E-10	2.28E-10	2.28E-10	2.28E-10	3.10E-25
al_29	3.18E-32	9.14E-27	1.30E-26	1.75E-26	2.27E-26	1.19E-31
al_30	.00E+00	4.23E-39	7.28E-39	1.15E-38	1.70E-38	.00E+00
si_28	8.79E-04	1.06E-03	1.25E-03	1.44E-03	1.62E-03	1.62E-03
si_29	2.26E-11	3.51E-11	5.00E-11	6.73E-11	8.69E-11	8.69E-11
si_30	6.21E-19	1.21E-18	2.09E-18	3.30E-18	4.89E-18	4.89E-18
si_31	2.68E-31	8.71E-31	1.50E-30	2.37E-30	3.51E-30	2.11E-30
si_32	1.55E-38	3.78E-38	7.81E-38	1.44E-37	2.44E-37	2.44E-37
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux	2.81E+08	2.81E+08	2.81E+08	2.81E+08	2.81E+08	2.81E+07

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 17

light elements

page 18

actinides

page 19

power= 4.000E-03mw, burnup=5.8440E+01mwd, flux= 2.81E+08n/cm\*\*2-sec  
 nuclide concentrations, gram atoms  
 basis = single reactor assembly

	charge	9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d	he	1.33E-03 1.75E-03 2.21E-03 2.70E-03 3.22E-03 3.22E-03	pb206	1.79E-11 4.28E-11 8.69E-11 1.57E-10 2.62E-10 2.62E-10	pb207	5.52E-10 1.04E-09 1.74E-09 2.67E-09 3.86E-09 3.86E-09	pb208	2.81E-10 5.05E-10 7.97E-10 1.16E-09 1.59E-09 1.59E-09	pb209	5.60E-16 8.70E-16 1.25E-15 1.71E-15 2.23E-15 2.24E-15	pb210	1.17E-10 2.20E-10 3.67E-10 5.63E-10 8.13E-10 8.13E-10	pb211	7.85E-15 1.17E-14 1.61E-14 2.10E-14 2.62E-14 2.62E-14	pb212	6.61E-14 9.03E-14 1.14E-13 1.38E-13 1.62E-13 1.62E-13	pb214	1.45E-15 2.33E-15 3.35E-15 4.56E-15 5.95E-15 5.77E-15	bi208	.00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00	bi209	6.87E-12 1.35E-11 2.33E-11 3.70E-11 5.53E-11 5.53E-11	bi210m	.00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00	bi210	7.17E-14 1.35E-13 2.26E-13 3.46E-13 5.00E-13 5.00E-13	bi211	4.69E-16 6.94E-16 9.55E-16 1.24E-15 1.56E-15 1.56E-15	bi212	6.27E-15 8.57E-15 1.08E-14 1.31E-14 1.53E-14 1.53E-14	bi213	1.26E-16 2.03E-16 2.93E-16 3.99E-16 5.21E-16 5.05E-16	bi214	1.09E-15 1.73E-15 2.49E-15 3.38E-15 4.42E-15 4.34E-15	ra222	1.32E-27 1.66E-27 2.05E-27 2.42E-27 2.80E-27 2.80E-27	ra223	3.58E-12 5.34E-12 7.35E-12 9.57E-12 1.20E-11 1.20E-11	ra224	5.46E-13 7.46E-13 9.44E-13 1.14E-12 1.33E-12 1.33E-12	ra225	6.08E-14 9.51E-14 1.37E-13 1.86E-13 2.44E-13 2.44E-13	ra226	4.68E-08 7.31E-08 1.05E-07 1.43E-07 1.87E-07 1.87E-07	ra228	2.63E-14 3.62E-14 4.63E-14 5.67E-14 6.71E-14 6.71E-14	ac225	4.11E-14 6.42E-14 9.25E-14 1.26E-13 1.65E-13 1.65E-13	ac227	2.49E-09 3.71E-09 5.10E-09 6.64E-09 8.31E-09 8.31E-09	ac228	3.21E-18 4.41E-18 5.65E-18 6.92E-18 8.19E-18 8.19E-18	th226	6.42E-26 8.12E-26 9.98E-26 1.18E-25 1.37E-25 1.36E-25	th227	5.78E-12 8.62E-12 1.19E-11 1.54E-11 1.93E-11 1.93E-11	th228	1.04E-10 1.42E-10 1.80E-10 2.17E-10 2.55E-10 2.55E-10	th229	1.18E-08 1.85E-08 2.66E-08 3.63E-08 4.74E-08 4.74E-08	th230	5.11E-04 6.39E-04 7.66E-04 8.94E-04 1.02E-03 1.02E-03	th231	3.02E-09 3.02E-09 3.02E-09 3.02E-09 3.02E-09 3.02E-09	th232	1.03E-04 1.29E-04 1.55E-04 1.81E-04 2.07E-04 2.07E-04	th233	2.66E-17 1.19E-15 1.43E-15 1.66E-15 1.90E-15 5.29E-17	th234	5.37E-07 5.37E-07 5.37E-07 5.37E-07 5.37E-07 5.37E-07	pa231	1.44E-05 1.80E-05 2.16E-05 2.52E-05 2.88E-05 2.88E-05	pa232	2.37E-13 3.09E-13 3.71E-13 4.33E-13 4.95E-13 4.74E-13	pa233	1.46E-06 1.46E-06 1.46E-06 1.46E-06 1.46E-06 1.46E-06	pa234m	1.81E-11 1.81E-11 1.81E-11 1.81E-11 1.81E-11 1.81E-11	pa234	8.09E-12 8.09E-12 8.09E-12 8.09E-12 8.09E-12 8.09E-12	pa235	.00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00	u230	6.21E-23 7.87E-23 9.67E-23 1.15E-22 1.32E-22 1.32E-22	u231	2.14E-19 2.63E-19 3.16E-19 3.68E-19 4.21E-19 4.16E-19	u232	4.57E-09 5.96E-09 7.33E-09 8.68E-09 1.00E-08 1.00E-08	u233	2.72E-04 3.40E-04 4.08E-04 4.76E-04 5.45E-04 5.45E-04	u234	9.06E+00 9.06E+00 9.06E+00 9.06E+00 9.06E+00 9.06E+00	u235	7.30E+02 7.30E+02 7.30E+02 7.30E+02 7.30E+02 7.30E+02	u236	1.74E+02 1.74E+02 1.74E+02 1.74E+02 1.74E+02 1.74E+02	u237	3.21E-06 3.15E-06 3.15E-06 3.15E-06 3.12E-06 3.12E-06	u238	3.64E+04 3.64E+04 3.64E+04 3.64E+04 3.64E+04 3.64E+04
--	--------	--	----	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	--------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	-------	---	--------	---	-------	---	-------	---	------	---	------	---	------	---	------	---	------	---	------	---	------	---	------	---	------	---

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=5.8440E+01mwd, flux= 2.81E+08n/cm\*\*2-sec  
 nuclide concentrations, gram atoms  
 basis = single reactor assembly

0 charge 9131.3 d 10957.6 d 12783.8 d 14610.1 d 14610.2 d

actinides

page 20

u239	1.09E-08	3.22E-07	3.22E-07	3.22E-07	3.22E-07	1.07E-08
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	9.07E-12	8.80E-12	8.79E-12	8.79E-12	8.79E-12	8.79E-12
np236m	2.03E-12	2.09E-12	2.09E-12	2.09E-12	2.09E-12	1.97E-12
np236	4.10E-09	5.09E-09	6.08E-09	7.07E-09	8.06E-09	8.06E-09
np237	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01
np238	1.54E-06	1.56E-06	1.56E-06	1.56E-06	1.56E-06	1.52E-06
np239	4.67E-05	4.65E-05	4.65E-05	4.65E-05	4.65E-05	4.57E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	2.68E-15	9.48E-15	9.48E-15	9.48E-15	9.48E-15	2.61E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.16E-09	1.14E-09	1.14E-09	1.13E-09	1.13E-09	1.13E-09
pu237	3.63E-14	4.31E-14	5.08E-14	5.81E-14	6.51E-14	6.50E-14
pu238	3.49E-03	4.27E-03	5.02E-03	5.75E-03	6.44E-03	6.44E-03
pu239	1.02E-01	1.27E-01	1.52E-01	1.77E-01	2.02E-01	2.02E-01
pu240	1.01E-05	1.57E-05	2.25E-05	3.06E-05	3.98E-05	3.98E-05
pu241	1.10E-09	2.02E-09	3.29E-09	4.96E-09	7.05E-09	7.05E-09
pu242	4.75E-14	1.12E-13	2.25E-13	4.04E-13	6.71E-13	6.71E-13
pu243	7.97E-23	2.40E-22	4.81E-22	8.65E-22	1.43E-21	1.10E-21
pu244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am239	7.10E-26	1.79E-25	3.53E-25	6.25E-25	1.02E-24	9.12E-25
am240	3.54E-23	8.19E-23	1.62E-22	2.86E-22	4.67E-22	4.55E-22
am241	2.76E-10	6.42E-10	1.27E-09	2.24E-09	3.66E-09	3.66E-09
am242m	2.88E-15	8.38E-15	1.99E-14	4.12E-14	7.70E-14	7.70E-14
am242	8.96E-18	2.25E-17	4.45E-17	7.88E-17	1.29E-16	1.19E-16
am243	7.89E-19	2.51E-18	6.50E-18	1.46E-17	2.94E-17	2.94E-17
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	5.44E-27	1.93E-26	5.00E-26	1.12E-25	2.26E-25	1.98E-25
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
flux	2.81E+08	2.81E+08	2.81E+08	2.81E+08	2.81E+08	2.81E+07

```

0   1q array has    20 entries.
0   3q array has    1 entries.
0   3q array has    1 entries.
0   3q array has    1 entries.
0   4q array has    1 entries.
0   54q array has   12 entries.
1library information...

```

cross-section data taken from position number 3 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
*****
```

```

*
*      prelim lwr origin-s binary working library--id = 1143
*      made from modified card-image origin-s libraries of scale 4.2
*      data from the light element, actinide, and fission product libraries
*      decay data, including gamma and total energy, are from endf/b-vi
*
*      neutron flux spectrum factors and cross sections were produced from
*      the "presas2" case updating all nuclides on the scale "burnup" library
*
*      fission product yields are from endf/b-v
*
*      photon libraries use an 18-energy-group structure
*      the photon data are from the master photon data base,
*      produced to include bremsstrahlung from uo2 matrix
*
*      see information above this box (if present) for later updates
*****
*
```

```

00 .other identification and sizes of library.
00 data set name: ft33f001
00 8/28/1996 date library was produced
00      1697 total number of nuclides in library
00      689 number of light-element nuclides
00      129 number of actinide nuclides
00      879 number of fission product nuclides
00      7993 number of nonzero off-diagonal matrix elements
00 ****
01 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
01      power= .00mw, burnup= 88.mwd, flux= 2.74E+08n/cm**2-sec
01      basis =
00 (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
00      initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d
00 productions 1.122645E+06 1.122682E+06 1.122719E+06 1.122756E+06 1.122793E+06 1.122793E+06
00 absorptions 9.163268E+05 9.163854E+05 9.164438E+05 9.165019E+05 9.165596E+05 9.165596E+05
00 k infinity 1.225158E+00 1.225120E+00 1.225083E+00 1.225045E+00 1.225009E+00 1.225009E+00
00      initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d
00 actinide
00 absorptions 9.127919E+05 9.128138E+05 9.128357E+05 9.128577E+05 9.128795E+05 9.128795E+05
00 non-actinide
00 abs. fracs. 3.857672E-03 3.897429E-03 3.937006E-03 3.976166E-03 4.015088E-03 4.015088E-03
01 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
01      fraction of total absorption rate
00      power= .00mw, burnup= 88.mwd, flux= 2.74E+08n/cm**2-sec
00      initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d
00
sm149  2.89E-04  3.25E-04  3.59E-04  3.94E-04  4.28E-04  4.28E-04
sm151  1.08E-05  1.19E-05  1.30E-05  1.40E-05  1.50E-05  1.50E-05
nd143  5.93E-06  6.68E-06  7.42E-06  8.16E-06  8.90E-06  8.90E-06
gd155  3.30E-06  3.79E-06  4.28E-06  4.77E-06  5.25E-06  5.25E-06
gd157  2.93E-06  3.27E-06  3.62E-06  3.96E-06  4.30E-06  4.30E-06
rh103  2.75E-06  3.09E-06  3.43E-06  3.78E-06  4.12E-06  4.12E-06
cd113  2.55E-06  2.87E-06  3.18E-06  3.49E-06  3.80E-06  3.80E-06
xe131  1.87E-06  2.11E-06  2.34E-06  2.58E-06  2.81E-06  2.81E-06
eu151  1.29E-06  1.61E-06  1.96E-06  2.35E-06  2.76E-06  2.76E-06
xe135  2.29E-06  2.33E-06  2.33E-06  2.33E-06  2.33E-06  2.29E-06
cs133  1.45E-06  1.64E-06  1.82E-06  2.00E-06  2.18E-06  2.18E-06
tc 99   1.07E-06  1.20E-06  1.34E-06  1.47E-06  1.60E-06  1.60E-06
sm147  9.78E-07  1.11E-06  1.25E-06  1.38E-06  1.52E-06  1.52E-06

```

page 21

page 22

nd145	8.31E-07	9.35E-07	1.04E-06	1.14E-06	1.25E-06	1.25E-06
mo 95	5.70E-07	6.42E-07	7.14E-07	7.86E-07	8.58E-07	8.58E-07
sm152	4.40E-07	4.95E-07	5.50E-07	6.05E-07	6.61E-07	6.61E-07
kr 83	3.61E-07	4.06E-07	4.51E-07	4.96E-07	5.41E-07	5.41E-07
cs135	3.28E-07	3.69E-07	4.10E-07	4.51E-07	4.92E-07	4.92E-07
ru101	2.54E-07	2.86E-07	3.17E-07	3.49E-07	3.81E-07	3.81E-07
pr141	2.45E-07	2.76E-07	3.06E-07	3.37E-07	3.68E-07	3.68E-07
eu153	2.22E-07	2.50E-07	2.78E-07	3.06E-07	3.33E-07	3.33E-07
la139	2.01E-07	2.26E-07	2.51E-07	2.76E-07	3.01E-07	3.01E-07
pm147	2.71E-07	2.71E-07	2.71E-07	2.71E-07	2.71E-07	2.71E-07
eu155	1.58E-07	1.58E-07	1.58E-07	1.58E-07	1.58E-07	1.58E-07
pd105	8.47E-08	9.53E-08	1.06E-07	1.16E-07	1.27E-07	1.27E-07
zr 93	8.12E-08	9.13E-08	1.01E-07	1.12E-07	1.22E-07	1.22E-07
i129	6.23E-08	7.00E-08	7.78E-08	8.56E-08	9.34E-08	9.34E-08
nd144	5.86E-08	6.61E-08	7.37E-08	8.12E-08	8.87E-08	8.87E-08
mo 97	4.55E-08	5.12E-08	5.68E-08	6.25E-08	6.82E-08	6.82E-08
ba137	3.34E-08	4.09E-08	4.88E-08	5.73E-08	6.61E-08	6.61E-08
ag109	3.20E-08	3.61E-08	4.01E-08	4.42E-08	4.82E-08	4.82E-08
zr 91	2.13E-08	2.40E-08	2.67E-08	2.94E-08	3.21E-08	3.21E-08
y 89	2.05E-08	2.31E-08	2.56E-08	2.82E-08	3.08E-08	3.08E-08
ru102	1.85E-08	2.08E-08	2.32E-08	2.55E-08	2.78E-08	2.78E-08
sm150	1.22E-08	1.54E-08	1.90E-08	2.29E-08	2.72E-08	2.72E-08
ce142	1.67E-08	1.88E-08	2.09E-08	2.30E-08	2.51E-08	2.51E-08
nd148	1.60E-08	1.80E-08	2.01E-08	2.21E-08	2.41E-08	2.41E-08
nd146	1.35E-08	1.51E-08	1.68E-08	1.85E-08	2.02E-08	2.02E-08
ba138	1.15E-08	1.30E-08	1.44E-08	1.58E-08	1.73E-08	1.73E-08
in115	1.11E-08	1.25E-08	1.38E-08	1.52E-08	1.66E-08	1.66E-08
pd108	1.08E-08	1.22E-08	1.36E-08	1.49E-08	1.63E-08	1.63E-08
ce140	1.08E-08	1.21E-08	1.35E-08	1.48E-08	1.62E-08	1.62E-08
xe132	9.64E-09	1.09E-08	1.21E-08	1.33E-08	1.45E-08	1.45E-08
sr 90	1.08E-08	1.15E-08	1.22E-08	1.28E-08	1.33E-08	1.33E-08
mo 98	6.65E-09	7.48E-09	8.31E-09	9.15E-09	9.98E-09	9.98E-09
mo100	6.44E-09	7.25E-09	8.05E-09	8.85E-09	9.66E-09	9.66E-09
pd107	6.43E-09	7.24E-09	8.04E-09	8.84E-09	9.65E-09	9.65E-09
xe134	6.36E-09	7.15E-09	7.95E-09	8.74E-09	9.54E-09	9.54E-09
rh105	8.34E-09	8.37E-09	8.37E-09	8.37E-09	8.38E-09	8.34E-09

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 88.mwd, flux= 2.74E+08n/cm\*\*2-sec  
 0 initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d

zr 92	5.16E-09	5.81E-09	6.46E-09	7.10E-09	7.75E-09	7.75E-09
f127	4.16E-09	4.68E-09	5.20E-09	5.73E-09	6.25E-09	6.25E-09
zr 96	4.04E-09	4.55E-09	5.05E-09	5.56E-09	6.06E-09	6.06E-09
ru104	3.96E-09	4.46E-09	4.95E-09	5.45E-09	5.94E-09	5.94E-09
nd150	3.55E-09	4.00E-09	4.44E-09	4.88E-09	5.33E-09	5.33E-09
xe136	3.44E-09	3.87E-09	4.30E-09	4.73E-09	5.15E-09	5.15E-09
br 81	2.57E-09	2.90E-09	3.22E-09	3.54E-09	3.86E-09	3.86E-09
rb 85	2.32E-09	2.64E-09	2.95E-09	3.26E-09	3.57E-09	3.57E-09
zr 94	2.18E-09	2.45E-09	2.73E-09	3.00E-09	3.27E-09	3.27E-09
cs137	2.28E-09	2.44E-09	2.59E-09	2.72E-09	2.83E-09	2.83E-09
pr143	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09
cd111	1.67E-09	1.88E-09	2.09E-09	2.30E-09	2.51E-09	2.51E-09
te130	1.56E-09	1.76E-09	1.95E-09	2.15E-09	2.34E-09	2.34E-09
sm154	1.51E-09	1.70E-09	1.89E-09	2.08E-09	2.27E-09	2.27E-09
rb 87	1.46E-09	1.64E-09	1.82E-09	2.00E-09	2.18E-09	2.18E-09
xe133	2.02E-09	2.02E-09	2.02E-09	2.02E-09	2.02E-09	2.02E-09
ce141	1.60E-09	1.60E-09	1.60E-09	1.60E-09	1.60E-09	1.60E-09
se 77	1.04E-09	1.17E-09	1.29E-09	1.42E-09	1.55E-09	1.55E-09
zr 90	7.38E-10	9.03E-10	1.08E-09	1.26E-09	1.45E-09	1.45E-09

fission products

page 23

pd106	7.08E-10	8.00E-10	8.92E-10	9.83E-10	1.08E-09	1.08E-09
kr 84	6.86E-10	7.71E-10	8.57E-10	9.43E-10	1.03E-09	1.03E-09
pm149	9.72E-10	9.79E-10	9.79E-10	9.79E-10	9.79E-10	9.72E-10
nd147	9.28E-10	9.32E-10	9.32E-10	9.32E-10	9.32E-10	9.28E-10
se 79	5.31E-10	5.97E-10	6.64E-10	7.30E-10	7.96E-10	7.96E-10
sb121	5.01E-10	5.64E-10	6.27E-10	6.89E-10	7.52E-10	7.52E-10
sb123	4.09E-10	4.60E-10	5.11E-10	5.62E-10	6.13E-10	6.13E-10
ce144	6.03E-10	6.03E-10	6.03E-10	6.03E-10	6.03E-10	6.03E-10
kr 86	3.84E-10	4.32E-10	4.80E-10	5.28E-10	5.76E-10	5.76E-10
kr 85	5.32E-10	5.44E-10	5.53E-10	5.59E-10	5.64E-10	5.64E-10
te128	3.41E-10	3.84E-10	4.26E-10	4.69E-10	5.12E-10	5.12E-10
eu152	1.53E-10	2.05E-10	2.66E-10	3.35E-10	4.12E-10	4.12E-10
gd156	2.65E-10	2.99E-10	3.33E-10	3.68E-10	4.03E-10	4.03E-10
se 80	2.47E-10	2.78E-10	3.09E-10	3.40E-10	3.71E-10	3.71E-10
ru103	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.57E-10
dy161	2.17E-10	2.44E-10	2.71E-10	2.98E-10	3.26E-10	3.26E-10
te125	1.95E-10	2.22E-10	2.49E-10	2.76E-10	3.03E-10	3.03E-10
tb159	1.46E-10	1.64E-10	1.82E-10	2.01E-10	2.19E-10	2.19E-10
li 6	1.41E-10	1.58E-10	1.76E-10	1.94E-10	2.11E-10	2.11E-10
cd112	1.40E-10	1.58E-10	1.75E-10	1.93E-10	2.10E-10	2.10E-10
sn117	1.11E-10	1.25E-10	1.39E-10	1.53E-10	1.67E-10	1.67E-10
zr 95	1.65E-10	1.66E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
y 91	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10
eu154	8.69E-11	1.01E-10	1.14E-10	1.28E-10	1.43E-10	1.43E-10
sn119	9.16E-11	1.03E-10	1.14E-10	1.26E-10	1.37E-10	1.37E-10
sn115	8.38E-11	9.43E-11	1.05E-10	1.15E-10	1.26E-10	1.26E-10
pm151	1.06E-10	1.10E-10	1.10E-10	1.10E-10	1.10E-10	1.06E-10
sr 88	7.05E-11	7.93E-11	8.81E-11	9.69E-11	1.06E-10	1.06E-10
gd158	4.93E-11	5.60E-11	6.28E-11	6.98E-11	7.68E-11	7.68E-11

```

1      gd158   4.95E-11  5.00E-11  6.20E-11  6.90E-11  7.60E-11  7.80E-11
0      sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gw/mtu 40% h2o/ 8% uo2
0                                fraction of total absorption rate
0      power=    .00mw, burnup=     88.mwd, flux= 2.74E+08n/cm**2-sec
0      initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d

```

#### **fission products**

page 24

mo 99	1.29E-11	1.32E-11	1.32E-11	1.32E-11	1.32E-11	1.29E-11
y 90	1.03E-11	1.10E-11	1.16E-11	1.21E-11	1.26E-11	1.26E-11
sn120	7.52E-12	8.45E-12	9.39E-12	1.03E-11	1.13E-11	1.13E-11
gd154	3.93E-12	5.17E-12	6.60E-12	8.20E-12	1.00E-11	1.00E-11
kr 82	6.43E-12	7.25E-12	8.07E-12	8.90E-12	9.74E-12	9.74E-12
pm148m	9.69E-12	9.63E-12	9.64E-12	9.63E-12	9.63E-12	9.62E-12
dy163	6.28E-12	7.08E-12	7.88E-12	8.69E-12	9.51E-12	9.51E-12
ge 73	5.89E-12	6.63E-12	7.36E-12	8.10E-12	8.84E-12	8.84E-12
kr 87	8.19E-12	2.31E-11	2.31E-11	2.31E-11	2.31E-11	8.19E-12
te127m	7.45E-12	7.46E-12	7.46E-12	7.46E-12	7.46E-12	7.46E-12
i131	6.76E-12	6.78E-12	6.78E-12	6.78E-12	6.78E-12	6.76E-12
xe130	4.02E-12	4.54E-12	5.07E-12	5.60E-12	6.13E-12	6.13E-12
ru100	2.47E-12	3.05E-12	3.68E-12	4.38E-12	5.13E-12	5.13E-12
mo 96	3.01E-12	3.43E-12	3.86E-12	4.29E-12	4.74E-12	4.74E-12
sm148	1.55E-12	1.91E-12	2.31E-12	2.75E-12	3.23E-12	3.23E-12
ge 76	2.14E-12	2.41E-12	2.67E-12	2.94E-12	3.21E-12	3.21E-12
nd142	1.36E-12	1.72E-12	2.12E-12	2.56E-12	3.05E-12	3.05E-12
ba134	1.23E-12	1.57E-12	1.94E-12	2.35E-12	2.81E-12	2.81E-12
ba135	1.08E-12	1.37E-12	1.68E-12	2.03E-12	2.42E-12	2.42E-12
gd160	1.36E-12	1.53E-12	1.69E-12	1.86E-12	2.04E-12	2.04E-12
pd104	8.89E-13	1.12E-12	1.39E-12	1.68E-12	1.99E-12	1.99E-12
te129m	1.80E-12	1.80E-12	1.80E-12	1.80E-12	1.80E-12	1.80E-12
te126	1.07E-12	1.20E-12	1.34E-12	1.48E-12	1.62E-12	1.62E-12
ho165	4.32E-13	4.87E-13	5.43E-13	5.99E-13	6.55E-13	6.55E-13

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate

0 power= .00mw, burnup= 88.mwd, flux= 2.74E+08n/cm\*\*2-sec  
 initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d

te124	2.49E-13	2.81E-13	3.12E-13	3.44E-13	3.76E-13	3.76E-13
sr 87	2.46E-13	2.77E-13	3.07E-13	3.38E-13	3.69E-13	3.69E-13
pm148	3.68E-13	3.69E-13	3.69E-13	3.69E-13	3.65E-13	
ag111	3.16E-13	3.18E-13	3.18E-13	3.19E-13	3.19E-13	3.17E-13
cd110	1.27E-13	1.59E-13	1.95E-13	2.34E-13	2.78E-13	2.78E-13
eu157	2.76E-13	2.98E-13	2.98E-13	2.98E-13	2.99E-13	2.76E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.37E-13
nb 94	1.39E-13	1.57E-13	1.74E-13	1.92E-13	2.09E-13	2.09E-13
br 79	8.66E-14	1.10E-13	1.35E-13	1.64E-13	1.95E-13	1.95E-13
nb 93	6.76E-14	9.23E-14	1.22E-13	1.56E-13	1.95E-13	1.95E-13
ge 74	1.19E-13	1.34E-13	1.49E-13	1.64E-13	1.79E-13	1.79E-13
ge 72	8.00E-14	9.00E-14	1.00E-13	1.10E-13	1.20E-13	1.20E-13
xe129	4.89E-14	6.19E-14	7.65E-14	9.25E-14	1.10E-13	1.10E-13
sr 86	7.17E-14	8.10E-14	9.04E-14	9.98E-14	1.09E-13	1.09E-13
ag107	4.60E-14	5.82E-14	7.18E-14	8.69E-14	1.03E-13	1.03E-13
se 76	4.69E-14	5.28E-14	5.88E-14	6.48E-14	7.08E-14	7.08E-14
cs136	5.63E-14	5.67E-14	5.68E-14	5.70E-14	5.71E-14	5.69E-14
sn125	2.90E-14	2.92E-14	2.92E-14	2.92E-14	2.92E-14	2.90E-14
dy160	1.51E-14	1.79E-14	2.08E-14	2.40E-14	2.73E-14	2.73E-14
xe128	1.58E-14	1.84E-14	2.12E-14	2.42E-14	2.72E-14	2.72E-14
ru105	2.26E-14	2.96E-14	2.96E-14	2.96E-14	2.96E-14	2.26E-14
er166	1.18E-14	1.34E-14	1.50E-14	1.66E-14	1.83E-14	1.83E-14
sn123	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14
te132	9.43E-15	9.59E-15	9.59E-15	9.59E-15	9.59E-15	9.43E-15
rb 88	8.86E-15	1.30E-14	1.30E-14	1.30E-14	1.30E-14	8.86E-15
i135	8.32E-15	1.02E-14	1.02E-14	1.02E-14	1.02E-14	8.32E-15
kr 80	3.35E-15	3.77E-15	4.20E-15	4.62E-15	5.04E-15	5.04E-15
sn116	1.99E-15	2.50E-15	3.07E-15	3.69E-15	4.38E-15	4.38E-15
sb126	3.07E-15	3.09E-15	3.10E-15	3.11E-15	3.12E-15	3.10E-15
te122	1.21E-15	1.47E-15	1.75E-15	2.06E-15	2.39E-15	2.39E-15
sb124	2.12E-15	2.13E-15	2.13E-15	2.13E-15	2.13E-15	

fission products

page 25

in117m	1.85E-15	2.10E-15	2.10E-15	2.10E-15	2.11E-15	1.85E-15
tb160	7.14E-16	7.65E-16	8.16E-16	8.68E-16	9.19E-16	9.19E-16
te134	8.71E-16	5.88E-15	5.88E-15	5.88E-15	5.88E-15	8.71E-16
i130	6.90E-16	7.73E-16	7.79E-16	7.86E-16	7.92E-16	7.14E-16
in117	5.50E-16	6.18E-16	6.18E-16	6.19E-16	6.19E-16	5.50E-16
be_9	2.66E-16	3.00E-16	3.33E-16	3.66E-16	4.00E-16	4.00E-16
pr142	2.60E-16	3.13E-16	3.48E-16	3.83E-16	4.18E-16	3.90E-16
te123	2.40E-16	2.70E-16	3.01E-16	3.32E-16	3.63E-16	3.63E-16
rb_86	2.57E-16	2.59E-16	2.61E-16	2.64E-16	2.66E-16	2.65E-16
li_7	1.08E-16	1.22E-16	1.36E-16	1.49E-16	1.63E-16	1.63E-16
dy165	1.28E-16	2.22E-16	2.23E-16	2.25E-16	2.26E-16	1.31E-16
er167	5.45E-17	6.29E-17	7.16E-17	8.08E-17	9.02E-17	9.02E-17
ge_75	3.40E-17	8.68E-17	8.68E-17	8.68E-17	8.68E-17	3.40E-17
cd118	2.48E-17	1.21E-16	1.21E-16	1.21E-16	1.21E-16	2.48E-17
cd108	2.42E-18	2.76E-18	3.10E-18	3.46E-18	3.82E-18	3.82E-18
cs134m	1.30E-18	2.29E-18	2.55E-18	2.81E-18	3.06E-18	1.94E-18
sn114	2.32E-19	3.07E-19	3.94E-19	4.95E-19	6.10E-19	6.10E-19
in119m	4.21E-19	3.02E-17	3.02E-17	3.02E-17	3.02E-17	4.21E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

fission products

page 26

0 fraction of total absorption rate

0 power= .00mw, burnup= 88. mwd, flux= 2.74E+08n/cm\*\*2-sec

0 initial 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d

1 cd109 2.53E-19 2.63E-19 2.69E-19 2.80E-19 2.90E-19 2.90E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

light elements

page 27

0 power= 4.000E-03mw, burnup=8.7659E+01mwd, flux= 2.74E+08n/cm\*\*2-sec

0 nuclide concentrations, gram atoms

0 basis = single reactor assembly

charge 16436.4 d 18262.7 d 20088.9 d 21915.2 d 21915.2 d

h_1	3.48E-06	3.91E-06	4.33E-06	4.76E-06	5.18E-06	5.18E-06
-----	----------	----------	----------	----------	----------	----------

h_2	1.03E-08	1.16E-08	1.28E-08	1.41E-08	1.54E-08	1.54E-08
-----	----------	----------	----------	----------	----------	----------

h_3	2.99E-11	3.07E-11	3.13E-11	3.17E-11	3.21E-11	3.21E-11
-----	----------	----------	----------	----------	----------	----------

h_4	.00E+00	1.25E-34	1.27E-34	1.29E-34	1.30E-34	.00E+00
-----	---------	----------	----------	----------	----------	---------

he_3	4.57E-11	5.42E-11	6.29E-11	7.18E-11	8.07E-11	8.07E-11
------	----------	----------	----------	----------	----------	----------

he_4	5.75E-07	6.46E-07	7.16E-07	7.86E-07	8.57E-07	8.57E-07
------	----------	----------	----------	----------	----------	----------

he_6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
------	---------	---------	---------	---------	---------	---------

ne_20	6.91E-08	7.75E-08	8.60E-08	9.45E-08	1.03E-07	1.03E-07
-------	----------	----------	----------	----------	----------	----------

ne_21	9.49E-14	1.18E-13	1.44E-13	1.72E-13	2.03E-13	2.03E-13
-------	----------	----------	----------	----------	----------	----------

ne_22	4.09E-10	4.64E-10	5.19E-10	5.74E-10	6.30E-10	6.30E-10
-------	----------	----------	----------	----------	----------	----------

ne_23	7.10E-30	7.05E-15	7.05E-15	7.05E-15	7.05E-15	7.05E-30
-------	----------	----------	----------	----------	----------	----------

na_22	4.17E-11	4.15E-11	4.14E-11	4.14E-11	4.14E-11	4.14E-11
-------	----------	----------	----------	----------	----------	----------

na_23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
-------	----------	----------	----------	----------	----------	----------

na_24	2.81E-08	2.85E-08	2.85E-08	2.85E-08	2.85E-08	2.60E-08
-------	----------	----------	----------	----------	----------	----------

na_24m	5.05E-30	4.68E-15	4.68E-15	4.68E-15	4.68E-15	4.68E-30
--------	----------	----------	----------	----------	----------	----------

na_25	2.53E-42	2.77E-27	3.11E-27	3.46E-27	3.81E-27	3.85E-42
-------	----------	----------	----------	----------	----------	----------

mg_24	5.57E-06	6.16E-04	6.75E-04	7.34E-04	7.94E-04	7.94E-04
-------	----------	----------	----------	----------	----------	----------

mg_25	8.50E-11	9.66E-11	1.09E-10	1.21E-10	1.33E-10	1.33E-10
-------	----------	----------	----------	----------	----------	----------

mg_26	1.03E-08	1.16E-08	1.28E-08	1.41E-08	1.54E-08	1.54E-08
-------	----------	----------	----------	----------	----------	----------

mg_27	4.59E-16	2.10E-12	2.10E-12	2.10E-12	2.10E-12	4.55E-16
-------	----------	----------	----------	----------	----------	----------

mg_28	4.05E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24	4.03E-24
-------	----------	----------	----------	----------	----------	----------

al_27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
-------	----------	----------	----------	----------	----------	----------

al_28	3.10E-25	2.11E-10	2.11E-10	2.11E-10	2.11E-10	2.88E-25
-------	----------	----------	----------	----------	----------	----------

al_29	1.19E-31	2.80E-26	3.42E-26	4.10E-26	4.84E-26	2.53E-31
-------	----------	----------	----------	----------	----------	----------

al_30	.00E+00	2.38E-38	3.24E-38	4.28E-38	5.52E-38	.00E+00
-------	---------	----------	----------	----------	----------	---------

si_28	1.62E-03	1.79E-03	1.96E-03	2.14E-03	2.31E-03	2.31E-03
-------	----------	----------	----------	----------	----------	----------

si_29	8.69E-11	1.09E-10	1.33E-10	1.60E-10	1.88E-10	1.88E-10
-------	----------	----------	----------	----------	----------	----------

si_30	4.89E-18	6.92E-18	9.43E-18	1.25E-17	1.61E-17	1.61E-17
-------	----------	----------	----------	----------	----------	----------

si_31	2.11E-30	4.97E-30	6.77E-30	8.95E-30	1.15E-29	6.95E-30
-------	----------	----------	----------	----------	----------	----------

si_32	2.44E-37	3.87E-37	5.86E-37	8.50E-37	1.19E-36	1.19E-36
-------	----------	----------	----------	----------	----------	----------

totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux		2.74E+08	2.74E+08	2.74E+08	2.74E+08	2.74E-07

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=8.7659E+01mwd, flux= 2.74E+08n/cm\*\*2-sec  
 nuclide concentrations, gram atoms  
 basis = single reactor assembly

he 4	3.22E-03	3.77E-03	4.35E-03	4.96E-03	5.60E-03	5.60E-03
pb206	2.62E-10	4.10E-10	6.10E-10	8.72E-10	1.21E-09	1.21E-09
pb207	3.86E-09	5.32E-09	7.07E-09	9.13E-09	1.15E-08	1.15E-08
pb208	1.59E-09	2.08E-09	2.64E-09	3.27E-09	3.96E-09	3.96E-09
pb209	2.24E-15	2.82E-15	3.49E-15	4.22E-15	5.02E-15	5.05E-15
pb210	8.13E-10	1.12E-09	1.49E-09	1.92E-09	2.42E-09	2.42E-09
pb211	2.62E-14	3.18E-14	3.77E-14	4.38E-14	5.02E-14	5.02E-14
pb212	1.62E-13	1.85E-13	2.08E-13	2.31E-13	2.54E-13	2.54E-13
pb214	5.77E-15	7.52E-15	9.28E-15	1.12E-14	1.33E-14	1.29E-14
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	5.53E-11	7.88E-11	1.08E-10	1.44E-10	1.87E-10	1.87E-10
bi210 <sub>m</sub>	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	5.00E-13	6.90E-13	9.16E-13	1.18E-12	1.49E-12	1.49E-12
bi211	1.56E-15	1.89E-15	2.24E-15	2.60E-15	2.97E-15	2.99E-15
bi212	1.53E-14	1.75E-14	1.97E-14	2.19E-14	2.41E-14	2.41E-14
bi213	5.05E-16	6.59E-16	8.14E-16	9.85E-16	1.17E-15	1.14E-15
bi214	4.34E-15	5.59E-15	6.89E-15	8.33E-15	9.91E-15	9.75E-15
ra222	2.80E-27	3.13E-27	3.49E-27	3.85E-27	4.21E-27	4.21E-27
ra223	1.20E-11	1.45E-11	1.72E-11	2.00E-11	2.29E-11	2.29E-11
ra224	1.33E-12	1.53E-12	1.72E-12	1.91E-12	2.09E-12	2.09E-12
ra225	2.44E-13	3.08E-13	3.81E-13	4.61E-13	5.48E-13	5.48E-13
ra226	1.87E-07	2.36E-07	2.91E-07	3.52E-07	4.19E-07	4.19E-07
ra228	6.71E-14	7.76E-14	8.81E-14	9.87E-14	1.09E-13	1.09E-13
ac225	1.65E-13	2.08E-13	2.57E-13	3.11E-13	3.70E-13	3.70E-13
ac227	8.31E-09	1.01E-08	1.19E-08	1.39E-08	1.59E-08	1.59E-08
ac228	8.19E-18	9.47E-18	1.08E-17	1.20E-17	1.33E-17	1.33E-17
th226	1.36E-25	1.53E-25	1.70E-25	1.88E-25	2.06E-25	2.05E-25
th227	1.93E-11	2.34E-11	2.78E-11	3.23E-11	3.69E-11	3.69E-11
th228	2.55E-10	2.91E-10	3.28E-10	3.64E-10	4.00E-10	4.00E-10
th229	4.74E-08	6.00E-08	7.40E-08	8.96E-08	1.07E-07	1.07E-07
th230	1.02E-03	1.15E-03	1.28E-03	1.40E-03	1.53E-03	1.53E-03
th231	3.02E-09	3.03E-09	3.03E-09	3.03E-09	3.03E-09	3.03E-09
th232	2.07E-04	2.32E-04	2.58E-04	2.84E-04	3.10E-04	3.10E-04
th233	5.29E-17	6.13E-15	2.37E-15	2.61E-15	2.84E-15	7.92E-17
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231	2.88E-05	3.24E-05	3.60E-05	3.96E-05	4.32E-05	4.32E-05
pa232	4.74E-13	5.56E-13	6.18E-13	6.80E-13	7.42E-13	7.11E-13
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234 <sub>m</sub>	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.32E-22	1.48E-22	1.65E-22	1.82E-22	1.99E-22	1.99E-22
u231	4.16E-19	4.67E-19	5.19E-19	5.71E-19	6.23E-19	6.15E-19
u232	1.00E-08	1.14E-08	1.27E-08	1.40E-08	1.53E-08	1.53E-08
u233	5.45E-04	6.13E-04	6.81E-04	7.49E-04	8.17E-04	8.17E-04
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.74E+02	1.74E+02	1.75E+02	1.75E+02	1.75E+02	1.75E+02
u237	3.12E-06	3.11E-06	3.11E-06	3.11E-06	3.09E-06	3.09E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04

actinides

page 28

sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

actinides

page 29

0 power= 4.000E-03mw, burnup=8.7659E+01mwd, flux= 2.74E+08n/cm\*\*2-sec  
 nuclide concentrations, gram atoms  
 basis = single reactor assembly

	charge	16436.4	d	18262.7	d	20088.9	d	21915.2	d	21915.2
u239	1.07E-08	3.19E-07		3.19E-07		3.19E-07		3.19E-07		1.06E-08
u240	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
u241	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
np235	8.79E-12	8.68E-12		8.67E-12		8.67E-12		8.67E-12		8.67E-12
np236m	1.97E-12	2.06E-12		2.06E-12		2.06E-12		2.06E-12		1.94E-12
np236	8.06E-09	9.04E-09		1.00E-08		1.10E-08		1.20E-08		1.20E-08
np237	4.21E+01	4.21E+01		4.21E+01		4.21E+01		4.21E+01		4.21E+01
np238	1.52E-06	1.56E-06		1.56E-06		1.56E-06		1.56E-06		1.52E-06
np239	4.57E-05	4.61E-05		4.61E-05		4.61E-05		4.61E-05		4.53E-05
np240m	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
np240	2.61E-15	9.37E-15		9.37E-15		9.37E-15		9.37E-15		2.58E-15
np241	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
pu236	1.13E-09	1.12E-09		1.12E-09		1.12E-09		1.12E-09		1.12E-09
pu237	6.50E-14	7.09E-14		7.73E-14		8.34E-14		8.94E-14		8.93E-14
pu238	6.44E-03	7.10E-03		7.74E-03		8.35E-03		8.94E-03		8.94E-03
pu239	2.02E-01	2.27E-01		2.52E-01		2.76E-01		3.01E-01		3.01E-01
pu240	3.98E-05	5.03E-05		6.20E-05		7.49E-05		8.90E-05		8.90E-05
pu241	7.05E-09	9.54E-09		1.25E-08		1.59E-08		1.97E-08		1.97E-08
pu242	6.71E-13	1.05E-12		1.55E-12		2.22E-12		3.06E-12		3.06E-12
pu243	1.10E-21	2.21E-21		3.28E-21		4.69E-21		6.48E-21		4.95E-21
pu244	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
pu245	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
pu246	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
am239	9.12E-25	1.54E-24		2.26E-24		3.17E-24		4.32E-24		3.87E-24
am240	4.55E-22	7.07E-22		1.03E-21		1.45E-21		1.98E-21		1.93E-21
am241	3.66E-09	5.62E-09		8.22E-09		1.16E-08		1.57E-08		1.57E-08
am242m	7.70E-14	1.33E-13		2.16E-13		3.34E-13		4.97E-13		4.97E-13
am242	1.19E-16	1.97E-16		2.88E-16		4.06E-16		5.53E-16		5.10E-16
am243	2.94E-17	5.44E-17		9.46E-17		1.56E-16		2.46E-16		2.46E-16
am244m	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
am244	1.98E-25	4.15E-25		7.21E-25		1.19E-24		1.88E-24		1.64E-24
am245	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
am246	.00E+00	.00E+00		.00E+00		.00E+00		.00E+00		.00E+00
totals	3.73E+04	3.73E+04		3.73E+04		3.73E+04		3.73E+04		3.73E+04
0 flux	2.74E+08	2.74E+08		2.74E+08		2.74E+08		2.74E+08		2.74E+07

0      1q array has      20 entries.  
 0      3q array has      1 entries.  
 0      3q array has      1 entries.  
 0      3q array has      1 entries.  
 0      4q array has      1 entries.  
 0      54q array has      12 entries.

## library information...

cross-section data taken from position number 4 of library on unit 33.

```

pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes

```

```

pass 0 applies start-up fuel densities
pass n applies mid time densities of nth library interval
first library updated was...
*****
* prelim lwr origin-s binary working library--id = 1143
* made from modified card-image origin-s libraries of scale 4.2
* data from the light element, actinide, and fission product libraries
* decay data, including gamma and total energy, are from endf/b-vi
*
* neutron flux spectrum factors and cross sections were produced from
* the "presas2" case updating all nuclides on the scale "burnup" library
*
* fission product yields are from endf/b-v
*
* photon libraries use an 18-energy-group structure
* the photon data are from the master photon data base,
* produced to include bremsstrahlung from uo2 matrix
*
* see information above this box (if present) for later updates
*****

```

```

0 **** other identification and sizes of library.
0   data set name: ft33f001
0   8/28/1996 date library was produced
0   1697 total number of nuclides in library
0   689 number of light-element nuclides
0   129 number of actinide nuclides
0   879 number of fission product nuclides
0   7993 number of nonzero off-diagonal matrix elements
0 ****
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
0   power= .00mw, burnup= 117.mwd, flux= 2.71E+08n/cm**2-sec
0   basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0   initial 23741.5 d 25567.7 d 27394.0 d 29220.2 d 29220.3 d
0   productions 1.135003E+06 1.135040E+06 1.135077E+06 1.135114E+06 1.135151E+06 1.135151E+06
0   absorptions 9.251454E+05 9.252036E+05 9.252616E+05 9.253189E+05 9.253764E+05 9.253763E+05
0   k infinity 1.226838E+00 1.226801E+00 1.226764E+00 1.226728E+00 1.226692E+00 1.226692E+00
0   actinide
0   absorptions 9.215212E+05 9.215431E+05 9.215651E+05 9.215869E+05 9.216088E+05 9.216088E+05
0   non-actinide
0   abs. fracs. 3.917515E-03 3.956497E-03 3.995001E-03 4.033267E-03 4.071355E-03 4.071295E-03
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2
0   fraction of total absorption rate
0   power= .00mw, burnup= 117.mwd, flux= 2.71E+08n/cm**2-sec
0   initial 23741.5 d 25567.7 d 27394.0 d 29220.2 d 29220.3 d
sm149  4.29E-04 4.63E-04 4.97E-04 5.31E-04 5.64E-04 5.64E-04
sm151  1.50E-05 1.60E-05 1.69E-05 1.78E-05 1.87E-05 1.87E-05
nd143  8.92E-06 9.66E-06 1.04E-05 1.12E-05 1.19E-05 1.19E-05
gd155  5.27E-06 5.75E-06 6.24E-06 6.72E-06 7.20E-06 7.20E-06
gd157  4.31E-06 4.64E-06 4.97E-06 5.30E-06 5.63E-06 5.63E-06
rh103  4.12E-06 4.46E-06 4.81E-06 5.15E-06 5.50E-06 5.50E-06
cd113  3.81E-06 4.12E-06 4.42E-06 4.73E-06 5.04E-06 5.04E-06
eu151  2.76E-06 3.20E-06 3.67E-06 4.16E-06 4.68E-06 4.68E-06
xe131  2.81E-06 3.04E-06 3.27E-06 3.51E-06 3.74E-06 3.74E-06

```

page 30

page 31

cs133	2.18E-06	2.36E-06	2.54E-06	2.72E-06	2.90E-06	2.90E-06
xe135	2.29E-06	2.33E-06	2.33E-06	2.33E-06	2.33E-06	2.29E-06
tc 99	1.60E-06	1.74E-06	1.87E-06	2.00E-06	2.14E-06	2.14E-06
sm147	1.52E-06	1.65E-06	1.79E-06	1.92E-06	2.05E-06	2.05E-06
nd145	1.25E-06	1.35E-06	1.45E-06	1.56E-06	1.66E-06	1.66E-06
mo 95	8.58E-07	9.30E-07	1.00E-06	1.07E-06	1.15E-06	1.15E-06
sm152	6.60E-07	7.15E-07	7.70E-07	8.26E-07	8.81E-07	8.81E-07
kr 83	5.42E-07	5.87E-07	6.32E-07	6.78E-07	7.23E-07	7.23E-07
cs135	4.91E-07	5.32E-07	5.73E-07	6.14E-07	6.55E-07	6.55E-07
ru101	3.80E-07	4.12E-07	4.43E-07	4.75E-07	5.06E-07	5.06E-07
pr141	3.68E-07	3.99E-07	4.29E-07	4.60E-07	4.91E-07	4.91E-07
eu153	3.33E-07	3.61E-07	3.89E-07	4.17E-07	4.44E-07	4.44E-07
la139	3.01E-07	3.26E-07	3.52E-07	3.77E-07	4.02E-07	4.02E-07
pm147	2.71E-07	2.71E-07	2.71E-07	2.71E-07	2.71E-07	2.71E-07
pd105	1.27E-07	1.38E-07	1.48E-07	1.59E-07	1.69E-07	1.69E-07
zr 93	1.22E-07	1.32E-07	1.42E-07	1.52E-07	1.62E-07	1.62E-07
eu155	1.58E-07	1.58E-07	1.58E-07	1.58E-07	1.58E-07	1.58E-07
i129	9.36E-08	1.01E-07	1.09E-07	1.17E-07	1.25E-07	1.25E-07
nd144	8.89E-08	9.64E-08	1.04E-07	1.12E-07	1.19E-07	1.19E-07
ba137	6.62E-08	7.54E-08	8.49E-08	9.46E-08	1.05E-07	1.05E-07
mo 97	6.83E-08	7.39E-08	7.96E-08	8.53E-08	9.10E-08	9.10E-08
ag109	4.82E-08	5.22E-08	5.63E-08	6.04E-08	6.45E-08	6.45E-08
sm150	2.72E-08	3.19E-08	3.69E-08	4.23E-08	4.80E-08	4.80E-08
zr 91	3.21E-08	3.48E-08	3.75E-08	4.02E-08	4.28E-08	4.28E-08
y 89	3.08E-08	3.34E-08	3.60E-08	3.86E-08	4.11E-08	4.11E-08
ru102	2.78E-08	3.01E-08	3.25E-08	3.48E-08	3.71E-08	3.71E-08
ce142	2.51E-08	2.72E-08	2.93E-08	3.14E-08	3.35E-08	3.35E-08
nd148	2.41E-08	2.61E-08	2.81E-08	3.01E-08	3.21E-08	3.21E-08
nd146	2.02E-08	2.19E-08	2.36E-08	2.53E-08	2.70E-08	2.70E-08
ba138	1.73E-08	1.87E-08	2.02E-08	2.16E-08	2.31E-08	2.31E-08
in115	1.66E-08	1.80E-08	1.94E-08	2.08E-08	2.21E-08	2.21E-08
pd108	1.62E-08	1.76E-08	1.90E-08	2.03E-08	2.17E-08	2.17E-08
ce140	1.62E-08	1.75E-08	1.89E-08	2.02E-08	2.16E-08	2.16E-08
xe132	1.45E-08	1.57E-08	1.69E-08	1.81E-08	1.93E-08	1.93E-08
sr 90	1.33E-08	1.38E-08	1.42E-08	1.45E-08	1.48E-08	1.48E-08
mo 98	9.96E-09	1.08E-08	1.16E-08	1.24E-08	1.33E-08	1.33E-08
pd107	9.66E-09	1.05E-08	1.13E-08	1.21E-08	1.29E-08	1.29E-08
mo100	9.65E-09	1.05E-08	1.13E-08	1.21E-08	1.29E-08	1.29E-08
xe134	9.55E-09	1.03E-08	1.11E-08	1.19E-08	1.27E-08	1.27E-08
zr 92	7.76E-09	8.60E-09	9.05E-09	9.69E-09	1.03E-08	1.03E-08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate

#### **fission products**

page 32

power=.00mw, burnup= 117.mwd, flux= 2.71E+08n/cm\*\*2-sec  
initial 23741.5 d 25567.7 d 27394.0 d 29220.2 d 29220.3 d

zr 90	1.45E-09	1.65E-09	1.86E-09	2.07E-09	2.29E-09	2.29E-09
se 77	1.56E-09	1.69E-09	1.82E-09	1.95E-09	2.08E-09	2.08E-09
xe133	2.03E-09	2.03E-09	2.03E-09	2.03E-09	2.03E-09	2.03E-09
ce141	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09
pd106	1.07E-09	1.17E-09	1.26E-09	1.35E-09	1.44E-09	1.44E-09
kr 84	1.03E-09	1.11E-09	1.20E-09	1.28E-09	1.37E-09	1.37E-09
se 79	7.98E-10	8.64E-10	9.31E-10	9.97E-10	1.06E-09	1.06E-09
sb121	7.51E-10	8.14E-10	8.77E-10	9.39E-10	1.00E-09	1.00E-09
pm149	9.74E-10	9.81E-10	9.81E-10	9.81E-10	9.80E-10	9.73E-10
nd147	9.27E-10	9.31E-10	9.31E-10	9.30E-10	9.30E-10	9.27E-10
sb123	6.13E-10	6.64E-10	7.15E-10	7.66E-10	8.17E-10	8.17E-10
eu152	4.13E-10	4.98E-10	5.91E-10	6.91E-10	7.99E-10	7.99E-10
kr 86	5.76E-10	6.24E-10	6.72E-10	7.20E-10	7.68E-10	7.68E-10
te128	5.12E-10	5.54E-10	5.97E-10	6.40E-10	6.82E-10	6.82E-10
ce144	6.04E-10	6.04E-10	6.04E-10	6.04E-10	6.04E-10	6.03E-10
kr 85	5.65E-10	5.68E-10	5.70E-10	5.72E-10	5.73E-10	5.73E-10
gd156	4.02E-10	4.36E-10	4.72E-10	5.07E-10	5.42E-10	5.42E-10
se 80	3.72E-10	4.03E-10	4.34E-10	4.65E-10	4.96E-10	4.96E-10
dy161	3.26E-10	3.54E-10	3.81E-10	4.09E-10	4.36E-10	4.36E-10
te125	3.03E-10	3.30E-10	3.57E-10	3.84E-10	4.11E-10	4.11E-10
ru103	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10
tb159	2.19E-10	2.37E-10	2.56E-10	2.74E-10	2.92E-10	2.92E-10
li 6	2.12E-10	2.29E-10	2.47E-10	2.64E-10	2.82E-10	2.82E-10
cd112	2.10E-10	2.28E-10	2.46E-10	2.63E-10	2.81E-10	2.81E-10
sn117	1.67E-10	1.81E-10	1.94E-10	2.08E-10	2.22E-10	2.22E-10
eu154	1.43E-10	1.57E-10	1.71E-10	1.85E-10	1.99E-10	1.99E-10
sn119	1.38E-10	1.49E-10	1.60E-10	1.72E-10	1.83E-10	1.83E-10
sn115	1.26E-10	1.36E-10	1.47E-10	1.57E-10	1.68E-10	1.68E-10
zr 95	1.65E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
y 91	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10
sr 88	1.06E-10	1.15E-10	1.23E-10	1.32E-10	1.41E-10	1.41E-10
gd152	5.19E-11	6.62E-11	8.28E-11	1.02E-10	1.24E-10	1.24E-10
pm151	1.06E-10	1.10E-10	1.10E-10	1.10E-10	1.06E-10	1.06E-10

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate  
0 power= .00mw, burnup= 117.mwd, flux= 2.71E+08n/cm\*\*2-sec  
0 initial 23741.5 d 25567.7 d 27394.0 d 29220.2 d 29220.3 d

gd158	7.68E-11	8.39E-11	9.12E-11	9.86E-11	1.06E-10	1.06E-10
pd110	7.51E-11	8.14E-11	8.77E-11	9.40E-11	1.00E-10	1.00E-10
cd114	7.43E-11	8.06E-11	8.70E-11	9.34E-11	9.99E-11	9.99E-11
se 82	7.19E-11	7.78E-11	8.38E-11	8.98E-11	9.58E-11	9.58E-11
sn126	5.77E-11	6.25E-11	6.73E-11	7.21E-11	7.70E-11	7.70E-11
se 78	5.43E-11	5.89E-11	6.34E-11	6.79E-11	7.24E-11	7.24E-11
sn124	4.34E-11	4.71E-11	5.07E-11	5.43E-11	5.79E-11	5.79E-11
dy162	4.28E-11	4.64E-11	5.01E-11	5.38E-11	5.75E-11	5.75E-11
ru 99	3.31E-11	3.81E-11	4.34E-11	4.91E-11	5.51E-11	5.51E-11
dy164	3.94E-11	4.28E-11	4.63E-11	4.97E-11	5.32E-11	5.32E-11
ba140	4.73E-11	4.75E-11	4.75E-11	4.75E-11	4.75E-11	4.73E-11
as 75	3.24E-11	3.51E-11	3.78E-11	4.05E-11	4.32E-11	4.32E-11
sm153	3.73E-11	3.83E-11	3.83E-11	3.83E-11	3.83E-11	3.73E-11
eu156	3.44E-11	3.44E-11	3.44E-11	3.44E-11	3.44E-11	3.44E-11
sr 89	3.09E-11	3.09E-11	3.09E-11	3.09E-11	3.09E-11	3.09E-11
ru106	2.53E-11	2.53E-11	2.53E-11	2.53E-11	2.53E-11	2.53E-11
in113	1.65E-11	1.84E-11	2.03E-11	2.23E-11	2.43E-11	2.43E-11
sn118	1.77E-11	1.92E-11	2.07E-11	2.21E-11	2.36E-11	2.36E-11
ba136	1.74E-11	1.89E-11	2.04E-11	2.19E-11	2.34E-11	2.34E-11
cs134	1.59E-11	1.73E-11	1.86E-11	1.99E-11	2.13E-11	2.13E-11
sn122	1.51E-11	1.64E-11	1.76E-11	1.89E-11	2.01E-11	2.01E-11

fission products

page 33

```

cd116 1.51E-11 1.63E-11 1.76E-11 1.88E-11 2.01E-11 2.01E-11
gd154 1.00E-11 1.20E-11 1.42E-11 1.65E-11 1.91E-11 1.91E-11
ce143 1.70E-11 1.76E-11 1.76E-11 1.76E-11 1.76E-11 1.70E-11
ls140 1.53E-11 1.53E-11 1.53E-11 1.53E-11 1.53E-11 1.53E-11
sn120 1.13E-11 1.22E-11 1.31E-11 1.41E-11 1.50E-11 1.50E-11
sb125 1.49E-11 1.49E-11 1.49E-11 1.49E-11 1.49E-11 1.49E-11
y 90 1.27E-11 1.31E-11 1.35E-11 1.38E-11 1.41E-11 1.41E-11
kr 82 9.75E-12 1.06E-11 1.14E-11 1.23E-11 1.31E-11 1.31E-11
mo 99 1.29E-11 1.32E-11 1.31E-11 1.31E-11 1.31E-11 1.29E-11
dy163 9.51E-12 1.03E-11 1.11E-11 1.20E-11 1.28E-11 1.28E-11
ge 73 8.85E-12 9.59E-12 1.03E-11 1.11E-11 1.18E-11 1.18E-11
pm148m 9.64E-12 9.63E-12 9.63E-12 9.62E-12 9.62E-12 9.61E-12
ru100 5.14E-12 5.96E-12 6.83E-12 7.77E-12 8.76E-12 8.76E-12
xe130 6.14E-12 6.69E-12 7.23E-12 7.78E-12 8.34E-12 8.34E-12
kr 87 8.20E-12 2.31E-11 2.31E-11 2.31E-11 2.31E-11 8.20E-12
te127m 7.47E-12 7.47E-12 7.47E-12 7.47E-12 7.47E-12 7.47E-12
i131 6.76E-12 6.78E-12 6.78E-12 6.78E-12 6.78E-12 6.76E-12
mo 96 4.74E-12 5.19E-12 5.66E-12 6.13E-12 6.61E-12 6.61E-12
sm148 3.23E-12 3.74E-12 4.28E-12 4.87E-12 5.49E-12 5.49E-12
nd142 3.06E-12 3.59E-12 4.16E-12 4.77E-12 5.43E-12 5.43E-12
ba134 2.81E-12 3.31E-12 3.84E-12 4.41E-12 5.03E-12 5.03E-12
ge 76 3.21E-12 3.48E-12 3.75E-12 4.01E-12 4.28E-12 4.28E-12
ba135 2.42E-12 2.83E-12 3.28E-12 3.76E-12 4.28E-12 4.28E-12
pd104 1.99E-12 2.33E-12 2.70E-12 3.10E-12 3.53E-12 3.53E-12
gd160 2.04E-12 2.21E-12 2.38E-12 2.55E-12 2.72E-12 2.72E-12
te126 1.62E-12 1.77E-12 1.91E-12 2.05E-12 2.20E-12 2.20E-12
te129m 1.80E-12 1.80E-12 1.80E-12 1.80E-12 1.80E-12 1.80E-12
ho165 6.55E-13 7.11E-13 7.68E-13 8.25E-13 8.83E-13 8.83E-13
sas2h: far-field crit based on b&w 15x15 3.00wt% 20gwd/mu 40% h2o/ 8% uo2
power=.00mw burnup= 117.mwd flux= 2.71E+08n/cm**2-sec
initial 23741.5 d 25567.7 d 27394.0 d 29220.2 d 29220.3 d

```

#### fission product

page 34

te124	3.76E-13	4.08E-13	4.40E-13	4.72E-13	5.04E-13	5.04E-13
sr 87	3.69E-13	4.00E-13	4.31E-13	4.62E-13	4.93E-13	4.93E-13
cd110	2.78E-13	3.25E-13	3.76E-13	4.30E-13	4.88E-13	4.88E-13
nb 93	1.95E-13	2.39E-13	2.88E-13	3.42E-13	4.01E-13	4.01E-13
pm148	3.65E-13	3.67E-13	3.67E-13	3.67E-13	3.67E-13	3.63E-13
br 79	1.95E-13	2.29E-13	2.65E-13	3.04E-13	3.46E-13	3.46E-13
ag111	3.17E-13	3.19E-13	3.19E-13	3.19E-13	3.19E-13	3.18E-13
nb 94	2.09E-13	2.26E-13	2.44E-13	2.61E-13	2.78E-13	2.78E-13
eu157	2.76E-13	2.99E-13	2.99E-13	2.99E-13	2.99E-13	2.77E-13
ge 74	1.79E-13	1.96E-13	2.09E-13	2.24E-13	2.39E-13	2.39E-13
cd115m	2.37E-13	2.37E-13	2.37E-13	2.37E-13	2.38E-13	2.37E-13
xe129	1.10E-13	1.29E-13	1.50E-13	1.72E-13	1.96E-13	1.96E-13
ag107	1.04E-13	1.22E-13	1.41E-13	1.62E-13	1.84E-13	1.84E-13
ge 72	1.20E-13	1.30E-13	1.40E-13	1.50E-13	1.60E-13	1.60E-13
sr 86	1.10E-13	1.19E-13	1.29E-13	1.39E-13	1.48E-13	1.48E-13
se 76	7.09E-14	7.69E-14	8.30E-14	8.90E-14	9.51E-14	9.51E-14
cs136	5.68E-14	5.72E-14	5.73E-14	5.75E-14	5.76E-14	5.74E-14
dy160	2.73E-14	3.08E-14	3.46E-14	3.85E-14	4.26E-14	4.26E-14
xe128	2.73E-14	3.05E-14	3.39E-14	3.74E-14	4.11E-14	4.11E-14
sn125	2.90E-14	2.92E-14	2.92E-14	2.92E-14	2.92E-14	2.90E-14
er166	1.83E-14	2.00E-14	2.17E-14	2.34E-14	2.52E-14	2.52E-14
ru105	2.26E-14	2.95E-14	2.95E-14	2.95E-14	2.95E-14	2.26E-14
sn123	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14
te132	9.44E-15	9.60E-15	9.60E-15	9.60E-15	9.60E-15	9.44E-15
rb 88	8.88E-15	1.30E-14	1.30E-14	1.30E-14	1.30E-14	8.88E-15
f135	8.34E-15	1.02E-14	1.02E-14	1.02E-14	1.02E-14	8.34E-15
sn116	4.37E-15	5.11E-15	5.90E-15	6.76E-15	7.67E-15	7.67E-15

kr 80	5.05E-15	5.48E-15	5.90E-15	6.33E-15	6.75E-15	6.75E-15
te122	2.39E-15	2.74E-15	3.12E-15	3.52E-15	3.95E-15	3.95E-15
sb126	3.10E-15	3.13E-15	3.14E-15	3.14E-15	3.15E-15	3.14E-15
sb124	2.13E-15	2.14E-15	2.14E-15	2.14E-15	2.14E-15	2.14E-15
in117m	1.85E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15	1.85E-15
tb160	9.20E-16	9.72E-16	1.02E-15	1.08E-15	1.13E-15	1.13E-15
te134	8.72E-16	5.89E-15	5.89E-15	5.89E-15	5.89E-15	8.72E-16
i130	7.14E-16	7.99E-16	8.06E-16	8.12E-16	8.18E-16	7.37E-16
in117	5.51E-16	6.20E-16	6.20E-16	6.20E-16	6.20E-16	5.51E-16
be 9	3.99E-16	4.32E-16	4.65E-16	4.98E-16	5.31E-16	5.31E-16
pr142	3.90E-16	4.53E-16	4.87E-16	5.22E-16	5.57E-16	5.20E-16
te123	3.64E-16	3.95E-16	4.26E-16	4.58E-16	4.90E-16	4.90E-16
rb 86	2.65E-16	2.68E-16	2.70E-16	2.72E-16	2.74E-16	2.73E-16
li 7	1.63E-16	1.77E-16	1.90E-16	2.04E-16	2.17E-16	2.17E-16
dy165	1.31E-16	2.28E-16	2.29E-16	2.30E-16	2.32E-16	1.34E-16
er167	9.04E-17	1.00E-16	1.10E-16	1.21E-16	1.32E-16	1.32E-16
ge 75	3.41E-17	8.70E-17	8.70E-17	8.70E-17	8.70E-17	3.41E-17
cd118	2.48E-17	1.21E-16	1.21E-16	1.21E-16	1.21E-16	2.48E-17
cd108	3.82E-18	4.19E-18	4.57E-18	4.95E-18	5.35E-18	5.35E-18
cs134m	1.94E-18	3.31E-18	3.56E-18	3.82E-18	4.08E-18	2.58E-18
sn114	6.14E-19	7.42E-19	8.84E-19	1.04E-18	1.21E-18	1.21E-18
in119m	4.22E-19	3.03E-17	3.03E-17	3.03E-17	3.03E-17	4.22E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate  
0 power= .00mw, burnup= 117.mwd, flux= 2.71E+08n/cm\*\*2-sec  
0 initial 23741.5 d 25567.7 d 27394.0 d 29220.2 d 29220.3 d

cd109 2.90E-19 2.97E-19 3.07E-19 3.14E-19 3.24E-19 3.24E-19

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= 4.000E-03mw, burnup=1.1688E+02mwd, flux= 2.71E+08n/cm\*\*2-sec  
0 nuclide concentrations, gram atoms  
basis = single reactor assembly

charge	23741.5	d 25567.7	d 27394.0	d 29220.2	d 29220.3	d
h 1	5.18E-06	5.61E-06	6.04E-06	6.46E-06	6.89E-06	6.89E-06
h 2	1.54E-08	1.66E-08	1.79E-08	1.92E-08	2.04E-08	2.04E-08
h 3	3.21E-11	3.23E-11	3.25E-11	3.26E-11	3.28E-11	3.28E-11
h 4	.00E+00	1.31E-34	1.32E-34	1.33E-34	1.33E-34	.00E+00
he 3	8.07E-11	8.97E-11	9.88E-11	1.08E-10	1.17E-10	1.17E-10
he 4	8.57E-07	9.27E-07	9.98E-07	1.07E-06	1.14E-06	1.14E-06
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	1.03E-07	1.11E-07	1.20E-07	1.28E-07	1.37E-07	1.37E-07
ne 21	2.03E-13	2.35E-13	2.70E-13	3.08E-13	3.47E-13	3.47E-13
ne 22	6.30E-10	6.85E-10	7.40E-10	7.95E-10	8.50E-10	8.50E-10
ne 23	7.05E-30	7.04E-15	7.04E-15	7.04E-15	7.04E-15	7.04E-30
na 22	4.14E-11	4.14E-11	4.14E-11	4.14E-11	4.14E-11	4.14E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.60E-08	2.77E-08	2.77E-08	2.77E-08	2.77E-08	2.53E-08
na 24m	4.68E-30	4.55E-15	4.55E-15	4.55E-15	4.55E-15	4.55E-30
na 25	3.85E-42	4.15E-27	4.52E-27	4.89E-27	5.27E-27	5.30E-42
mg 24	7.94E-04	8.51E-04	9.08E-04	9.66E-04	1.02E-03	1.02E-03
mg 25	1.33E-10	1.46E-10	1.58E-10	1.71E-10	1.85E-10	1.85E-10
mg 26	1.54E-08	1.66E-08	1.79E-08	1.92E-08	2.04E-08	2.04E-08
mg 27	4.55E-16	2.10E-12	2.10E-12	2.10E-12	2.10E-12	4.54E-16
mg 28	4.03E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24	4.03E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	2.88E-25	2.05E-10	2.05E-10	2.05E-10	2.05E-10	2.80E-25
al 29	2.53E-31	5.60E-26	6.44E-26	7.34E-26	8.29E-26	4.34E-31
al 30	.00E+00	6.93E-38	8.60E-38	1.05E-37	1.27E-37	.00E+00
si 28	2.31E-03	2.48E-03	2.64E-03	2.81E-03	2.98E-03	2.98E-03

fission products

page 35

light elements

page 36

si 29	1.88E-10	2.19E-10	2.52E-10	2.87E-10	3.25E-10	3.25E-10
si 30	1.61E-17	2.03E-17	2.52E-17	3.08E-17	3.71E-17	3.71E-17
si 31	6.95E-30	1.46E-29	1.81E-29	2.21E-29	2.67E-29	1.61E-29
si 32	1.19E-36	1.63E-36	2.17E-36	2.83E-36	3.64E-36	3.64E-36
totals 0	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux 1	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E-07

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.1688E+02mwd, flux= 2.71E+08n/cm\*\*2-sec  
 nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	23741.5	d	25567.7	d	27394.0	d	29220.2	d	29220.3	d
he 4	5.60E-03	6.26E-03	6.95E-03	7.67E-03	8.40E-03	8.40E-03				
pb206	1.21E-09	1.62E-09	2.13E-09	2.75E-09	3.48E-09	3.48E-09				
pb207	1.15E-08	1.42E-08	1.72E-08	2.06E-08	2.43E-08	2.43E-08				
pb208	3.96E-09	4.72E-09	5.54E-09	6.43E-09	7.38E-09	7.38E-09				
pb209	5.05E-15	5.89E-15	6.83E-15	7.84E-15	8.92E-15	8.98E-15				
pb210	2.42E-09	2.98E-09	3.62E-09	4.32E-09	5.10E-09	5.10E-09				
pb211	5.02E-14	5.67E-14	6.34E-14	7.02E-14	7.71E-14	7.70E-14				
pb212	2.54E-13	2.76E-13	2.99E-13	3.21E-13	3.44E-13	3.44E-13				
pb214	1.29E-14	1.56E-14	1.81E-14	2.08E-14	2.37E-14	2.29E-14				
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00				
bi209	1.87E-10	2.38E-10	2.97E-10	3.65E-10	4.44E-10	4.44E-10				
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00				
bi210	1.49E-12	1.84E-12	2.23E-12	2.66E-12	3.14E-12	3.14E-12				
bi211	2.99E-15	3.36E-15	3.76E-15	4.16E-15	4.57E-15	4.60E-15				
bi212	2.41E-14	2.62E-14	2.84E-14	3.05E-14	3.26E-14	3.26E-14				
bi213	1.14E-15	1.38E-15	1.60E-15	1.83E-15	2.08E-15	2.02E-15				
bi214	9.75E-15	1.16E-14	1.35E-14	1.54E-14	1.76E-14	1.73E-14				
po210	4.11E-11	5.07E-11	6.15E-11	7.35E-11	8.68E-11	8.68E-11				
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00				
po211	3.31E-20	3.71E-20	4.15E-20	4.60E-20	5.05E-20	5.08E-20				
po212	1.27E-24	1.38E-24	1.49E-24	1.60E-24	1.71E-24	1.71E-24				
po213	1.71E-24	2.07E-24	2.40E-24	2.75E-24	3.13E-24	3.04E-24				
po214	1.34E-21	1.60E-21	1.85E-21	2.13E-21	2.42E-21	2.38E-21				
po215	4.12E-20	4.66E-20	5.21E-20	5.77E-20	6.33E-20	6.33E-20				
po216	9.61E-19	1.05E-18	1.13E-18	1.22E-18	1.30E-18	1.30E-18				
po218	1.54E-15	1.81E-15	2.10E-15	2.41E-15	2.74E-15	2.74E-15				
ra222	4.21E-27	4.55E-27	4.90E-27	5.25E-27	5.60E-27	5.60E-27				
ra223	2.29E-11	2.59E-11	2.89E-11	3.20E-11	3.52E-11	3.52E-11				
ra224	2.09E-12	2.28E-12	2.47E-12	2.65E-12	2.84E-12	2.84E-12				
ra225	5.48E-13	6.43E-13	7.46E-13	8.56E-13	9.74E-13	9.74E-13				
ra226	4.19E-07	4.91E-07	5.70E-07	6.53E-07	7.43E-07	7.43E-07				
ra228	1.09E-13	1.20E-13	1.30E-13	1.41E-13	1.51E-13	1.51E-13				
ac225	3.70E-13	4.35E-13	5.04E-13	5.79E-13	6.58E-13	6.58E-13				
ac227	1.59E-08	1.80E-08	2.01E-08	2.22E-08	2.44E-08	2.44E-08				
ac228	1.33E-17	1.46E-17	1.59E-17	1.72E-17	1.85E-17	1.85E-17				
th226	2.05E-25	2.22E-25	2.39E-25	2.56E-25	2.73E-25	2.73E-25				
th227	3.69E-11	4.17E-11	4.67E-11	5.17E-11	5.67E-11	5.67E-11				
th228	4.00E-10	4.35E-10	4.71E-10	5.06E-10	5.41E-10	5.41E-10				
th229	1.07E-07	1.25E-07	1.45E-07	1.67E-07	1.89E-07	1.89E-07				
th230	1.53E-03	1.66E-03	1.79E-03	1.92E-03	2.04E-03	2.04E-03				
th231	3.03E-09	3.03E-09	3.03E-09	3.03E-09	3.03E-09	3.03E-09				
th232	3.10E-04	3.36E-04	3.61E-04	3.87E-04	4.13E-04	4.13E-04				
th233	7.92E-17	3.08E-15	3.31E-15	3.55E-15	3.79E-15	1.05E-16				
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07				
pa231	4.32E-05	4.68E-05	5.04E-05	5.40E-05	5.76E-05	5.76E-05				
pa232	7.11E-13	8.04E-13	8.66E-13	9.27E-13	9.89E-13	9.48E-13				
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06				
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11				

actinides

page 37

pa234	8.09E-12						
pa235	.00E+00						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.1688E+02mwd, flux= 2.71E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

u230	1.99E-22	2.15E-22	2.32E-22	2.48E-22	2.65E-22	2.64E-22
u231	6.15E-19	6.72E-19	7.24E-19	7.75E-19	8.27E-19	8.16E-19
u232	1.53E-08	1.66E-08	1.79E-08	1.92E-08	2.05E-08	2.05E-08
u233	8.17E-04	8.86E-04	9.54E-04	1.02E-03	1.09E-03	1.09E-03
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02
u236	1.75E+02	1.75E+02	1.75E+02	1.75E+02	1.75E+02	1.75E+02
u237	3.09E-06	3.10E-06	3.10E-06	3.10E-06	3.10E-06	3.07E-06
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04
u239	1.06E-08	3.18E-07	3.18E-07	3.18E-07	3.18E-07	1.06E-08
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	8.67E-12	8.63E-12	8.63E-12	8.62E-12	8.62E-12	8.62E-12
np236m	1.94E-12	2.05E-12	2.05E-12	2.05E-12	2.05E-12	1.93E-12
np236	1.20E-08	1.29E-08	1.39E-08	1.49E-08	1.59E-08	1.59E-08
np237	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01
np238	1.52E-06	1.55E-06	1.55E-06	1.55E-06	1.55E-06	1.51E-06
np239	4.53E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05	4.51E-05
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	2.58E-15	9.33E-15	9.33E-15	9.33E-15	9.33E-15	2.57E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.12E-09	1.11E-09	1.11E-09	1.11E-09	1.11E-09	1.11E-09
pu237	8.93E-14	9.46E-14	1.00E-13	1.05E-13	1.10E-13	1.10E-13
pu238	8.94E-03	9.50E-03	1.00E-02	1.06E-02	1.11E-02	1.11E-02
pu239	3.01E-01	3.26E-01	3.50E-01	3.75E-01	4.00E-01	4.00E-01
pu240	8.90E-05	1.04E-04	1.21E-04	1.38E-04	1.57E-04	1.57E-04
pu241	1.97E-08	2.40E-08	2.88E-08	3.41E-08	3.98E-08	3.98E-08
pu242	3.06E-12	4.13E-12	5.43E-12	7.01E-12	8.89E-12	8.89E-12
pu243	4.95E-21	8.69E-21	1.14E-20	1.48E-20	1.87E-20	1.43E-20
pu244	.00E+00	.00E+00	.00E+00	1.40E-45	4.20E-45	4.20E-45
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am239	3.87E-24	5.70E-24	7.39E-24	9.40E-24	1.18E-23	1.05E-23
am240	1.93E-21	2.61E-21	3.39E-21	4.30E-21	5.38E-21	5.24E-21
am241	1.57E-08	2.09E-08	2.70E-08	3.44E-08	4.30E-08	4.30E-08
am242m	4.97E-13	7.13E-13	9.96E-13	1.36E-12	1.81E-12	1.81E-12
am242	5.10E-16	7.34E-16	9.52E-16	1.21E-15	1.52E-15	1.40E-15
am243	2.46E-16	3.74E-16	5.51E-16	7.91E-16	1.11E-15	1.11E-15
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.64E-24	2.84E-24	4.19E-24	6.01E-24	8.42E-24	7.38E-24
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
0 flux	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E+08	2.71E-07

0 1q array has 20 entries.  
 0 3q array has 1 entries.  
 0 3q array has 1 entries.  
 0 3q array has 1 entries.  
 0 4q array has 1 entries.  
 0 54q array has 12 entries.

1 library information...

actinides

page 38

**cross-section data taken from position number 1 of library on unit 15.**

```
pass 5
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was...
pass 1
pass 0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densities
  pass n applies mid time densities of nth library interval
first library updated was
```

\*\*\*\*\*  
\* prelim lwr origin-s binary working library--id = 1143  
\* made from modified card-image origin-s libraries of scale 4.2  
\* data from the light element, actinide, and fission product libraries  
\* decay data, including gamma and total energy, are from endf/b-vi  
\* neutron flux spectrum factors and cross sections were produced from  
\* the "presas2" case updating all nuclides on the scale "burnup" library  
\* fission product yields are from endf/b-v  
\* photon libraries use an 18-energy-group structure  
\* the photon data are from the master photon data base,  
\* produced to include bremsstrahlung from uo2 matrix  
\* see information above this box (if present) for later updates  
\*\*\*\*\*

```

***** .other identification and sizes of library.
      data set name: ft15f001
 8/28/1996 date library was produced
      1697 total number of nuclides in library
      689 number of light-element nuclides
      129 number of actinide nuclides
      879 number of fission product nuclides
    7993 number of nonzero off-diagonal matrix elements
*****
1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2          page
0 power=   .00mw, burnup= 146.mwd, flux= 2.70E+08n/cm**2-sec
0 basis =
0 (note, k-infinities, clad and moderator absorptions are correct only, if correctly weighted cross sections are applied.)
0      initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d
0 productions 1.138556E+06 1.138592E+06 1.138629E+06 1.138666E+06 1.138703E+06
0 absorptions 9.278101E+05 9.278671E+05 9.279241E+05 9.279809E+05 9.280372E+05
0 k infinity  1.227143E+00 1.227107E+00 1.227072E+00 1.227036E+00 1.227001E+00
0      initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d
0 actinide
0 absorptions 9.240538E+05 9.240755E+05 9.240974E+05 9.241194E+05 9.241413E+05
0 non-actinide
0 abs. fracs. 4.048586E-03 4.086375E-03 4.123926E-03 4.161179E-03 4.198015E-03

```

page 39

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 146.mwd, flux= 2.70E+08n/cm\*\*2-sec  
 0 initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d

fission products

page 40

sm149	5.65E-04	5.98E-04	6.31E-04	6.64E-04	6.96E-04
sm151	1.87E-05	1.95E-05	2.03E-05	2.10E-05	2.18E-05
nd143	1.19E-05	1.26E-05	1.34E-05	1.41E-05	1.49E-05
gd155	7.20E-06	7.69E-06	8.17E-06	8.64E-06	9.12E-06
eu151	4.68E-06	5.22E-06	5.79E-06	6.37E-06	6.98E-06
gd157	5.63E-06	5.95E-06	6.27E-06	6.59E-06	6.90E-06
rh103	5.50E-06	5.84E-06	6.18E-06	6.53E-06	6.87E-06
cd113	5.04E-06	5.34E-06	5.65E-06	5.95E-06	6.25E-06
xe131	3.74E-06	3.97E-06	4.21E-06	4.44E-06	4.67E-06
cs133	2.90E-06	3.08E-06	3.26E-06	3.45E-06	3.63E-06
tc 99	2.13E-06	2.27E-06	2.40E-06	2.53E-06	2.67E-06
sm147	2.05E-06	2.19E-06	2.32E-06	2.46E-06	2.59E-06
xe135	2.29E-06	2.33E-06	2.33E-06	2.33E-06	2.33E-06
nd145	1.66E-06	1.76E-06	1.87E-06	1.97E-06	2.08E-06
mo 95	1.14E-06	1.22E-06	1.29E-06	1.36E-06	1.43E-06
sm152	8.81E-07	9.36E-07	9.91E-07	1.05E-06	1.10E-06
kr 83	7.23E-07	7.68E-07	8.13E-07	8.58E-07	9.04E-07
cs135	6.55E-07	6.96E-07	7.37E-07	7.78E-07	8.18E-07
ru101	5.06E-07	5.38E-07	5.69E-07	6.01E-07	6.32E-07
pr141	4.91E-07	5.22E-07	5.52E-07	5.83E-07	6.14E-07
eu153	4.44E-07	4.72E-07	5.00E-07	5.28E-07	5.55E-07
la139	4.02E-07	4.27E-07	4.52E-07	4.77E-07	5.02E-07
pm147	2.70E-07	2.70E-07	2.70E-07	2.70E-07	2.70E-07
pd105	1.69E-07	1.80E-07	1.90E-07	2.01E-07	2.12E-07
zr 93	1.62E-07	1.72E-07	1.82E-07	1.92E-07	2.03E-07
eu155	1.58E-07	1.58E-07	1.58E-07	1.59E-07	1.59E-07
i129	1.25E-07	1.33E-07	1.40E-07	1.48E-07	1.56E-07
nd144	1.19E-07	1.27E-07	1.34E-07	1.42E-07	1.49E-07
ba137	1.05E-07	1.15E-07	1.25E-07	1.36E-07	1.47E-07
mo 97	9.10E-08	9.67E-08	1.02E-07	1.08E-07	1.14E-07
ag109	6.45E-08	6.86E-08	7.28E-08	7.69E-08	8.11E-08
sm150	4.80E-08	5.41E-08	6.05E-08	6.72E-08	7.43E-08
zr 91	4.29E-08	4.55E-08	4.82E-08	5.09E-08	5.36E-08
y 89	4.12E-08	4.37E-08	4.63E-08	4.89E-08	5.15E-08
ru102	3.71E-08	3.94E-08	4.17E-08	4.41E-08	4.64E-08
ce142	3.35E-08	3.56E-08	3.77E-08	3.97E-08	4.18E-08
nd148	3.21E-08	3.41E-08	3.61E-08	3.81E-08	4.01E-08
nd146	2.70E-08	2.87E-08	3.03E-08	3.20E-08	3.37E-08
ba138	2.31E-08	2.45E-08	2.60E-08	2.74E-08	2.88E-08
in115	2.21E-08	2.35E-08	2.49E-08	2.63E-08	2.77E-08
pd108	2.17E-08	2.31E-08	2.44E-08	2.58E-08	2.72E-08
ce140	2.16E-08	2.29E-08	2.43E-08	2.56E-08	2.70E-08
xe132	1.93E-08	2.05E-08	2.17E-08	2.29E-08	2.41E-08
mo 98	1.33E-08	1.41E-08	1.49E-08	1.58E-08	1.66E-08
pd107	1.29E-08	1.37E-08	1.45E-08	1.53E-08	1.61E-08
mo100	1.29E-08	1.37E-08	1.45E-08	1.53E-08	1.61E-08
xe134	1.27E-08	1.35E-08	1.43E-08	1.51E-08	1.59E-08
sr 90	1.48E-08	1.51E-08	1.54E-08	1.56E-08	1.58E-08
zr 92	1.03E-08	1.10E-08	1.16E-08	1.23E-08	1.29E-08

fission products

page 41

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power= .00mw, burnup= 146.mwd, flux= 2.70E+08n/cm\*\*2-sec  
 0 initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d

1127 8.33E-09 8.85E-09 9.37E-09 9.89E-09 1.04E-08

zr 96	8.05E-09	8.55E-09	9.05E-09	9.56E-09	1.01E-08
ru104	7.92E-09	8.41E-09	8.91E-09	9.40E-09	9.90E-09
nd150	7.10E-09	7.54E-09	7.99E-09	8.43E-09	8.87E-09
xe136	6.88E-09	7.31E-09	7.74E-09	8.17E-09	8.60E-09
rh105	8.36E-09	8.40E-09	8.40E-09	8.40E-09	8.40E-09
br 81	5.15E-09	5.47E-09	5.79E-09	6.11E-09	6.43E-09
rb 85	4.83E-09	5.14E-09	5.46E-09	5.77E-09	6.08E-09
zr 94	4.35E-09	4.62E-09	4.90E-09	5.17E-09	5.44E-09
cd111	3.36E-09	3.57E-09	3.78E-09	3.99E-09	4.20E-09
te130	3.13E-09	3.33E-09	3.52E-09	3.72E-09	3.91E-09
sm154	3.03E-09	3.22E-09	3.41E-09	3.60E-09	3.79E-09
rb 87	2.91E-09	3.09E-09	3.27E-09	3.45E-09	3.64E-09
cs137	3.18E-09	3.24E-09	3.30E-09	3.35E-09	3.40E-09
zr 90	2.29E-09	2.51E-09	2.73E-09	2.96E-09	3.19E-09
pr143	2.68E-09	2.68E-09	2.68E-09	2.68E-09	2.68E-09
se 77	2.08E-09	2.21E-09	2.34E-09	2.47E-09	2.60E-09
xe133	2.03E-09	2.03E-09	2.03E-09	2.03E-09	2.03E-09
pd106	1.44E-09	1.53E-09	1.62E-09	1.72E-09	1.81E-09
kr 84	1.37E-09	1.45E-09	1.54E-09	1.62E-09	1.71E-09
ce141	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09
se 79	1.06E-09	1.13E-09	1.20E-09	1.26E-09	1.33E-09
eu152	8.00E-10	9.15E-10	1.04E-09	1.16E-09	1.30E-09
sb121	1.00E-09	1.06E-09	1.13E-09	1.19E-09	1.25E-09
sb123	8.17E-10	8.68E-10	9.19E-10	9.70E-10	1.02E-09
pm149	9.74E-10	9.81E-10	9.81E-10	9.81E-10	9.81E-10
kr 86	7.69E-10	8.17E-10	8.65E-10	9.13E-10	9.61E-10
nd147	9.26E-10	9.30E-10	9.30E-10	9.30E-10	9.30E-10
te128	6.82E-10	7.25E-10	7.68E-10	8.10E-10	8.53E-10
gd156	5.42E-10	5.78E-10	6.14E-10	6.50E-10	6.86E-10
se 80	4.96E-10	5.27E-10	5.58E-10	5.89E-10	6.20E-10
ce144	6.04E-10	6.04E-10	6.04E-10	6.04E-10	6.03E-10
kr 85	5.73E-10	5.74E-10	5.75E-10	5.75E-10	5.76E-10
dy161	4.36E-10	4.64E-10	4.92E-10	5.20E-10	5.48E-10
te125	4.11E-10	4.39E-10	4.66E-10	4.93E-10	5.20E-10
tb159	2.92E-10	3.11E-10	3.29E-10	3.47E-10	3.66E-10
ru103	3.58E-10	3.58E-10	3.58E-10	3.58E-10	3.58E-10
li 6	2.82E-10	3.00E-10	3.17E-10	3.35E-10	3.53E-10
cd112	2.81E-10	2.98E-10	3.16E-10	3.34E-10	3.51E-10
sn117	2.22E-10	2.36E-10	2.50E-10	2.64E-10	2.78E-10
eu154	1.99E-10	2.13E-10	2.28E-10	2.42E-10	2.56E-10
gd152	1.24E-10	1.48E-10	1.76E-10	2.07E-10	2.41E-10
sn119	1.83E-10	1.95E-10	2.06E-10	2.18E-10	2.29E-10
sn115	1.68E-10	1.78E-10	1.89E-10	1.99E-10	2.10E-10
sr 88	1.41E-10	1.50E-10	1.59E-10	1.68E-10	1.76E-10
zr 95	1.65E-10	1.65E-10	1.65E-10	1.65E-10	1.65E-10
nb 95	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10
y 91	1.44E-10	1.44E-10	1.44E-10	1.44E-10	1.44E-10
gd158	1.06E-10	1.14E-10	1.21E-10	1.29E-10	1.37E-10

1 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

0 fraction of total absorption rate  
0 power=.00mw, burnup=146.mwd, flux=2.70E+08n/cm\*\*2-sec  
0 initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d

cd114	9.98E-11	1.06E-10	1.13E-10	1.19E-10	1.26E-10
pd110	1.00E-10	1.07E-10	1.13E-10	1.19E-10	1.26E-10
se 82	9.58E-11	1.02E-10	1.08E-10	1.14E-10	1.20E-10
pm151	1.06E-10	1.11E-10	1.11E-10	1.11E-10	1.11E-10
sn126	7.70E-11	8.18E-11	8.66E-11	9.15E-11	9.63E-11
se 78	7.24E-11	7.70E-11	8.15E-11	8.60E-11	9.06E-11
ru 99	5.51E-11	6.15E-11	6.82E-11	7.53E-11	8.27E-11

fission products

page 42

dy162	5.75E-11	6.12E-11	6.49E-11	6.86E-11	7.24E-11
sn124	5.79E-11	6.15E-11	6.51E-11	6.88E-11	7.24E-11
dy164	5.32E-11	5.67E-11	6.02E-11	6.37E-11	6.73E-11
as 75	4.32E-11	4.59E-11	4.86E-11	5.13E-11	5.40E-11
ba140	4.73E-11	4.75E-11	4.75E-11	4.75E-11	4.75E-11
sm153	3.73E-11	3.83E-11	3.83E-11	3.83E-11	3.83E-11
eu156	3.44E-11	3.45E-11	3.45E-11	3.45E-11	3.45E-11
in113	2.43E-11	2.62E-11	2.82E-11	3.02E-11	3.22E-11
gd154	1.91E-11	2.18E-11	2.47E-11	2.78E-11	3.11E-11
sr 89	3.09E-11	3.09E-11	3.09E-11	3.09E-11	3.09E-11
sn118	2.36E-11	2.51E-11	2.65E-11	2.80E-11	2.95E-11
ba136	2.34E-11	2.49E-11	2.64E-11	2.79E-11	2.94E-11
cs134	2.13E-11	2.26E-11	2.40E-11	2.53E-11	2.67E-11
ru106	2.53E-11	2.53E-11	2.54E-11	2.54E-11	2.54E-11
sn122	2.01E-11	2.14E-11	2.26E-11	2.39E-11	2.52E-11
cd116	2.01E-11	2.13E-11	2.26E-11	2.38E-11	2.51E-11
kr 87	8.20E-12	2.31E-11	2.31E-11	2.31E-11	2.31E-11
sn120	1.50E-11	1.60E-11	1.69E-11	1.78E-11	1.88E-11
ce143	1.70E-11	1.76E-11	1.76E-11	1.76E-11	1.76E-11
kr 82	1.31E-11	1.40E-11	1.48E-11	1.57E-11	1.66E-11
dy163	1.28E-11	1.36E-11	1.45E-11	1.53E-11	1.62E-11
la140	1.53E-11	1.53E-11	1.53E-11	1.53E-11	1.53E-11
y 90	1.41E-11	1.44E-11	1.46E-11	1.48E-11	1.50E-11
sb125	1.49E-11	1.49E-11	1.49E-11	1.49E-11	1.49E-11
ge 73	1.18E-11	1.25E-11	1.33E-11	1.40E-11	1.48E-11
ru100	8.76E-12	9.82E-12	1.09E-11	1.21E-11	1.33E-11
mo 99	1.29E-11	1.31E-11	1.31E-11	1.31E-11	1.31E-11
xe130	8.34E-12	8.90E-12	9.46E-12	1.00E-11	1.06E-11
pm148m	9.62E-12	9.62E-12	9.62E-12	9.62E-12	9.62E-12
mo 96	6.61E-12	7.10E-12	7.60E-12	8.11E-12	8.63E-12
nd142	5.43E-12	6.13E-12	6.87E-12	7.66E-12	8.48E-12
sm148	5.49E-12	6.15E-12	6.84E-12	7.58E-12	8.34E-12
ba134	5.03E-12	5.69E-12	6.38E-12	7.12E-12	7.89E-12
te127m	7.48E-12	7.48E-12	7.48E-12	7.48E-12	7.48E-12
i131	6.76E-12	6.78E-12	6.78E-12	6.78E-12	6.78E-12
ba135	4.28E-12	4.83E-12	5.41E-12	6.02E-12	6.67E-12
pd104	3.53E-12	3.98E-12	4.46E-12	4.97E-12	5.50E-12
ge 76	4.28E-12	4.55E-12	4.82E-12	5.08E-12	5.35E-12
gd160	2.72E-12	2.89E-12	3.06E-12	3.23E-12	3.41E-12
te126	2.20E-12	2.34E-12	2.49E-12	2.63E-12	2.78E-12
te129m	1.80E-12	1.80E-12	1.80E-12	1.80E-12	1.80E-12
ho165	8.83E-13	9.40E-13	9.98E-13	1.06E-12	1.12E-12

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 fraction of total absorption rate  
 0 power=.00mw, burnup= 146.mwd, flux= 2.70E+08n/cm\*\*2-sec  
 0 initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d

cd110	4.89E-13	5.50E-13	6.16E-13	6.85E-13	7.59E-13
nb 93	4.01E-13	4.65E-13	5.35E-13	6.10E-13	6.90E-13
te124	5.04E-13	5.36E-13	5.68E-13	6.00E-13	6.32E-13
sr 87	4.93E-13	5.23E-13	5.54E-13	5.85E-13	6.16E-13
br 79	3.46E-13	3.91E-13	4.38E-13	4.88E-13	5.41E-13
pm148	3.63E-13	3.67E-13	3.67E-13	3.67E-13	3.67E-13
nb 94	2.78E-13	2.96E-13	3.13E-13	3.31E-13	3.48E-13
ag111	3.18E-13	3.20E-13	3.20E-13	3.20E-13	3.20E-13
xe129	1.96E-13	2.21E-13	2.48E-13	2.76E-13	3.06E-13
eu157	2.77E-13	3.00E-13	3.00E-13	3.00E-13	3.00E-13
ge 74	2.39E-13	2.54E-13	2.68E-13	2.83E-13	2.98E-13
ag107	1.84E-13	2.08E-13	2.33E-13	2.60E-13	2.88E-13
cd115m	2.37E-13	2.38E-13	2.38E-13	2.38E-13	2.38E-13

fission products

page 43

ge 72	1.60E-13	1.70E-13	1.81E-13	1.91E-13	2.01E-13
sr 86	1.48E-13	1.58E-13	1.68E-13	1.78E-13	1.89E-13
se 76	9.52E-14	1.01E-13	1.07E-13	1.14E-13	1.20E-13
dy160	4.26E-14	4.69E-14	5.14E-14	5.61E-14	6.09E-14
cs136	5.74E-14	5.77E-14	5.79E-14	5.80E-14	5.81E-14
xe128	4.11E-14	4.49E-14	4.89E-14	5.30E-14	5.72E-14
er166	2.52E-14	2.69E-14	2.87E-14	3.06E-14	3.24E-14
ru105	2.26E-14	2.95E-14	2.95E-14	2.96E-14	2.96E-14
sn125	2.90E-14	2.92E-14	2.92E-14	2.92E-14	2.92E-14
rb 88	8.88E-15	1.30E-14	1.30E-14	1.30E-14	1.30E-14
sn116	7.67E-15	8.63E-15	9.66E-15	1.07E-14	1.19E-14
i135	8.34E-15	1.02E-14	1.02E-14	1.02E-14	1.02E-14
sn123	1.01E-14	1.01E-14	1.01E-14	1.01E-14	1.01E-14
te132	9.44E-15	9.60E-15	9.60E-15	9.60E-15	9.60E-15
kr 80	6.76E-15	7.18E-15	7.61E-15	8.04E-15	8.47E-15
te134	8.73E-16	5.89E-15	5.89E-15	5.89E-15	5.89E-15
te122	3.95E-15	4.40E-15	4.87E-15	5.37E-15	5.89E-15
sb126	3.14E-15	3.16E-15	3.17E-15	3.18E-15	3.19E-15
sb124	2.14E-15	2.15E-15	2.15E-15	2.15E-15	2.15E-15
in117m	1.86E-15	2.11E-15	2.11E-15	2.11E-15	2.11E-15
tb160	1.13E-15	1.18E-15	1.23E-15	1.28E-15	1.33E-15
i130	7.37E-16	8.25E-16	8.31E-16	8.38E-16	8.44E-16
pr142	5.20E-16	5.92E-16	6.27E-16	6.61E-16	6.96E-16
be 9	5.31E-16	5.64E-16	5.97E-16	6.30E-16	6.64E-16
in117	5.52E-16	6.21E-16	6.21E-16	6.21E-16	6.21E-16
te123	4.90E-16	5.22E-16	5.53E-16	5.86E-16	6.18E-16
rb 86	2.73E-16	2.76E-16	2.78E-16	2.80E-16	2.82E-16
li 7	2.17E-16	2.31E-16	2.45E-16	2.58E-16	2.72E-16
dy165	1.34E-16	2.33E-16	2.34E-16	2.36E-16	2.37E-16
er167	1.32E-16	1.43E-16	1.55E-16	1.67E-16	1.80E-16
cd118	2.48E-17	1.21E-16	1.21E-16	1.21E-16	1.21E-16
ge 75	3.41E-17	8.71E-17	8.70E-17	8.70E-17	8.70E-17
in119m	4.23E-19	3.03E-17	3.03E-17	3.03E-17	3.03E-17
cd108	5.35E-18	5.76E-18	6.17E-18	6.59E-18	7.02E-18
cs134m	2.58E-18	4.33E-18	4.58E-18	4.84E-18	5.09E-18
in119	1.63E-21	2.37E-18	2.37E-18	2.37E-18	2.37E-18

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 fraction of total absorption rate  
0 power=.00mw, burnup= 146.mwd, flux= 2.70E+08n/cm\*\*2-sec  
0 initial 31046.6 d 32872.8 d 34699.1 d 36525.3 d

sn114	1.21E-18	1.40E-18	1.60E-18	1.81E-18	2.04E-18
cd109	3.24E-19	3.32E-19	3.41E-19	3.50E-19	3.58E-19
ag110	6.39E-23	9.10E-20	9.64E-20	1.02E-19	1.07E-19
in120	.00E+00	3.99E-22	3.99E-22	3.99E-22	3.99E-22
in120m	.00E+00	4.33E-23	4.33E-23	4.33E-23	4.33E-23

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
0 power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec

nuclide concentrations, gram atoms  
basis = single reactor assembly

	charge	31046.6 d 32872.8 d 34699.1 d 36525.3 d			
h 1	6.89E-06	7.31E-06	7.74E-06	8.17E-06	8.59E-06
h 2	2.04E-08	2.17E-08	2.30E-08	2.42E-08	2.55E-08
h 3	3.28E-11	3.28E-11	3.29E-11	3.30E-11	3.30E-11
h 4	.00E+00	1.34E-34	1.34E-34	1.34E-34	1.34E-34
he 3	1.17E-10	1.26E-10	1.35E-10	1.45E-10	1.54E-10
he 4	1.14E-06	1.21E-06	1.28E-06	1.35E-06	1.42E-06
he 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ne 20	1.37E-07	1.45E-07	1.54E-07	1.62E-07	1.71E-07

fission products

page 44

light elements

page 45

ne 21	3.47E-13	3.89E-13	4.33E-13	4.79E-13	5.28E-13
ne 22	8.50E-10	9.05E-10	9.60E-10	1.02E-09	1.07E-09
ne 23	7.04E-30	7.04E-15	7.04E-15	7.04E-15	7.04E-15
na 22	4.14E-11	4.14E-11	4.14E-11	4.14E-11	4.14E-11
na 23	7.53E+03	7.53E+03	7.53E+03	7.53E+03	7.53E+03
na 24	2.53E-08	2.75E-08	2.75E-08	2.75E-08	2.75E-08
na 24m	4.55E-30	4.51E-15	4.51E-15	4.51E-15	4.51E-15
na 25	5.30E-42	5.65E-27	6.04E-27	6.43E-27	6.84E-27
mg 24	1.02E-03	1.08E-03	1.14E-03	1.19E-03	1.25E-03
mg 25	1.85E-10	1.98E-10	2.12E-10	2.26E-10	2.40E-10
mg 26	2.04E-08	2.17E-08	2.30E-08	2.42E-08	2.55E-08
mg 27	4.54E-16	2.10E-12	2.10E-12	2.10E-12	2.10E-12
mg 28	4.03E-24	4.29E-24	4.29E-24	4.29E-24	4.29E-24
al 27	4.99E+04	4.99E+04	4.99E+04	4.99E+04	4.99E+04
al 28	2.80E-25	2.04E-10	2.04E-10	2.04E-10	2.04E-10
al 29	4.34E-31	9.29E-26	1.04E-25	1.15E-25	1.26E-25
al 30	.000E+00	1.51E-37	1.78E-37	2.08E-37	2.42E-37
si 28	2.98E-03	3.14E-03	3.31E-03	3.47E-03	3.64E-03
si 29	3.25E-10	3.64E-10	4.06E-10	4.49E-10	4.95E-10
si 30	3.71E-17	4.43E-17	5.22E-17	6.11E-17	7.09E-17
si 31	1.61E-29	3.18E-29	3.75E-29	4.39E-29	5.10E-29
si 32	3.64E-36	6.59E-36	5.72E-36	7.04E-36	8.57E-36
totals	5.75E+04	5.75E+04	5.75E+04	5.75E+04	5.75E+04
flux		2.70E+08	2.70E+08	2.70E+08	2.70E+08

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec

nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	31046.6	d 32872.8	d 34699.1	d 36525.3	d
he 4	8.40E-03	9.16E-03	9.95E-03	1.07E-02	1.16E-02
pb206	3.48E-09	4.34E-09	5.33E-09	6.48E-09	7.78E-09
pb207	2.43E-08	2.84E-08	3.28E-08	3.76E-08	4.27E-08
pb208	7.38E-09	8.40E-09	9.47E-09	1.06E-08	1.18E-08
pb209	8.98E-15	1.01E-14	1.13E-14	1.26E-14	1.39E-14
pb210	5.10E-09	5.95E-09	6.88E-09	7.88E-09	8.96E-09
pb211	7.70E-14	8.41E-14	9.12E-14	9.83E-14	1.06E-13
pb212	3.44E-13	3.66E-13	3.88E-13	4.10E-13	4.32E-13
pb214	2.29E-14	2.67E-14	2.99E-14	3.33E-14	3.68E-14
bi208	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
bi209	4.44E-10	5.32E-10	6.32E-10	7.43E-10	8.66E-10
bi210m	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
bi210	3.14E-12	3.67E-12	4.24E-12	4.85E-12	5.51E-12
bi211	4.60E-15	4.98E-15	5.40E-15	5.83E-15	6.26E-15
bi212	3.26E-14	3.47E-14	3.68E-14	3.89E-14	4.10E-14
bi213	2.02E-15	2.35E-15	2.64E-15	2.94E-15	3.25E-15
bi214	1.73E-14	1.98E-14	2.22E-14	2.47E-14	2.74E-14
po210	8.68E-11	1.01E-10	1.17E-10	1.34E-10	1.52E-10
po211m	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
po211	5.08E-20	5.51E-20	5.97E-20	6.44E-20	6.91E-20
po212	1.71E-24	1.82E-24	1.93E-24	2.04E-24	2.15E-24
po213	3.04E-24	3.54E-24	3.96E-24	4.42E-24	4.89E-24
po214	2.38E-21	2.73E-21	3.05E-21	3.40E-21	3.76E-21
po215	6.33E-20	6.91E-20	7.49E-20	8.08E-20	8.67E-20
po216	1.30E-18	1.39E-18	1.47E-18	1.55E-18	1.64E-18
po218	2.74E-15	3.09E-15	3.46E-15	3.85E-15	4.26E-15
ra222	5.60E-27	5.94E-27	6.29E-27	6.64E-27	6.98E-27
ra223	3.52E-11	3.83E-11	4.16E-11	4.48E-11	4.81E-11
ra224	2.84E-12	3.02E-12	3.20E-12	3.39E-12	3.57E-12
ra225	9.74E-13	1.10E-12	1.23E-12	1.37E-12	1.52E-12

actinides

page 46

ra226	7.43E-07	8.38E-07	9.39E-07	1.05E-06	1.16E-06
ra228	1.51E-13	1.62E-13	1.73E-13	1.83E-13	1.94E-13
ac225	6.58E-13	7.43E-13	8.33E-13	9.28E-13	1.03E-12
ac227	2.44E-08	2.66E-08	2.89E-08	3.11E-08	3.34E-08
ac228	1.85E-17	1.98E-17	2.11E-17	2.24E-17	2.37E-17
th226	2.73E-25	2.90E-25	3.07E-25	3.24E-25	3.41E-25
th227	5.67E-11	6.19E-11	6.71E-11	7.24E-11	7.77E-11
th228	5.41E-10	5.76E-10	6.11E-10	6.46E-10	6.81E-10
th229	1.89E-07	2.14E-07	2.40E-07	2.67E-07	2.96E-07
th230	2.04E-03	2.17E-03	2.30E-03	2.43E-03	2.55E-03
th231	3.03E-09	3.03E-09	3.03E-09	3.03E-09	3.03E-09
th232	4.13E-04	4.39E-04	4.65E-04	4.91E-04	5.16E-04
th233	1.05E-16	4.02E-15	4.26E-15	4.50E-15	4.73E-15
th234	5.37E-07	5.37E-07	5.37E-07	5.37E-07	5.37E-07
pa231	5.76E-05	6.12E-05	6.48E-05	6.83E-05	7.19E-05
pa232	9.48E-13	1.05E-12	1.11E-12	1.17E-12	1.24E-12
pa233	1.46E-06	1.46E-06	1.46E-06	1.46E-06	1.46E-06
pa234m	1.81E-11	1.81E-11	1.81E-11	1.81E-11	1.81E-11
pa234	8.09E-12	8.09E-12	8.09E-12	8.09E-12	8.09E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec

0

nuclide concentrations, gram atoms  
 basis = single reactor assembly

charge	31046.6	d	32872.8	d	34699.1	d	36525.3	d
u230	2.64E-22	2.81E-22	2.97E-22	3.14E-22	3.30E-22			
u231	8.16E-19	8.78E-19	9.29E-19	9.81E-19	1.03E-18			
u232	2.05E-08	2.17E-08	2.30E-08	2.43E-08	2.55E-08			
u233	1.09E-03	1.16E-03	1.23E-03	1.29E-03	1.36E-03			
u234	9.06E+00	9.06E+00	9.06E+00	9.06E+00	9.06E+00			
u235	7.30E+02	7.30E+02	7.30E+02	7.30E+02	7.30E+02			
u236	1.75E+02	1.75E+02	1.75E+02	1.75E+02	1.75E+02			
u237	3.07E-06	3.10E-06	3.10E-06	3.10E-06	3.10E-06			
u238	3.64E+04	3.64E+04	3.64E+04	3.64E+04	3.64E+04			
u239	1.06E-08	3.17E-07	3.17E-07	3.17E-07	3.17E-07			
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
np235	8.62E-12	8.61E-12	8.61E-12	8.61E-12	8.61E-12			
np236m	1.93E-12	2.05E-12	2.05E-12	2.05E-12	2.05E-12			
np236	1.59E-08	1.68E-08	1.78E-08	1.88E-08	1.97E-08			
np237	4.21E+01	4.21E+01	4.21E+01	4.21E+01	4.21E+01			
np238	1.51E-06	1.55E-06	1.55E-06	1.55E-06	1.55E-06			
np239	4.51E-05	4.59E-05	4.59E-05	4.59E-05	4.59E-05			
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
np240	2.57E-15	9.32E-15	9.32E-15	9.32E-15	9.32E-15			
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
pu236	1.11E-09	1.11E-09	1.11E-09	1.11E-09	1.11E-09			
pu237	1.10E-13	1.15E-13	1.20E-13	1.24E-13	1.29E-13			
pu238	1.11E-02	1.16E-02	1.20E-02	1.25E-02	1.29E-02			
pu239	4.00E-01	4.24E-01	4.49E-01	4.73E-01	4.98E-01			
pu240	1.57E-04	1.77E-04	1.99E-04	2.21E-04	2.45E-04			
pu241	3.98E-08	4.61E-08	5.28E-08	5.99E-08	6.76E-08			
pu242	8.89E-12	1.11E-11	1.37E-11	1.67E-11	2.02E-11			
pu243	1.43E-20	2.34E-20	2.89E-20	3.52E-20	4.25E-20			
pu244	4.20E-45	8.41E-45	1.54E-44	2.80E-44	4.90E-44			
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
pu246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00			
am239	1.05E-23	1.45E-23	1.76E-23	2.11E-23	2.52E-23			
am240	5.24E-21	6.62E-21	8.05E-21	9.68E-21	1.15E-20			

actinides

page 47

am241	4.30E-08	5.30E-08	6.44E-08	7.75E-08	9.22E-08
am242m	1.81E-12	2.36E-12	3.04E-12	3.85E-12	4.82E-12
am242	1.40E-15	1.87E-15	2.28E-15	2.74E-15	3.26E-15
am243	1.11E-15	1.52E-15	2.05E-15	2.71E-15	3.54E-15
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	7.38E-24	1.15E-23	1.55E-23	2.06E-23	2.69E-23
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	3.73E+04	3.73E+04	3.73E+04	3.73E+04	3.73E+04
0 flux	2.70E+08	2.70E+08	2.70E+08	2.70E+08	2.70E+08

0 .results on logical unit no. 71, position 1, for time step 4, subcase 6. (run position 1, case position 1)  
 title: sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 48  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02md, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, grams  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h	8.59E-06						
he	5.68E-06						
ne	3.41E-06						
na	1.73E+05						
mg	3.00E-02						
mg	6.63E-07						
al	1.35E+06						
si	1.02E-01						
total	1.52E+06						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 49  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02md, flux= 2.79E+08n/cm\*\*2-sec  
 0 element radioactivity, curies  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h	9.58E-07	9.14E-07	8.72E-07	8.33E-07	7.94E-07	7.58E-07	7.23E-07
na	8.40E+00	4.56E-06	3.65E-06	2.92E-06	2.34E-06	1.87E-06	1.50E-06
totals	2.55E+01	5.47E-06	4.52E-06	3.75E-06	3.13E-06	2.63E-06	2.22E-06

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 50  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02md, flux= 2.79E+08n/cm\*\*2-sec  
 0 element thermal power, watts  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
na	1.70E-01	6.45E-08	5.16E-08	4.13E-08	3.31E-08	2.65E-08	2.12E-08
totals	4.76E-01	6.45E-08	5.17E-08	4.14E-08	3.31E-08	2.65E-08	2.13E-08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 light elements page 51  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02md, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide gamma power, watts  
 basis =single reactor assembly

na 22	7.39E-08	5.92E-08	4.74E-08	3.80E-08	3.04E-08	2.44E-08	1.95E-08
total	3.31E-01	5.92E-08	4.74E-08	3.80E-08	3.04E-08	2.44E-08	1.95E-08

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 52  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02md, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide concentrations, gram atoms  
 basis = single reactor assembly

he 4	1.16E-02	1.17E-02	1.19E-02	1.20E-02	1.21E-02	1.23E-02	1.24E-02
ra226	1.16E-06	1.18E-06	1.20E-06	1.22E-06	1.24E-06	1.25E-06	1.27E-06

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 53  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 54  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec

pu241	1.63E-05	1.57E-05	1.50E-05	1.44E-05	1.39E-05	1.33E-05	1.28E-05
am241	2.22E-05	2.28E-05	2.34E-05	2.40E-05	2.45E-05	2.50E-05	2.55E-05
total	8.88E+06						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 55  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element concentrations, grams  
 basis =single reactor assembly

he	4.63E-02	4.69E-02	4.74E-02	4.80E-02	4.85E-02	4.91E-02	4.96E-02
pb	1.48E-05	1.51E-05	1.54E-05	1.57E-05	1.61E-05	1.64E-05	1.67E-05
ra	2.62E-04	2.66E-04	2.70E-04	2.75E-04	2.79E-04	2.84E-04	2.88E-04
ac	7.58E-06	7.67E-06	7.76E-06	7.84E-06	7.93E-06	8.02E-06	8.11E-06
th	7.07E-01	7.13E-01	7.19E-01	7.25E-01	7.31E-01	7.37E-01	7.43E-01
pa	1.70E-02	1.71E-02	1.72E-02	1.74E-02	1.75E-02	1.77E-02	1.78E-02
u	8.87E+06						
np	9.99E+03						
pu	1.22E+02						
am	2.22E-05	2.28E-05	2.34E-05	2.40E-05	2.45E-05	2.50E-05	2.55E-05
totals	8.88E+06						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 56  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide radioactivity, curies  
 basis =single reactor assembly

tl207	5.48E-04	5.55E-04	5.61E-04	5.67E-04	5.74E-04	5.80E-04	5.86E-04
tl208	4.58E-05	4.63E-05	4.65E-05	4.66E-05	4.67E-05	4.67E-05	4.66E-05
pb209	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
pb210	1.44E-04	1.47E-04	1.50E-04	1.53E-04	1.56E-04	1.59E-04	1.62E-04
pb211	5.50E-04	5.56E-04	5.63E-04	5.69E-04	5.75E-04	5.82E-04	5.88E-04
pb212	1.27E-04	1.29E-04	1.29E-04	1.30E-04	1.30E-04	1.30E-04	1.30E-04
pb214	2.59E-04	2.63E-04	2.67E-04	2.72E-04	2.76E-04	2.80E-04	2.85E-04
bi210	1.44E-04	1.47E-04	1.50E-04	1.53E-04	1.56E-04	1.59E-04	1.62E-04
bi211	5.50E-04	5.56E-04	5.63E-04	5.69E-04	5.75E-04	5.82E-04	5.88E-04
bi212	1.27E-04	1.29E-04	1.29E-04	1.30E-04	1.30E-04	1.30E-04	1.30E-04
bi213	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
bi214	2.59E-04	2.63E-04	2.67E-04	2.72E-04	2.76E-04	2.80E-04	2.85E-04
po210	1.44E-04	1.44E-04	1.46E-04	1.49E-04	1.52E-04	1.55E-04	1.58E-04
po211	1.51E-06	1.53E-06	1.55E-06	1.56E-06	1.58E-06	1.60E-06	1.62E-06
po212	8.16E-05	8.24E-05	8.29E-05	8.31E-05	8.32E-05	8.32E-05	8.31E-05
po213	1.31E-05	1.34E-05	1.36E-05	1.38E-05	1.40E-05	1.43E-05	1.45E-05
po214	2.59E-04	2.63E-04	2.67E-04	2.72E-04	2.76E-04	2.80E-04	2.85E-04
po215	5.50E-04	5.56E-04	5.63E-04	5.69E-04	5.75E-04	5.82E-04	5.88E-04
po216	1.27E-04	1.29E-04	1.29E-04	1.30E-04	1.30E-04	1.30E-04	1.30E-04
po218	2.59E-04	2.63E-04	2.67E-04	2.72E-04	2.76E-04	2.81E-04	2.85E-04
at217	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
rn219	5.50E-04	5.56E-04	5.63E-04	5.69E-04	5.75E-04	5.82E-04	5.88E-04
rn220	1.27E-04	1.29E-04	1.29E-04	1.30E-04	1.30E-04	1.30E-04	1.30E-04
rn222	2.59E-04	2.63E-04	2.67E-04	2.72E-04	2.76E-04	2.81E-04	2.85E-04
fr221	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
fr223	7.57E-06	7.66E-06	7.75E-06	7.83E-06	7.92E-06	8.01E-06	8.10E-06
ra223	5.50E-04	5.56E-04	5.63E-04	5.69E-04	5.75E-04	5.82E-04	5.88E-04
ra224	1.27E-04	1.29E-04	1.29E-04	1.30E-04	1.30E-04	1.30E-04	1.30E-04
ra225	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
ra226	2.59E-04	2.63E-04	2.67E-04	2.72E-04	2.76E-04	2.81E-04	2.85E-04
ac225	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
ac227	5.49E-04	5.55E-04	5.61E-04	5.68E-04	5.74E-04	5.80E-04	5.87E-04
th227	5.42E-04	5.49E-04	5.55E-04	5.61E-04	5.67E-04	5.74E-04	5.80E-04
th228	1.27E-04	1.28E-04	1.29E-04	1.29E-04	1.29E-04	1.29E-04	1.29E-04

th229	1.34E-05	1.37E-05	1.39E-05	1.41E-05	1.43E-05	1.46E-05	1.48E-05
th230	1.21E-02	1.22E-02	1.23E-02	1.24E-02	1.25E-02	1.26E-02	1.27E-02
th231	3.72E-01	3.71E-01	3.71E-01	3.71E-01	3.71E-01	3.71E-01	3.71E-01
th234	2.91E+00						
pa231	7.85E-04	7.92E-04	7.98E-04	8.05E-04	8.12E-04	8.18E-04	8.25E-04
pa233	7.04E+00	7.05E+00	7.05E+00	7.05E+00	7.05E+00	7.05E+00	7.05E+00
pa234m	2.91E+00						
pa234	3.78E-03						
u232	1.31E-04	1.31E-04	1.31E-04	1.30E-04	1.30E-04	1.29E-04	1.28E-04
u233	3.06E-03	3.09E-03	3.12E-03	3.15E-03	3.18E-03	3.21E-03	3.23E-03
u234	1.32E+01						
u235	3.71E-01						
u236	2.67E+00						
u238	2.91E+00						
np237	7.04E+00						
pu236	1.37E-04	1.12E-04	9.20E-05	7.54E-05	6.18E-05	5.06E-05	4.15E-05
pu238	5.25E+01	5.22E+01	5.19E+01	5.15E+01	5.12E+01	5.08E+01	5.05E+01
pu239	7.39E+00						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 57  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide radioactivity, curies  
 basis =single reactor assembly

pu240	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pu240	1.33E-02						
pu241	1.69E-03	1.62E-03	1.56E-03	1.49E-03	1.43E-03	1.38E-03	1.32E-03
am241	7.62E-05	7.83E-05	8.03E-05	8.23E-05	8.41E-05	8.59E-05	8.75E-05
total	5.34E+03	9.90E+01	9.87E+01	9.84E+01	9.80E+01	9.77E+01	9.74E+01

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 58  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element thermal power, watts  
 basis =single reactor assembly

tl	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl	2.69E-06	2.72E-06	2.75E-06	2.77E-06	2.79E-06	2.81E-06	2.82E-06
pb	2.82E-06	2.86E-06	2.90E-06	2.93E-06	2.97E-06	3.00E-06	3.04E-06
bi	2.78E-05	2.81E-05	2.85E-05	2.88E-05	2.91E-05	2.94E-05	2.97E-05
po	6.08E-05	6.16E-05	6.23E-05	6.31E-05	6.39E-05	6.46E-05	6.54E-05
at	5.73E-07	5.83E-07	5.92E-07	6.02E-07	6.12E-07	6.22E-07	6.32E-07
rn	3.62E-05	3.67E-05	3.71E-05	3.75E-05	3.80E-05	3.84E-05	3.88E-05
fr	5.37E-07	5.46E-07	5.55E-07	5.64E-07	5.73E-07	5.82E-07	5.91E-07
re	3.14E-05	3.18E-05	3.22E-05	3.25E-05	3.29E-05	3.33E-05	3.36E-05
ac	7.34E-07	7.45E-07	7.56E-07	7.67E-07	7.78E-07	7.90E-07	8.01E-07
th	1.98E-03	1.98E-03	1.98E-03	1.98E-03	1.99E-03	1.99E-03	1.99E-03
pa	3.22E-02	3.23E-02	3.23E-02	3.23E-02	3.23E-02	3.23E-02	3.23E-02
u	7.56E+00	5.36E-01	5.36E-01	5.36E-01	5.36E-01	5.36E-01	5.36E-01
np	7.11E+00	2.01E-01	2.01E-01	2.01E-01	2.01E-01	2.01E-01	2.01E-01
pu	1.97E+00	1.96E+00	1.95E+00	1.94E+00	1.93E+00	1.92E+00	1.90E+00
am	2.54E-06	2.61E-06	2.68E-06	2.74E-06	2.81E-06	2.86E-06	2.92E-06
totals	1.67E+01	2.73E+00	2.72E+00	2.71E+00	2.70E+00	2.69E+00	2.68E+00

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 actinides page 59  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide gamma power, watts  
 basis =single reactor assembly

tl207	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl207	7.15E-09	7.24E-09	7.32E-09	7.40E-09	7.48E-09	7.57E-09	7.65E-09
tl208	9.12E-07	9.21E-07	9.26E-07	9.29E-07	9.30E-07	9.30E-07	9.29E-07
pb211	2.20E-07	2.23E-07	2.26E-07	2.28E-07	2.31E-07	2.33E-07	2.36E-07
pb212	1.09E-07	1.11E-07	1.11E-07	1.12E-07	1.12E-07	1.12E-07	1.12E-07

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 60  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, grams

y	89	2.81E+00						
sr	90	1.27E+00	1.25E+00	1.22E+00	1.20E+00	1.17E+00	1.15E+00	1.13E+00
y	90	3.31E-04	3.24E-04	3.18E-04	3.11E-04	3.05E-04	2.99E-04	2.93E-04
zr	90	2.16E+00	2.18E+00	2.21E+00	2.23E+00	2.26E+00	2.28E+00	2.30E+00
zr	91	3.50E+00	3.51E+00	3.51E+00	3.51E+00	3.51E+00	3.51E+00	3.51E+00
zr	92	3.57E+00						
zr	93	2.56E+00						
nb	93	3.72E-05	3.79E-05	3.87E-05	3.94E-05	4.02E-05	4.10E-05	4.18E-05
nb	93m	2.08E-05	2.10E-05	2.12E-05	2.14E-05	2.16E-05	2.18E-05	2.20E-05
zr	94	3.94E+00						
nb	94	1.01E-06						
mo	95	4.00E+00	4.02E+00	4.02E+00	4.02E+00	4.02E+00	4.02E+00	4.02E+00
zr	96	3.94E+00						
mo	96	4.33E-04						
mo	97	3.58E+00						
mo	98	3.72E+00						
tc	99	3.96E+00						
ru	99	7.79E-04	7.90E-04	8.00E-04	8.11E-04	8.22E-04	8.33E-04	8.44E-04
mo100	0	4.10E+00						
ru100	0	1.95E-04						
ru101	0	3.39E+00						
ru102	0	2.87E+00						
rh103	0	2.12E+00						
ru104	0	1.32E+00						
pd104	0	4.68E-04						
pd105	0	7.35E-01						
ru106	0	4.83E-03	2.74E-03	1.55E-03	8.79E-04	4.98E-04	2.82E-04	1.60E-04

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 61  
decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
0 nuclide concentrations, grams  
basis =single reactor assembly

```

1      sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2      fission products      page 62
decay, following reactor irradiation identified by: powers= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm**2-sec
0      nuclide concentrations, grams
      basis =single reactor assembly

la138  3.03E-05  3.03E-05  3.03E-05  3.03E-05  3.03E-05  3.03E-05  3.03E-05
la139  5.78E+00  5.78E+00  5.78E+00  5.78E+00  5.78E+00  5.78E+00  5.78E+00
ce140  5.77E+00  5.78E+00  5.78E+00  5.78E+00  5.78E+00  5.78E+00  5.78E+00
pr141  5.34E+00  5.35E+00  5.35E+00  5.35E+00  5.35E+00  5.35E+00  5.35E+00
ce142  5.44E+00  5.44E+00  5.44E+00  5.44E+00  5.44E+00  5.44E+00  5.44E+00
nd142  5.73E-05  5.73E-05  5.73E-05  5.73E-05  5.73E-05  5.73E-05  5.73E-05
nd143  5.52E+00  5.53E+00  5.53E+00  5.53E+00  5.53E+00  5.53E+00  5.53E+00
ce144  5.78E-02  2.76E-02  1.32E-02  6.28E-03  2.99E-03  1.43E-03  6.81E-04
nd144  5.08E+00  5.11E+00  5.13E+00  5.13E+00  5.14E+00  5.14E+00  5.14E+00
nd145  3.72E+00  3.72E+00  3.72E+00  3.72E+00  3.72E+00  3.72E+00  3.72E+00
nd146  2.86E+00  2.86E+00  2.86E+00  2.86E+00  2.86E+00  2.86E+00  2.86E+00
pm147  8.22E-02  6.67E-02  5.35E-02  4.30E-02  3.45E-02  2.77E-02  2.22E-02
sm147  2.10E+00  2.11E+00  2.13E+00  2.14E+00  2.15E+00  2.15E+00  2.16E+00
nd148  1.63E+00  1.63E+00  1.63E+00  1.63E+00  1.63E+00  1.63E+00  1.63E+00
sm148  2.95E-04  2.95E-04  2.95E-04  2.95E-04  2.95E-04  2.95E-04  2.95E-04
sm149  9.89E-01  9.90E-01  9.90E-01  9.90E-01  9.90E-01  9.90E-01  9.90E-01
nd150  6.57E-01  6.57E-01  6.57E-01  6.57E-01  6.57E-01  6.57E-01  6.57E-01
sm150  7.00E-02  7.00E-02  7.00E-02  7.00E-02  7.00E-02  7.00E-02  7.00E-02
sm151  2.95E-01  2.94E-01  2.92E-01  2.90E-01  2.88E-01  2.86E-01  2.84E-01
eu151  1.28E-01  1.30E-01  1.32E-01  1.34E-01  1.36E-01  1.37E-01  1.39E-01
sm152  2.78E-01  2.78E-01  2.78E-01  2.78E-01  2.78E-01  2.78E-01  2.78E-01
eu152  1.23E-04  1.18E-04  1.13E-04  1.08E-04  1.03E-04  9.90E-05  9.48E-05
gd152  1.80E-04  1.81E-04  1.82E-04  1.84E-04  1.85E-04  1.86E-04  1.87E-04
eu153  1.70E-01  1.70E-01  1.70E-01  1.70E-01  1.70E-01  1.70E-01  1.70E-01
sm154  7.87E-02  7.87E-02  7.87E-02  7.87E-02  7.87E-02  7.87E-02  7.87E-02
eu154  1.25E-05  1.17E-05  1.09E-05  1.02E-05  9.56E-06  8.94E-06  8.36E-06
gd154  4.63E-05  4.72E-05  4.79E-05  4.86E-05  4.93E-05  4.99E-05  5.05E-05
eu155  2.42E-03  2.14E-03  1.89E-03  1.67E-03  1.48E-03  1.31E-03  1.16E-03
gd155  3.26E-02  3.28E-02  3.31E-02  3.33E-02  3.35E-02  3.37E-02  3.38E-02

```

gd156	1.62E-02	1.63E-02	1.63E-02	1.63E-02	1.63E-02	1.63E-02	1.63E-02
gd157	6.71E-03						
gd158	4.26E-03						
tb159	1.29E-03						
gd160	4.35E-04						
dy161	1.33E-04	1.34E-04	1.34E-04	1.34E-04	1.34E-04	1.34E-04	1.34E-04
dy162	3.81E-05						
dy163	1.27E-05						
dy164	4.10E-06						
ho165	1.85E-06						
total	1.52E+02						

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 fission products page 63  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02md, flux= 2.79E+08n/cm\*\*2-sec  
 0 nuclide radioactivity, curies  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h 3	3.69E-01	3.52E-01	3.36E-01	3.21E-01	3.06E-01	2.92E-01	2.79E-01
c 14	5.29E-07						
se 79	3.13E-04	3.13E-04	3.13E-04	3.13E-04	3.13E-04	3.13E-04	3.12E-04
kr 85	8.84E+00	8.37E+00	7.93E+00	7.52E+00	7.12E+00	6.75E+00	6.40E+00
sr 90	1.80E+02	1.76E+02	1.73E+02	1.69E+02	1.66E+02	1.62E+02	1.59E+02
y 90	1.80E+02	1.76E+02	1.73E+02	1.69E+02	1.66E+02	1.62E+02	1.59E+02
y 91	1.99E+02	5.44E+00	1.48E-01	4.01E-03	1.09E-04	2.96E-06	8.04E-08
zr 93	6.43E-03						
nb 93m	4.95E-03	5.00E-03	5.06E-03	5.10E-03	5.15E-03	5.19E-03	5.24E-03
zr 95	2.18E+02	8.09E+00	3.00E-01	1.11E-02	4.11E-04	1.52E-05	5.64E-07
nb 95	2.18E+02	1.72E+01	6.58E-01	2.44E-02	9.05E-04	3.35E-05	1.24E-06
tc 99	6.78E-02						
rh102	8.00E-06	6.56E-06	5.37E-06	4.40E-06	3.61E-06	2.96E-06	2.42E-06
ru106	1.60E+01	9.07E+00	5.14E+00	2.92E+00	1.65E+00	9.37E-01	5.31E-01
rh106	1.60E+01	9.07E+00	5.14E+00	2.92E+00	1.65E+00	9.37E-01	5.31E-01
pd107	6.46E-05						
cd113m	9.63E-03	9.25E-03	8.88E-03	8.52E-03	8.18E-03	7.85E-03	7.53E-03
sn119m	1.53E-03	7.46E-04	3.63E-04	1.77E-04	8.60E-05	4.19E-05	2.04E-05
sn121	4.70E-01	1.58E-03	1.56E-03	1.55E-03	1.53E-03	1.51E-03	1.50E-03
sn121m	2.05E-03	2.03E-03	2.01E-03	1.99E-03	1.97E-03	1.95E-03	1.93E-03
sn123	5.82E-02	1.14E-02	2.22E-03	4.33E-04	8.46E-05	1.65E-05	3.23E-06
sb125	1.02E+00	8.29E-01	6.71E-01	5.43E-01	4.39E-01	3.56E-01	2.88E-01
te125m	2.39E-01	2.02E-01	1.64E-01	1.33E-01	1.07E-01	8.68E-02	7.03E-02
sn126	1.01E-03						
sb126	4.07E-03	1.41E-04	1.41E-04	1.41E-04	1.41E-04	1.41E-04	1.41E-04
sb126m	6.41E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03
te127	4.21E+00	1.09E-01	1.57E-02	2.26E-03	3.26E-04	4.71E-05	6.80E-06
te127m	7.40E-01	1.11E-01	1.60E-02	2.31E-03	3.33E-04	4.81E-05	6.94E-06
i129	1.13E-04	1.14E-04	1.14E-04	1.14E-04	1.14E-04	1.14E-04	1.14E-04
cs134	2.43E-02	1.83E-02	1.39E-02	1.05E-02	7.92E-03	5.98E-03	4.52E-03
cs135	6.67E-03						
cs137	1.91E+02	1.88E+02	1.84E+02	1.81E+02	1.77E+02	1.74E+02	1.70E+02
ba137m	1.81E+02	1.77E+02	1.74E+02	1.71E+02	1.67E+02	1.64E+02	1.61E+02
ce144	1.84E+02	8.78E+01	4.19E+01	2.00E+01	9.53E+00	4.54E+00	2.17E+00
pr144	1.84E+02	8.78E+01	4.19E+01	2.00E+01	9.53E+00	4.54E+00	2.17E+00
pr144m	2.58E+00	1.23E+00	5.86E-01	2.80E-01	1.33E-01	6.36E-02	3.03E-02
pm147	7.62E+01	6.19E+01	4.96E+01	3.98E+01	3.20E+01	2.56E+01	2.06E+01
sm151	7.78E+00	7.73E+00	7.68E+00	7.63E+00	7.58E+00	7.53E+00	7.48E+00
eu152	2.17E-02	2.08E-02	1.99E-02	1.91E-02	1.83E-02	1.75E-02	1.67E-02
eu154	3.38E-03	3.16E-03	2.96E-03	2.76E-03	2.59E-03	2.42E-03	2.26E-03
eu155	1.19E+00	1.06E+00	9.33E-01	8.25E-01	7.29E-01	6.45E-01	5.70E-01
total	2.07E+04	1.03E+03	8.67E+02	7.92E+02	7.47E+02	7.15E+02	6.91E+02

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0  
 element thermal power, watts  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h	1.25E-05	1.19E-05	1.13E-05	1.08E-05	1.03E-05	9.85E-06	9.40E-06
se	3.33E+00	9.80E-08	9.80E-08	9.80E-08	9.80E-08	9.80E-08	9.80E-08
kr	1.29E+01	1.26E-02	1.19E-02	1.13E-02	1.07E-02	1.01E-02	9.59E-03
sr	2.01E+01	2.13E-01	2.01E-01	1.96E-01	1.92E-01	1.88E-01	1.85E-01
y	2.81E+01	9.95E-01	9.56E-01	9.37E-01	9.17E-01	8.99E-01	8.81E-01
zr	1.20E+01	4.08E-02	1.51E-03	5.67E-05	2.80E-06	8.01E-07	7.27E-07
nb	2.15E+01	8.25E-02	3.16E-03	1.18E-04	5.23E-06	1.06E-06	9.08E-07
tc	6.48E+00	3.40E-05	3.40E-05	3.40E-05	3.40E-05	3.40E-05	3.40E-05
ru	7.12E-01	2.18E-03	3.13E-04	1.73E-04	9.82E-05	5.57E-05	3.16E-05
rh	3.83E-01	8.71E-02	4.93E-02	2.79E-02	1.58E-02	8.98E-03	5.09E-03
ag	7.41E-02	2.00E-07	8.59E-08	3.69E-08	1.59E-08	6.81E-09	2.93E-09
cd	6.86E-02	1.06E-05	9.66E-06	9.27E-06	8.89E-06	8.54E-06	8.19E-06
sn	1.87E+00	3.90E-05	1.02E-05	4.53E-06	3.38E-06	3.13E-06	3.06E-06
sb	7.51E+00	2.64E-03	2.14E-03	1.73E-03	1.40E-03	1.14E-03	9.25E-04
te	9.29E+00	4.13E-04	1.68E-04	1.16E-04	9.09E-05	7.32E-05	5.92E-05
i	2.08E+01	5.31E-08	5.31E-08	5.31E-08	5.31E-08	5.31E-08	5.31E-08
cs	1.83E+01	2.09E-01	2.05E-01	2.01E-01	1.97E-01	1.93E-01	1.89E-01
ba	1.19E+01	6.96E-01	6.83E-01	6.70E-01	6.57E-01	6.45E-01	6.32E-01
ce	4.40E+00	5.79E-02	2.74E-02	1.31E-02	6.24E-03	2.97E-03	1.42E-03
pr	6.24E+00	6.45E-01	3.08E-01	1.47E-01	7.00E-02	3.34E-02	1.59E-02
pm	3.40E-01	2.27E-02	1.82E-02	1.46E-02	1.17E-02	9.41E-03	7.55E-03
sm	2.10E-02	9.09E-04	9.03E-04	8.97E-04	8.91E-04	8.86E-04	8.80E-04
eu	9.31E-03	1.01E-03	9.04E-04	8.12E-04	7.30E-04	6.56E-04	5.91E-04
totals	2.61E+02	3.07E+00	2.47E+00	2.22E+00	2.08E+00	1.99E+00	1.93E+00

1  
 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0  
 nuclide gamma power, watts  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	1.17E-04	1.11E-04	1.05E-04	9.94E-05	9.41E-05	8.92E-05	8.45E-05
y 90	1.81E-06	1.78E-06	1.74E-06	1.70E-06	1.67E-06	1.64E-06	1.60E-06
nb 93m	5.52E-08	5.58E-08	5.63E-08	5.69E-08	5.74E-08	5.79E-08	5.84E-08
zr 95	9.47E-01	3.51E-02	1.30E-03	4.81E-05	1.78E-06	6.61E-08	2.45E-09
nb 95	9.88E-01	7.78E-02	2.98E-03	1.11E-04	4.10E-06	1.52E-07	5.63E-09
rh102	1.02E-07	8.39E-08	6.88E-08	5.64E-08	4.62E-08	3.78E-08	3.10E-08
rh106	1.95E-02	1.11E-02	6.28E-03	3.56E-03	2.02E-03	1.14E-03	6.48E-04
ag110m	4.50E-07	1.93E-07	8.31E-08	3.57E-08	1.53E-08	6.59E-09	2.83E-09
sn121m	6.09E-08	6.03E-08	5.96E-08	5.90E-08	5.84E-08	5.78E-08	5.72E-08
sb125	2.63E-03	2.13E-03	1.73E-03	1.40E-03	1.13E-03	9.15E-04	7.40E-04
te125m	5.04E-05	4.27E-05	3.46E-05	2.80E-05	2.26E-05	1.83E-05	1.48E-05
sn126	7.80E-07						
sb126	6.64E-05	2.30E-06	2.30E-06	2.30E-06	2.30E-06	2.30E-06	2.30E-06
sb126m	5.90E-05	9.29E-06	9.29E-06	9.29E-06	9.29E-06	9.29E-06	9.29E-06
ii29	1.65E-08	1.66E-08	1.66E-08	1.66E-08	1.66E-08	1.66E-08	1.66E-08
cs134	2.24E-04	1.69E-04	1.28E-04	9.65E-05	7.30E-05	5.51E-05	4.17E-05
ba137m	6.42E-01	6.29E-01	6.17E-01	6.05E-01	5.94E-01	5.83E-01	5.71E-01
ce144	2.07E-02	9.89E-03	4.72E-03	2.25E-03	1.07E-03	5.12E-04	2.44E-04
pr144	3.16E-02	1.51E-02	7.18E-03	3.42E-03	1.63E-03	7.79E-04	3.71E-04
pr144m	1.91E-04	9.11E-05	4.35E-05	2.07E-05	9.88E-06	4.71E-06	2.25E-06
pm147	1.98E-06	1.61E-06	1.29E-06	1.03E-06	8.30E-07	6.66E-07	5.34E-07
sm151	6.54E-07	6.50E-07	6.46E-07	6.42E-07	6.38E-07	6.34E-07	6.30E-07
eu152	1.50E-04	1.43E-04	1.37E-04	1.31E-04	1.26E-04	1.20E-04	1.15E-04
eu154	2.51E-05	2.35E-05	2.20E-05	2.06E-05	1.92E-05	1.80E-05	1.68E-05
eu155	4.58E-04	4.05E-04	3.58E-04	3.16E-04	2.80E-04	2.47E-04	2.19E-04

total 1.29E+02 7.83E-01 6.42E-01 6.17E-01 6.00E-01 5.87E-01 5.74E-01

1 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 decay, following reactor irradiation identified by: power= 4.000E-03mw, burnup=1.4610E+02mwd, flux= 2.79E+08n/cm\*\*2-sec  
 0 element gamma power, watts  
 basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr	6.74E+00	1.11E-04	1.05E-04	9.94E-05	9.41E-05	8.92E-05	8.45E-05
y	9.80E+00	1.19E-04	4.91E-06	1.79E-06	1.67E-06	1.64E-06	1.60E-06
zr	4.81E+00	3.51E-02	1.30E-03	4.81E-05	1.78E-06	6.61E-08	2.45E-09
nb	9.13E+00	7.79E-02	2.98E-03	1.11E-04	4.16E-06	2.12E-07	6.58E-08
rh	1.07E-01	1.11E-02	6.28E-03	3.56E-03	2.02E-03	1.14E-03	6.48E-04
ag	3.07E-02	1.93E-07	8.31E-08	3.57E-08	1.54E-08	6.60E-09	2.84E-09
sn	1.23E+00	1.36E-06	9.56E-07	8.69E-07	8.48E-07	8.42E-07	8.39E-07
sb	5.16E+00	2.14E-03	1.74E-03	1.41E-03	1.14E-03	9.26E-04	7.52E-04
te	5.57E+00	5.71E-05	3.61E-05	2.82E-05	2.27E-05	1.83E-05	1.48E-05
i	1.36E+01	1.66E-08	1.66E-08	1.66E-08	1.66E-08	1.66E-08	1.66E-08
cs	8.74E+00	1.69E-04	1.28E-04	9.65E-05	7.30E-05	5.51E-05	4.17E-05
ba	5.34E+00	6.29E-01	6.17E-01	6.05E-01	5.94E-01	5.83E-01	5.71E-01
ce	2.08E+00	1.00E-02	4.72E-03	2.25E-03	1.07E-03	5.12E-04	2.44E-04
pr	1.80E+00	1.51E-02	7.22E-03	3.44E-03	1.64E-03	7.83E-04	3.74E-04
pm	8.55E-02	1.67E-06	1.29E-06	1.03E-06	8.30E-07	6.66E-07	5.34E-07
sm	4.47E-03	6.50E-07	6.46E-07	6.42E-07	6.38E-07	6.34E-07	6.30E-07
eu	5.77E-03	5.72E-04	5.17E-04	4.68E-04	4.25E-04	3.86E-04	3.51E-04
totals	1.29E+02	7.83E-01	6.42E-01	6.17E-01	6.00E-01	5.87E-01	5.74E-01

1 photon spectrum as a function of time for light elements, cladding and structural materials

page 67

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 0 power= .00 mw, burnup= 146.mwd, flux= 2.79E+08 n\*\*2-sec  
 0 spectrum of photon release rates, photons/sec  
 0 basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
emean (mev)	5.15E+11	5.55E+04	4.44E+04	3.56E+04	2.85E+04	2.28E+04	1.83E+04
1.00E-02	1.69E+11	1.77E+04	1.41E+04	1.13E+04	9.07E+03	7.26E+03	5.82E+03
3.00E-02	1.18E+11	1.19E+04	9.55E+03	7.65E+03	6.13E+03	4.91E+03	3.93E+03
5.50E-02	6.90E+10	6.71E+03	5.37E+03	4.30E+03	3.45E+03	2.76E+03	2.21E+03
8.50E-02	4.90E+10	4.59E+03	3.67E+03	2.94E+03	2.36E+03	1.89E+03	1.51E+03
1.20E-01	5.13E+10	4.50E+03	3.61E+03	2.89E+03	2.31E+03	1.85E+03	1.48E+03
1.70E-01	5.88E+10	4.48E+03	3.59E+03	2.88E+03	2.30E+03	1.84E+03	1.48E+03
3.00E-01	2.89E+10	2.39E+05	1.92E+05	1.54E+05	1.23E+05	9.85E+04	7.89E+04
6.50E-01	4.97E+09	1.91E+05	1.53E+05	1.22E+05	9.81E+04	7.85E+04	6.29E+04
1.13E+00	9.04E+11	4.78E-01	3.83E-01	3.07E-01	2.46E-01	1.97E-01	1.58E-01
1.58E+00	1.79E+08	4.25E-02	3.40E-02	2.73E-02	2.18E-02	1.75E-02	1.40E-02
2.00E+00	3.63E+07	9.53E-03	7.63E-03	6.11E-03	4.90E-03	3.92E-03	3.14E-03
2.40E+00	1.36E+11	1.49E-04	1.20E-04	9.57E-05	7.67E-05	6.14E-05	4.92E-05
3.25E+00	.00E+00						
3.75E+00	1.39E+08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.25E+00	1.82E+06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.75E+00	6.63E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E+00	1.09E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.18E+12	5.36E+05	4.29E+05	3.44E+05	2.75E+05	2.20E+05	1.77E+05
mev/sec	2.10E+12	3.75E+05	3.01E+05	2.41E+05	1.93E+05	1.54E+05	1.24E+05

spectrum of energy release rates, mev/watt-sec  
 basis = single reactor assembly

0 emean (mev) initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d

1.00E-02	1.29E+06	1.39E-01	1.11E-01	8.90E-02	7.13E-02	5.71E-02	4.57E-02
3.00E-02	1.27E+06	1.32E-01	1.06E-01	8.49E-02	6.80E-02	5.45E-02	4.36E-02
5.50E-02	1.62E+06	1.64E-01	1.31E-01	1.05E-01	8.42E-02	6.75E-02	5.40E-02
8.50E-02	1.47E+06	1.43E-01	1.14E-01	9.15E-02	7.33E-02	5.87E-02	4.70E-02
1.20E-01	1.47E+06	1.38E-01	1.10E-01	8.83E-02	7.07E-02	5.66E-02	4.54E-02
1.70E-01	2.18E+06	1.91E-01	1.53E-01	1.23E-01	9.84E-02	7.88E-02	6.31E-02
3.00E-01	4.41E+06	3.36E-01	2.69E-01	2.16E-01	1.73E-01	1.38E-01	1.11E-01
6.50E-01	4.70E+06	3.89E+01	3.12E+01	2.50E+01	2.00E+01	1.60E+01	1.28E+01
1.13E+00	1.40E+06	5.37E+01	4.30E+01	3.44E+01	2.76E+01	2.21E+01	1.77E+01
1.58E+00	3.56E+08	1.88E-04	1.51E-04	1.21E-04	9.67E-05	7.75E-05	6.20E-05
2.00E+00	8.96E+04	2.13E-05	1.70E-05	1.36E-05	1.09E-05	8.75E-06	7.00E-06
2.40E+00	2.18E+04	5.72E-06	4.58E-06	3.67E-06	2.94E-06	2.35E-06	1.88E-06
2.80E+00	1.49E+08	1.04E-07	8.37E-08	6.70E-08	5.37E-08	4.30E-08	3.44E-08
3.25E+00	1.10E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.75E+00	1.30E+05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.25E+00	1.93E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.75E+00	7.87E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E+00	1.50E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	5.25E+08	9.38E+01	7.52E+01	6.02E+01	4.82E+01	3.86E+01	3.09E+01
gamma watts	3.37E-01	6.02E-08	4.82E-08	3.86E-08	3.09E-08	2.48E-08	1.98E-08

page 68

## photon spectrum as a function of time for fission products

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= .00 mw, burnups= 146.mwd, flux= 2.79E+08 n\*\*2-sec  
 spectrum of photon release rates, photons/sec  
 basis = single reactor assembly

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	2.61E+14	7.89E+12	6.25E+12	5.47E+12	5.04E+12	4.78E+12	4.60E+12
3.00E-02	1.14E+14	3.41E+12	2.67E+12	2.32E+12	2.12E+12	2.01E+12	1.93E+12
5.50E-02	6.07E+13	1.71E+12	1.33E+12	1.15E+12	1.05E+12	9.93E+11	9.54E+11
8.50E-02	4.20E+13	1.02E+12	7.78E+11	6.59E+11	5.95E+11	5.58E+11	5.34E+11
1.20E-01	3.44E+13	1.04E+12	6.94E+11	5.25E+11	4.40E+11	3.95E+11	3.70E+11
1.70E-01	5.50E+13	6.56E+11	5.00E+11	4.27E+11	3.88E+11	3.65E+11	3.50E+11
3.00E-01	1.10E+14	7.09E+11	5.35E+11	4.50E+11	4.05E+11	3.79E+11	3.63E+11
6.50E-01	2.29E+14	7.58E+12	6.25E+12	6.02E+12	5.86E+12	5.73E+12	5.61E+12
1.13E+00	7.81E+13	5.55E+10	3.75E+10	2.86E+10	2.40E+10	2.14E+10	1.99E+10
1.58E+00	4.04E+13	1.94E+10	1.08E+10	6.62E+09	4.54E+09	3.49E+09	2.95E+09
2.00E+00	1.23E+13	2.94E+10	1.41E+10	6.85E+09	3.36E+09	1.69E+09	8.83E+08
2.40E+00	1.06E+13	6.19E+08	3.27E+08	1.74E+08	9.30E+07	5.01E+07	2.72E+07
2.80E+00	4.23E+12	8.07E+07	4.38E+07	2.39E+07	1.31E+07	7.21E+06	3.99E+06
3.25E+00	2.48E+12	1.01E+07	5.75E+06	3.26E+06	1.85E+06	1.05E+06	5.93E+05
3.75E+00	1.26E+12	4.47E+03	2.53E+03	1.44E+03	8.14E+02	4.61E+02	2.61E+02
4.25E+00	1.39E+12	2.00E-07	2.01E-07	2.01E-07	2.01E-07	2.01E-07	2.01E-07
4.75E+00	4.08E+11	1.00E-07	1.01E-07	1.01E-07	1.01E-07	1.01E-07	1.01E-07
5.50E+00	3.04E+11	7.45E-08	7.46E-08	7.47E-08	7.48E-08	7.49E-08	7.49E-08
total	1.06E+15	2.41E+13	1.91E+13	1.71E+13	1.59E+13	1.52E+13	1.47E+13
mev/sec	4.44E+14	5.89E+12	4.76E+12	4.48E+12	4.31E+12	4.19E+12	4.09E+12

spectrum of energy release rates, mev/watt-sec  
 basis = single reactor assembly

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	6.51E+08	1.97E+07	1.56E+07	1.37E+07	1.26E+07	1.19E+07	1.15E+07
3.00E-02	8.54E+08	2.56E+07	2.01E+07	1.74E+07	1.59E+07	1.51E+07	1.45E+07
5.50E-02	8.35E+08	2.35E+07	1.83E+07	1.58E+07	1.45E+07	1.36E+07	1.31E+07
8.50E-02	8.92E+08	2.17E+07	1.65E+07	1.40E+07	1.26E+07	1.19E+07	1.14E+07
1.20E-01	1.03E+09	3.13E+07	2.08E+07	1.58E+07	1.32E+07	1.19E+07	1.11E+07

1.70E-01	2.34E+09	2.79E+07	2.13E+07	1.81E+07	1.65E+07	1.55E+07	1.49E+07
3.00E-01	8.25E+09	5.32E+07	4.01E+07	3.38E+07	3.04E+07	2.85E+07	2.72E+07
6.50E-01	3.73E+10	1.23E+09	1.02E+09	9.78E+08	9.53E+08	9.31E+08	9.12E+08
1.13E+00	2.20E+10	1.56E+07	1.05E+07	8.05E+06	6.74E+06	6.03E+06	5.60E+06
1.58E+00	1.59E+10	7.65E+06	4.26E+06	2.61E+06	1.79E+06	1.38E+06	1.16E+06
2.00E+00	6.14E+09	1.47E+07	7.07E+06	3.43E+06	1.68E+06	8.44E+05	4.41E+05
2.40E+00	6.37E+09	3.72E+05	1.96E+05	1.04E+05	5.58E+04	3.01E+04	1.63E+04
2.80E+00	2.96E+09	5.65E+04	3.07E+04	1.67E+04	9.17E+03	5.05E+03	2.79E+03
3.25E+00	2.01E+09	8.24E+03	4.67E+03	2.65E+03	1.50E+03	8.50E+02	4.82E+02
3.75E+00	1.18E+09	4.19E+00	2.37E+00	1.35E+00	7.63E-01	4.32E-01	2.45E-01
4.25E+00	1.48E+09	2.13E-10	2.13E-10	2.13E-10	2.14E-10	2.14E-10	2.14E-10
4.75E+00	4.85E+08	1.19E-10	1.19E-10	1.20E-10	1.20E-10	1.20E-10	1.20E-10
5.50E+00	4.18E+08	1.02E-10	1.03E-10	1.03E-10	1.03E-10	1.03E-10	1.03E-10
total	1.11E+11	1.47E+09	1.19E+09	1.12E+09	1.08E+09	1.05E+09	1.02E+09
gamma watts	7.12E+01	9.44E-01	7.63E-01	7.18E-01	6.92E-01	6.72E-01	6.56E-01

page 69

principal photon sources in group 1, photons/sec  
mean energy = .0100 mev. nuclides exceeding 1.0E-03 of total group release rate (4.78E+12) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	4.66E+10	4.42E+10	4.19E+10	3.97E+10	3.76E+10	3.56E+10	3.37E+10
sr 90	7.33E+11	7.18E+11	7.03E+11	6.89E+11	6.75E+11	6.61E+11	6.48E+11
y 90	3.60E+12	3.53E+12	3.46E+12	3.39E+12	3.32E+12	3.25E+12	3.18E+12
rh106	4.76E+11	2.70E+11	1.53E+11	8.68E+10	4.92E+10	2.79E+10	1.58E+10
cs137	6.75E+11	6.62E+11	6.50E+11	6.37E+11	6.25E+11	6.13E+11	6.01E+11
ba137m	3.17E+10	3.11E+10	3.05E+10	2.99E+10	2.93E+10	2.88E+10	2.82E+10
ce144	3.55E+11	1.69E+11	8.06E+10	3.85E+10	1.83E+10	8.75E+09	4.17E+09
pr144	4.70E+12	2.24E+12	1.07E+12	5.10E+11	2.43E+11	1.16E+11	5.53E+10
pm147	8.86E+10	7.19E+10	5.77E+10	4.63E+10	3.71E+10	2.98E+10	2.39E+10

principal photon sources in group 2, photons/sec  
mean energy = .0300 mev. nuclides exceeding 1.0E-03 of total group release rate (2.01E+12) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	1.36E+10	1.29E+10	1.22E+10	1.16E+10	1.10E+10	1.04E+10	9.83E+09
sr 90	2.07E+11	2.03E+11	1.99E+11	1.95E+11	1.91E+11	1.87E+11	1.83E+11
y 90	1.17E+12	1.15E+12	1.13E+12	1.10E+12	1.08E+12	1.06E+12	1.04E+12
rh106	1.59E+11	9.02E+10	5.11E+10	2.90E+10	1.64E+10	9.31E+09	5.28E+09
sb125	1.87E+10	1.52E+10	1.23E+10	9.96E+09	8.06E+09	6.52E+09	5.28E+09
te125m	1.02E+10	8.65E+09	7.01E+09	5.67E+09	4.59E+09	3.72E+09	3.01E+09
cs137	1.88E+11	1.85E+11	1.81E+11	1.78E+11	1.74E+11	1.71E+11	1.68E+11
ba137m	5.44E+11	5.34E+11	5.23E+11	5.13E+11	5.04E+11	4.94E+11	4.85E+11
ce144	8.23E+11	3.93E+11	1.87E+11	8.93E+10	4.26E+10	2.03E+10	9.69E+09
pr144	1.55E+12	7.41E+11	3.54E+11	1.69E+11	8.04E+10	3.84E+10	1.83E+10
pm147	1.95E+10	1.58E+10	1.27E+10	1.02E+10	8.17E+09	6.55E+09	5.26E+09

principal photon sources in group 3, photons/sec  
mean energy = .0550 mev. nuclides exceeding 1.0E-03 of total group release rate (9.93E+11) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	8.33E+09	7.90E+09	7.48E+09	7.09E+09	6.72E+09	6.36E+09	6.03E+09
sr 90	1.22E+11	1.20E+11	1.17E+11	1.15E+11	1.13E+11	1.10E+11	1.08E+11
y 90	8.11E+11	7.94E+11	7.78E+11	7.62E+11	7.47E+11	7.32E+11	7.17E+11
rh106	1.13E+11	6.39E+10	3.62E+10	2.05E+10	1.16E+10	6.59E+09	3.74E+09
cs137	1.09E+11	1.07E+11	1.05E+11	1.03E+11	1.01E+11	9.94E+10	9.75E+10
ce144	1.19E+11	5.68E+10	2.71E+10	1.29E+10	6.16E+09	2.94E+09	1.40E+09
pr144	1.09E+12	5.20E+11	2.48E+11	1.18E+11	5.65E+10	2.69E+10	1.28E+10
pm147	8.18E+09	6.64E+09	5.33E+09	4.28E+09	3.43E+09	2.75E+09	2.21E+09
eu155	9.21E+09	8.14E+09	7.20E+09	6.36E+09	5.62E+09	4.97E+09	4.39E+09

page 70

principal photon sources in group 4, photons/sec  
mean energy = .0850 mev. nuclides exceeding 1.0E-03 of total group release rate (5.58E+11) at 1521.9 d

nuclide	initial	304.4 d	608.8 d	913.1 d	time after discharge	1217.5 d	1521.9 d	1826.3 d	
kr 85	4.17E+09	3.95E+09	3.74E+09	3.55E+09	3.36E+09	3.19E+09	3.02E+09		
sr 90	5.84E+10	5.72E+10	5.60E+10	5.49E+10	5.38E+10	5.27E+10	5.16E+10		
y 90	4.69E+11	4.60E+11	4.50E+11	4.41E+11	4.32E+11	4.23E+11	4.15E+11		
rh106	6.70E+10	3.80E+10	2.15E+10	1.22E+10	6.91E+09	3.92E+09	2.22E+09		
cs137	5.13E+10	5.03E+10	4.93E+10	4.84E+10	4.75E+10	4.66E+10	4.57E+10		
ce144	1.68E+11	8.02E+10	3.83E+10	1.82E+10	8.70E+09	4.15E+09	1.98E+09		
pr144	6.42E+11	3.06E+11	1.46E+11	6.97E+10	3.32E+10	1.58E+10	7.56E+09		
pm147	2.33E+09	1.89E+09	1.52E+09	1.22E+09	9.76E+08	7.83E+08	6.29E+08		
eu155	1.40E+10	1.24E+10	1.09E+10	9.66E+09	8.54E+09	7.55E+09	6.67E+09		
0	principal photon sources in group 5, photons/sec								
	mean energy = .1200 mev. nuclides exceeding 1.0E-03 of total group release rate (3.95E+11) at 1521.9 d								
nuclide	initial	304.4 d	608.8 d	913.1 d	time after discharge	1217.5 d	1521.9 d	1826.3 d	
kr 85	2.51E+09	2.38E+09	2.26E+09	2.14E+09	2.03E+09	1.92E+09	1.82E+09		
sr 90	3.32E+10	3.25E+10	3.19E+10	3.12E+10	3.06E+10	3.00E+10	2.94E+10		
y 90	3.30E+11	3.23E+11	3.17E+11	3.10E+11	3.04E+11	2.98E+11	2.92E+11		
rh106	4.84E+10	2.74E+10	1.55E+10	8.81E+09	4.99E+09	2.83E+09	1.60E+09		
cs137	2.87E+10	2.82E+10	2.76E+10	2.71E+10	2.66E+10	2.61E+10	2.56E+10		
ce144	8.25E+11	3.93E+11	1.88E+11	8.95E+10	4.27E+10	2.03E+10	9.70E+09		
pr144	4.60E+11	2.19E+11	1.05E+11	4.98E+10	2.38E+10	1.13E+10	5.41E+09		
eu155	7.99E+09	7.06E+09	6.24E+09	5.51E+09	4.87E+09	4.31E+09	3.81E+09		
0	principal photon sources in group 6, photons/sec								
	mean energy = .1700 mev. nuclides exceeding 1.0E-03 of total group release rate (3.65E+11) at 1521.9 d								
nuclide	initial	304.4 d	608.8 d	913.1 d	time after discharge	1217.5 d	1521.9 d	1826.3 d	
kr 85	2.00E+09	1.89E+09	1.79E+09	1.70E+09	1.61E+09	1.53E+09	1.45E+09		
sr 90	2.37E+10	2.32E+10	2.27E+10	2.23E+10	2.18E+10	2.14E+10	2.09E+10		
y 90	3.40E+11	3.33E+11	3.27E+11	3.20E+11	3.13E+11	3.07E+11	3.01E+11		
rh106	5.19E+10	2.94E+10	1.67E+10	9.44E+09	5.35E+09	3.03E+09	1.72E+09		
sb125	2.82E+09	2.29E+09	1.85E+09	1.50E+09	1.21E+09	9.82E+08	7.95E+08		
cs137	2.03E+10	1.99E+10	1.95E+10	1.92E+10	1.88E+10	1.84E+10	1.81E+10		
pr144	4.86E+11	2.32E+11	1.11E+11	5.27E+10	2.51E+10	1.20E+10	5.72E+09		
0	principal photon sources in group 7, photons/sec								
	mean energy = .3000 mev. nuclides exceeding 1.0E-03 of total group release rate (3.79E+11) at 1521.9 d								
nuclide	initial	304.4 d	608.8 d	913.1 d	time after discharge	1217.5 d	1521.9 d	1826.3 d	
kr 85	1.21E+09	1.14E+09	1.08E+09	1.03E+09	9.72E+08	9.21E+08	8.73E+08		
sr 90	1.07E+10	1.05E+10	1.03E+10	1.01E+10	9.89E+09	9.69E+09	9.50E+09		
y 90	3.78E+11	3.70E+11	3.63E+11	3.55E+11	3.48E+11	3.41E+11	3.34E+11		
rh106	6.26E+10	3.55E+10	2.01E+10	1.14E+10	6.46E+09	3.66E+09	2.07E+09		
cs137	1.03E+10	1.01E+10	9.88E+09	9.69E+09	9.51E+09	9.33E+09	9.15E+09		
pr144	5.69E+11	2.71E+11	1.29E+11	6.17E+10	2.94E+10	1.40E+10	6.69E+09		
1	principal photon sources in group 8, photons/sec								
0	mean energy = .6500 mev. nuclides exceeding 1.0E-03 of total group release rate (5.73E+12) at 1521.9 d								
nuclide	initial	304.4 d	608.8 d	913.1 d	time after discharge	1217.5 d	1521.9 d	1826.3 d	
y 90	1.60E+11	1.56E+11	1.53E+11	1.50E+11	1.47E+11	1.44E+11	1.41E+11		
rh106	1.93E+11	1.09E+11	6.21E+10	3.52E+10	1.99E+10	1.13E+10	6.41E+09		
sb125	2.29E+10	1.86E+10	1.51E+10	1.22E+10	9.86E+09	7.98E+09	6.46E+09		
ba137m	6.12E+12	6.00E+12	5.88E+12	5.77E+12	5.66E+12	5.55E+12	5.45E+12		
pr144	3.88E+11	1.85E+11	8.83E+10	4.21E+10	2.01E+10	9.58E+09	4.57E+09		
0	principal photon sources in group 9, photons/sec								
	mean energy = 1.1250 mev. nuclides exceeding 1.0E-03 of total group release rate (2.14E+10) at 1521.9 d								
nuclide	initial	304.4 d	608.8 d	913.1 d	time after discharge	1217.5 d	1521.9 d	1826.3 d	
y 90	2.08E+10	2.04E+10	2.00E+10	1.96E+10	1.92E+10	1.88E+10	1.84E+10		
rh106	1.80E+10	1.02E+10	5.78E+09	3.28E+09	1.86E+09	1.05E+09	5.97E+08		

pr144 4.97E+10 2.37E+10 1.13E+10 5.39E+09 2.57E+09 1.23E+09 5.85E+08  
 eu152 3.37E+08 3.23E+08 3.09E+08 2.96E+08 2.84E+08 2.72E+08 2.60E+08  
 eu154 8.42E+07 7.87E+07 7.36E+07 6.88E+07 6.44E+07 6.02E+07 5.63E+07  
 0 principal photon sources in group 10, photons/sec  
 nuclide mean energy = 1.5750 mev. nuclides exceeding 1.0E-03 of total group release rate (3.49E+09) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 y 90 2.66E+09 2.61E+09 2.55E+09 2.50E+09 2.45E+09 2.40E+09 2.35E+09  
 rh106 3.39E+09 1.92E+09 1.09E+09 6.18E+08 3.50E+08 1.99E+08 1.13E+08  
 cs134 2.37E+07 1.79E+07 1.35E+07 1.02E+07 7.71E+06 5.83E+06 4.41E+06  
 pr144 3.09E+10 1.47E+10 7.03E+09 3.35E+09 1.60E+09 7.63E+08 3.64E+08  
 eu152 1.55E+08 1.48E+08 1.42E+08 1.36E+08 1.30E+08 1.25E+08 1.19E+08  
 0 principal photon sources in group 11, photons/sec  
 nuclide mean energy = 2.0000 mev. nuclides exceeding 1.0E-03 of total group release rate (1.69E+09) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 y 90 1.59E+08 1.56E+08 1.53E+08 1.50E+08 1.47E+08 1.44E+08 1.41E+08  
 rh106 1.10E+09 6.25E+08 3.54E+08 2.01E+08 1.14E+08 6.45E+07 3.66E+07  
 pr144 5.99E+10 2.86E+10 1.36E+10 6.50E+09 3.10E+09 1.48E+09 7.05E+08  
 0 principal photon sources in group 12, photons/sec  
 nuclide mean energy = 2.4000 mev. nuclides exceeding 1.0E-03 of total group release rate (5.01E+07) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 y 90 9.28E+04 9.10E+04 8.91E+04 8.73E+04 8.55E+04 8.38E+04 8.21E+04  
 rh106 6.16E+08 3.49E+08 1.98E+08 1.12E+08 6.36E+07 3.61E+07 2.04E+07  
 pr144 5.66E+08 2.70E+08 1.29E+08 6.14E+07 2.93E+07 1.40E+07 6.67E+06  
 1  
 0 principal photon sources in group 13, photons/sec  
 nuclide mean energy = 2.8000 mev. nuclides exceeding 1.0E-03 of total group release rate (7.21E+06) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 rh106 1.04E+08 5.89E+07 3.34E+07 1.89E+07 1.07E+07 6.08E+06 3.45E+06  
 pr144 4.56E+07 2.18E+07 1.04E+07 4.95E+06 2.36E+06 1.13E+06 5.37E+05  
 0 principal photon sources in group 14, photons/sec  
 nuclide mean energy = 3.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.05E+06) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 rh106 1.79E+07 1.01E+07 5.75E+06 3.26E+06 1.85E+06 1.05E+06 5.93E+05  
 0 principal photon sources in group 15, photons/sec  
 nuclide mean energy = 3.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (4.61E+02) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 rh106 7.88E+03 4.47E+03 2.53E+03 1.44E+03 8.14E+02 4.61E+02 2.61E+02  
 0 principal photon sources in group 16, photons/sec  
 nuclide mean energy = 4.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (2.01E-07) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 ce142 1.46E-07 1.46E-07 1.46E-07 1.46E-07 1.46E-07 1.46E-07 1.46E-07  
 sm147 5.38E-08 5.42E-08 5.46E-08 5.49E-08 5.51E-08 5.52E-08 5.54E-08  
 0 principal photon sources in group 17, photons/sec  
 nuclide mean energy = 4.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.01E-07) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 ce142 7.32E-08 7.32E-08 7.32E-08 7.32E-08 7.32E-08 7.32E-08 7.32E-08  
 sm147 2.70E-08 2.72E-08 2.74E-08 2.75E-08 2.76E-08 2.77E-08 2.78E-08  
 0 principal photon sources in group 18, photons/sec  
 nuclide mean energy = 5.5000 mev. nuclides exceeding 1.0E-03 of total group release rate (7.49E-08) at 1521.9 d  
 time after discharge  
 initial 304.4 d 608.8 d 913.1 d 1217.5 d 1521.9 d 1826.3 d  
 ce142 5.43E-08 5.43E-08 5.43E-08 5.43E-08 5.43E-08 5.43E-08 5.43E-08

sm147 2.00E-08 2.02E-08 2.03E-08 2.04E-08 2.05E-08 2.06E-08 2.06E-08

1 photon spectrum as a function of time for heavy metals and their daughters

page 73

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
 power= .00 mw, burnups= 146.mwd, flux= 2.79E+08 n\*\*2-sec  
 0 actinide photon release rates, photons/sec  
 0 basis = single reactor assembly

	emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	1.34E+14	8.65E+11	8.63E+11	8.61E+11	8.59E+11	8.57E+11	8.55E+11	
3.00E-02	8.46E+12	4.62E+10	4.62E+10	4.62E+10	4.62E+10	4.62E+10	4.62E+10	
5.50E-02	1.09E+13	2.08E+10	2.08E+10	2.08E+10	2.08E+10	2.08E+10	2.08E+10	
8.50E-02	5.26E+13	1.51E+11	1.51E+11	1.51E+11	1.51E+11	1.51E+11	1.51E+11	
1.20E-01	5.43E+13	2.91E+10	2.91E+10	2.91E+10	2.91E+10	2.91E+10	2.91E+10	
1.70E-01	1.72E+12	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10	1.90E+10	
3.00E-01	2.87E+13	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11	1.30E+11	
6.50E-01	1.45E+12	6.31E+09	6.31E+09	6.31E+09	6.31E+09	6.31E+09	6.31E+09	
1.13E+00	1.86E+12	9.19E+08	9.19E+08	9.19E+08	9.19E+08	9.19E+08	9.19E+08	
1.58E+00	1.10E+08	1.10E+08	1.10E+08	1.10E+08	1.11E+08	1.11E+08	1.11E+08	
2.00E+00	3.72E+07	3.72E+07	3.72E+07	3.72E+07	3.72E+07	3.72E+07	3.72E+07	
2.40E+00	4.45E+05	4.52E+05	4.59E+05	4.66E+05	4.73E+05	4.80E+05	4.87E+05	
2.80E+00	1.61E+06	1.63E+06	1.63E+06	1.64E+06	1.64E+06	1.64E+06	1.64E+06	
3.25E+00	1.44E+04	1.44E+04	1.45E+04	1.45E+04	1.46E+04	1.46E+04	1.47E+04	
3.75E+00	6.40E+03	6.39E+03	6.39E+03	6.39E+03	6.38E+03	6.38E+03	6.38E+03	
4.25E+00	3.69E+03	3.69E+03	3.69E+03	3.69E+03	3.69E+03	3.68E+03	3.68E+03	
4.75E+00	2.13E+03	2.13E+03	2.13E+03	2.13E+03	2.13E+03	2.13E+03	2.13E+03	
5.50E+00	1.92E+03	1.92E+03	1.92E+03	1.92E+03	1.92E+03	1.92E+03	1.92E+03	
0 total	2.93E+14	1.27E+12	1.27E+12	1.26E+12	1.26E+12	1.26E+12	1.26E+12	
0 mev/sec	2.51E+13	7.52E+10	7.52E+10	7.52E+10	7.51E+10	7.51E+10	7.51E+10	

actinide energy release rates, mev/watt-sec  
 basis = single reactor assembly

	emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	3.34E+08	2.16E+06	2.16E+06	2.15E+06	2.15E+06	2.14E+06	2.14E+06	
3.00E-02	6.34E+07	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05	3.46E+05	
5.50E-02	1.50E+08	2.86E+05	2.86E+05	2.86E+05	2.86E+05	2.86E+05	2.86E+05	
8.50E-02	1.12E+09	3.21E+06	3.21E+06	3.21E+06	3.21E+06	3.21E+06	3.21E+06	
1.20E-01	1.63E+09	8.72E+05	8.72E+05	8.72E+05	8.72E+05	8.72E+05	8.72E+05	
1.70E-01	7.31E+07	8.08E+05	8.08E+05	8.08E+05	8.08E+05	8.08E+05	8.08E+05	
3.00E-01	2.15E+09	9.78E+06	9.78E+06	9.78E+06	9.78E+06	9.78E+06	9.78E+06	
6.50E-01	2.36E+08	1.03E+06	1.03E+06	1.03E+06	1.03E+06	1.03E+06	1.03E+06	
1.13E+00	5.23E+08	2.58E+05	2.58E+05	2.58E+05	2.58E+05	2.59E+05	2.59E+05	
1.58E+00	4.34E+04	4.35E+04	4.35E+04	4.35E+04	4.35E+04	4.35E+04	4.36E+04	
2.00E+00	1.86E+04	1.86E+04	1.86E+04	1.86E+04	1.86E+04	1.86E+04	1.86E+04	
2.40E+00	2.67E+02	2.71E+02	2.76E+02	2.80E+02	2.84E+02	2.88E+02	2.92E+02	
2.80E+00	1.13E+03	1.14E+03	1.14E+03	1.15E+03	1.15E+03	1.15E+03	1.15E+03	
3.25E+00	1.17E+01	1.17E+01	1.18E+01	1.18E+01	1.18E+01	1.19E+01	1.19E+01	
3.75E+00	6.00E+00	5.99E+00	5.99E+00	5.99E+00	5.98E+00	5.98E+00	5.98E+00	
4.25E+00	3.92E+00	3.92E+00	3.92E+00	3.92E+00	3.92E+00	3.91E+00	3.91E+00	
4.75E+00	2.53E+00	2.53E+00	2.53E+00	2.53E+00	2.53E+00	2.53E+00	2.53E+00	
5.50E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	
0 total	6.28E+09	1.88E+07	1.88E+07	1.88E+07	1.88E+07	1.88E+07	1.88E+07	
1 gamma watts	4.02E+00	1.21E-02	1.21E-02	1.21E-02	1.20E-02	1.20E-02	1.20E-02	

1 neutron source intensity as a function of time

0 sas2h: far-field crit based on b&amp;w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

page 74

alpha-n neutron source, neutrons/sec/basis  
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pb210	3.48E-10	3.55E-10	3.62E-10	3.70E-10	3.77E-10	3.85E-10	3.92E-10
bi210	8.87E-08	9.06E-08	9.24E-08	9.43E-08	9.62E-08	9.82E-08	1.00E-07
bi211	8.72E-01	8.82E-01	8.92E-01	9.02E-01	9.12E-01	9.22E-01	9.32E-01
bi212	5.58E-02	5.64E-02	5.67E-02	5.69E-02	5.69E-02	5.69E-02	5.69E-02
bi213	3.11E-04	3.16E-04	3.21E-04	3.26E-04	3.32E-04	3.37E-04	3.43E-04
bi214	7.25E-05	7.37E-05	7.49E-05	7.61E-05	7.73E-05	7.86E-05	7.98E-05
po210	1.09E-01	1.09E-01	1.11E-01	1.13E-01	1.15E-01	1.18E-01	1.20E-01
po211	3.45E-03	3.49E-03	3.53E-03	3.57E-03	3.61E-03	3.65E-03	3.69E-03
po212	2.86E-01	2.89E-01	2.90E-01	2.91E-01	2.92E-01	2.92E-01	2.91E-01
po213	4.10E-02	4.17E-02	4.24E-02	4.31E-02	4.38E-02	4.45E-02	4.52E-02
po214	6.46E-01	6.56E-01	6.67E-01	6.78E-01	6.89E-01	7.00E-01	7.11E-01
po215	1.23E+00	1.25E+00	1.26E+00	1.28E+00	1.29E+00	1.30E+00	1.32E+00
po216	2.23E-01	2.25E-01	2.27E-01	2.27E-01	2.28E-01	2.27E-01	2.27E-01
po218	3.07E-01	3.12E-01	3.17E-01	3.23E-01	3.28E-01	3.33E-01	3.38E-01
at217	2.66E-02	2.70E-02	2.75E-02	2.79E-02	2.84E-02	2.88E-02	2.93E-02
rn218	4.21E-12	1.66E-16	6.51E-21	2.56E-25	.00E+00	.00E+00	.00E+00
rn219	9.80E-01	9.92E-01	1.00E+00	1.01E+00	1.03E+00	1.04E+00	1.05E+00
rn220	1.77E-01	1.79E-01	1.79E-01	1.80E-01	1.80E-01	1.80E-01	1.80E-01
rn222	2.24E-01	2.28E-01	2.32E-01	2.36E-01	2.39E-01	2.43E-01	2.47E-01
fr221	1.94E-02	1.97E-02	2.00E-02	2.04E-02	2.07E-02	2.10E-02	2.14E-02
fr223	3.71E-07	3.75E-07	3.79E-07	3.84E-07	3.88E-07	3.92E-07	3.96E-07
ra222	3.25E-12	1.28E-16	5.03E-21	1.98E-25	.00E+00	.00E+00	.00E+00
ra223	5.67E-01	5.74E-01	5.81E-01	5.87E-01	5.94E-01	6.00E-01	6.07E-01
ra224	1.25E-01	1.26E-01	1.27E-01	1.27E-01	1.27E-01	1.27E-01	1.27E-01
ra226	1.31E-01	1.33E-01	1.36E-01	1.38E-01	1.40E-01	1.42E-01	1.45E-01
ac225	1.39E-02	1.42E-02	1.44E-02	1.46E-02	1.49E-02	1.51E-02	1.54E-02
ac227	4.17E-03	4.22E-03	4.27E-03	4.32E-03	4.36E-03	4.41E-03	4.46E-03
ac228	2.11E-13	2.12E-13	2.14E-13	2.16E-13	2.18E-13	2.20E-13	2.22E-13
th226	2.94E-12	1.16E-16	4.54E-21	1.79E-25	.00E+00	.00E+00	.00E+00
th227	6.26E-01	6.33E-01	6.41E-01	6.48E-01	6.55E-01	6.62E-01	6.69E-01
th228	1.05E-01	1.06E-01	1.07E-01	1.07E-01	1.07E-01	1.07E-01	1.07E-01
th229	8.15E-03	8.28E-03	8.42E-03	8.56E-03	8.70E-03	8.84E-03	8.98E-03
th230	5.67E+00	5.71E+00	5.76E+00	5.81E+00	5.85E+00	5.90E+00	5.95E+00
th232	2.93E-06	2.95E-06	2.97E-06	3.00E-06	3.02E-06	3.05E-06	3.07E-06
pa231	4.76E-01	4.80E-01	4.84E-01	4.88E-01	4.92E-01	4.96E-01	5.00E-01
u230	2.31E-12	9.09E-17	3.58E-21	1.41E-25	.00E+00	.00E+00	.00E+00
u231	1.49E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.01E-01	1.01E-01	1.01E-01	1.00E-01	1.00E-01	9.96E-02	9.90E-02
u233	1.62E+00	1.63E+00	1.65E+00	1.66E+00	1.68E+00	1.69E+00	1.71E+00
u234	6.63E+03						
u235	1.37E+02						
u236	1.04E+03						
u238	8.32E+02						
np235	2.41E-08	1.42E-08	8.31E-09	4.88E-09	2.87E-09	1.68E-09	9.88E-10
np237	3.35E+03						
pu236	1.41E-01	1.16E-01	9.50E-02	7.78E-02	6.38E-02	5.23E-02	4.28E-02
pu237	1.26E-08	1.18E-10	1.10E-12	1.03E-14	9.68E-17	9.07E-19	8.49E-21
pu238	4.56E+04	4.53E+04	4.50E+04	4.47E+04	4.44E+04	4.41E+04	4.38E+04

1

page 75

0

neutron source intensity as a function of time

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
alpha-n neutron source, neutrons/sec/basis  
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pu239	5.03E+03						
pu240	9.14E+00	9.14E+00	9.14E+00	9.14E+00	9.14E+00	9.14E+00	9.13E+00
pu241	2.24E-05	2.15E-05	2.06E-05	1.98E-05	1.91E-05	1.83E-05	1.76E-05
pu242	1.08E-08						
am239	6.85E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	1.08E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	6.56E-02	6.75E-02	6.92E-02	7.08E-02	7.24E-02	7.40E-02	7.54E-02
am242m	3.95E-08	3.93E-08	3.91E-08	3.90E-08	3.88E-08	3.87E-08	3.85E-08
am243	1.29E-10						
cm241	8.45E-18	1.36E-20	2.19E-23	3.52E-26	5.66E-29	.00E+00	.00E+00
cm242	6.41E-04	1.85E-04	5.96E-05	2.51E-05	1.56E-05	1.30E-05	1.22E-05
cm243	8.38E-12	8.21E-12	8.05E-12	7.88E-12	7.73E-12	7.57E-12	7.42E-12
cm244	3.49E-12	3.38E-12	3.28E-12	3.18E-12	3.08E-12	2.98E-12	2.89E-12
cm245	9.03E-20						
cm246	1.15E-23						
total	6.26E+04	6.23E+04	6.20E+04	6.17E+04	6.14E+04	6.11E+04	6.08E+04

page 76

neutron source intensity as a function of time

0 sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2 spontaneous fission neutron source, neutrons/sec/basis basis = single reactor assembly

```

0      total  1.89E+05  1.88E+05  1.88E+05  1.88E+05  1.87E+05  1.87E+05  1.87E+05
1
2          alpha-n neutron source spectrum as a function of time
3          (using reaction spectra for uranium dioxide)
0
4      sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 4
5          alpha-n neutron spectra, neutrons/sec/basis
6          basis = single reactor assembly
7
8      boundaries, mev    initial   304.4 d   608.8 d   913.1 d   1217.5 d   1521.9 d   1826.3 d
9
10     1  6.43E+00 - 2.00E+01 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
11    2  3.00E+00 - 6.43E+00 1.212E+04 1.206E+04 1.201E+04 1.195E+04 1.189E+04 1.184E+04 1.178E+04
12    3  1.85E+00 - 3.00E+00 3.434E+04 3.418E+04 3.401E+04 3.385E+04 3.369E+04 3.353E+04 3.337E+04
13    4  1.40E+00 - 1.85E+00 9.222E+03 9.179E+03 9.135E+03 9.092E+03 9.049E+03 9.006E+03 8.963E+03
14    5  9.00E-01 - 1.40E+00 5.187E+03 5.163E+03 5.139E+03 5.114E+03 5.090E+03 5.066E+03 5.042E+03
15    6  4.00E-01 - 9.00E-01 1.507E+03 1.500E+03 1.493E+03 1.486E+03 1.478E+03 1.471E+03 1.464E+03
16    7  1.00E-01 - 4.00E-01 2.355E+02 2.344E+02 2.333E+02 2.322E+02 2.311E+02 2.300E+02 2.289E+02
17    8  1.70E-02 - 1.00E-01 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
18    9  3.00E-03 - 1.70E-02 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
19   10  5.50E-04 - 3.00E-03 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
20   11  1.00E-04 - 5.50E-04 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
21   12  3.00E-05 - 1.00E-04 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
22   13  1.00E-05 - 3.00E-05 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
23   14  3.05E-06 - 1.00E-05 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
24   15  1.77E-06 - 3.05E-06 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
25   16  1.30E-06 - 1.77E-06 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
26   17  1.13E-06 - 1.30E-06 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
27   18  1.00E-06 - 1.13E-06 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
28   19  8.00E-07 - 1.00E-06 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
29   20  4.00E-07 - 8.00E-07 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
30   21  3.25E-07 - 4.00E-07 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
31   22  2.25E-07 - 3.25E-07 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
32   23  1.00E-07 - 2.25E-07 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
33   24  5.00E-08 - 1.00E-07 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
34   25  3.00E-08 - 5.00E-08 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
35   26  1.00E-08 - 3.00E-08 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
36   27  1.00E-11 - 1.00E-08 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00 .000E+00
37
38      6.261E+04 6.232E+04 6.202E+04 6.172E+04 6.143E+04 6.114E+04 6.085E+04

```

page 77

page 78

12	3.00E-05	-	1.00E-04	.000E+00						
13	1.00E-05	-	3.00E-05	.000E+00						
14	3.05E-06	-	1.00E-05	.000E+00						
15	1.77E-06	-	3.05E-06	.000E+00						
16	1.30E-06	-	1.77E-06	.000E+00						
17	1.13E-06	-	1.30E-06	.000E+00						
18	1.00E-06	-	1.13E-06	.000E+00						
19	8.00E-07	-	1.00E-06	.000E+00						
20	4.00E-07	-	8.00E-07	.000E+00						
21	3.25E-07	-	4.00E-07	.000E+00						
22	2.25E-07	-	3.25E-07	.000E+00						
23	1.00E-07	-	2.25E-07	.000E+00						
24	5.00E-08	-	1.00E-07	.000E+00						
25	3.00E-08	-	5.00E-08	.000E+00						
26	1.00E-08	-	3.00E-08	.000E+00						
27	1.00E-11	-	1.00E-08	.000E+00						
0				1.260E+05	1.259E+05	1.259E+05	1.258E+05	1.258E+05	1.257E+05	1.257E+05

1

total (alpha-n plus spon. fission) neutron source spectrum as a function of time  
(using reaction spectra for uranium dioxide)

page 79

0

sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2  
neutron spectra, neutrons/sec/basis  
basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
--	-----------------	---------	---------	---------	---------	----------	----------	----------

1	6.43E+00	-	2.00E+01	2.406E+03	2.405E+03	2.404E+03	2.403E+03	2.402E+03	2.401E+03	2.400E+03
2	3.00E+00	-	6.43E+00	3.850E+04	3.843E+04	3.836E+04	3.829E+04	3.822E+04	3.815E+04	3.809E+04
3	1.85E+00	-	3.00E+00	6.308E+04	6.290E+04	6.273E+04	6.256E+04	6.238E+04	6.221E+04	6.204E+04
4	1.40E+00	-	1.85E+00	2.551E+04	2.546E+04	2.541E+04	2.536E+04	2.531E+04	2.526E+04	2.521E+04
5	9.00E-01	-	1.40E+00	2.754E+04	2.751E+04	2.747E+04	2.744E+04	2.741E+04	2.737E+04	2.734E+04
6	4.00E-01	-	9.00E-01	2.642E+04	2.640E+04	2.638E+04	2.636E+04	2.635E+04	2.633E+04	2.631E+04
7	1.00E-01	-	4.00E-01	5.154E+03	5.150E+03	5.147E+03	5.144E+03	5.141E+03	5.137E+03	5.134E+03
8	1.70E-02	-	1.00E-01	.000E+00						
9	3.00E-03	-	1.70E-02	.000E+00						
10	5.50E-04	-	3.00E-03	.000E+00						
11	1.00E-04	-	5.50E-04	.000E+00						
12	3.00E-05	-	1.00E-04	.000E+00						
13	1.00E-05	-	3.00E-05	.000E+00						
14	3.05E-06	-	1.00E-05	.000E+00						
15	1.77E-06	-	3.05E-06	.000E+00						
16	1.30E-06	-	1.77E-06	.000E+00						
17	1.13E-06	-	1.30E-06	.000E+00						
18	1.00E-06	-	1.13E-06	.000E+00						
19	8.00E-07	-	1.00E-06	.000E+00						
20	4.00E-07	-	8.00E-07	.000E+00						
21	3.25E-07	-	4.00E-07	.000E+00						
22	2.25E-07	-	3.25E-07	.000E+00						
23	1.00E-07	-	2.25E-07	.000E+00						
24	5.00E-08	-	1.00E-07	.000E+00						
25	3.00E-08	-	5.00E-08	.000E+00						
26	1.00E-08	-	3.00E-08	.000E+00						
27	1.00E-11	-	1.00E-08	.000E+00						
0				1.886E+05	1.883E+05	1.879E+05	1.876E+05	1.872E+05	1.869E+05	1.865E+05

1

1

\* gamma sources determined \*

Ocase applies the following photon data base  
master photon library  
in binary mode

0 the sources include photons of nuclides for...

light elements  
actinides  
fission products

gamma source spectrum for gamma lines (sas2)			
1826.25 day time of the requested nuclides			
	energy interval in mev	photons / second	mev / second
1	1.0000E-02 to 5.0000E-02	3.8302E+12	1.1491E+11
0	5.0000E-02 to 1.0000E-01	1.2026E+12	9.0196E+10
0	1.0000E-01 to 2.0000E-01	7.3628E+11	1.1044E+11
0	2.0000E-01 to 3.0000E-01	2.3336E+11	5.8341E+10
0	3.0000E-01 to 4.0000E-01	2.5637E+11	8.9730E+10
0	4.0000E-01 to 6.0000E-01	1.2042E+11	6.0208E+10
0	6.0000E-01 to 8.0000E-01	5.1131E+12	3.5792E+12
0	8.0000E-01 to 1.0000E+00	2.1239E+10	1.9115E+10
0	1.0000E+00 to 1.3300E+00	1.2983E+10	1.5125E+10
0	1.3300E+00 to 1.6600E+00	2.8176E+09	4.2123E+09
0	1.6600E+00 to 2.0000E+00	5.5369E+08	1.0133E+09
0	2.0000E+00 to 2.5000E+00	6.7003E+08	1.5076E+09
0	2.5000E+00 to 3.0000E+00	6.4986E+06	1.7871E+07
0	3.0000E+00 to 4.0000E+00	5.6448E+05	1.9757E+06
0	4.0000E+00 to 5.0000E+00	5.7240E+03	2.5758E+04
0	5.0000E+00 to 6.5000E+00	2.2820E+03	1.3122E+04
0	6.5000E+00 to 8.0000E+00	4.4500E+02	3.2262E+03
0	8.0000E+00 to totals	9.4093E+01	8.4683E+02
0		1.1531E+13	4.1440E+12

total energy from nuclides with spectrum data = 4.1440E+12

total energy from nuclides with no spectrum data = 5.5050E+05

0 results on logical unit no. 71, position 2, for time step 6, subcase 7. (run position 1, case position 2)  
title: sas2h: far-field crit based on b&w 15x15, 3.00wt%, 20gwd/mtu 40% h2o/ 8% uo2

0 .terminated logical unit no. 71 with zero flag record.

1 \* normal termination of execution \*

```
1      primary module access and input record ( scale driver - 95/03/29 - 09:06:37 )
- module sas2h      will be called
SAS2H: Far-Field Crit based on B&W 15x15, 3.00wt%, 20gwd/mtu 40% H2O/ 8% UO2
44group      latticecell
'
' mixtures of tuff infinite slabs:
arbm-ftuff  2.6344 14 0 0 0 1001 1.055 8016 40.755 11023 0.570 12000 0.354
               13027 4.434 14000 20.193 19000 1.370 20000 1.439
               26000 0.494 92235 0.567 92234 0.007 92236 0.136
               92238 28.593 93237 0.033 1 1.0 538  end
kr-83      1 0 1-20 538 end
kr-85      1 0 1-20 538 end
sr-90      1 0 1-20 538 end
y-89       1 0 1-20 538 end
mo-95      1 0 1-20 538 end
zr-93      1 0 1-20 538 end
zr-94      1 0 1-20 538 end
zr-95      1 0 1-20 538 end
nb-94      1 0 1-20 538 end
tc-99       1 0 1-20 538 end
rh-103     1 0 1-20 538 end
rh-105     1 0 1-20 538 end
ru-101     1 0 1-20 538 end
ru-106     1 0 1-20 538 end
pd-105     1 0 1-20 538 end
pd-108     1 0 1-20 538 end
ag-109     1 0 1-20 538 end
sb-124     1 0 1-20 538 end
xe-131     1 0 1-20 538 end
xe-132     1 0 1-20 538 end
xe-135     1 0 1-20 538 end
xe-136     1 0 1-20 538 end
cs-134     1 0 1-20 538 end
cs-135     1 0 1-20 538 end
cs-137     1 0 1-20 538 end
ba-136     1 0 1-20 538 end
la-139     1 0 1-20 538 end
pr-141     1 0 1-20 538 end
pr-143     1 0 1-20 538 end
ce-144     1 0 1-20 538 end
nd-143     1 0 1-20 538 end
nd-145     1 0 1-20 538 end
pm-147     1 0 1-20 538 end
pm-148     1 0 1-20 538 end
nd-147     1 0 1-20 538 end
sm-147     1 0 1-20 538 end
sm-149     1 0 1-20 538 end
sm-150     1 0 1-20 538 end
sm-151     1 0 1-20 538 end
sm-152     1 0 1-20 538 end
gd-155     1 0 1-20 538 end
eu-153     1 0 1-20 538 end
eu-154     1 0 1-20 538 end
eu-155     1 0 1-20 538 end
arbm-tuff1 1.90533 9 0 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490
               13027 6.130 14000 27.919 19000 1.894 20000 1.989
               26000 0.683 2 1.0 323.  end
arbm-tuff2 1.90533 9 0 0 0 1001 2.326 8016 57.779 11023 0.789 12000 0.490
               13027 6.130 14000 27.919 19000 1.894 20000 1.989
               26000 0.683 3 1.0 323.  end
```

```

/
/-----+
/ end comp
/-----+
/ fuel-pin-cell geometry:
/-----+
symmslabcell 340. 280. 1 3 281. 2 end
/-----+
/
/ assembly and cycle parameters:
/-----+
npin/assm=1 fuelngth=280. ncycles=1 nlib/cyc=10 volfueltot=1.1494E7
printlevel=6 inplevel=0 end
power=0.004 burn=3.6525e5 down=1.82625e3
end

1 oooooooooooooo rrrrrrrrrrrr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nn nn sssssssssss
oooooooooooooo rrrrrrrrrrrr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nnn nn sssssssssssss
oo oo rr rr ii gg ee nnnn nn ss ss
oo oo rr rr ii gg ee nn nn nn ss
oo oo rrrrrrrrrrrr ii gg gggggggg eeeeeeee nn nn nn sssssssssss
oo oo rrrrrrrrrrrr ii gg gggggggg eeeeeeee nnn nn nn sssssssssss
oo oo rr rr ii gg ee nn nn nn ss
oo oo rr rr ii gg ee nn nn nn ss
oo oo rr rr ii gg ee nnn nnnn ss ss
oooooooooooooo rr rr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nn nnn sssssssssssss
oooooooooooooo rr rr iiiiiliiiiii gggggggggggg eeeeeeeeeeee nn nn sssssssssssss

0
ddddd dddd dddd dddd aaaaaaaa vv vv iiiiiliiiiii sssssssssss
ddddd dddd dddd dddd aaaaaaaa vv vv iiiiiliiiiii sssssssssssss
dd dd aa aa vv vv iiiiiliiiiii ss ss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aaaaaaaaaaa vv vv iiiiiliiiiii sssssssssssss
dd dd aaaaaaaaaaa vv vv iiiiiliiiiii sssssssssssss
dd dd aa aa vv vv ii ss
dd dd aa aa vv vv ii ss
dd dd aa aa vvv vvv iiiiiliiiiii ss ss
ddddd dddd dddd dddd aa aa vvv vvv iiiiiliiiiii sssssssssssss
ddddd dddd dddd dddd aa aa v v iiiiiliiiiii sssssssssssss

0
0000000 88888888888 22222222222 88888888888 // 999999999999 666666666666
00000000 8888888888888 22222222222 888888888888 // 999999999999 6666666666666
00 00 88 88 22 22 88 88 // 99 99 66
00 00 88 88 22 88 88 // 99 99 66
00 00 888888888888 22 888888888888 999999999999 666666666666
00 00 888888888888 22 888888888888 999999999999 6666666666666
00 00 88 88 22 88 88 // 99 66 66
00 00 88 88 22 88 88 // 99 66 66
000000000 8888888888888 222222222222 888888888888 // 999999999999 666666666666
00000000 888888888888 222222222222 888888888888 // 999999999999 666666666666

```

0

11	88888888888		5555555555555	99999999999		00000000	6666666666666
111	8888888888888		5555555555555	9999999999999		000000000	6666666666666
1111	88 88	:::	55	99 99	:::	00 00	66 66
11	88 88	:::	55	99 99	:::	00 00	66 66
11	88 88	:::	55	99 99	:::	00 00	66 66
11	88888888888		5555555555555	9999999999999		00 00	6666666666666
11	888888888888		5555555555555	9999999999999		00 00	6666666666666
11	88 88	:::	55	99	:::	00 00	66 66
11	88 88	:::	55	99	:::	00 00	66 66
11	88 88	:::	55	99	:::	00 00	66 66
11111111	888888888888		5555555555555	9999999999999		000000000	6666666666666
11111111	888888888888		5555555555555	9999999999999		00000000	6666666666666

1  
0

ssssssssssss	cccccccccc	aaaaaaaa	ll	eeeeeeeeeeee
ssssssssssss	ccccccccccccc	aaaaaaaaaa	ll	eeeeeeeeeeee
ss ss	cc cc	aa aa	ll	ee
ss	cc	aa aa	ll	ee
ss	cc	aa aa	ll	ee
ssssssssssss	cc	aaaaaaaaaaaaa	ll	eeeeeeee
ssssssssssss	cc	aaaaaaaaaaaaa	ll	eeeeeeee
ss	cc	aa aa	ll	ee
ss	cc	aa aa	ll	ee
ss ss	cc cc	aa aa	ll	ee
ssssssssssss	ccccccccccccc	aa aa	llllllllllll	eeeeeeeeeeee
ssssssssssss	ccccccccccccc	aa aa	llllllllllll	eeeeeeeeeeee

```
*****
*****          program verification information
*****          code system: scale version: 4.3
*****          program: o0o004
*****          creation date: 03/13/96
*****          library: /usr1/ornl/Scale/bin
*****          test code: origens
*****          version: 3.0
*****          jobname: davis
*****          date of execution: 08/28/96
*****          time of execution: 18:59:06
```